

## Index

Note: flow diagrams are indicated by *italic* page numbers.

- abdominal aortic aneurysm (AAA), 21–27
- abdominal pain
  - appendicitis, 263
  - GI emergencies, 65, 67, 72, 74
  - obstetric emergencies, 165, 166, 168, 173
- abdominal radiographs, 70, 75
- Accreditation Council of Graduate Medical Education, clinical competencies, 1
- acetaminophen, 215, 217
- acidosis, 104
- activated charcoal [in toxicologic emergencies], 209, 217
- acute mesenteric ischemia (AMI), 74, 75
  - clinical features, 74
  - etiologies, 74
- adenosine, 31, 32, 33
- adrenal insufficiency, 115–121
- $\beta_2$ -adrenergic agonists, 182, 183, 185
- Advanced Trauma Life Support (ATLS)
  - guidelines, 296, 306
- air embolism, cerebral, 149, 152
- alcoholism, effects, 80, 83, 90
- altered state of consciousness [of baby], 248, 249
  - causes, 251
- American Board of Emergency Medicine,
  - examination topics, 1
- amiodarone, 50, 127, 207, 210
- amiodarone-induced thyrotoxicosis (AIT), 127
- analgesics, in GI emergencies, 65, 66, 67
- aneurysm, abdominal aortic, 21–27
- anti-arrhythmics, 46, 50–51, 207, 208, 210
- antibiotics
  - GI emergencies, 57, 59, 65, 67, 73, 75, 81, 83
  - pulmonary emergencies, 193
  - sepsis, 198, 199, 201
- anticoagulants, 10
- antiemetics, 65, 66, 67
- antihypertensive medications, 16, 17, 20, 158, 161
- antipyretics, 198, 199
- antivenom therapy, 141, 143, 144
- aortic aneurysm, 21–27
- aortic dissection (AD), 12–20
- apnea, in pediatric emergencies, 237, 238
- appendicitis, 263
- arterial embolism, 74. *See also* pulmonary embolism
- arterial gas embolism, 151, 152
- arterial thrombosis, 74
- arteriography, 192
- asthma exacerbation, 178–186
  - pulmonary embolism and, 7
- atmosphere [unit of pressure], 151
- atrial fibrillation, 33, 74, 127, 135
- atropine, 38, 39, 40
- autonomic dysfunction, 306
- bag-mask ventilation, 237, 270, 271, 275
- barotrauma [dive injury], 151
- benzodiazepines, 88, 89, 160, 223, 224, 243, 244, 245, 259
- beta-blockers, 20, 31, 32, 33–34, 126, 127, 161
- bisphosphonates, 95, 97
- blood pressure control, *see* antihypertensive medications; beta-blockers
- blood products administration
  - in GI emergencies, 81, 82, 83
  - in obstetric emergencies, 166, 167, 168
  - in pulmonary /critical care emergencies, 190, 191, 193, 198, 201
  - in trauma emergencies, 293, 294, 295, 297
  - in vascular emergencies, 24, 25, 26–27
- Boerhaave's syndrome [esophageal perforation], 53–60
  - causes, 59
- Boyle's law, 151
- bradycardia, symptomatic, 35–41

**310** Index

- bronchiolitis, 234–239  
causes, 238
- bronchoscopy, 192, 193
- burn center, indications for consult/transfer, 288
- burn injury, 280–288  
categories, 287  
causes, 287
- calcitonin, 95, 97
- calcium channel blockers, 20, 31, 32, 33
- calcium gluconate/chloride, 105, 305
- Canadian C-spine [imaging] rules, 306
- carbon monoxide toxicity, 134  
with hypothermia, 129–136
- carboxyhemoglobin, 132, 134
- cardiac arrest, *see also* pulseless electrical activity (PEA) arrest  
therapeutic hypothermia after, 46–47, 49, 51–52
- cardiac tamponade, 16, 18, 103, 104, 105
- cardioversion, 31, 32, 46, 48, 50
- cerebral edema, 113, 114, 160
- cervical spine fracture, 299–308  
diagnosis, 306  
management of, 307  
pathophysiologic classification, 306
- cervical spine injury, precautionary treatment, 88
- cesarean section, 174, 177
- chest pain  
in aortic dissection, 15, 16, 19  
differential diagnosis, 57, 58, 59  
in dive injury, 148, 152  
in esophageal perforation, 57, 58, 59  
in pulmonary embolism, 5, 9  
in ventricular tachycardia, 45, 50
- chest tube thoracostomy, 57, 59, 149, 150, 153, 293, 294, 297
- chest wall escharotomy, 284, 286, 288
- chest X-ray  
hemoptysis, 192  
pneumothorax, 57, 59, 296  
pulmonary embolism, 10  
renal failure, 104  
sepsis, 198, 200
- child abuse, 251
- cirrhosis, UGI bleeding influenced by, 83
- cocaine, 224
- cocaine overdose, 219–225
- compartment syndrome, 307–308
- computed tomography, *see also* CT angiography  
cervical spine, 306  
head scan [post-seizure], 257, 259  
pulmonary emergencies, 192
- cooling measures  
hyperthermia treatment, 223, 224  
in therapeutic hypothermia, 49, 51
- corticosteroids  
in asthma exacerbation, 182, 183, 185  
in endocrine emergencies, 118, 119, 120, 126, 128
- cosyntropin stimulation test, 120
- coughing up blood, *see* hemoptysis
- cramping, treatment of, 90
- CT angiography, vascular emergencies, 10, 19, 26
- D-dimer serum assay, pulmonary embolism, 10
- death notification, 273–279  
logistics/resources/delivery, 278
- decompensated shock, 73
- decompression sickness, 151, 152
- deep venous thrombosis (DVT), as PE indication, 4, 9, 10
- defibrillation, 46, 48, 50, 88, 89, 207, 208, 210, 223
- dextrose, 110, 112, 119
- diabetic ketoacidosis (DKA), 107–114  
causes, 113  
pathophysiology, 113
- DigiFab fragments, 207, 208, 209
- digoxin overdose, 203–210
- disclosure of medical/medication error, 270, 272
- disseminated intravascular coagulation (DIC), 176
- dive injury, 145–153
- doctor–patient communication, 253–260
- dyspnea, *see* shortness of breath
- eclampsia, 154–161
- ectopic pregnancy, 168  
ruptured, 162–169  
treatment of, 169
- Ehlers–Danlos syndrome, 19, 26
- electrocardiogram (ECG)  
digoxin toxicity, 209  
hypercalcemia, 96  
hyperkalemia, 105  
pulmonary embolism, 10  
resuscitation emergencies, 31, 33, 38, 40, 43, 46, 50  
third-degree heart block, 38, 40  
vascular emergencies, 10  
ventricular tachycardia, 43, 46, 50
- electroencephalogram (EEG), 244, 255, 257, 259
- electrolyte management, in diabetic ketoacidosis, 114

- embolism
  - arterial gas, 151, 152
  - cerebral air, 149, 152
  - in mesenteric ischemia, 74
  - pulmonary, 3–11
- endocrine emergencies
  - adrenal insufficiency, 115–121
  - diabetic ketoacidosis, 107–114
  - thyroid storm, 122–128
- endoscopy, 81, 83–84
- endotracheal intubation, 287
- environmental emergencies
  - carbon monoxide toxicity with hypothermia, 129–136
  - dive injury, 145–153
  - snake bites, 137–144
- epinephrine [adrenaline], 182, 183, 185, 231, 232
- erythromycin [prior to endoscopy], 81, 83
- escharotomy, 284, 286, 288
- esophageal perforation (Boerhaave's syndrome), 53–60
- esophageal varices, bleeding and, 83
- extremity swelling, in pulmonary embolism, 5, 9
  
- factor VII, 84
- fasciotomy, 304, 307
- FAST, *see* focused assessment with sonography for trauma
- fetal heart rate (FHR) monitoring, 158, 161, 174, 176–177
- fiber-optic bronchoscopy, 192
- flank pain, 94
- fluid management
  - in endocrine emergencies, 110, 112, 113
  - in environmental emergencies, 141
  - in GI emergencies, 65, 66, 73, 75, 81, 83, 83
  - in obstetric emergencies, 166, 167, 168
  - in renal/electrolyte emergencies, 95
  - in trauma emergencies, 284, 287–288, 293, 297, 304, 307–308
- focused assessment with sonography for trauma (FAST) examination, 62, 163, 293, 304
  
- gastrointestinal emergencies
  - esophageal perforation (Boerhaave's syndrome), 53–60
  - intestinal perforation, 61–68
  - mesenteric ischemia, 69–76
  - variceal bleeding, 77–84
- Glasgow Coma Scale (GCS) score, 304
- glucose management, in endocrine emergencies, 113–114, 119, 120
  
- Hampton's hump [on chest X-ray], 10
- HELLP syndrome, 160
- hematemesis, 77–84
- hemoptysis, 187–193
- hemorrhagic shock, 168
- heparin, 10, 73, 75
- heterotopic pregnancy, 168
- hollow viscera, perforation of, 67
- home births, 229, 232
- $\beta$ -human chorionic gonadotropin ( $\beta$ -hCG) hormone, 168
- hydralazine, 20, 161
- hyperbaric oxygen therapy, 132, 134, 149, 150, 152
- hypercalcemia, 92–97, 209
  - conditions associated with, 96
- hyperglycemia, 88, 113
- hyperkalemia, 102, 104, 120, 207, 209
  - treatment of, 102, 103, 105, 207, 208, 209–210, 305
- hyperparathyroidism, 96
- hyper-reflexia, treatment of, 90
- hyperthermia, 224
  - treatment of, 224
- hypoglycemia, 110, 111, 118, 119, 120
  - in neonates and infants, 230, 232, 244, 245
- hypokalemia, in electrolyte emergencies, 96
- hypomagnesemia, 85–91
- hyponatremia
  - in electrolyte emergencies, 96
  - in endocrine emergencies, 120
  - pediatric seizures caused by, 243
  - treatment of, 120, 243, 245
- hypothermia
  - carbon monoxide toxicity with, 129–136
  - clinical features, 134–135
  - core temperature, 135
  - management of, 132, 135, 230, 231, 232
  - therapeutic, 46–47, 49, 51
- hypovolemia
  - treatment in trauma, 297
  - worsening, 82
  
- induced [therapeutic] hypothermia, 46–47, 49, 51
- interpersonal communication
  - doctor–patient communication, 253–260
  - notifying family of patient death, 273–279
  - professionalism and communication between specialties, 261–266
- intestinal perforation, 61–68
  - causes and factors affecting, 67
- intrauterine pregnancy (IUP), 168

**312** Index

- iodine, use in thyroid storm, 126, 128  
ipratropium, 182, 183, 185
- Kussmaul respirations, 113
- lidocaine, 207, 208, 210, 223, 224  
loop diuretics, 96  
lower extremity pulses  
absent with fracture, 299–308  
discrepancy [L vs R], 15, 16, 19  
weak/absent [in AAA], 23, 26  
Lund Browder Chart [burn extent], 287
- magnesium [in treatment of VT], 51, 207, 208, 210  
magnesium loss, *see also* hypomagnesemia  
causes, 90  
magnesium repletion, 90  
magnesium sulfate, seizure control by, 158, 159, 160  
major burn, 280–288  
malignancy, hypercalcemia and, 96  
Mallory–Weiss tear, 83  
Marfan syndrome, 19, 26  
massive hemoptysis, 191, 192  
differential diagnosis, 192  
medical/medication error  
insulin overdose, 110, 112  
opiate-induced respiratory depression, 267–272  
mental status  
in asthma exacerbation, 183  
in endocrine emergencies, 110, 111, 114, 118, 119  
in environmental emergencies, 131, 134, 142  
in obstetric emergencies, 160, 167  
in pediatric emergencies, 244, 251  
in renal failure, 104  
in sepsis/septic shock, 199, 201  
in toxicologic emergencies, 206, 209, 215, 223, 224  
in trauma emergencies, 294  
in vascular emergencies, 24, 25, 26  
mesenteric angiography, 75  
mesenteric ischemia, 69–76  
non-occlusive, 74  
mesenteric venous thrombosis, 74, 75  
methimazole, 126, 127  
monomorphic ventricular tachycardia, 46, 50  
motor vehicle collision injuries, 292–297  
mucosal erosive disease, 83
- N*-acetylcysteine, 215, 217  
Na–K ATPase pump, inhibition of, 209
- naloxone [narcotic reversal agent], 215, 217, 218, 270, 271, 272
- National Emergency X-radiography Utilization Study (NEXUS) guidelines, 306
- nebulization treatments  
asthma, 182, 183, 185  
pediatric [bronchiolitis], 237, 238  
renal failure/hyperkalemia, 105  
needle decompression [to manage  
pneumothorax], 57, 59, 293, 294, 297  
neonatal distress, 232  
neonatal resuscitation, 226–233  
neurogenic shock, 304, 306  
nitroprusside, 20, 161  
non-accidental trauma [pediatric], 246–252  
non-occlusive mesenteric ischemia, 74
- obstetric emergencies  
eclampsia, 154–161  
ruptured ectopic pregnancy, 162–169  
trauma in pregnancy, 170–177  
octreotide, 81, 83, 83  
opiate-induced respiratory depression, managing  
medical mistakes, 267–272  
opioid overdose, 211–218  
opioid toxidrome, 217  
opioid withdrawal symptoms, 215, 217  
overdose  
cocaine overdose, 219–225  
digoxin overdose, 203–210  
opioid overdose, 211–218  
sympathomimetic, 219–225  
oxycodone, 215, 217  
oxygen therapy  
in environmental emergencies, 132, 133, 134, 149, 150, 153  
in GI emergencies, 65, 66  
in pulmonary/critical care emergencies, 182, 185, 192, 198, 201  
in toxicologic emergencies, 216  
in trauma emergencies, 287, 296  
in vascular emergencies, 6, 7, 10
- Palla's sign [on chest X-ray], 10  
palpitations, 30, 33, 117, 118, 125  
paralytics [in therapeutic hypothermia], 47, 51  
Parkland formula [for fluid management of burns], 287–288  
paroxysmal supraventricular tachycardia (PSVT), 33, 125

- pediatric emergencies
  - bronchiolitis, 234–239
  - neonatal resuscitation, 226–233
  - non-accidental trauma, 246–252
  - seizure, 240–245
- pelvic fracture, 297
- pelvic X-ray, 297, 304
- peptic ulcer disease, 83
- pericardial effusion, 102, 104
  - treatment of, 105
- pericardiocentesis, 16, 18, 102, 103, 105
- peritonitis, 67, 75
- phenytoin, 207, 208, 210, 259
- placental abruption, 176
  - risk factors, 176
- pleuretic chest pain, 5, 9, 296
- pneumothorax
  - in environmental emergencies, 149, 153
  - in GI emergencies, 57, 59
  - management of, 57, 59, 149, 150, 153, 293, 294, 297
  - in trauma emergencies, 293, 296–297
  - ventilator-caused, 182, 238
- polymorphic ventricular tachycardia, 50, 88
  - treatment of, 88, 89
- polytrauma, 289–298
  - meaning of term, 296
- portal hypertension influenced by, 83
- postpartum neonatal distress, 232
- pre-eclampsia, 160
- pregnancy
  - ectopic, 162–169
  - trauma in, 170–177
- professionalism and communication between specialties, 261–266
- propylthiouracil (PTU), 126, 128
- pulmonary/critical care emergencies
  - hemoptysis, 187–193
  - sepsis, 194–202
  - status asthmaticus, 178–186
- pulmonary embolism (PE), 3–11
- pulmonary embolism rule-out criteria (PERC), 9
- pulse discrepancy [L vs R leg], 15, 16, 19
- pulseless electrical activity (PEA) arrest
  - in asthma exacerbation, 183
  - in endocrine emergencies, 118, 119
  - in environmental emergencies, 132, 133
  - in GI emergencies, 57, 58, 65, 66, 73, 81, 82
  - in renal/electrolyte emergencies, 88, 89, 102, 103
  - in trauma emergencies, 284, 285, 294, 295, 296, 305
  - in vascular emergencies, 6, 7, 16, 18, 24, 25, 275
- pulseless lower extremity fracture, 299–308
- pulseless ventricular tachycardia, 50, 88, 141
- rapid sequence intubation (RSI), 178, 182
- renal/electrolyte emergencies
  - hypercalcemia, 92–97
  - hypomagnesemia, 85–91
  - renal failure, 98–106
- renal failure, 98–106
  - clinical features, 104
  - effects, 104
- repositioning [in pregnancy], 174, 175, 176
- respiratory depression
  - benzodiazepine-induced, 243, 245
  - opiate-induced, 267–272
- respiratory distress, *see also* shortness of breath
  - asthma, 181, 182, 185
  - infants and babies, 236–238
  - in polytrauma, 296
- resuscitation emergencies
  - bradycardia [third-degree heart block], 35–41
  - notification of death after, 273–279
  - pediatric, 226–233
  - supraventricular tachycardia, 28–35
  - ventricular tachycardia/therapeutic hypothermia, 42–52
- resuscitation guidelines
  - neonatal, 232
  - in sepsis, 200
- rewarming measures [for hypothermia], 132, 135, 230, 231, 232
- rhabdomyolysis, 308
  - fluid management for, 307
- risk management department, and disclosure of medication error, 270, 272
- road traffic accident, 292
- rule of nines [burn extent], 287
- ruptured ectopic pregnancy, 162–169
- seizure
  - in carbon monoxide toxicity, 134
  - in diabetic ketoacidosis, 113
  - doctor–patient communication after, 253–260
  - first-time, 259–260
  - in hypomagnesemia, 88, 89, 90
  - in late pregnancy [eclampsia], 157, 158, 159, 160
  - management of, 88, 89, 90, 158, 159, 160, 243, 244, 245, 259
  - neonates and infants, 240–245, 249, 250

**314** Index

- sepsis, 74, 194–202  
septic shock, 200  
shortness of breath / respiratory distress /  
dyspnea  
  in endocrine emergencies, 104, 125  
  in pediatric emergencies, 236–238  
  in polytrauma, 296  
  in pulmonary emergencies, 181, 182, 185  
  in vascular emergencies, 5, 6, 9, 15, 18  
simulation, survey of use in EM training, 1  
snake bites, 137–144  
  crotaline snakes [pit vipers], 142, 143  
  elapid snakes [coral snakes], 142, 143–144  
sodium bicarbonate, 105, 105, 114, 209, 223, 224,  
  308  
spinal shock, 306  
Stanford classification [aortic dissection], 19  
status asthmaticus, 178–186  
status epilepticus, 244  
subcutaneous emphysema, 59, 148, 152  
supraventricular tachycardia (SVT), 28–34, 126  
sympathomimetic overdose, 219–225  
symptomatic bradycardia, 35–41  
systemic inflammatory response syndrome  
  (SIRS), 198, 200
- tachycardia  
  supraventricular, 28–34  
  ventricular, 42–52  
tachypnea, 9, 59, 110, 113, 181, 182, 189, 197, 236,  
  238  
tension pneumothorax, 57, 182, 293, 294  
therapeutic hypothermia, 46–47, 49, 51  
third-degree heart block, 35–41  
thrombolytics, 6, 8, 10, 75  
thyroid storm, 122–128  
  causes, 128  
thyrotoxicosis, *see also* thyroid storm  
  causes, 127  
torsades de pointes, treatment of, 90  
toxicologic emergencies  
  digoxin overdose, 203–210  
  opioid overdose, 211–218  
  sympathomimetic overdose, 219–225  
transcutaneous pacing, 38, 39, 40, 207, 208  
transjugular intrahepatic portosystemic shunt  
  (TIPS), 84  
transvenous pacing, 38, 39, 40  
trauma  
  non-accidental [pediatric], 246–252  
  in pregnancy, 170–177  
  primary survey, 293, 294, 296  
  secondary survey, 293, 295, 296, 307  
trauma emergencies  
  major burn, 280–288  
  pneumothorax and pelvic fracture  
    [polytrauma], 289–298  
  pulseless lower extremity fracture with  
    rhabdomyolysis/cervical spine fracture,  
    299–308  
Turner syndrome, 19
- ultrasound  
  abdominal aortic aneurysm, 24, 26  
  aortic dissection, 16, 18  
  cardiac [to evaluate pericardial  
    effusion/tamponade], 16, 18, 104–105  
  obstetric emergencies, 166, 168, 174, 176  
  pulmonary embolism, 10  
  vascular emergencies, 10, 16, 18, 24, 26  
unprofessional behavior, dealing with, 261–266  
upper gastrointestinal (UGI) bleeding, conditions  
  causing, 83  
uremia, 104
- vagal maneuvers, 31, 32, 33  
vaginal bleeding, 168, 176  
variceal bleeding, 77–84  
vascular emergencies  
  abdominal aortic aneurysm, 21–27  
  aortic dissection, 12–20  
  pulmonary embolism, 3–11  
vasodilators, 75  
  contraindications, 20  
vasopressors  
  in critical care emergencies, 198, 199, 200  
  in GI emergencies, 73  
  in obstetric emergencies, 166, 167  
  in renal failure, 102  
  in resuscitation emergencies, 38  
  in trauma emergencies, 304, 305, 307  
  in vascular emergencies, 6, 8  
ventilation-perfusion scan, pulmonary embolism,  
  10  
ventilator management, 182, 184, 185–186, 201  
ventricular fibrillation (VF), 46, 101, 102, 103, 110,  
  112, 135  
  treatment of, 46, 48, 49, 102, 103  
ventricular tachycardia (VT), 42–52, 207, 208  
  monomorphic, 46, 50  
  polymorphic, 50, 88  
  pulseless, 50, 88  
  stable, 50  
  treatment of, 207, 208, 210  
  unstable, 46, 50  
viral infection, bronchiolitis caused by, 238

volume overload [in renal failure], 104  
vomiting blood, *see* hematemesis

warming measures [for hypothermia], 132, 135  
in neonatal resuscitation, 230, 231, 232

Waterhouse–Friderichsen syndrome, 120

Wells criteria [for pulmonary embolism  
diagnosis], 9–10

Westermark’s sign [on chest X-ray], 10

wheezing

asthmatic, 181, 182

pediatric [bronchiolitis], 236

