

# Index

Page numbers in *italic* refer to figures.  
Page numbers in **bold** refer to tables.  
Sorting is in letter-by-letter order  
ignoring spaces so that, e.g., “fat  
pad” comes after “fatigue”.

1:1 AV relationship, tachycardias with  
489, 492–495, 497, 516, 518  
ATP on 495  
“55D” polyurethane 140  
“80A” polyurethane 139–140  
110 ms phenomenon *see* ventricular  
safety pacing

AA (time period) 256  
AAI pacing (atrial inhibited pacing)  
257–259, 260, 328  
assessment of AV conduction  
195–196  
indications and contraindications  
**135**  
VVI pacing *vs* 56–57  
AAIR pacing 259–260  
electrocardiogram 288  
indications and contraindications  
**135**, 408

AAIR Safe Pace 60  
AAT mode *see* single-chamber  
triggered-mode pacing  
abandoned leads 238–240  
children 200  
contact with electrodes 146, 431  
MRI and 604  
radiography 562  
*see also* nonfunctional leads  
abbreviations, timing cycle **256**  
abdomen, device implantation 30,  
574

ablation 601–602  
atrioventricular node 112, 399,  
537–539, 602  
electromagnetic interference from  
598, 601–602  
for lead extraction 215  
septal, heart block from 107  
for tachyarrhythmias 106–107  
VT storm 511  
ablation catheters, lead extraction 215

aborted sudden death  
arrhythmogenic right ventricular  
dysplasia 121  
long QT syndrome 119  
acceleration times, sensors *see* reaction  
time  
accelerometers 410–411  
dual-sensor rate-adaptive pacing  
416–418  
*see also* SonR sensor  
Accufix™ atrial J lead  
radiography 566, 569  
recalls 209  
Accuity® leads 152  
action potentials 2–4, 17  
active cans, cold cans *vs* 32  
active fixation leads 10–11, 137, 153  
cardiac perforation 225, 588  
children 200–202  
extraction 210–211  
pacing thresholds 6–7, 194  
radiography 564, 567, 577  
active transport mechanisms 2  
activity logs, CRT 623, 628  
activity sensors 409–411  
activity thresholds 420–422, 423  
adaptors, connectors 198, **198**  
additional repolarization time 19, 21  
ADI mode 259, 260, 328  
advisories, pacemaker replacement 204,  
640–644  
AFib Rate Threshold (Boston Scientific)  
387  
afterpotentials 8–9, 15  
air  
in pockets 452  
*see also* seal-plug problems  
air embolism, avoidance 162  
alcohol, on DFT 33  
alerts  
ICDs 472, 628  
lead failure 533  
internet-based 636  
*see also* advisories  
alignment, electrograms 377, 379, 380  
alignment errors, electrograms 377  
allergies 232  
order sets and 205

alternating bundle branch block 101  
alternating RR intervals 476–477, 481  
Ambulatory Threshold Test (Boston  
Scientific) **336**  
American College of Cardiology,  
indications for pacemakers and  
ICDs 94  
American Heart Association, indications  
for pacemakers and ICDs 94  
amiodarone  
on DFT 33  
on pacing thresholds 443  
on ventricular tachycardia 492  
AMIOVIRT trial 116–117  
amplification *see* variable signal  
amplification  
amplitude  
duration *vs* 4  
electrograms 8, 9f  
R waves 342  
*see also* intrinsic amplitude tests;  
voltage amplitude  
analyzers, pacing systems 192–193  
anastomoses, ventricular veins 184  
anatomy 2  
coronary sinus 177, 302  
Andersen Trial 56–57  
anesthesia 158–159  
for VT storm 511  
angiographic wires *see* guidewires  
angiography *see* contrast venography  
anodal capture 542, 543, 544–545  
anodal shocking 20–21  
anodal stimulation, resynchronization  
and 316  
anterior intraventricular vein 177, 178  
lead placement 582  
anterior left ventricular pacing, ECG  
300, 303  
anterior myocardial infarction 100  
antiarrhythmic drugs  
affecting pacing thresholds **435**,  
443–444, 448  
Class IC 443, 492, 632–634  
ICD problems, follow-up 632–634  
ICDs and 33–34, 632–634  
for VT storm 511  
antibiotics 205, **207**, 238

*Cardiac Pacing, Defibrillation and Resynchronization: A Clinical Approach*, Third Edition.

David L. Hayes, Samuel J. Asirvatham, and Paul A. Friedman.

© 2013 Mayo Foundation for Medical Education and Research. Published 2013 by John Wiley & Sons, Ltd.

- anticoagulants
  - cardioversion and 228
  - device implantation and 203
  - for established thrombosis 234
  - pocket hematomas 229
- antitachycardia pacing (ATP) 34–35, 390–393, **396**, 499
  - drugs and 634
  - initiating lead noise 524
  - misclassification by ICDs 507, 508
  - optimizing therapy 395, 507
  - on ventricular tachycardia 34–35, 495
  - VT storm 511
- antitheft devices 609–610
- AOO (atrial asynchronous pacing) 257
- apex
  - lead placement 169
    - assessment 298–299, 567–569
  - right ventricular pacing 61, 65, 66, 110
    - ECG 299–300
    - minimization 331–332
- arc welding 607–608
- arm lifting restriction 205, 644–645
- arrays, subcutaneous 175, 176, 580
- arrhythmias
  - causes of recurrence 246–252
  - during lead implantation 228–229
  - life-threatening, prevention 112–114, 370, **396**, **397**
    - see also specific arrhythmias*
  - arrhythmogenic right ventricular dysplasia, ICDs 121–122
- article surveillance equipment 609–610
- artifacts, electrical 452–454, 455
- aspirin
  - device implantation and 203
  - pocket hematomas 229
- asynchronous mode, ICDs 600
- asynchronous pacing (SOOR pacing) 260
  - magnet response **621**
  - noise reversion 593–597
  - rate-modulated 261
  - see also* atrial asynchronous pacing; dual-chamber pacing, sequential asynchronous; ventricular asynchronous pacing
- asystole
  - avoidance in programming 321
  - prevention 265–266
- atria
  - conduction system 51
  - effect of pacing 56
  - J leads 137, 577
    - dislodgement 220
    - placement 190–192
    - radiography 564–567
    - see also* Accufix™ atrial J lead
  - lead dislodgement 220, 441
  - sensing thresholds 195
  - trans-telephonic monitoring 616
  - atrial asynchronous pacing (AOO) 257
  - atrial-based timing systems 268–272
  - atrial blanking period 346–348, **349**, 384
    - Boston Scientific ICDs 384, 386
    - see also* post-ventricular atrial blanking periods
  - Atrial Capture Control (Biotronik) **336**
  - atrial defibrillators 393
  - atrial electrograms 8
    - ICDs 474, 477
    - undersensing 501
  - atrial escape interval *see* ventriculoatrial interval
  - atrial fibrillation 497
    - AFib Rate Threshold (Boston Scientific ICDs) 387
    - assessment of suppression 437
    - atrial undersensing 504–506
    - atrioventricular block and 99
    - heart failure and **110**, 112
    - ICD selection 150
    - inappropriate rejection 500
    - late shock 394
    - during lead implantation 228
    - lead placement for 192
      - radiography 567
    - pacing mode on 57–58, 59
    - paroxysmal 492, 494–495
    - prevention algorithms 106
    - programming **397**, 399, 401
    - remote monitoring 638–640
    - sleep apnea 103
    - thromboembolism and 638–640, 641
    - ventricular rate regulation for 78, 295–296
    - ventricular sensing, cardiac resynchronization devices 537–541
    - ventricular tachycardia vs 489
    - VVIR pacing 134
  - atrial flutter 489, 497
    - during lead implantation 228
    - mode switching and 276
  - atrial inhibited pacing (AAI pacing) 257–259, 260, 328
    - assessment of AV conduction 195–196
    - indications and contraindications **135**
    - VVI pacing vs 56–57
  - atrial oversensing
    - CRT devices **535**, 536, **635**
    - ICDs 476
  - atrial pacemakers
    - lead dislodgement 220
    - lead placement 170–171
      - radiography 564–569, 568
      - ventricular lead placement with 190
    - single-chamber, sick sinus syndrome 103
    - see also* Accufix™ atrial J lead
  - atrial premature beats, biventricular pacing 286
  - Atrial Protection Interval (API™) 276–278
  - atrial rate, ventricular rate vs, SVT-VT discriminators 383–387
  - atrial refractory period **325**
    - pacing during 276–278
    - see also* post-ventricular atrial refractory period; total atrial refractory period
  - atrial rhythms
    - cardiac transplantation 202
    - native 332, 333
    - ventricular sensing problems 534–537
  - atrial sensing window 275
  - atrial septal defect 232
  - atrial synchronous
    - (P-tracking/P-synchronous) pacing *see* VDD pacing
  - atrial tachyarrhythmias
    - mode switching for 276
    - risk of thromboembolism 638–640
  - atrial tachycardia
    - ATP on 495
    - caused by pacing 276–278
    - during lead implantation 228
  - Atrial Tracking Recovery™ (Medtronic) 398, 399
  - atrial undersensing 286, 345, 352
    - CRT devices **535**, **635**
    - ICDs 384, 388
      - atrial fibrillation 504–506
  - atrial upper interval (AUI) 278
  - atrial upper rate (AUR) 278
  - atrioventricular block 80
    - as complication 228
    - pacing for 94–101
    - pacing mode selection 136
    - PEA sensor 418
    - programming for 471–472
    - from septal ablation 107
    - single-pass VDD pacing 136
    - children 200
    - sinus node dysfunction 136
    - symptoms 99, 471
    - see also* first-degree heart block; second-degree heart block
  - atrioventricular conduction, failure of resynchronization 316
  - atrioventricular delay 269, 270, **271**, 278, 279, 283, 284, 292, **327**, 436
    - cardiac resynchronization devices 534
  - atrioventricular dissociation 43–45
  - atrioventricular interval (AVI) 46, 49–55, 257, 264–268, **325**
    - assessment 435
    - ECG 292–295
    - extension 331–332
    - programming 49, 307–316, 331–332, 400, 424
    - resynchronization (CRT) 70–71, 424

- atrioventricular interval hysteresis 268, 270, 283–284
  - options 271
- atrioventricular node (AV node) 2, 3f
  - ablation 112, 399, 537–539, 602
  - assessment 195–196
- atrioventricular search hysteresis (AVSH) 60, 271, 278–279, 331–332, 437
  - symptoms 471
- atrioventricular sequential, non-P-
  - synchronous pacing with dual-chamber sensing (DDI pacing) 261–262, 292, 328
- atrioventricular sequential, non-P-
  - synchronous, rate-modulated pacing with dual-chamber sensing (DDIR pacing) 262
- atrioventricular sequential pacing *see* dual-chamber pacing, sequential asynchronous
- atrioventricular sequential, ventricular inhibited pacing (DVI pacing) 261
- atrioventricular synchrony 43, 45–49
- atrioventricular valve plane, fluoroscopy 169
- Attain Ability Straight 4396 lead 153
- Attain Starfix LV lead 153
- auto-capture algorithms 335
- AutoCapture™ system 338–339, 340, 469
- autosensing 341
- AutoThreshold (Sorin Medical) 336
- autothresholds 322, 337, 338, 433–435
- AVI *see* atrioventricular interval
- A wave, mitral valve inflow 52, 53
- axillary approach 160–164
  - children 199–200
  - radiography 563
- axillary vein 162
- azygos vein, defibrillator coils 31
  
- Bachmann's bundle 2, 51
- backfilling, defibrillation coils 145
- backup modes (reset) 439
  - electromagnetic interference and 597–598
  - ICDs, radiotherapy 610
  - unexpected reversion to 470
- bacteremia 207, 238
- balloon catheters, coronary sinus venography 181–182
- bandpass filters 15
- basal location of leads, assessment 298–299
- baseline electrograms, ventricular fibrillation *vs* 520
- batteries 14
  - depletion 246, 248, 432, 433, 439, 452
  - ICDs 626–627, 632–633
  - longevity 14, 204, 432, 433
  - voltages 14, 439, 627–628, 632–633
- battery impedance 14
  
- BELIEVE trial 67
- $\beta$ -blockers, long QT syndrome 119–120
- bifascicular block, chronic 101
- bifocal pacing
  - right ventricular, heart failure 67
  - see also* dual-site atrial pacing
- bifurcated bipolar connectors 198, 556
- bilateral bundle branch block 101
- binary search algorithms 26
- bioprosthetic tricuspid valves 196, 583
- Biotronik
  - Atrial Capture Control 336
  - atrioventricular interval hysteresis 271
  - blanking characteristics 349
  - CRT devices, ventricular sensing mechanism 281
  - ICDs
    - magnet response 600
    - R-wave double-counting 481–484
  - magnet response and ERI 621
  - pulse generators, identification 557
  - remote monitoring 639
  - SMART® algorithm 390, 391
  - timing systems 273
  - Ventricular Capture Control 336
- biphasic waveforms, ICDs 22–24
- bipolar electrograms 8
- bipolar functions, switching to unipolar 341, 347
- bipolar leads 11, 12, 13, 138–139
  - connectors 197–198
  - fracture 248, 251
  - ICDs 367
  - interventricular offsets 153
  - minimizing EMI 592
  - radiography 556, 564, 567
- bipolar pacemakers, radiography 558
- bipolar sensing, ICDs 146–147
- Bisping screwdriver 11
- biventricular hysteresis 284
- biventricular pacing (cardiac resynchronization therapy; CRT) 13, 50
  - activity logs 623, 628
  - atrioventricular interval timing 70–71
  - defibrillation with (CRT-D) 117
    - electrogram templates 377
  - device-based optimization 399–400
  - device circuit interruption 246
  - device selection 151–153
  - device troubleshooting 533–546
  - ECG 296–299, 300–312
  - follow-up 634, 635
  - heart failure 13, 67–70, 107–111, 111
  - lack of response 316
  - leads, placement 108–109
  - pacemaker selection 134
  - phrenic nerve stimulation 245
  - programming of devices 395–400
  - QRS vector fusion 72–75
  - rate-adaptive pacing and 424–425
- RV pacing avoidance 60–61
- timing cycles 281–287
- vector management 153
  - see also* offsets
- blanked atrial flutter search 276
- blanking periods 256, 267, 445
  - programming 346–348, 349, 350
  - see also* atrial blanking period; cross-chamber refractory periods; post-ventricular atrial blanking periods; ventricular blanking periods
- B-LEFT HF trial 67
- blood pressure
  - pacemaker syndrome 467
  - remote monitoring 638
- Boston Scientific
  - Ambulatory Threshold Test 336
  - atrioventricular interval hysteresis 271
  - battery status indicator 632–633
  - blanking characteristics 349
  - CRT devices, ventricular sensing mechanism 281
  - ICDs 368
    - asynchronous mode 600
    - atrial blanking period 384, 386
    - committed shocks 372
    - effect of magnets 510, 515, 600
    - electrogram alignment 377, 380
    - far-field R-wave rejection 504
    - LV refractory period 537
    - primary prevention programming 396
    - sensitivity 364
    - SVT-VT discriminators 376, 387–388, 515–516
  - magnet response and ERI 621
  - pulse generators, identification 557
  - remote monitoring 639
  - Retry mode 336
  - Rhythm ID™ 387–388, 389, 516
  - timing systems 273
  - Tracking Preference™ 398
  - Vector Timing and Correlation morphology algorithm 380, 389
  - Ventricular Automatic Capture 336
- bradyarrhythmias, cardiac transplantation 112
- bradycardia 101, 102, 103
  - ICDs
    - programming 393
    - selection 150
  - during lead implantation 228
  - pacing mode selection 135–136
  - proarrhythmic pacing 506, 507
  - programming 397, 398
  - sleep 101–104
  - sudden, response algorithms 280–281, 332–333, 437, 438
- bras 645
- breast cancer, radiotherapy 611

- Brugada syndrome 120–121
- Bulldog lead extender 212
- bundle branch block
- alternating 101
  - bifascicular block 101
  - cardiac perforation 226
  - left 66–67, 108
    - cardiac perforation 226
    - heart failure 110
    - V-V optimization 75–77
  - right
    - cardiac perforation 226
    - resynchronization for 111–112
  - trifascicular block 101
- bundle branch system 2
- bundle of His 2, 184
- see also* His–Purkinje system
- burns, electrode–myocardial interface 441
- “burst plus” mode, ATP 507
- “bursts”, ATP 391
- CABG-Patch trial 115
- cable leads 11, 145
- calcification on leads 140
- Canadian Trial of Physiologic Pacing 57
- capacitors 22, 628–630
- energy 22, 24, 25
  - shock dosage 24
- capsule endoscopy 606
- capture
- anodal 542, 543, 544–545
  - failure 441–452, 541–542
    - pseudo-malfunctions 452–454
  - latency 303, 304
    - see also* stimulus latency
  - thresholds 322, 324
  - see also* Ventricular Autocapture™
- Capture Management™ (Medtronic) 336
- carbon dioxide, contrast venography with 583
- carbon electrodes 10
- vitreous 139
- cardiac arrest
- congenital heart disease 125–126
  - recurrence risk 113
- cardiac contractility modulation (CCM) 78
- cardiac output, troubleshooting 471–472
- cardiac resynchronization therapy *see* biventricular pacing
- cardiac transplantation, pacing after 112, 202
- cardio-inhibitory response, carotid sinus reflex 79, 104
- cardiomyopathy
- fibrosis 116
  - hypertrophic 78–79
    - ICDs 122–125
    - pacing for 107
  - septal myectomy 125
  - sudden death 122, 125
- ICDs 116–117, 122–125
- ischemic, ICDs 115
  - from tachycardia 117
  - pacing for 111
- cardioversion 603
- altered pacing thresholds 441, 447, 601, 602
  - during lead implantation 228
  - low-energy 393
- CareLink™ web-based follow-up system 636–637, 639, 640
- carotid sheath, jugular approach 165
- carotid sinus reflex 79, 104
- hypersensitivity, pacing mode selection 136
- catecholaminergic polymorphic ventricular tachycardia 121
- catheter ablation *see* ablation
- catheterization suites 158
- cardiac perforation treatment 227
- cathodal shocks 21
- CAT trial 116
- cefazolin 207
- cells (power sources) *see* batteries
- cellular injury 7
- cellular phones 610
- cephalic approach 165, 166
- radiography 563
- ‘Change Tachy Mode with Magnet’ (Boston Scientific) 515
- channelopathies, ICDs 120–121
- programming 397
- charge, capacitors 22
- charge time, capacitors 628–630
- chest pain 623
- chest radiography 553–589
- follow-up 624
  - ICDs 473
  - leads 558–583
    - coronary sinus 577–583
    - ICDs 572–577
  - pacemaker troubleshooting 429, 431
  - pulse generators 554–558
- children
- device implantation 198–202
  - rate programming 328
  - redundancy of leads 199, 200–201, 564, 566
  - single-pass VDD pacing 136
- chronaxie 4
- chronic threshold 6
- chronotropic incompetence 43
- bradycardia 103
- circadian lower rates *see* sleep rates
- circadian pattern, stimulation threshold 7, 30–33
- circuits (in devices) 15
- interruption 246–248
- circuits (re-entrant) 34–35, 77
- see also* endless-loop tachycardia
- circus movement tachycardia *see* endless-loop tachycardia
- classification, indications for pacemakers and ICD 94
- CLEAR trial (Clinical Evaluation of Advanced Resynchronization trial) 418, 424–425
- clinical assessment, troubleshooting 428–429
- Clinical Evaluation of Advanced Resynchronization trial (CLEAR trial) 418, 424–425
- clinics for follow-up 614–616
- visits 618–621
- clopidogrel
- device implantation and 203
  - pocket hematomas 229
- closed-loop sensors 408
- Closed Loop Stimulation 412–414
- coaxial leads 11, 139
- ICDs 144–145, 521
- codes, pacemaker nomenclature 16, 320
- codes (radiographic) 557
- coils
- ICDs 29, 30, 31, 145, 146–147
  - subcutaneous 175, 176
  - see also* electrodes
- cold cans, active cans *vs* 32
- cold temperatures 598
- committed shocks 372–373
- comorbidities 44
- COMPANION trial 117
- competition, pace *vs* sense 460
- atrial 276–278
  - biventricular pacing 284–285
- compliance *see* noncompliance
- complications 219–254
- of lead extraction 209–210
  - local anesthesia 159
  - pacemaker replacement 204–205
- component malfunctions 439–440, 452, 462, 469
- computed tomography
- cardiac perforation 225
  - oversensing 610
- computerized data storage 626
- Conducted AF Response™ (Medtronic) 399
- conduction system *see* anatomy; physiology
- conductors 11, 139
- externalization 573–577, 580, 644
  - fracture 250, 439, 446–448
  - ICDs 145
  - radiography 562, 564
  - see also* setscrews
- congenital heart disease 125–126, 171, 174, 198, 583–585, 586
- congenitally corrected transposition of great vessels, lead placement 586
- congenital third-degree AV block, pacing for 96–98

- connectors 141, 142, 196–198  
 ICDs 147–148, 198  
 failed shocks 514–515  
 loose 234, 239, 442  
 noise 486  
   lead fracture *vs* 525–529, 530  
 radiography 556  
*see also* setscrews
- conscious sedation 158–159
- consecutive interval counting 368–370, 388
- constant repolarization time 19
- constant-voltage pulse generators 14–15
- consultations, follow-up 620–621
- contact curves, coronary venous leads 153
- contact sports 645
- CONTAK-CD trial, coronary sinus lead complications 223
- continuous biventricular pacing 151
- contractility  
   increasing 78  
   left ventricle 51
- contrast venography 162–163, 164, 165, 583  
   coronary sinus cannulation 179, 181–183
- Cook locking stylet 212
- coradial leads 11
- Cordis type connectors 141
- coronary artery bypass graft, ICDs and 115
- coronary artery disease  
 ICDs 114–116  
 resynchronization in 69, 70  
*see also* myocardial infarction
- coronary sinus leads 175–189  
 anatomy 177, 302  
 atrial 192  
 cannulation 176–179  
 complications 223  
 congenital heart disease 196  
 dislodgement 220–223  
 exit block 248–252, 441  
 extraction 215  
 from persistent left SVC 167  
 radiography 169, 185, 232, 576, 573–583
- coronary venous leads 151–153
- cough 623
- counters 256
- cracks, lead surfaces 12, 140
- crista supraventricularis, as landmark 66
- critical mass theory 18
- cross-chamber refractory periods 286–287, 518–519
- cross-stimulation 441, 446
- crosstalk, ventricular output inhibition 265–268, 348, 350, 454–455, 456, 458
- crosstalk sensing window *see* ventricular triggering period
- CRT *see* biventricular pacing
- crush injury (to lead) 248, 252, 431, 562, 564
- current device indication 643
- current of injury 195
- curved sheaths 178–181
- curved stylets  
   ventricular leads 167–169  
*see also* J curved stylets
- curves, coronary venous leads 152–153
- cut-away sheaths 188
- cutdowns, device implantation 160
- cutting diathermy 598
- cyclists 410
- Dacron pouches 243
- Danish Pacemaker Trial 56–57
- DANPACE trial 58–60
- databases, lead performance 142–144, 430–431
- data storage 626  
   in pacemakers 621–622
- DAT mode 328
- DAVID trial 57, 58
- DDD pacing (dual-chamber pacing and sensing with inhibition and tracking) 262–264  
 indications and contraindications 135  
 right ventricular apex pacing 110  
 sinus node dysfunction 136  
 VDD pacing *vs* 292  
 VVI pacing *vs* 48, 57
- DDDR pacing  
 indications and contraindications 135  
 programming procedure 357–360  
 on timing cycles 272–276
- DDI pacing (atrioventricular sequential, non-P-synchronous pacing with dual-chamber sensing) 261–262, 292, 328
- DDIR pacing (atrioventricular sequential non-P-synchronous rate-modulated pacing with dual-chamber sensing) 262
- DDT mode 284, 285
- deactivation 646
- deceleration time *see* recovery time
- DECREASE-HF trial 67
- defibrillation 16–21, 393  
   external 601, 602, 603, 603  
   altered pacing thresholds 441  
   testing at implantation 25–33  
   failure 29–33  
   risk 28  
*see also* implantable cardioverter-defibrillators; shocks
- defibrillation coils 29, 30, 31, 145, 146–147  
   subcutaneous 175
- defibrillation threshold (DFT) 26–27  
   drugs on 33  
   testing 632
- DEFINITE trial 117
- deflectable catheters 140, 141, 178–181
- delayed longitudinal contraction (DLC), V-V optimization on 76
- delivered energy, stored energy *vs* 25
- delivery systems for leads 13–14  
   over-the-wire 13, 151–153, 185–187  
*see also* guidewires  
   sheaths 13, 178, 179, 180, 188–189
- deltpectoral groove 165
- dental equipment, interference 605
- depolarization 4, 17, 19, 21, 415  
   isoelectric 452
- detection by ICDs 362, 364, 366–393  
   duration 372, 398, 507  
   enhancements 373–376  
*see also* redetection; underdetection
- device malfunctions 642–643  
*see also* component malfunctions
- dextrocardia, lead placement 586
- DF-1 standard 12, 198
- DF-4 standard 148
- DFT *see* defibrillation threshold
- diagnostics  
   features for 439–440  
   ICDs 473  
   lead failure 533  
   programming 350, 360  
*see also* troubleshooting
- dialysis, hyperkalemia 443–445
- diameter, leads 140
- diaphragm  
   myopotentials 486–488  
   lead fracture *vs* 522, 523  
   oversensing 546  
   stimulation 245  
   assessment 169, 187–188
- diastolic function, left ventricle 70
- diathermy 598, 606  
*see also* electrocautery
- differential atrioventricular interval (AVDI) 48, 268, 325  
*see also* interatrial conduction time
- digital recording systems, pseudo-malfunctions 458, 464, 465
- dilated cardiomyopathy, ICDs 116–117
- dilated ventricular veins, lead placement 187
- DINAMIT trial 115
- discharge from hospital 205
- dislodgement of leads 220–223, 441, 445, 525  
   dual-chamber ICDs 149  
   radiography 571, 575, 583
- dissection of coronary sinus 185, 186  
   risk of 179

- DOO (dual-chamber sequential asynchronous pacing) 257, 258  
DOOR pacing *see* dual-chamber pacing, rate-modulated  
Doppler tissue imaging, V-V optimization 75–76  
Doppler velocity, mitral valve inflow 52, 53  
dosage (of shocks) 24–25  
dose–response curve, defibrillation 25–26  
dressings, post-implant 205  
driving, post-implant 205, 644  
drugs  
  affecting pacing thresholds 435, 443–444, 448  
  ICD problems 472  
  follow-up 632–634  
  for VT storm 511  
  *see also* antiarrhythmic drugs  
dual-chamber ICDs 149–153  
  electrograms 488–489  
  SVT-VT discriminators 382–390, 516–517  
dual-chamber pacing  
  clinical effects 57–58  
  ECG 292–296  
  leads 170–171, 189–192  
  magnet response 289  
  mode switching 348–350  
  pulse generators, radiography 558  
  rate adaptation 408  
  rate-modulated *see* DDDR pacing  
  rate-modulated asynchronous (DOOR) 261  
  refractory and blanking periods 346–348  
  sequential asynchronous (DOO) 257, 258  
  upper rate limits 328  
dual-chamber pacing and sensing with inhibition and tracking (DDD pacing) 262–264  
indications and contraindications 135  
  right ventricular apex pacing 110  
  sinus node dysfunction 136  
  VDD pacing *vs* 292  
  VVI pacing *vs* 48, 57  
dual-chamber sensing *see* DDI pacing;  
  DDIR pacing  
dual-coil systems, ICDs 146–147, 148, 173  
dual-sensor rate-adaptive pacing 415–418  
dual-site atrial pacing, radiography 567, 569  
dual-site pacing, heart failure 67  
DUSISLOG study 416–418  
DVI pacing (atrioventricular sequential, ventricular inhibited pacing) 261  
dynamic sensing, ICDs 362–365  
dyspnea 623  
dyssynchrony 67, 68, 69, 70, 77  
  heart failure 107–110  
  interventricular 43, 44  
Easytrak® OTW leads 152, 153  
ecchymoses 229  
echocardiography  
  lead placement guidance 583  
  optimizing therapy 399–400  
  atrioventricular 52–55  
  ventricular timing 75–77  
  programming guidance 331–332  
  tricuspid regurgitation 245  
“80A” polyurethane 139–140  
ejection fraction  
  dilated cardiomyopathy 116–117  
  ICD after myocardial infarction 115, 116  
  ventricular tachycardia 113  
elective replacement indicators (ERI) 204, 621, 627  
elective replacement voltages 14  
electrical artifacts 452–454, 455  
electrical overstress failure 515  
electrical reset 597–598  
electrocardiography  
  arrhythmogenic right ventricular dysplasia 121  
  atrioventricular synchrony 47–49  
  Brugada syndrome 120  
  equipment 615–616  
  equipment failure 463–464  
  intrinsicoid deflection 7  
  misinterpretation, causes 430, 435–439  
  normal waveform 3f, 17  
  paced 256, 288–316  
  QRS vector fusion 72–75  
  telemetry 439  
electrocautery 598–601  
electroconvulsive therapy 605  
electrodes 6–7  
  contact with abandoned leads 146, 431  
  fractal coatings 6, 138, 175  
  materials 6, 10, 139  
  minimizing EMI 592  
  minute ventilation sensing 411  
  myocardial interface 441  
  resistance 6  
  retained 240  
  ring electrodes 12  
  *see also* coils; interelectrode distance  
electrograms (intracardiac) 8, 15, 194–195, 359  
  ICDs 365, 367, 377, 379, 380, 473–476, 477, 488–495  
  SVT *vs* VT 488–510  
  truncation 377, 381, 381  
electrolytic capacitors 628  
electromagnetic interference 452–454, 480, 485–486, 591–612  
  trans-telephonic monitoring 618  
electromyography 605  
electronic order sets 205  
electrophysiology 2–4  
  after cardiac arrest 113  
  atrioventricular block 100  
  tetralogy of Fallot 125  
electrosurgical dissection sheath 213  
Elgiloy 139  
embolism *see* thromboembolism  
embryological remnants, infra-Hisian 66  
emergency management  
  frequent ICD shocks 510  
  VT storm 511  
emergency programming, pacemakers 321  
“ENABLE MAGNET USE” (Boston Scientific) 600  
end-diastolic volume 42  
endless-loop tachycardia (ELT) 279–280, 281, 348, 351, 352  
  *see also* pacemaker-mediated tachycardia  
endocarditis, valvular 207  
end-systolic volume 42  
energy  
  capacitors 22, 24, 25  
  ICD shocks 393  
EOL voltage 628  
epicardial leads 141, 142  
  children 198  
  implantation 196  
  for exit block 441–443  
  radiography 572, 577, 578  
  ICDs 572  
epicardial patches 572, 573, 578  
episode summaries (text episode summaries) 500  
epsilon waves 122, 124  
erosion 229–230, 231, 236–237  
escape interval, extension *see* rate hysteresis  
escape rhythms, atrioventricular block 99  
Eustachian ridge, coronary sinus cannulation and 179  
evoked responses, AutoCapture™ system 338  
Evolution mechanical sheath 213  
E wave, mitral valve inflow 52  
examination (clinical), follow-up 620  
excimer laser sheath 213  
excitability 2  
excitable gaps, re-entrant circuits 35  
exercise  
  assessment 419–420  
  AV block 96  
  AV optimization and 55  
  ICD shocks 472  
  physiology 42, 45  
  reprogramming for 623–624  
  space in clinics 614



- upper rate limits 328, 330  
*see also* activity sensors
- exit block 7, 248–252, 441–443
- exit delay 303–304
- experience, lead extraction 209
- Expert Ease/Lifestyle option 358
- Extended High Rate (St. Jude) 516–517
- extended PTFE jackets, defibrillation coils 145
- external cardioversion 441, 601, 602, **603**
- external defibrillation 441, 601, 602, **603**, **603**
- external interference *see* electromagnetic interference
- externalization, conductors 573–577, 580, 644
- external jugular access 165
- extracardiac signals 245  
interference *see* electromagnetic interference
- oversensing from 476, 479, 480, 485–488  
*see also* diaphragm; myopotentials
- extracorporeal shock wave lithotripsy 604
- extraction of leads 205–215  
after cardiac perforation 227  
complications 209–210  
practitioners of 209  
techniques 210–215
- extrasystoles *see* premature ventricular contractions; ventricular extrasystoles
- extrathoracic subclavian approach *see* axillary approach
- Ez locking device (LLD) 212
- failure of treatment, ICDs 29–33
- failure to pace 454–458, 467–470
- fallback operation 296, 298, **325**
- family history, long QT syndrome 119
- far-field electrograms  
ICDs 474, 477, 495  
oversensing 501–504, 505, 539  
VT vs SVT 489
- far-field R waves 195, 384–387, 388, 390, 477  
oversensing 501–504, 505, 539
- far-field sensing 259, 456, 460, 461  
ICDs 365, 388, 390, 477
- far-field signal rejection 8, 146
- fascicular ventricular tachycardia 127
- fatigue **623**
- fat pad, posteroseptal space 184, 185
- femoral vein  
lead extraction 214–215  
lead placement, radiography 562, 563
- fibrosis 7, 10  
cardiomyopathy 116  
defibrillation coils 145  
lead extraction and 210, 211
- Fidelis leads *see* Sprint Fidelis leads
- “55D” polyurethane 140
- filling waves, mitral valve inflow 52
- filtering  
electrograms 15, 593  
ICDs  
electrograms 474–476  
St. Jude Medical 478–480  
sensing 8
- finger subcutaneous leads 175
- firing rates, echocardiography 75
- first-degree heart block 96  
pacing for 94
- fixation of leads 10  
*see also* active fixation leads; passive fixation of leads
- FIX-HF trials 78
- flashback intervals  
Medtronic ICDs 495, 496–497, 498  
slow VT 516
- flat surface coils 145
- flexibility, leads 139
- fluoroscopy  
headers 529  
lead insulation failures 532  
lead placement  
right atrium 191  
ventricular 169, 176, 177, 181, 185, 232  
oblique views 169, 176, 177, 181, 185, 232, 304  
*see also* contrast venography
- follow-up 613–649  
clinics 614–616  
visits 618–621  
history-taking 429  
ICDs 626–646  
pacemakers 616–618  
programming at 357–360, 622–624, **627**
- follow-up data, in programmers 324
- Fontan corrections 196
- Fontan procedure 202
- Food and Drug Administration  
MedWatch 439–440  
recalls, classification 641  
website 431
- fractal coatings, electrodes 6, 138, 175
- fracture of leads 210, 243, 248, 249, 250, 251, 446–448  
connector noise vs 525–529, 530  
high-voltage 512–514, 531  
ICDs 248, 522, 630–631  
impedance 522–525, 529, 530–531  
noise 480, 486  
oversensing from 439  
pace-sense leads 521–522  
polarity programming and 341–345  
radiography 562, 578  
*see also* Accufix™ atrial J lead; Sprint Fidelis leads
- frame rates, echocardiography 75
- Frank-Starling law 42
- free-wall pacing  
lead sites 153, 172–173  
radiography 567  
left ventricle 51, 71  
ECG 300  
right ventricle 64–66
- frequencies, electrograms 8
- functional failure to capture 452
- functional leads, removal 207–208
- functional undersensing 348, 352, 460–461  
atrial 536, 537
- fusion beats *see* QRS vector fusion
- gap junctions 4
- golf 645
- great cardiac vein 177
- guidelines  
classification of indications for pacemakers and ICD 94  
on driving 644  
follow-up **622**, 636–637  
heart failure, pacing for **110**  
infections **242–243**  
lead extraction 205–209  
on product recalls 642–643
- guidewires 178–181  
axillary approach technique 162, 163  
cephalic approach technique 165  
*see also* over-the-wire lead delivery systems; stylets
- guiding sheaths *see* sheaths
- Haar transform 378
- headers 196–197  
fluoroscopy 529  
incompatible leads 457–458  
loose setscrews 446  
malfunctions 469  
noise 522, 525, 526–527
- heart block *see* atrioventricular block;  
first-degree heart block;  
second-degree heart block
- heart failure  
monitoring 630–631, 637–638  
pacing 66–70, 107–112  
biventricular 13, 67–70, 107–111, **111**  
programming for **397**  
sensor applications 418  
resynchronization (CRT) 424–425
- heart rate 42, 43, 45  
atrioventricular interval and 49  
PR interval vs 51  
variability, heart failure 637  
*see also* chronotropic incompetence;  
entries beginning rate...
- Heart Rhythm Society  
guidelines for lead extraction 205–209  
indications for pacemakers and ICD 94
- helices *see* screw-in leads

- hematomas 225
  - pockets 229, 230
- hemostasis 159, 229
- heparin
  - device implantation and 203
  - pocket hematomas 229
- High Rate Timeout (Medtronic) 516–517
- high septum site, ventricular leads 172–173
- high-voltage leads, failure 512–514, 521–533
- His–Purkinje system 2, 3f
  - see also* bundle of His
- histograms, rate response assessment 420, 421, 422
- history-taking
  - ICD troubleshooting 472–473
  - pacemaker troubleshooting 428–429
- home monitoring 15
- Home Monitoring™ (Biotronik) 639
- hospital environment, electromagnetic interference 598–607
- hospital stay, device implantation 203
- hubs, web-based monitoring 636
- hunting 645
- HV interval 101
- hyperkalemia 443–445
  - drugs causing 472
- hyperthyroidism, on pacing thresholds 443
- hypertrophic cardiomyopathy 78–79
  - ICDs 122–125
  - pacing for 106–107, 110
  - septal myectomy 125
  - sudden death 122, 125
- hypertrophic obstructive cardiomyopathy 78–79
- hysteresis 292, 293, 331, 435–436, 462
  - biventricular 284
  - see also* atrioventricular interval
  - hysteresis; atrioventricular search
  - hysteresis; rate hysteresis
- iliac vein approach 166
- image manipulation, radiography 558, 561
- immobilization 645
- impedance 4–5, 139
  - in batteries 14
  - intracardiac 412–414
  - leads 431–432, 440
    - fracture 522–525, 529, 530–531
  - ICDs 630
    - measurement 194, 322
  - management of increase 529, 530–531
  - transthoracic 411, 630–631, 637
  - see also* source impedance
- impedance plethysmography 606
- implantable cardioverter-defibrillators (ICDs)
  - atrial 393–394
  - channelopathies 120–121
    - programming 397
  - coils 29, 30, 31, 145, 146–147
    - subcutaneous 175, 176
  - connectors 147–148, 198
    - failed shocks 514–515
  - contraindications 126–127
  - detection *see* detection by ICDs
  - device selection 144–149
  - driving and 644
  - dual-chamber *see* dual-chamber ICDs
  - electromagnetic interference 597, 599–600
  - follow-up 626–646
  - inactivation 515
  - indications 112–126
  - interaction with pacemakers 517–518
  - leads *see* leads, ICDs
  - LV refractory period 537
  - misclassification of antitachycardia pacing 507, 508
  - power-on reset 598
  - programming *see* programming, ICDs
  - psychologic issues 645–646
  - radiotherapy 610–611
  - redetection in 373, 507–510, 511
  - resynchronization with 67, 107, 110, 117, 377
  - sensing 146–147, 362–366
    - minimizing EMI 592
  - single-chamber *see* single-chamber ICDs
  - sports and 645
  - subcutaneous leads 30, 175, 176
  - timing cycles 287–288
  - transcutaneous electrical nerve stimulation 605
  - troubleshooting 472–533
  - variable signal amplification 592–593
  - ventricular lead placement 171–173
  - voltage gradient 24–25
  - waveform 21–24
  - see also* defibrillation
- implantation of pulse generators 158–160
  - ICDs, testing 25–33
  - replacement 203–205
  - right-sided, ventricular lead placement 169
- implantation suites *see* catheterization suites
- inactivation of ICDs 515
- incisions
  - infection 207
  - management 205
  - pacemaker replacement 204
- induction heaters/ovens 607, 609
- inductive systems, web-based monitoring 636
- industrial environments 607–608
- infants, third-degree AV block 98
- infection 235–238, 240, 241, 242–243
  - lead extraction for 205–207
  - pockets 230–231, 232
- inferior myocardial infarction 100
- inflammation, transvenous pacing 7
- inflow Doppler velocity, mitral valve 52, 53
- informed consent, pacemaker replacement 204
- infra-Hisian block 66, 97, 101
- infra-Hisian embryological remnants 66
- initial rate responses, sensors 411
- injury
  - cellular 7
  - current of 195
- “inline” connectors 197, 198
- inside-out insulation failures 532–533
- insulation 11–12, 139–140
  - defects 248, 449, 451
  - extracardiac stimulation 245
  - polarity programming and 341–345
  - erosion through *see* conductors, externalization
  - ICD leads 145–146, 532–533
  - impedance and 431
  - radiography 558, 562
- integrated bipolar leads, ICDs 367
- integrated sensing, ICDs 146–147
- interatrial conduction time 47, 50
  - see also* differential atrioventricular interval
- interelectrode distance
  - bipolar leads 138–139
  - for SVT-VT discriminators 384
- interference *see* electromagnetic interference
- internal jugular approach 165, 167
- International Normalized Ratio, device implantation and 203, 229
- internet *see* web-based monitoring
- interrogation 321, 429
  - at follow-up 621–622
  - ICDs 632–633
  - before implantation 598
  - postoperative 600–601
- interval-based SVT-VT discriminators 373
- interventricular dyssynchrony 43, 44
- interventricular offsets 72, 75, 153, 424
- interviews, follow-up 620–621
- intra-atrial conduction time 47, 51
- intra-device interactions, ICDs 518–519
- intraventricular dyssynchrony 67, 68, 70
- intrinsic amplitude tests 323
- intrinsic atrial rhythms *see* atrial rhythms, native
- intrinsic deflection 7, 194
- intrinsicoid deflection 7
- INTRINSIC RV trial 58–60



- intrinsic total atrial refractory period 286
- introducer approach 160–161
  - dual-chamber pacing 189–190
- investigation devices, radiography 556, 558, 560, 569–571
- IS-1 standard 12, 141, 197
  - wrong connections 458
- IS-4 standard 12
  - ICDs 198
- ischemic cardiomyopathy, ICDs 115
- ischemic heart disease *see* coronary artery disease; myocardial infarction
- Ishikawa method, AV optimization 53, 54
- isoelectric depolarization 452
- isoelectric events 458
- isometric maneuvers *see* provocative maneuvers
- iterative increment–decrement DFT 26
- J curved stylets 191
- J leads 137
  - dislodgement 220
  - placement 190–192
  - radiography 564–567
  - retention wires 567, 569
  - see also* Accufix™ atrial J lead
- jugular approach 165, 167, 562
- junctional escape beats 102
- ladder diagrams 456
- laser sheaths 210, 213
- lateral view, radiography 169, 556, 567–569, 570, 571, 583
- Latitude™ web-based follow-up system 636–637, 639, 640
- lead-can abrasion, ICD shocks and 514, 532
- lead extenders 248
- Lead Integrity Alert™ (Medtronic) 533, 643
- lead–lead interactions 522
- lead maturation 7
- Lead Monitor warning 347
- Lead Noise Algorithm™ (Medtronic) 533, 534
- leads
  - abandoned *see* abandoned leads
  - damage 234–235, 240
    - see also* conductors, fracture
  - design 9–14
  - diameter 140
  - dual-chamber pacing 170–171, 189–192
  - ECG, position assessment 298–299
  - epicardial *see* epicardial leads
  - extraction 205–215
    - after cardiac perforation 227
    - complications 209–210
    - practitioners of 209
    - techniques 210–215
  - failure 430–432
    - high-voltage 512–514, 521–533
    - rates 140
  - fracture *see* fracture of leads
  - ICDs 12, 144–149, 367
    - additional 147
    - failure 512–514, 521–533
    - follow-up 630–631
    - fracture 248, 522, 630–631
    - impedance 630
    - radiography 572–577, 579, 580
  - impedance 431–432, 440
    - fractures 522–525, 529, 530–531
    - ICDs 630
    - measurement 194, 322
  - implantation
    - approaches 160–166, 562
    - arrhythmias during 228–229
    - biventricular pacing 108–109
    - children 198–202
    - congenital heart disease 171, 174
    - dual-chamber pacing 170–171, 189–192
    - epicardial 196
    - radiography 554, 555
    - ventricular *see* ventricular pacing, lead placement
    - see also* coronary sinus leads
  - incompatible headers 457–458
  - integrity 430–432
  - intracardiac siting
    - on atrioventricular intervals 49–50, 51, 54
    - biventricular pacing 108–109
    - dual-chamber pacing 170–171
    - heart failure 66–67
    - prosthetic tricuspid valve 174
    - radiography 563–564, 567, 568, 569–571
    - speckle-track strain imaging 68, 69
    - for SVT-VT discriminators 384
    - ventricular pacing 61–66, 71–78, 166, 185
  - noise 486
  - passive fixation *see* passive fixation of leads
  - performance data 142–144, 430–431
  - radiography 558–583
    - see also* under fluoroscopy
  - resistance 5–6
  - resynchronization 151–153
  - selection 136–144
  - shallowness 231, 564
  - surgical examination 440
  - tricuspid regurgitation 150–151
  - tunneled, breast cancer 611
  - see also* dislodgement of leads; Riata leads; subcutaneous leads
- leads (ECG), pacing lead position assessment 298–299
- left atrium, pacing 77
- left bundle branch block 66–67, 108
  - cardiac perforation 226
  - heart failure 107, 110
  - V-V optimization 75–77
- left ventricle
  - contractility 51
  - dysfunction
    - ICD after myocardial infarction 115, 116
    - resynchronization for 111
  - free-wall pacing 51, 71
  - ECG 300
  - function 42
  - leads 13–14, 175–189
    - ECG 300, 301
    - inadvertent placement in 232
    - radiography 571, 573, 574, 576
  - outflow tract velocity–time integral (LVOT VTI) 75
  - pacing 66–70
    - lack in resynchronization 316
  - refractory period (Boston Scientific ICD) 537
  - threshold elevation 627
- Left Ventricular Protection Period (LVPP™) 287, 537
- legislation, device safety 641
- LEXiCon study 210
- LIA *see* Lead Integrity Alert™ (Medtronic)
- Liberator locking stylet 212
- life, batteries *see* longevity
- ligatures
  - lead damage 240, 562, 565
  - lead fixation 189
  - see also* sutures
- Linux® lead 152
- lipid absorption, leads 140
- lithium, power sources 14
- litigation, remote monitoring and 640
- “living wills” 646
- LLD Ez locking device 212
- lobes, Attain Starfix LV lead 153
- local anesthesia, complications 159
- locking stylets, lead transection and 211, 212
- LOLA ROSE study 67
- longevity
  - batteries 14, 204, 432, 433
  - epicardial leads, children 198
  - ICDs 148–149
- long-pin connectors 197
- long QT syndrome, ICDs 117–120
- loop recorders, implantable 556, 560
- loops, coronary sinus leads 187, 188
- loose connectors 234, 239, 442
- loose setscrews 446, 479
- low-energy cardioversion 393
- Low Energy Safety Study (LESS) trial 28–29
- lower rate behavior, CRT devices 284

- lower rate limits (LRL) 260, **325**  
 sudden bradycardia response algorithms 332  
*see also* nominal lower rate
- low-molecular-weight heparin device implantation and 203  
 pocket hematomas 229
- Low Rate Detect (Medtronic) 335
- low septum site, ventricular leads 172–173
- LRL (lower rate limits) 260, **325**  
 sudden bradycardia response algorithms 332  
*see also* nominal lower rate
- lumenless leads 140, 141, 565
- LV Protection Period *see* Left Ventricular Protection Period (LVPP™)
- macrodislodgement 220, 441, 571, 575
- MADIT-II trial 58  
 ICD after myocardial infarction 114–115
- MADIT-CRT trial 69, 111, **111**
- magnet(s)  
 artifacts 452, 453  
 ICD inhibition 510, 515  
 resetting pacemakers 598
- magnetic resonance imaging 208, 602–604  
 conditionally safe pacemakers 585, 587
- magnet rates 14, 289, 439
- magnet response  
 ICDs 599–600  
 pacemakers 289–290, 291, **325**, 618, 620, **621**
- magnet tracing, trans-telephonic monitoring 617–618
- mains interference 452–454
- malaise **623**
- malfunctions 439–440, 452, 462, 469, 642–643  
 headers 469  
 noise 522, 525, 526–527
- malignant vasodepressor syncope, SonR sensor 411
- mammography, device siting and 160
- Managed Ventricular Pacing™ (MVP) 278, 465, 466
- Managed Ventricular Pacing trial 60
- maneuvers *see* provocative maneuvers
- mannitol 11
- manufacturers, calling 429–430
- margin testing, defibrillation 33
- marker channels, ICDs 473–476
- marksmanship 645
- MAUDE database, website 431
- maximum sensor rate (MSR) 272–276, **325**
- maximum tracking rate (MTR) 272–276, **325**
- Mayo Clinic, follow-up guidelines **622**, 636–637
- mechanical AV optimization 52–55
- mechanical dyssynchrony  
 pacing in heart failure 69  
 resynchronization on 77
- mechanical sheaths, lead extraction 210, 213
- Medicare, Medicaid, ICD in non-ischemic cardiomyopathy 117
- Medtronic  
 Atrial Tracking Recovery™ 398, 399  
 atrioventricular interval hysteresis **271**  
 Capture Management™ **336**  
 Conducted AF Response™ 399  
 CRT devices, ventricular sensing mechanism 281
- ICDs  
 accidental inactivation 515  
 alerts 472  
 arrhythmia detection 368–370, 370  
 asynchronous mode **600**  
 committed shocks 372–373  
 electrogram alignment 377  
 electrograms 476  
 far-field R-wave rejection 503–504  
 far-field R waves and 384, 386  
 flashback intervals 495, 496–497, 498  
 lead failure diagnostics 533  
 magnet response **600**  
 near-field sensing 365  
 post-ventricular atrial blanking periods 503–504  
 primary prevention programming **396**  
 Sensing Integrity Count 522  
 sensitivity 364  
 SVT-VT discriminators 376, 388, 515–516  
 T-wave oversensing 478, 481, 482–483
- Lead Integrity Alert™ 533, 643
- Lead Noise Algorithm™ 533, 534
- Low Rate Detect 335
- magnet response and ERI **621**
- Paceart® System 616–617, 619
- pulse generators, identification 557
- “quiet-timer” blanking **349**
- “rate drop response” 282
- remote monitoring **639**
- timing systems **273**
- see also* Managed Ventricular Pacing™; Sprint Fidelis leads
- MedWatch (FDA) 439–440
- membrane active drugs **34**  
 on DFT 33
- memory, pacemakers 621–622
- mental stress, sensors 409
- Merlin.net™ (St. Jude) **639**, **640**
- metal detectors 609
- metal ion oxidation, leads 140
- metals, electrodes 10
- microaccelerometer, SonR sensor 411
- microdislodgement 220, 441, 571
- microprocessors 15
- microwave ovens 608–609
- middle cardiac vein 177, 178, 304  
 lead placement 188  
 ECG 300  
 radiography 582
- midlateral area, left ventricular pacing, heart failure 67
- migration of pulse generators 229–230, 243–244, 512, 556
- milliseconds, paced beats per minute *vs* 257
- mineralization on leads 140
- minute ventilation sensors 411, 606  
 dual-sensor rate-adaptive pacing 416–418
- MIRACLE-ICD trial, coronary sinus lead complications **223**
- mitral regurgitation 50, 77  
 left bundle branch block 66
- mitral valve  
 function 46  
 inflow Doppler velocity 52, 53
- mixed venous oxygen saturation, rate-adaptive pacing and 415
- mobile phones 610
- Mobitz types, second-degree heart block 94–96
- mode resetting 597–598
- Mode Selection Trial (MOST Trial) 57–58  
 pacemaker syndrome 45
- mode switching 276, 277, 279, **325**, 348–350, 353–354, 355, 356
- monoventricular pacing, heart failure 66–67
- morbidity, pacing mode on 56–61
- morphology algorithms, Vector Timing and Correlation (Boston Scientific) 380, 389
- morphology analysis, ventricular electrograms 489, 492, 499, 502–503
- morphology-based SVT-VT discriminators 373, **375**, 376–377, 378, 379, 380, 388  
 failure **381**, 515
- mortality, pacing mode on 56–61
- MP35N (alloy) 139, 145
- M-PATHY study, hypertrophic obstructive cardiomyopathy 78–79
- multifilar leads 11, 145
- multiluminal leads 11, 521
- multipolar left ventricular leads 14
- multisite pacing, codes 16
- Mustard procedure, active fixation lead placement 202

- MUSTIC-AF trial, resynchronization 112
- MUSTIC trial, coronary sinus lead complications 223
- myocardial infarction  
atrioventricular block 100  
ventricular tachyarrhythmia 114–116
- myocardial twist 75
- myocardium  
electrode interface, damage 441  
intracardiac impedance 412–414  
stimulation 2–4
- myopotentials 479, 592–593  
diaphragm 486–488  
lead fracture *vs* 522, 523  
oversensing 546  
inhibition by 456–457, 463  
oversensing 486–488  
pectoralis muscle  
on electrograms 377, 381  
ICD electrograms 476  
oversensing 487–488
- narrow-band electrograms, ICDs 474–476
- narrow band-pass filters 593
- national registry, ICD in non-ischemic cardiomyopathy 117
- native rhythms  
finding 432–433  
*see also* atrial rhythms, native
- NBG code, pacemaker nomenclature 16
- near-field electrograms, ICDs 473–474, 475, 495
- near-field signals, sensing by ICDs 365
- near-isolectric events 458
- negative RV-LV timing cycle 283
- nerve conduction studies 605
- neuraxial modulation 511
- neurocardiogenic syncope 79–80, 104–105, 106  
algorithms for 280–281  
Closed Loop Stimulation for 414  
pacing mode selection 136
- neuromuscular diseases, AV block 100
- night rates *see* sleep rates
- noise 476, 480, 486, 522–533, 534
- noise rejection 268, 597
- noise reversion 15, 593–597
- noise-sampling period 593–597
- nomenclature  
right ventricular pacing sites 169–171  
*see also* codes
- nominal atrial sensitivity 339
- nominal lower rate 328
- nominal upper rate limit 328
- nominal ventricular sensitivity 339
- noncommitted shocks 372–373, 374
- Non-Competitive Atrial Pacing™ (NCAP) 276, 277
- noncompliance,  $\beta$ -blockers 119–120
- nonfunctional leads 238–240  
removal 208–209  
*see also* abandoned leads
- nonphysiologic AV delay *see* ventricular safety pacing
- nontracking modes 276, 348–350  
unanticipated change to 536, 537, 539
- North American Society of Pacing and Electrophysiology/BPG, codes 320
- number of intervals to detect VF (NID), reprogramming 533
- NYHA functional class, ICD after myocardial infarction 115
- OA mode 328
- oblique views, fluoroscopy 169, 176, 177, 181, 185, 232, 304
- ODO mode 328
- offsets, interventricular 72, 75, 153, 424
- Ohm's law 4–5
- One Button Detection Enhancements™ (Boston Scientific) 376
- 1:1 AV relationship  
tachycardias with 489, 492–495, 497, 516, 518  
ATP on 495
- “onset” enhancement, single-chamber detection 375, 376, 382
- open-loop sensors 408
- operating rooms 158  
cardiac perforation 227  
*see also* catheterization suites
- operative evaluation 440
- operative intervention  
chest radiography before 554  
pace-sense lead fractures 530–531  
*see also* postoperative care; preoperative preparation
- Optim® (insulator) 139
- order sets, post-implant 205, 206
- orientation curves, coronary venous leads 153
- outpatient procedures, device implantation 203
- output programming 333–339, 343  
safety margins 337, 433
- outputs  
failure *see* failure to pace  
maximum 441
- overdrive pacing modes 228
- oversensing  
CRT devices 535, 536–541, 635  
diaphragmatic myopotentials 546  
failure to pace 454, 457  
ICDs 362, 363, 364, 476–488, 592–593  
far-field electrograms 501–504, 505, 539  
far-field R waves 501  
lead fracture 522  
R waves 384–387, 388, 390  
T waves 365–366, 476–481, 522, 525
- lead fracture 439
- P waves 522, 523, 525  
ICDs 480, 485  
lead fracture *vs* 523  
*see also* atrial oversensing
- over-the-lead sheath removal 188
- over-the-wire lead delivery systems 13, 151–153  
left ventricle 185–187  
*see also* guidewires
- OVO mode 328
- oxygen saturation, mixed venous, rate-adaptive pacing and 415
- P80A polyurethane 12
- PA (time period) 256
- Pac-A-Tach trial 57
- Paceart® System (Medtronic) 616–617, 619
- paced beats per minute, milliseconds *vs* 257
- paced depolarization integral, sensor 415
- paced events, defined 256
- Pacemaker Lead Extraction with the Laser Sheath (PLEXES) study 210
- pacemaker-mediated tachycardia 470–471  
algorithms for 326  
*see also* endless-loop tachycardia
- Pacemaker Selection in the Elderly trial 57  
lead dislodgement 220
- pacemaker syndrome 44–45, 46, 48, 245  
AV block *vs* 80  
diagnostic criteria 123–124  
symptoms 467  
from VVI pacing 134
- pace-sense lead failure 521–531, 532, 533, 534  
management 529–531
- pacing 4–9  
device selection 134–136  
indications 94–97
- pacing artifacts, assessment 289, 295
- Pacing in Cardiomyopathy study (PIC study) 78
- pacing intervals, long 457
- pacing modes 56–61, 257–264, 320  
selection 134, 135–136  
sick sinus syndrome 60, 136  
*see also* mode switching; *specific modes*
- pacing pads, during lead implantation 228–229
- pacing threshold *see* stimulation threshold
- pain 230–232  
chronic 207  
local anesthesia complication 159  
subcutaneous siting of pulse generators 159
- palpitations 470, 471, 623  
before ICD shocks 472–473

- parallel-wound leads 11
- passive fixation of leads 10, 137
- cardiac perforation 225
- radiography 564, 577
- patches, epicardial 572, 578
- patent foramen ovale 233, 574
- patient satisfaction, remote monitoring 640
- patient-specific DFT 26–27
- patient-specific testing, defibrillation 33
- PAVE trial, resynchronization 112
- PEA sensor (SonR sensor; peak endocardial acceleration sensor) 411–412, 413, 418, 424–425
- pectoralis muscle
- deep placement of pulse generators 160
  - stimulation 245
  - see also* myopotentials
- peel-away sheaths 188
- perforation
- coronary sinus 185
  - great vessels 227
  - heart 225–227, 588
- performance data, leads 142–144, 430–431
- pericardial effusions, ICD shocks and 512
- pericarditis 228
- persistent left SVC 167, 198, 583, 585
- personnel, follow-up clinics 614–615
- phantom shocks 473, 646
- phase duration, defibrillator waveforms 23–24
- phones (cellular) 610
- phrenic nerve stimulation 245, 542–543
- physiology 2–4, 42–43, 51
- PIC study (Pacing in Cardiomyopathy study) 78
- piezoelectric crystals, activity sensors 409, 410
- pleural effusions, ICD shocks and 512
- pneumopericardium 224
- pneumothorax 223–225
- contrast venography and 583
  - ICD shocks and 512
- pockets for pulse generators 159–160
- air 452
  - complications 229–230
  - infection 207, 230–231, 236
  - manipulation 456–457
  - pain 159, 230–232
- polarity 326
- bipolar lead fracture and 248, 251
  - connectors 197–198
  - defibrillation 24
  - pectoral muscle stimulation 245
  - programming 341–346, 347, 449, 450
  - pulse generators, radiography 556, 558
- polarization 2, 6
- sensing and 8–9
- polytetrafluoroethylene *see* extended PTFE jackets
- polyurethane 12, 139–140
- defects 248
- porous electrodes 139
- positive RV-LV timing cycle 283
- posterior left ventricular pacing ECG 300
- heart failure 67
- posterolateral cardiac vein 177
- lead placement 581
- posteroseptal space fat pad 184, 185
- post-market surveillance data 142–144
- postoperative care 205, 600–601
- post-pacing T-wave oversensing 477–478, 481
- post-shock electrogram diminution 146
- post-ventricular atrial blanking periods (PVAB) 264, 326, 348, 351
- ICDs 501–504
- post-ventricular atrial refractory period (PVARP) 261, 263, 264, 265, 326
- atrial events in 535, 536, 537, 538, 635
  - extension 275, 276, 280, 326, 348, 351, 352, 462
  - programming 348, 351
  - shortening 276–278
  - tracking and 395
- potassium ions 2
- powered sheaths, lead extraction 210, 211–213
- power-on reset 597–598
- P-P intervals, tachycardias 489
- preactivation, LV lead 76
- Predictors of Response to CRT (PROSPECT study) 77
- pre-ejection interval 44
- rate-adaptive pacing and 415
- pre-excitation, left atrium 77
- premature ventricular contractions (PVC)
- AAI pacing 257–259
  - algorithms for 398–399
  - biventricular pacing 286
  - pause limitation 78
  - PVARP extension for 280, 348
  - shortening 399
  - undersensing 458–459
  - see also* ventricular extrasystoles
- preoperative preparation, device implantation 203
- pressure changes, right ventricle, rate-adaptive pacing and 415
- primary prevention of life-threatening arrhythmias 112–114
- programming for 396, 397
  - rate criteria 370
- PR interval 2, 50, 52
- heart rate *vs* 51
  - second-degree heart block 94
- PR Logic, SVT-VT discriminators 376, 388, 390, 516
- proarrhythmic pacing 506, 507
- cardiac resynchronization devices 543, 545
  - VT storm 511
- product recalls *see* recalls
- programmable waveforms, ICDs 149
- programming 15, 319–407
- for atrioventricular block 471–472
  - atrioventricular interval and 49, 307–316, 331–332, 400
  - resynchronization (CRT) 424
  - battery depletion and 246
  - at follow-up 357–360, 622–624, 627
  - ICDs 360–394, 396, 397
  - emergencies 511
  - for pace-sense lead fractures 530
  - sensing 365–366
  - troubleshooting 515–521
  - magnet response 289
  - optimizing therapy 394–395, 397, 398
  - output 333–339, 343
  - safety margins 337, 433
- pacemaker codes 16
- polarity 341–346, 347, 449, 450
- resynchronization devices 395–400
- VV (time period) 424–425
- sensitivity 339–341, 342, 343–344
- sensor function 418–423
- for sick sinus syndrome 104
- suggested parameters 361
- for T-wave oversensing 481, 483
- undocumented 462
- unexpected parameters 350–357
- see also* reprogramming
- progressive depolarization theory 19, 21
- prolapse of coronary sinus leads 187, 188
- propafenone 448
- PROSPECT study (Predictors of Response to CRT) 77
- prosthetic tricuspid valve
- epicardial systems and 196
  - lead placement 171, 174, 583, 584
- provocative maneuvers 456–457, 462, 463, 478, 479, 488, 593
- pseudo-fusion 316
- pseudo-malfunctions 452–454, 458
- digital recording systems 458, 464, 465
- pseudo-Wenckebach behavior 264, 265, 266, 273, 274
- biventricular pacing, avoidance 286
  - exercise and 420
  - upper rate limit setting 328, 330
- psychologic issues 645–646
- P-tracking/P-synchronous pacing *see* VDD pacing
- pull-back technique, coronary sinus venography 183

- pulmonary artery
  - pressure 637–638
  - use in lead placement 170–171
- pulse amplitude *see* voltage amplitude
- pulsed Doppler, frame rates 75
- pulse duration 326
  - amplitude *vs* 4
  - programming 333–339
- pulse generators 14–15
  - children 199
  - connectors 142
  - EMI shielding 592
  - failure 432, 433, 439–440, 515
  - ICDs, follow-up 626–628
  - identification 429–430, 556
  - lead compatibility 141
  - migration 229–230, 243–245, 512, 556
  - physical evaluation 440
  - radiography 554–558
  - replacement 203–205, 642–644
  - sites of placement 30
    - see also specific sites*
  - size 159
  - see also* implantation of pulse generators; pockets for pulse generators
- pulse width *see* pulse duration
- Purkinje fibers 2
- PVAB *see* post-ventricular atrial blanking periods
- PVARP (post-ventricular atrial refractory period) 261, 263, 264, 265, 326
  - atrial events in 535, 536, 537, 538, 635
  - extension 275, 276, 280, 326, 348, 351, 352, 462
  - programming 348, 351
  - shortening 276–278
  - tracking and 395
- P waves 3f
  - dual-chamber pacing 292
  - oversensing 522, 523, 525
    - ICDs 480, 485
    - lead fracture *vs* 523
    - see also* atrial oversensing
  - programming sensitivity 339
  - in refractory period 352, 353
  - tracking 274, 276
- QRS complex 3f, 17
  - as dyssynchrony marker 111
  - heart failure 66, 69–70
  - lead siting based on 71, 72
  - mitral valve inflow waves *vs* 52, 53
  - resynchronization 304–305, 309–311
  - second-degree heart block 95, 97
  - width on AV optimization 54
  - see also* stimulus–QRS interval
- QRS vector fusion 72–75, 304–307
- QT sensing pacemaker 414
- quality of life
  - dual-sensor rate-adaptive pacing 416
  - pacing mode on 57
- QuickFlex LV lead (St. Jude) 153
- “quiet-timer” blanking (Medtronic) 349
- “R” (in codes) 320
- radial strain, ventricular timing
  - optimization 75
- radiofrequency energy
  - electromagnetic interference 598, 601
  - lead extraction 213, 215
- radiography *see* chest radiography; fluoroscopy
- radiotherapy 208, 248, 250, 462–463, 610–611
- RAFT trial, biventricular pacing 111
- RAM, pulse generators 15
- “ramps”, ATP 391
- rate-adaptive atrioventricular interval *see* rate-variable atrioventricular interval
- rate-adaptive pacing 357
  - electromagnetic interference and 598–599
  - indications 408
  - programming at follow-up 622–624
  - resynchronization (CRT) and 424–425
  - sensing devices for 408–418, 437–439
  - symptoms 471
- Rate Branch™ (St. Jude) 376, 388–390, 391, 516
- rate criteria, detection by ICDs 367–372
- rate drop response programming 282, 334
- rate hysteresis 326, 435–436
  - see also* hysteresis
- rate-modulated pacing 259–261
  - asynchronous 261
  - DDIR pacing 262
- rate programmability 328, 329, 330
- rate-responsive capability
  - assessment 420, 421, 422, 422
  - atrioventricular interval and 49
  - for bradycardia 136
  - codes 16
- rate smoothing 295, 297, 326, 436–437
  - intra-device interactions 518–519
- rates of pacing
  - assessment 435–439
  - troubleshooting 462–464
- rate-variable atrioventricular interval 268, 269, 327
- reaction time 327, 422, 424
- real-time electrograms, ICDs 476, 477
- recalls
  - Accufix™ atrial J lead 209
  - pacemaker replacement 204, 640–644
- recharging, capacitors 628
- reconfirmation, in ICDs 372–373, 375
- records
  - trans-telephonic monitoring 616–617, 619
  - see also* data storage
- recovery time 327, 422, 424
- recurrence of preimplantation symptoms, causes 246–252
- redetection, in ICDs 373, 507–510, 511
- redundancy of leads 563–564, 566
  - children 199, 200–201, 564, 566
  - coronary sinus leads 187, 188
- reed switches 602
- Reel syndrome 556, 559
- re-entrant circuits 34–35, 77
  - see also* endless-loop tachycardia
- re-entrant tachycardias, pacing for 106
- reforming, capacitors 628
- refractory period extension theory *see* progressive depolarization theory
- refractory periods 17, 18, 256, 257
  - atrium 325
    - pacing during 276–278
    - see also* post-ventricular atrial refractory period; total atrial refractory period
  - biventricular pacing 286–287
  - programming 346–348
  - P waves in 352, 353
- resettable 593–597
- SSIR pacing 260
- ventricular (VRP) 257, 327, 346
  - resetting in response to noise 596–597
- registered nurses (RNs) 205
- registries
  - lead failure 430
  - lead performance 144, 430–431
  - see also* national registry; REPLACE registry
- regularity of rhythm, VT *vs* SVT 489–492
- reimplantation
  - after infections 238
  - leads 215
  - see also* replacement
- remote access monitoring 15, 614, 634–640
- repairability, leads 140
- repetitive rapid oversensing 522
- replacement
  - pulse generators 203–205, 642–644
  - see also* reimplantation
- replacement voltages, elective 14
- REPLACE registry
  - infection 235
  - lead dislodgement 220
- repolarization 19
  - see also* additional repolarization time

- reprogramming
  - bipolar to unipolar mode 341
  - for electromagnetic interference 593, 594
  - for exercise 622–624
  - finding thresholds 337
  - number of intervals to detect VF (NID) 533
  - for sudden bradycardia 471
  - undocumented 462
- reset modes *see* backup modes
- resettable refractory periods 593–597
- resistance 5–6
  - impedance *vs* 5
  - see also* source impedance
- respiratory rate, minute ventilation sensors 411
- resynchronization *see* biventricular pacing
- retained fragments 238–240, 243, 244
- retained sponges 224
- retention wires, J leads 567, 569
- retrograde atrial excitation *see* ventriculoatrial conduction
- retromammary siting, pulse generators 160
- Retry mode (Boston Scientific) 336
- REVERSE trial, biventricular pacing 111
- rheobase 4, 335–337
- RHYTHM II study 75
- Rhythm ID™ (Boston Scientific) 387–388, 389, 516
- Rhythm ID Going Head to Head Trial (RIGHT) 388
- Riata leads 532–533, 580, 624, 644
- right atrial appendage, lead placement 191–192
- right atrium, lead placement 190–191
- right bundle branch, pacing site 67
- right bundle branch block
  - cardiac perforation 226
  - resynchronization for 110–111
- right pectoral implantation, ICDs 30, 32
- right superior fascicles 66
- right ventricle
  - apex pacing (RVA pacing) 61, 65, 66, 107
  - ECG 299–300
  - minimization 331–332
- arrhythmogenic dysplasia, ICDs 121–122
- defibrillator lead placement 171–173
- impedance-based sensor 412–414
- pacing 57–66
  - bifocal 67
  - ECG 299–300
  - free-wall 64–66
  - lead placement 166–175, 176
  - tricuspid regurgitation 245–246
- pressure changes, rate-adaptive pacing and 415
- resynchronization on function 77
- right ventricular outflow tract
  - lead position
    - ECG 300
    - radiography 571
  - pacing 61, 64, 65
  - ventricular tachycardia 126
- ring electrodes 12
- Ritter method, AV optimization 53–54
- RR intervals
  - alternating 476–477, 481
  - lead fracture 522
  - rate smoothing 436–437
  - reduced percentage resynchronized 534–542
  - tachycardias 489
- runaway pacemaker 462–463
- R waves
  - amplitude test 342
  - double-counting 481–485, 522, 525, 546
  - far-field 195, 384–387, 388, 390, 477
  - oversensing 501–504, 505, 539
  - ICDs, sensing 362–364, 384, 520
  - programming sensitivity 339, 342
- SafeR™ algorithm 279
- safety margins
  - defibrillation 26–27, 28
  - programming output 337, 433
  - T-wave oversensing 482–483
- SAVE-PACe trial 58–60
- SCD-HeFT trial 115, 117
- screens, programmers 321, 322, 323, 324
  - “additional features” 361
  - data collection 358
  - lead warnings 432
  - “summary” 359
- screw-in leads 10–11, 137
  - extraction 210–211
- seal-plug problems, headers 522, 525, 526–527
- seat belts 644
- secondary prevention of life-threatening arrhythmias 112
  - programming for 397
  - rate criteria 370
- second-degree heart block 97
  - pacing for 94–96
- second phase duration, defibrillation 23–24
- sedation
  - conscious 158–159
  - for VT storm 511
- Seldinger technique *see* introducer approach
- SelectSecure™ lead 140, 141
- sensed events, defined 256
- sensing 7–9
  - bipolar *vs* unipolar leads 13
  - CRT devices, errors 535
  - devices for rate-adaptive pacing 408–418, 437–439
- electrograms 15
- ICDs 146–147, 362–366
  - minimizing EMI 592
- pacemaker codes 16
- thresholds 192–196, 327, 435
  - assessment 420–422, 423
  - programming 327, 339–341, 345
- troubleshooting 534–549
- ventricular fibrillation 33
- see also* atrial sensing window; far-field sensing; oversensing; undersensing
- Sensing Integrity Count, Medtronic ICDs 522
- sensitivity
  - ICDs 364–365, 366
  - thresholds 362, 366
  - programming 339–341, 342, 343–344
- Sensor and Quality of Life study 416
- septal-to-posterior wall motion delay (SPWMD), V-V optimization on 76–77
- septum
  - ablation, heart block from 106
  - cardiac enlargement 185
  - lead siting, radiography 566, 568, 569–571
  - myectomy, hypertrophic cardiomyopathy 125
  - pacing 64, 65, 172–173
  - in bifocal pacing 67
  - ECG 300
  - see also* high septum site; low septum site
- setscrews, loose 446, 479
- sexual activity 645
- shallowness of leads 231, 564
- sheaths
  - curved 178–181
  - lead delivery 13, 178, 179, 180
  - removal 188–189
  - lead extraction 210, 211–213
- shock plans 646
- shocks 393
  - anodal 20–21
  - for atrial fibrillation 394
  - committed *vs* non-committed 372–373, 374
  - dosage 24–25
  - efficacy assessment 631–632
  - see also* shocks, unsuccessful
  - frequent 510–511
  - inappropriate 472
  - lead-can abrasion and 514, 532
  - optimizing therapy 394–395, 506–510, 634
  - psychologic issues 645–646
  - symptoms before 472–473
  - unsuccessful 511–521
  - misclassification as 511–512
- shooting 645
- short-long-short sequences 506



- short QT syndrome 121
- shoulder movement 205
- sick sinus syndrome (sinus node dysfunction) 101–103
- cardiac transplantation 202
- pacing mode and 60, 136
- sildenafil, on DFT 33
- silicone 12, 139, 140
- silver, ICD leads 145
- single-chamber atrial pacemakers, sick sinus syndrome 103
- single-chamber ICDs 149–153
- electrograms 488, 489–495, 499
- SVT-VT discriminators 373–374, 376–382, 515–516
- single-chamber pacing, pulse generators, radiography 558
- single-chamber rate-modulated pacing (SSIR pacing) 259–260
- see also* AAIR pacing; VVIR pacing
- single-chamber triggered-mode pacing (VVT mode) 259, 260, 328
- electrocardiogram 289
- single-chamber ventricular pacing *see* VVI pacing; VVIR pacing
- single element subcutaneous leads 175
- single-lead VDD systems 262
- radiography 571, 577
- single-pass VDD pacing
- atrioventricular block 136
- children 200
- sinoatrial node (SA node) 2, 3f
- sinus arrest 102
- sinus node dysfunction *see* sick sinus syndrome
- sinus rhythm, ventricular sensing problems 534–537
- sinus tachycardia 489, 492–495, 496–497
- siting
- pulse generators 159–160
- see also* leads, intracardiac siting
- situational syncope 105
- situs inversus, lead placement 586
- Situs® left ventricular lead 152–153
- size
- ICDs 148–149
- pulse generators 159
- slack *see* redundancy of leads
- sleep, bradycardia 101–103
- sleep rates 296, 325, 328, 330, 435
- sleeves, lead fixation 188
- children 199
- slew rates 8, 9f, 195
- see also* tilt
- slings 205, 645
- “smaller diameter possible”, leads 139
- SMART® algorithm (Biotronik) 390, 391
- SMART-AV trial 70–71, 399–400
- SMARTSense™, atrial blanking period, Boston Scientific ICDs 384
- SMARTVIEW™ (Sorin) 639
- snakes, femoral lead extraction 214
- sodium ions 2
- SonR sensor (PEA sensor) 411–412, 413, 418, 424–425
- SOOR pacing (asynchronous pacing) *see* asynchronous pacing
- Sorin Medical
- atrioventricular interval hysteresis 271
- AutoThreshold 336
- blanking characteristics 349
- CRT devices, ventricular sensing and 281
- ICDs, magnet response 600
- magnet response and ERI 621
- Parad algorithm 518
- pulse generators, identification 557
- remote monitoring 639
- SafeR™ algorithm 279
- timing systems 273
- source impedance 9
- speckle-track strain imaging
- lead siting based on 68, 69
- ventricular timing optimization 75
- spectrum, electromagnetic 592
- sponges
- hemostasis 159
- retained 224
- spontaneous rhythm *see* atrial rhythms, native; native rhythms
- sports 645
- Sprint Fidelis leads, fracture 531, 643
- SSIR pacing (single-chamber rate-modulated pacing) 259–260
- see also* AAIR pacing; VVIR pacing
- stability, leads 153, 187–188
- “stability” enhancement, single-chamber detection 375, 376, 377, 382, 383–384, 516
- staff, follow-up clinics 614–615
- stairs, down vs up 410
- standards
- leads 12, 141
- see also specific standards*
- staphylococci 235–236
- Starling’s law 42
- “stat set” button 321
- stenosis of veins 207, 237, 238
- stents, lead removal 207
- step-down to failure DFT 26, 27
- step-up to success DFT 26
- sternocleidomastoid muscle 165
- steroid elution 6, 7, 137, 138
- steroids, systemic 443
- stiffness of leads 139
- stimulation
- anodal, resynchronization and 316
- diaphragm 245
- assessment 169, 187–188
- myocardium 2–4
- pectoralis muscle 245
- phrenic nerve 245, 542–543
- see also* cross-stimulation
- stimulation threshold 4–7
- circadian pattern 7, 30–33
- drugs and endocrine disorders 435, 443–444, 448
- external cardioversion on 441, 447, 601, 602
- measurement 192–194, 337–338
- pacemaker replacement 204
- variation 6–7
- stimulus energy, voltages vs 4
- stimulus latency 542
- see also* capture, latency
- stimulus–QRS interval 303–304
- stimulus–T sensing pacemaker 414
- St. Jude Medical
- atrioventricular interval hysteresis 271
- blanking characteristics 349
- coronary sinus leads 152, 153
- CRT devices, ventricular sensing mechanism 281
- ICDs
- asynchronous mode 600
- committed shocks 372
- electrogram alignment 377, 379
- far-field R waves and 386, 504
- filtering 478–480
- magnet response 600
- monitor zones 372
- primary prevention programming 396
- programmability 149
- reconfirmation 373
- sensitivity 364–365, 366
- SVT-VT discriminators 376, 388–390, 391, 515–516
- T-wave oversensing 478, 481
- magnet response and ERI 621
- Merlin.net™ 639
- pulse generators, identification 557
- remote monitoring 639
- timing systems 273
- Ventricular Autocapture™ 336
- see also* Riata leads
- storage of data 626
- in pacemakers 621–622
- stored electrograms, ICDs 476, 477
- stored energy 25
- straight stylets
- atrial J leads 190–191
- ventricular leads 168, 169
- strain imaging *see* speckle-track strain imaging
- strength–duration curve 4
- stress, sensors 409
- stroke volume 42
- rate-adaptive pacing and 415
- stylet-driven leads, over-the-wire leads vs 185, 186

- stylets
  - J leads 190–191
  - lead damage 235
  - ventricular leads
    - curved 167–169
    - management 166
    - sheath removal 188
  - see also* guidewires; locking stylets
- subclavian approach 165
  - crush injury (to lead) 431, 564
  - extrathoracic *see* axillary approach
  - pneumothorax 223
  - radiography 563, 564
- subclavian artery puncture 225, 232, 573
- subclavian vein thrombosis 233–234
- subcutaneous arrays 175, 176, 580
- subcutaneous leads, ICDs 30, 175, 176
- subcutaneous patches 573
- subcuticular siting, pulse generators 159
- subpectoral position, pulse generators, children 199
- subselection
  - ventricular veins 187, 188
- success, lead extraction, defining 209
- sudden bradycardia response algorithms 280–281, 332–333, 437, 438
- “sudden-brady response” (SBR) 282
- sudden death
  - Brugada syndrome 120, **121**
  - hypertrophic cardiomyopathy 122, **125**
  - long QT syndrome **120**
  - prevention 113–114
  - see also* aborted sudden death
- sudden unexplained death syndrome, ICDs 120–121
- “summary” screens, programmers 359
- superior vena cava
  - defibrillator coils in 146–147, 173, 175
  - persistent left 167, 198, 583, 585
- support groups 646
- supraventricular tachycardia 102
  - ATP on 392–93
  - dual-chamber ICDs 150
  - electrograms, ICDs 475, 488–510
  - pacing for 105–106
  - ventricular tachycardia vs
    - ICD electrograms 488–510
    - misclassification 515–517
    - redetection error 507–510
  - see also* SVT-VT discriminators
- surface area, electrodes 10, 139
- surgery
  - preparation of patient 600
  - see also* operative evaluation; operative intervention
- surveillance data, post-market 142–144
- surveillance equipment 609–610
- sustained-duration override features 516–517
- sustained rate duration, single-chamber detection **375**
- sutures
  - absorbable 199
  - lead transection and 211
  - see also* ligatures
- SVT-VT discriminators
  - dual-chamber ICDs 382–390, 516–517
  - failure 499–501
  - failure of defibrillation due to 515–517
  - optimizing therapy 395
  - in redetection 507, 509
  - single-chamber 373–374, 376–377, 515–516
  - St. Jude Medical ICDs 376, 388–390, 392, 515–516
  - see also* morphology-based SVT-VT discriminators
- S waves, right ventricular apex pacing 299–300
- swimming 645
- sympathetic denervation 511
- symptoms
  - atrioventricular block 99, 471
  - causes of recurrence 246–252
- syncope **623**
  - atrioventricular block 101
  - Closed Loop Stimulation for 414
  - drugs causing 472
  - ICDs and 113, 473
  - malignant vasodepressor syncope, SonR sensor 411
  - neurocardiogenic *see* neurocardiogenic syncope
  - pacing mode selection 136
  - reflex 104–105
  - tilt-table testing 79, 105
  - see also* sudden bradycardia response algorithms
- tachyarrhythmias
  - atrial
    - mode switching for 276
    - risk of thromboembolism 638–640
  - mode switching for 276, 348–350, 353–354, 355, 356
  - pacing for 105–106, **107**
  - ventricular
    - myocardial infarction 114–116
    - underdetection 515–521
- tachycardia
  - cardiomyopathy from 110, 117
  - with 1:1 AV relationship 489, 492–495, 497, 516, 518
  - ATP on 495
  - re-entrant circuits 34–35
  - see also* endless-loop tachycardia
- tachycardia-bradycardia syndrome 101, 102
- tamponade 185, 227
- TARP *see* total atrial refractory period
- teaching, trans-telephonic monitoring 616
- Teletronics/Medtronic connector type 141
- telemetry 15, 439
  - see also* remote access monitoring
- telescoping sheaths, lead extraction 211
- temperatures, low 598
- temperature-sensing rate-adaptive pacemakers 415
- temporary programming 322
- terminal illness, withdrawal of therapy 646
- tetralogy of Fallot, ICDs 125
- text episode summary 500
- third-degree atrioventricular block 96–98
- thoracotomy, lead extraction 215
- Threshold Margin Test 337–338, 339, 618, 622
- thresholds
  - defibrillation 25–26
    - antiarrhythmic drugs on 33
    - causes of elevation 30, 512
    - programmable waveforms for 149
    - sensitivity 362, 366
    - upper limit of vulnerability and 33
  - elevation 441, **627**
  - measurement 337–338, 433–435
  - output programming for 335–339, 343
  - reduction 137
  - see also* capture, thresholds; sensing, thresholds; steroid elution; stimulation threshold
- thrombin, topical 229
- thromboembolism
  - atrial fibrillation and 638–640, 641
  - inadvertent LV lead placement 232, 233, 234
  - pacing mode on 57
- thrombolytic therapy 234
- thrombosis 207, 232–234, 236
- tidal volume 411
- tilt
  - defibrillator waveforms 22, 23–24
  - see also* slew rates
- tilt-table testing, syncope 79, 105
- timers, SVT-VT discriminators 382
- timing circuits 15
- timing cycles 255–318
  - ECG 302–316
- tip extrasystoles *see* ventricular extrasystoles
- tones (audible), ICDs *see* alerts
- torsades de pointes 118
- tortuous veins, ventricular lead placement 169
- total atrial refractory period (TARP) 264, 265, 328, 538
  - intrinsic 286
- tracking 274, 276, 395, 399
- Tracking Preference™ (Boston Scientific) 398
- traction, lead extraction 210

- training, lead extraction 209  
 transcutaneous electrical nerve stimulation 518, 604–605  
 transection, lead extraction 211, 212  
 transmembrane potential 2–4  
 transmural lead placement 583  
 transplantation *see* cardiac transplantation  
 transport mechanisms (active) 2  
 transposition of great vessels 174  
   congenitally corrected 586  
 trans-telephonic monitoring 614, 616–618, 619, 622  
 transthoracic impedance 411, 630–631, 637  
 transvenous pacing, electrodes 6–7  
 trauma 248  
 treadmill exercise 419, 624  
 Trendelenburg position 161–162  
 trends, impedance measurements 322  
 tricuspid regurgitation 150–151, 243, 245–246, 247  
 tricuspid stenosis 246  
 tricuspid valve  
   abnormalities, epicardial systems and 196  
   *see also* prosthetic tricuspid valve  
 trifascicular block 101  
 triggered-mode pacing  
   ECG 289, 292  
   single-chamber *see* single-chamber triggered-mode pacing  
 triggering *see* DDT mode  
 trocars, for subcutaneous leads 176  
 troponin, ICD candidacy after myocardial infarction 115  
 troubleshooting  
   cardiac resynchronization devices 533–546, **635**  
   ICDs 472–533  
   pacemakers 428–472, **627**  
 true bipolar leads, ICDs 367  
 truncated waveforms, ICDs 22, 23  
 truncation, electrograms (intracardiac) 377, 381, **381**  
 tunneled leads, breast cancer 611  
 T wave 17  
   oversensing, ICDs 365–366, 476–481, 522, 525  
 twiddler's syndrome 240–243, 556, 558  
 twist, myocardial 75
- UK Pacing and Cardiovascular Events trial 57  
 ultrasound  
   for subclavian approach 223  
   *see also* echocardiography  
 underdetection, ventricular tachyarrhythmia 515–521  
 undersensing 458–466, **470**  
   ICDs 362, 363, 364, 388, 501, 515–521  
   ventricular fibrillation 519–521  
   *see also* atrial undersensing; functional undersensing  
 undocumented programming 462  
 unifilar leads 11  
 unipolar functions, switching from bipolar 341, 347  
 unipolar leads 12, 13, 137–139  
   connectors 197–198  
   electromagnetic interference and 592  
   IS-1 standard 141  
   radiography 564, 567  
 units of timing 257  
 univentricular heart, lead placement 586  
 univentricular sensing, biventricular pacing 284–285, 286  
 upper limit of vulnerability 18–19, 20, 33  
 upper rate behavior  
   atrioventricular interval 295  
   CRT devices 285–286, 534–536  
 upper rate limits (URL) 260, 328, 330  
 upper tracking rate (UPR) 275  
 URL (upper rate limits) 260, 328, 330  
 VAA response to ATP 495  
 VA interval (ventriculoatrial interval) 257, 258  
   DDD pacing 262  
   extension 276–278  
 valvular endocarditis 207  
 vancomycin 207  
 variable signal amplification, ICDs 592–593  
 varicosity, coronary venous system 153  
 vasodepressor response  
   carotid sinus reflex 79, 104  
   *see also* malignant vasodepressor syncope  
 Vasovagal Pacemaker Study (VPS-1) 80  
 vasovagal syncope *see* neurocardiogenic syncope; syncope  
 Vaughan-Williams classification **34**  
 VAV response to ATP 495  
 VDD pacing (atrial synchronous (P-tracking/P-synchronous) pacing) 262, 263  
   atrioventricular block 136  
   DDD pacing *vs* 292  
   indications and contraindications **135**  
   single-lead, radiography 571, 577  
   *see also* single-pass VDD pacing  
 VDDR pacing  
   atrioventricular block 136  
   indications and contraindications **135**  
 VDI mode 328  
 vectors  
   ECG 298  
   biventricular pacing 300–302  
   far-field electrograms 489  
   ICDs 29  
   pacing 72–75, 153
- Vector Timing and Correlation morphology algorithm (Boston Scientific) 380, 389  
 vegetations 235  
 vein of Marshall 192, 193  
 veins  
   defibrillation electrodes 175  
   stenosis 207, 237, 238  
   tortuosity 169  
 venepuncture, axillary approach 162  
 venlafaxine, on DFT 33  
 venography 162–163, 164, 165, 583  
   coronary sinuses 179, 181–183  
 venoplasty 233  
 venous approaches  
   lead placement 160–166  
   radiography 562  
 ventricles, electrograms 8, 194–195, 474, 476, 489–495  
 ventricular asynchronous pacing (VOO) 257  
 Ventricular Autocapture™ (St. Jude Medical) **336**  
 Ventricular Automatic Capture (Boston Scientific) **336**  
 ventricular avoidance pacing algorithms 278–279, 331–332, 458  
 ventricular-based timing systems 268–272  
 ventricular blanking periods (VRP) 263–265, 267, **327**, **349**, 454–455  
 Ventricular Capture Control (Biotronik) **336**  
 ventricular depolarization gradient 415  
 ventricular extrasystoles  
   during blanking periods 348  
   during lead implantation 228  
   resynchronization and 316  
   *see also* premature ventricular contractions  
 ventricular fibrillation 18  
   detection by ICDs 368–370  
   self-terminating 507  
   sensing 33  
   undersensing 519–521  
 ventricular inhibited pacing (VVI pacing) 45, 47, 48, 257, 258, 320, 328  
   clinical effects 56–57  
   indications 134, **135**  
 ventricular oversensing  
   CRT devices 535, 537–541, **635**  
   ICDs 476–488  
 ventricular pacing  
   avoidance algorithms 278–279, 331–332, 458  
   clinical effects 57–61  
   ECG 300–303  
   heart failure 13, 66–70, 107–111, **111**  
   lead criteria 151–153  
   lead placement 166–175, 542  
     atrial lead placement with 190  
     radiography 567–572

- ventricular pacing (*cont'd*)
  - lead siting 61–66, 71–78, 166, 185
  - sick sinus syndrome 104
  - see also* biventricular pacing; right ventricle, pacing
- ventricular pacing inhibition, CRT devices 535
- ventricular rate, atrial rate vs, SVT-VT discriminators 383–387
- ventricular rate regulation (VRR) 78, 295–296, 399, 539–541
- ventricular refractory period (VRP) 257, 327, 346
  - resetting in response to noise 596–597
- ventricular safety pacing 267, 268, 327
- Ventricular Sense Amplitude algorithm 342
- Ventricular Sense Response™ algorithm 284, 285, 539, 542
- “Ventricular Sensing Test” 343–344
- ventricular septal defect 232
- ventricular tachyarrhythmias
  - myocardial infarction 114–116
  - underdetection 515–521
- ventricular tachycardia
  - antitachycardia pacing on 34–35, 495
  - catecholaminergic polymorphic 121
  - detection by ICDs 368–370
    - see also* SVT-VT discriminators
  - electrograms, ICDs 475
  - fascicular 127
  - indications for ICDs 113
  - during lead implantation 228
  - right ventricular outflow tract 126
  - self-terminating 507
  - slow 515, 516
  - supraventricular tachycardia vs
    - ICD electrograms 488–510
    - misclassification 515–517
    - redetection error 507–510
  - VT storm 510–511
- ventricular timing optimization (V-V optimization) 71–78
- ventricular triggering period 265, 267, 455, 468
- ventricular veins 177, 178, 302
  - anastomoses 184
  - lead placement 187, 188, 582
- ventriculoatrial conduction 44, 279, 433–434
  - 1:1, ventricular tachycardia 517
- ventriculoatrial interval (VA interval) 257, 258
  - DDD pacing 262
  - extension 276–278
- vibration sensors *see* piezoelectric crystals
- vibrations from ICDs *see* alerts
- virtual electrodes 19–21
- vitreous carbon electrodes 139
- voltage
  - batteries 14, 439, 627–628, 632–633
  - stimulus energy vs 4
- voltage amplitude 326
  - minimization 151
  - programming 333–339
- voltage drop, within pulse 14–15
- voltage gradient, ICDs 24–25
- VOO (ventricular asynchronous pacing) 257
- VPS-1 (Vasovagal Pacemaker Study) 80
- VR (time period) 256
- V Rate > A Rate (Boston Scientific) 387–388
- VS-1A connectors 197
- VS-1B connectors 197
- VS-1 standard 141, 197
- VT storm 510–511
- vulnerable period 18–19, 20
- VV (time period) 256
  - resynchronization 304–307
  - programming 424–425
- VVI pacing (ventricular inhibited pacing) 45, 47, 48, 257, 258, 320, 328
  - clinical effects 56–57
  - indications 134, 135
- VVIR pacing 134, 135, 259–260, 261
  - indications 408
- VVT mode *see* single-chamber triggered-mode pacing
- walking, assessment 419–420, 421, 623–624
- wandless systems, trans-telephonic monitoring 614
- wands 15
- warfarin
  - device implantation and 203
  - for thrombosis 234
- waveform
  - ECG 3f, 17
  - ICDs 21–24
  - programmable, ICDs 149
- Wavelet, SVT-VT discriminators 376, 378, 388
- weakness 623
- wearable cardioverter-defibrillators, indications 113, 114
- web-based monitoring 614, 634–637, 638, 639, 640
- websites
  - product performance information 431
  - remote monitoring 640
- weight (body), remote monitoring 638
- welding (arc welding) 607–608
- Wenckebach block 94, 96, 534
  - see also* pseudo-Wenckebach behavior
- wireless telemetry, web-based monitoring 636
- wires, fracture *see* Accufix™ atrial J lead
- withdrawal of therapy 646
- work, return to 645
- workplaces (industrial) 607–608
- wrist bands, trans-telephonic monitoring 617
- Zener diodes 15, 601
- zone boundaries, rate detection 372, 373



