

Index

Illustrations are comprehensively referred to from the text. Therefore, significant material in illustrations (figures and tables) have only been given a page reference in the absence of their concomitant mention in the text referring to that illustration. 'vs.' has been used to indicate differential diagnosis. Abbreviation used: BBB, bundle branch block; RV, right ventricle; LV, left ventricle.

- AAI pacemaker 366, 368
- aberrancy (in conduction) 294–8
 - phase 3 295–7
 - phase 4 297–8
 - supraventricular (incl. atrial) 114, 294
 - misdiagnosed as ventricular tachycardia 382
 - with wide QRS complexes, differential diagnosis 340
 - ectopy 318–9
- absolute refractory period 40
- accessory pathways (APs) 203, 205
 - ECG diagnosis of more than one 209
 - Kent bundle-type 203, 204, 211, 212, 309, 312
 - reentrant circuits involving AV junction and 286, 312
 - tachycardias with anterograde, conduction over one AP 286
- action potential, transmembrane *see* transmembrane action potential
- activation (contractile cells) 3, 32, 41–8
 - atrial 42–4
 - counterclockwise, atrial flutter 324
 - domino model 47–8
 - inferoposterior hemiblock 188–9
 - left BBB
 - 1st degree 181–2
 - advanced (3rd degree) 173–5
 - QRS, delayed diffuse intraventricular 200
 - right BBB
 - 3rd degree 161–6
 - partial (2nd degree) 168–9
 - superoanterior hemiblock plus 194
 - superoanterior hemiblock 184
 - plus right BBB 194
 - ventricular *see* ventricles
- acute coronary syndrome (ACS) 16, 402–39
 - arrhythmias in 431
 - classification (ECG importance) 406–7
 - confounding factors (concurrent conditions) 429–30
 - differential diagnosis 395, 396
 - myocarditis 475–6
 - evolving to MI, mechanical complications 431–2
 - management 406–7
 - non-occlusive thrombus 402
 - non-ST segment elevation *see* non-ST segment elevation acute coronary syndrome
 - occlusive thrombus 402, 402–4
 - recurrence 434
 - ST segment elevation *see* ST segment elevation acute coronary syndrome
- adolescents (differences from adults) 89
 - LV enlargement 148
- age-related values and variations 89–90
 - LV ventricular enlargement 147–8
 - Q waves in various leads and 71
 - R waves in various leads and 74
 - S waves in various leads and 75
 - T waves in various leads and 79
- alcoholism 503–4
- alloarrhythmia 381
- ambulatory cardiac telemetry 533
- ambulatory ECG *see* Holter monitoring
- amiodarone-induced long QT interval 389, 502
- amplification methods 19
- amyloidosis 498
- analog-to-digital conversion 18, 61–2
- anatomical basis (of ECG) and correlations 25–33
 - ventricular enlargement
 - left 144–7
 - right 129
 - ventricular hemiblocks 158
- anemia 497
- anesthesia 508–9
- aneurysms
 - dissecting (aortic) 396
 - differential diagnosis 395
 - ventricular 432
- angina (ischemic chest pain) 402
 - exercise 402, 404, 447
 - presentation with 394–5
 - Prinzmetal (variant) 443–6
 - tachyarrhythmia causing 441
 - other causes 447
- angiography (coronary) 539
 - MI (STEMI vs. NSTEMI) 405
- anterior wall 253
 - infarction associated with hemiblock 267
 - see also* anteroseptal zone and wall
- anterograde conduction over one accessory pathway, tachycardias with 286
- anteroposterior axis rotations 85
- anteroseptal zone and wall 26–7
 - Q wave infarction involving 262
 - see also* middle anteroseptal fibers
- anterosuperior right BBB, zonal 188
- antiarrhythmic drugs and post-infarction sudden death 502, 517
- antiarrhythmic agents (AAA) 322
- antidromic tachycardia 312
- antihypertensive drugs 492
- aortic aneurysm *see* aneurysm
- aortic valve disease 473–4
 - LV enlargement in 152
 - P wave abnormalities 120
 - stenosis 473, 474
 - congenital 488
- ÂQRS 72, 390–1
- BBB
 - advanced left 175–7, 180
 - advanced right 166
- calculation 80–3
 - at 0° 82
 - at +60° 80–1
 - at +90° 81–2
 - changes to right and to left of +60° 81
 - in clinical practice 82–3
- cor pulmonale 484
- indeterminate 391
- inferoposterior hemiblock 189
- left-deviated 391
 - hyperdeviation 391
 - Q wave in, with/without superoanterior hemiblock 268–74

- ÂQRS (*cont'd*)
 pacing site and the vector direction 362
 pediatric 89
 right-deviated 391, 484
 superoanterior hemiblock 184
 in differential diagnosis 188
 ventricular enlargement
 left and right (biventricular) 154
 right 126, 130, 133, 137
- ÂQRS-ÂT spatial angle 391
- arm lead
 left (VL) 55-7
 right (VR) 55-7
- arrhythmias 279-99
 active 279, 281-91, 301-27
 with fixed coupling interval 283-90
 mechanisms 281-91
 with variable coupling interval 290-2
 in acute coronary syndrome (ACS) 431
 alcohol-induced 503-4
 in arrhythmogenic RV cardiomyopathy 459
 athletes 499-500
 children 509-10
 classification 279-80
 clinical 279
 electrocardiographic 279-80
 mechanistic 279
 site of origin 279
 clinical significance and symptoms 280
 definition 279
 differential diagnosis in special situations 381-4
 drug-induced *see* drug-induced ECG patterns
 ECG diagnosis 280-2
 as best method 16
 in hypertension, sudden death 491-2
 in hypertrophic cardiomyopathy 333, 454
 intraoperative 508
 in ischemia 274
 pacemaker-induced 369
 passive 279, 292-9, 354-71
 mechanism 292-9
 serious, risk with normal/near normal ECGs 521
 step-by-step approach to diagnosis in clinical
 practice 373-84
 supraventricular *see* supraventricular
 arrhythmias
 vectorcardiography of no use in 8
 ventricular *see* ventricular arrhythmias
 Wolff-Parkinson-White pre-excitation and *see*
 Wolff-Parkinson-White syndrome
 arrhythmogenic RV dysplasia/cardiomyopathy
 (ARVC) 454-7
 right BBB 164, 455
 arterial hypertension *see* hypertension
 artifacts and their avoidance 63
 atherothrombosis causing blood flow
 decrease 402, 406-41
 athletes 498-502
 differentiation from type II Brugada and pectus
 excavatum 77, 465
- atria 103-22
 aberrancy 114, 294
 activation (waves) 42-4
 analysis (morphology/polarity/cadence/
 rate/location in cardiac cycle) 373-7, 384
 activity analysis 373
 with arrhythmias 281
 bigeminy 381
 concealed 381
 contractions, pacemaker preservation 370
 depolarization 4, 42-3
 dilation *see* atrial enlargement
 dissociation 115-16, 121
 ventricular tachycardia with 338
 ectopic focus *see* ectopic focus
 extrasystoles 286, 318, 323, 384
 flutter, simulation in Parkinson's disease 65
 hypertrophy 103
 impulse conduction to ventricle from *see*
 atrioventricular conduction
 infarction 121, 439
 atrial repolarization changes 119, 121
 P waves 117, 119
 perfusion 27
 premature complexes, interatrial block (2nd
 degree) induced by 114
 reentry (and macro- or micro-reentry)
 fibrillation caused by 285-6
 monomorphic atrial tachycardia due to 304,
 375
 repolarization 43-4, 103
 disturbances 118-20, 121
 retrograde conduction in left atria, advanced
 interatrial block with 512-13
 right, reentrant circuits located 286
 septal defect 486
 tachycardias
 chaotic 316, 318
 monomorphic 303-9
 vulnerable period 41
- atrial block (interatrial block) 103, 111, 112-14
 1st degree (partial) 113-14
 2nd degree (atrial aberrancy) 114, 294
 3rd degree (advanced) 114
 with left atrial retrograde conduction 512-13
- atrial enlargement and 103, 111, 112-13
- atrial enlargement (dilation) 103, 105-12
 atrial block and 103, 111, 112-13
 left 104, 109-11
 false positive and negative diagnoses 111
 right 104, 105-9, 120
 in cor pulmonale 484, 485
 false positive and negative diagnoses 108
 right and left (bi-atrial) 111-12
 ventricular enlargement combined with 156
- atrial fibrillation 120-1, 316-21, 381
 in acute coronary syndrome 432
 athletes 499
 atrial enlargement and
 left 111
 right 112
 atrial flutter compared with 323
 BBB (advanced left) with 180
 in Brugada syndrome 465
 children 510
 chronic 316, 317, 321
 clinical and prognostic implications 319-21
 concept 316
 differential diagnosis 318-9
 ECG findings 316-8
 f waves 111, 116, 317, 318, 373
 genetic predisposition 467
 mechanisms/causes 316
 reentry 285-6
 paroxysmal 286, 309, 316, 317
 premature complexes 296-7
 reverse or inverse 324
 with sinus rhythm 316-7, 324
 AF in left atrium with 116
 therapeutic approach 321
 in Wolff-Parkinson-White syndrome, *vs.*
 ventricular tachycardia 319, 337
- atrial fibrilloflutter 324
- atrial flutter 321-7
 atypical 323-4, 324
 children 510
 F waves 321, 323, 324, 326, 384
 sinus rhythm *vs.* 2 × 1 flutter 382
 typical/common 323, 324
- atriohisian tract 203, 212, 213, 215
- atrioventricular (AV) block 359-62, 381, 515
 1st degree 361
 2nd degree 361
 3rd degree (advanced) 362, 515
 athletes 501
 congenital 515
 neonatal 485
- atrioventricular (AV) canal defects 485
- atrioventricular (AV) conduction 44
 accessory pathways *see* accessory pathways
 block *see* atrioventricular block
 of paroxysmal monomorphic atrial tachycardia
 due to ectopic focus 307
 of premature ventricular complexes 329
 synchrony with pacemakers 370
- atrioventricular (AV) dissociation 337
- atrioventricular (AV) junction 29
 conduction in *see* atrioventricular conduction
 heart block and 292
 reentrant circuits involving *see* reentry
- atrioventricular junctional tachycardias *see*
 junctional tachycardias
- atrioventricular nodal reentrant tachycardia
 (AVNRT) 286, 287, 309
- atrioventricular (AV) node
 ablation, plus VVIR pacemaker
 implantation 366-7
 impulse conduction through 44
- atrioventricular reentrant tachycardia *see* reentry
- atrioventricular (AV) relationship analysis 378
 in arrhythmias 281
- augmented system leads 55-6
- automated ECG interpretation 18, 62, 523
- automatic slow response cells *see* slow response cells
- automaticity (cardiac cell) 39
 depression 292, 354-8
 sinus node *see* sinus node
 elevation (increase) 283-4, 334
- aVF leads 55
 Q wave 71
 R wave 74
 S wave 75
 T wave 79
- aVL leads 55
 Q wave 71
 R wave 74
 S wave 75
 T wave 79

- aVR leads 55
 change to -aVR from 58
 Q wave 71
 R wave 74
 S wave 75
 T wave 79
- Bailey's hexaxial system 57
 Bailey's sextants 55
 Bailey's triaxial system 55, 57
 Bayes' theorem 98
 bi-atrial enlargement 111–12
 bicameral DDD pacemakers 362
 bidirectional ventricular tachycardia 347
 bifascicular block 159, 193–9
 with long PR interval 199
 masked 197, 514
 occurring with alternance of other fascicular blocks 199
- bigeminy 381
 bipolar precordial lead (Lewis lead) 58–9, 535
 bipolar stimulation spike (pacemaker) 362
 bitruncal (left and right) BBB 193, 514
 biventricular enlargement and hypertrophy 153–6
 advanced right BBB and 168
 biventricular pacing 366, 367, 371
 block *see* atrial block; atrioventricular block;
 bundle branch block; heart block;
 hemiblock; middle anteroseptal fibers;
 ventricular block
- blood flow decrease
 abrupt 404–5
 non-atherothrombotic causes 441–7
 thrombotic/atherothrombotic causes 402,
 406–41
- blood perfusion *see* perfusion
- body habitus 94
 LV enlargement and 148
 body surface potential mapping 536
 bradycardia (and bradyarrhythmia) 280
 athletes 499
 intraoperative 508
 in ischemia 274
 in long QT syndrome 463
 sinus *see* sinus bradycardia
 symptomatic, pacing 371
- bradycardia-tachycardia syndrome 317, 511
 breathlessness (dyspnea), acute, ECG changes
 and 397
- broad QRS tachycardia, differential diagnosis 16
 Bruce protocol 526
 Brugada syndrome 171, 464–5
 type I 465
 type II 465
 differentiation from athletes and pectus
 excavatum 77, 466
- bundle (of His)
 external recording, future possibility 19
 fascicles 30–1, 44
 impulse conduction 44
see also parahisian technique
- bundle branch(es) 158
 depolarization 44
 left 30, 158
 reentry 334
 right 29, 158
- bundle branch block (BBB) 513–14
 alternating 515
 bitruncal (left and right BBB) 193, 514
 high-risk 513–14
 wide QRS complexes 429
 WPW pre-excitation associated with 210
- bundle branch block, left (LBBB) 137, 161,
 173–87, 429
 1st degree (partial) 181–3, 188
 2nd degree 180–1
 3rd degree (advanced) 137, 152, 173–80, 198,
 200, 263–4
 activation 173–5
 clinical implications 180
 de novo (new) appearance, prognostic
 significance 513
 differential diagnosis 179–80
 ECG changes 175–7
 ECG diagnostic criteria 177–9
 peripheral 175, 179
 proximal 173–5, 175
 Q wave MI with 263–4
 ST changes 179, 246
- acute coronary syndrome and 429
 alternating with RBBB 514–15
 biventricular hypertrophy in presence of 156
 ECG morphology at all levels 160
 inferoposterior hemiblock plus 198
 LV enlargement in presence of 140
 LV enlargement *vs.* 151
 LV hypertrophy in presence of 152
 myocardial infarction and 439
 RV enlargement in presence of 137
 superoanterior hemiblock plus 198, 198–9
 Wolff-Parkinson-White pre-excitation *vs.*
 block 180, 206, 210
- bundle branch block, right (RBBB) 161–73, 429,
 514–15
 1st degree (partial) 168–71
 activation 168–9
 association with other processes 175–6
 differential diagnosis and clinical
 implications 170–1
 ECG changes 169–70
 peripheral 169
- 2nd degree (intermittent) 168
 ST changes 246
- 3rd degree (advanced/complete) 136, 156, 161,
 161–8, 200, 261
 activation 161–6
 clinical implications 168
 cor pulmonale and 485
 differential diagnosis 168
 ECG changes 166
 ECG diagnostic criteria 166–8
 myocardial infarction and 168, 261, 439
 peripheral origin 163–6, 166, 168
 proximal origin 161–3, 166, 168
 ST changes 246
- acute coronary syndrome and 429
 alternating with LBBB 515
 in arrhythmogenic RV dysplasia 164, 455
 atypical 135
 in Ebstein's disease 487
 inferoposterior hemiblock plus 197–8, 197–8, 514
 LV hypertrophy in presence of 152
- morphology of ECG 159–60
 in RV enlargement 132–3, 133, 135, 136
 RV enlargement *vs.* 135
 superoanterior hemiblock plus 194–7, 194–7, 514
 zonal anteroseptal 188
- calcium disturbances 504–5
 calibration of device 63
 capillary electrometer 11, 12
 capture complexes 340, 379
 cardiology check-up, athletes 501
 cardiac arrest 362
 cardiomyopathy 399, 453–60, 476–9
 acquired 476–9
 immune-mediated 515
 peripartum 508
 arrhythmogenic RV *see* arrhythmogenic RV
 dysplasia
 hypertrophic *see* hypertrophic cardiomyopathy
 spongiform or non-compacted 458–9
- cardiovascular MR *see* magnetic resonance
- cardiovascular non-ischemic pain 396–7
 cardioverter defibrillator, implantable (ICD)
 arrhythmogenic RV cardiomyopathy 457
 heart failure 479
- carotid sinus massage, paroxysmal tachycardia
 recording during 288
 paroxysmal monomorphic atrial tachycardia
 due to ectopic focus 307
- CAST study 502, 517
 catecholaminergic polymorphic ventricular
 tachycardia 347, 467, 469
- cavities *see* chambers
- cells (cardiac/myocardial) 31–3, 34–48
 categories (electrophysiological) 34
 contractile *see* contractile cells
 electrophysiology *see* electrophysiology
 non-contractile 33
 properties 39–41
 ultrastructure 31–3
- cerebrovascular accident 494
 Chagas cardiomyopathy 477
- chambers (cavities)
 arrangement in mirror image dextrocardia 488
 ECG recording and electrophysiological studies
 within 533–4
 enlargement
 all four chambers 156
 ECG and contrast-enhanced cardiovascular
 MR correlations 18–19
see also atrial enlargement; ventricular
 enlargement
- channelopathies 16, 461–70
 chaotic atrial tachycardias 316, 318
 chest abnormalities/malformations (thoracic
 abnormalities) 17, 111, 135, 170–1, 190, 393,
 408, 498
- chest leads *see* horizontal plane leads
 chest pain (acute), presentation with 394–6
- children
 arrhythmias 509–10
 ventricular enlargement
 left 147–8
 right 133
 ventricular hypertrophy, left 149
see also adolescents; infants; neonates

- chronic obstructive pulmonary disease
atrial enlargement and 105
RV enlargement and 128
- chronotropic function with pacemakers 371
- circumflex artery, left (LCX), occlusion 406–7, 409, 421
- cirrhosis, hepatic 497
- clotting predisposition 441
- coagulation (unwanted) predisposition 441
- computed tomography, multislice 35, 539
- computerization of ECG data 8, 523
automated 18, 62, 523
- conduction 40
aberrancy *see* aberrancy
antegrade, tachycardias with, over one
accessory pathway 286
AV *see* atrioventricular conduction
concealed 298–9
depression 292–9
rate-determining factors 40
retrograde *see* retrograde conduction
sinoventricular 67, 213, 382, 388, 504
specific conduction system (SCS) 28–31, 203
inherited disorders 460
supernormal 290
to ventricles of premature supraventricular
complexes 301–2
ventricular 29–30, 158
- congenital AV block 515
- congenital heart disease 485–8
advanced right BBB following surgery for
164, 168
chamber enlargement associated with
atrial 105
LV 137
coronary artery defects and anomalies 443, 486
neonatal ECG 485–6
- congenital long QT syndrome 79, 462–3
- constitutional factors in LV enlargement,
limitations conditioned by 147–9
- constrictive pericarditis 481
- contractile cells 31–2, 34, 35–7
activation *see* activation
depolarization 35–7
repolarization 38
transmembrane diastolic potential 34, 35–7
- contractile system 32
- contrast-enhanced cardiovascular MR
(CE-CMR) 18–19
ECG patterns correlated with 8–9, 17, 18–19
- cooling and warming of epicardial zone,
experimental 217
- cor pulmonale 484–5
acute 484, 494
chronic 484–5, 494
decompensated 130–3
- Cornell voltage criteria 145–6, 146, 147
- coronarography 406
correlation with 17
- coronary artery
anatomy 26–7
angiography *see* angiography
blood flow *see* blood flow
congenital defects/anomalies 443, 486
dissection 441
experimental occlusions 216–17
correlation between ECG changes/artery
involved/affected LV area 218–19
- left anterior descending (LAD)
proximal occlusion 412, 413, 421
very long, wrapping the apex 414
- left main trunk (LMT), subocclusion or
equivalent 421
- multivessel occlusion, STEMI in patients with,
culprit artery determination 416
- percutaneous interventions *see* percutaneous
coronary interventions
spasm 396, 443–6
ST changes and artery involved
NSTE-ACS 234–5
STE-ACS 239–40
see also acute coronary syndrome; ischemic
heart disease
- DDD pacemakers 355, 368, 371
bicameral 362
with on-demand tachycardization capability
(DDDR) 366, 368
sick sinus syndrome 370–1
- death (mortality)
atrial fibrillation 319
from heart disease with advanced left BBB 180
heart failure 479
sudden *see* sudden death
- decompensated cor pulmonale 130–3
- defibrillator, implantable *see* cardioverter
defibrillator
- delta wave (of WPW pre-excitation) 203, 205
neonatal ECG 485
- depolarization 3, 4, 35–7
in arrhythmogenic RV cardiomyopathy 455–6,
459
atrial 4, 42–3
bundle of His and bundle branches 44
dipole 3, 4, 37
electrical axis of *see* electrical axis
in ischemia
evolving STEMI 235
experimental studies 218
sum of repolarization and 68
ventricular *see* ventricular depolarization
- devices, recording 60–2
- dextrocardia, mirror image 488
- dextrorotation 85
horizontalization with 89
verticalization with 88
- diabetes 494
- diagnostic criteria 95–9
- diastole
transmembrane potential in *see* transmembrane
diastolic potential
- digital technology 18, 61–2
- digitalis toxicity 502
- dilated cardiomyopathy 476–9
- diphasic reflection 37
- dipole 34–5
depolarization 3, 4, 37
repolarization 3, 4, 38
- diseases
cardiac *see* heart disease
non-cardiac 494–510
- dominant rhythm, determining presence 373
- domino model of cardiac activation 47–8
- drug-induced ECG patterns (incl. arrhythmias) 502
long QT interval 389, 502, 517
- dual chamber pacemakers 365, 369, 370
- Duchenne muscular dystrophy 498
- dyspnea, acute, ECG changes and 396–7
- Ebstein's disease 487
advanced degree right BBB 164
neonatal ECG 485
- ECG plus (expanded surface ECG) 19
- echocardiography
atrial abnormalities 103, 120
hypertension 492
ventricular enlargement 123
left 144, 152, 490–1
right 129
- ectopic focus (atrial) 374
junctional tachycardia due to 313–6, 381
children 509
monomorphic atrial tachycardia due to
(MAT-EF) 304, 373, 375
incessant 308
paroxysmal 307
- ectopic P wave, premature *see* P' wave
- ectopic rhythms 67
aberrancy *vs.*, with wide QRS complexes 318–9
sinus rhythm misdiagnosed as 381–2
- effective refractory period 40
- effusion, pericardial, pericarditis with large 481
- Einthoven, Willem 11–13, 14
- Einthoven's law 54, 81
- Einthoven's triangle 54–5, 80, 81
- Eisenmenger syndrome 128, 486
- elderly people (differences from younger
adults) 89–90
LV enlargement 148
- electrical activity 3–10
methods of recording 3
pacemaker sensing of/response to 364–5
triggered 284–5, 334
see also impulse
- electrical alternans 517
QRS complex 382, 393, 517
ST-T alternans 382, 399, 518
T waves 19, 93, 382, 399, 431, 464, 518
- electrical axis of depolarization and
repolarization 80–4
indeterminate 83–4
- electrical window of Wilson 249
- electrocardiography plus (expanded surface
ECG) 19
- electrodes, placement and misplacement 63
see also leads
- electrolyte (ionic) imbalances 504–5
- electrophysiology
cellular 34–52
to human ECG from 49–52
intracavitary 533–4
in ischemia
experimental ischemia 217–18, 228–9
Q wave MI 248–9
ventricular hemiblocks 158–60
- embolism, pulmonary *see* pulmonary embolism
- emphysema, pulmonary, and atrial
enlargement 105

- endocrine diseases 494
 endoplasmic reticulum of contractile cells (sarcoplasmic reticulum) 32
 epicardial zone, experimental cooling and warming 217
 equipment, recording 60–2
 errors and mistakes in recording 63
 escape–capture sequence 381
 escape complex and escape rhythm 354
 escape–ventricular extrasystole sequence 381
 esophageal leads 59, 535–6
 ethnicity *see* race
 event analyzer 530–1
 excitability (cardiac cell) 39
 supernormal 40
 voltage-dependent recovery of 40
 exercise 526–9
 angina 402, 405, 447
 pathological responses 527–9
 testing in 526–9
 arrhythmias 280
 ischemic heart disease, ST depression 234
 methodology 526
 usefulness 526–7
 expanded surface ECG 19
 expertise, physician's lack 17–18
 extrasystoles 284, 286
 supraventricular 302
 atrial 286, 318, 323, 384
 ventricular 302, 329, 331, 381
 pacemaker-induced 369
 extreme right and left precordial leads 58
- F waves (atrial fibrillation) 111, 116, 317, 318, 373
 F waves (atrial flutter) 325, 327, 328, 330, 388
 Fahr, George 14
 Fallo't's tetralogy 488
 advanced right BBB following surgery 164, 168
 Familial atrial fibrillation, predisposition 469
 Familial torsades de pointes ventricular tachycardia 469
 Fascicles (bundle branch) 30–1, 44
 see also bifascicular block; quadrifascicular theory; trifascicular block; trifascicular theory
 Fast (rapid) response cells 34
 slow response cells and, differences 40
 see also contractile cells
 Female–male differences 93
 Fibrillation *see* atria; ventricles
 Fibrilloflutter, atrial 328
 Fibrinolysis (thrombolysis) 406
 ECG changes during 416–17
 Fibrosis, septal, LV enlargement associated with 140–1
 Filters 19, 61, 534
 inappropriate use 63
 Flutter
 atrial *see* atrial flutter
 ventricular 349
 Foot lead, left (VF) 55–7
 Framingham score 146–7
 Framingham study
 hypertension effects 492
 sudden death 493
 LV hypertrophy 153
- Friedreich's ataxy 500
 Frontal plane (axis)
 BBB, left advanced 173–4, 174, 175–6
 BBB, right
 advanced 166
 inferoposterior hemiblock plus 197–8
 superoanterior hemiblock plus 195
 inferoposterior hemiblock 189, 189–90
 plus RBBB 197–8
 P wave 70
 QRS complex *see* $\dot{A}QRS$
 superoanterior hemiblock 184, 184–6
 plus right BBB 195
 T wave 76, 77–8
 ventricular enlargement
 left 141
 right 126, 128
 Frontal plane leads 5, 54–7
 Funnel chest (pectus excavatum) 77, 111, 135, 170–1, 393, 415, 418, 466, 467
 Fussion complexes 340, 379
- Galvani, Luigi 11
 Galvanometer, string 11–13
 Gender-related variations 93
 LV enlargement 158
 Genetic causes (inherited/hereditary) of heart diseases 453–470
 hypercoagulability 445
 long QT interval 70, 393, 461–3
 short QT interval 70, 389, 463–4
 Genetic testing 541–2
 Glasgow Royal Infirmary score 147
 Goldberger system (leads) 55–6
- Heart
 arrest 362
 in anesthesia 508–9
 cavities *see* chambers
 cells *see* cells
 electrical activity *see* activation; electrical activity
 non-ischemic pain 396
 positions 46, 85
 rate
 normal 67
 paroxysmal junctional reentrant tachycardia 315
 QT interval corrected for (QTc) 69
 ventricular tachycardia 334–5
 rhythm *see* arrhythmias; rhythm
 rotations 46, 85
 surgery
 for Fallo't's tetralogy 490
 MI during 449
 pericarditis following 481
 as three-dimensional organ 5, 46
 transplanted 481
 volume changes in LV enlargement 149
 walls *see* wall
- Heart block 112–14, 158–202, 292–3, 358–62, 512–5
 1st degree 296
 2nd degree/Mobitz 292
 type I (Mobitz I) *see* Wenckebach phenomenon
 type II (Mobitz II) 292, 293
 in hypertrophic cardiomyopathy 456
 myocardial infarction and 437
see also atrial block; atrioventricular block; bundle branch block; hemiblock; middle anteroseptal fibers; ventricular block
- Heart disease 387–492
 athletes 503
 atrial enlargement associated with
 left 109
 right 105
 BBB associated with
 advanced left 179, 180
 advanced right 167–8
 chronic, arrhythmias 515–16
 clinical usefulness of ECG 391–495
 congenital *see* congenital heart disease
 evolution 16
 inherited *see* genetic causes
 ischemic *see* ischemic heart disease
 mortality, in advanced left BBB 180
 ST changes 229–43
 T wave changes 219–29
 treatment, ECG aiding 19
 ventricular enlargement associated with
 left 137, 141–2
 left and right (biventricular) 153
 right 124, 128
 ventricular premature complexes in 337
 ventricular tachycardias in 338, 339–41
 ventricular tachycardias without evidence of 339
 WPW pre-excitation associated with 210
- Heart failure 477–9
 acute right-sided 486
 advanced left BBB and 178, 180
 RV enlargement and 177
 Hemiblock 158, 159, 184–91, 194–8, 514
 combined with RBBB 194–8
 inferoposterior *see* inferoposterior division
 Q wave MI with 255–71, 444
 superoanterior *see* superoanterior division
 Hemifield concept 59–60
 Hemochromatosis 500
 Hepatic cirrhosis 499
 Hereditary causes *see* genetic causes
 Herrick, James 14
 His bundle *see* bundle (of His); parahisian technique
 History of ECG 11–15
 History-taking with arrhythmias 284–5
 Holter monitoring 529–30
 bifascicular block 199
 Horizontal plane (chest) leads 5, 57–8
 BBB, left advanced 174, 178–9
 BBB, right
 advanced 166
 plus inferoposterior hemiblock 198
 plus superoanterior hemiblock 195
 inferoposterior hemiblock 189, 190
 plus RBBB 198
 superoanterior hemiblock 184, 186–7
 plus RBBB 195
 T wave 78
 ventricular enlargement (right) 126, 128–9

- Horizontalization (horizontal heart) 36, 85
 with dextrorotation 89
 with levorotation 88
 predominating over levorotation 89
- HV interval, prolonged/lengthened 180, 188, 190, 197, 213
- Hypercalcemia 507
- Hypercoagulability 445
- Hyperkalemia 506
- Hyperkinetic pulmonary hypertension 488
- Hypertension
 pulmonary, and atrial enlargement 105
 systemic/arterial 489–92
 LV enlargement 137, 152, 489–92
- Hyperthyroidism 494
- Hypertrophic cardiomyopathy (HCM) 141, 144, 453–4
 LV hypertrophy in 151
 premature ventricular complexes in 333
 RV enlargement *vs.* 136
- Hypertrophy *see* atria; ventricular hypertrophy
- Hypertrophy
 atrial 103
 ventricular *see* ventricular hypertrophy
- Hypocalcemia 507
- Hypokalemia 506
- Hypomagnesemia 507
- Hypothermia 506, 508
- Idioventricular accelerated rhythm 347–9
- Imaging (radiology) 17, 539
 ECG patterns correlated with 8–9, 17, 18–19
 atrial abnormalities (generally) 103, 120
 atrial enlargement (left) 109–10
 atrial enlargement (right) 105–7
 ventricular enlargement (in general) 123
 ventricular enlargement (left) 144–7, 147
 ventricular enlargement (right) 129
 new techniques 17
see also specific modalities
- Immune-mediated cardiomyopathy 515
- Implantable devices *see* cardioverter defibrillator;
 loop recorder; pacemaker
- Impulse (electrical)
 conduction *see* conduction
 normal origin 29, 42
- Incessant idiopathic ventricular tachycardia 511
- Incessant junctional reentrant (reciprocating)
 tachycardia 312, 314
 children 510
- Incessant monomorphic atrial tachycardia due to
 ectopic focus 312
- Infants
 ECG variations 89
 newborn *see* neonates
- Infarction *see* myocardial infarction
- Infectious diseases 479, 498
 myocardial (incl. cardiomyopathy) 475, 497
- Inferior wall 250
 infarction associated with hemiblock 267
- Inferobasal segment of LV 249–50
- Inferolateral zone and wall 26
 MI
 body surface potential mapping 538
 Q wave 248
- Inferoposterior division (of left bundle
 branch) 30, 44
 block/hemiblock (IPH) 158, 159, 188–91
 differential diagnosis 136, 173, 190
 LBBB plus 198
 Q wave MI associated with 256, 257
 RBBB plus 197–8, 516
 superoanterior hemiblock plus 198
- Inferoposterior zonal block 171
 differential diagnosis 173
- Inflammatory myocarditis, acute 477
- Inherited causes *see* genetic causes
- Injury vector, ST 229
- Innervation 28–31
- Interatrial block *see* atrial block
- Intermediate heart position 36
- Internodal tracts 29
- Intracavitary ECG recording and
 electrophysiological studies 534–5
- Intraventricular blocks *see* ventricular blocks
- Intraventricular conduction system 29–30
- Intrinsicoid deflection time (IDT) 89, 128, 396
- Ion channelopathies 16, 461–70
- Ion imbalances 506–7
- Ischemia (myocardial) 216–79, 402–6
 acute, ECG in 410–13
 experimental mechanisms 216–19, 227–9
 mechanisms 406–13
 myocardial demand increase causing 450–1
 quantification of ischemic burden 419
 severity grading 420
 subendocardial 219, 395, 412, 416, 417, 420, 446, 450
 subepicardial 219
- Ischemic events, acute 16
- Ischemic heart disease (IHD) 402–448
 BBB associated with
 advanced left 179
 advanced right 168
 chest pain in *see* angina
 chronic 224, 396
 different clinical settings 406–52
 division into two clinical groups 406
 LV enlargement *vs.* 151–2
 preoperative ECG 508–9
 ST segment *see* ST segment changes
 T waves *see* T waves
 ventricular premature complexes in 337
 WPW pre-excitation associated with 210, 272
- Isotope studies in exercise testing 529
- J waves, acquired and inherited (and J wave
 syndromes) 507, 519–20
- Jervell and Lange-Nielsen syndrome 393
- Junctional tachycardias 309–316, 377
 children 511–12
- Katz-Watchell sign 154, 488
- Kent bundles 203, 204, 211, 212, 313, 316
- Kidney disease 498
- Late potentials, analysis 538–41
- Lateral wall (heart) 250
 transmural injury, ST depression 220
see also inferolateral zone and wall
- Leads 5, 54–60
 additional, or forms of presentation 19, 58–9, 537
 in arrhythmias 284
 hemifield concept 59–60
 lines 5–6
 with ST depression, number of, and coronary
 artery involved in NSTEMI-ACS 231–4
 various leads
 Q waves 70
 R waves 74
 S waves 75
 T waves 79
see also specific leads
see also electrodes
- Left axis deviation, extreme
 in advanced left BBB 177, 180
 in superoanterior hemiblock 188
- CLenegré syndrome 462
- Lev disease 462
- Levorotation 85–7
 horizontalization predominating over 89
 horizontalization with 88
- Lewis, Sir Thomas 13–14
- Lewis lead 58–9, 537
- Limb leads 54–7
- Liver cirrhosis 499
- Long (prolonged) PR interval 392
 bifascicular block with 199
- Long (prolonged) QT interval 79, 389
 acquired 516–17
 in acute coronary syndrome 437
 drug-induced 393, 504, 518
 in ischemia 276
 in torsades de pointes ventricular
 tachycardia 345–46
 genetic causes (congenital long QT
 syndrome) 70, 389, 399, 461
- Longitudinal axis rotations 85–7
- Loop recorder, implantable 532–3
- Lown classification (grading) of premature
 ventricular complexes 329, 330, 334
 type 4B 329, 331, 334
- Lung problems/disorders *see* entries under
 pulmonary
- Macro-reentry (MR) 286, 304, 308, 323, 375
- Magnesium disturbances 506
- Magnetic resonance, cardiovascular 539
 atrial abnormalities 103
 contrast-enhanced cardiovascular *see*
 contrast-enhanced cardiovascular MR
 LV enlargement 144, 147
- Magnifying glass, ECG interpretation of
 arrhythmia 280
- Mahaim fibers 203, 204, 205, 212
- Male–female differences 93
- Malignant ventricular arrhythmias (MVAs) 96–8,
 389, 461, 537
- Mann, Hubert 14
- Mean electrical axis of depolarization and
 repolarization *see* electrical axis
- Membranes, contractile cell 32
see also transmembrane action potential;
 transmembrane diastolic potential
- Men and women, differences 93
- Micro-reentry 285, 305, 334, 349
 atrial *see* atria

- Middle anteroseptal fibers of left bundle
 branch 30–1, 44
 block 191–3
 myth or reality of 191–3
 RV enlargement *vs.* 136
- Mines, G Ralph 14
- Minnesota code 523
- Mirror image dextrocardia 488
- Mirror image of Q wave of necrosis 250
- Mistakes and errors in recording 63
- Mitochondria of contractile cells 32
- Mitral valve disease 473
 P wave abnormalities 120, 473
 prolapse 473
 regurgitation 473
 stenosis 473
 left atrial enlargement 109
 RV enlargement 128
- Mobitz I block *see* Wenckebach phenomenon
- Mobitz II block 292, 293
 AV block 360
- Monomorphic atrial tachycardias 303–9
 of ectopic focus *see* ectopic focus
 of macro-reentry 304, 375
- Monomorphic ventricular tachycardia 334–45
- Monopolar stimulation spike (pacemaker) 362
- Mortality *see* death
- Multislice scanner 35, 539
- Murphy *et al* criteria (QRS voltage in LV enlargement) 146
- Muscular dystrophy 498
- MUSIC risk score (death in heart failure) 479
- Myocardial bridging 446–7
- Myocardial cells *see* cells
- Myocardial demand, increased 402, 404
 ischemia due to 450–1
- Myocardial infarction (MI) 16, 402–41
 angiographic findings 407
 antiarrhythmic drugs and post-infarction sudden death 504, 517
 atrial *see* atria
 chronic 438
 clinical findings 407
 confounding factors (incl. concurrent conditions) 444
 inferior, WPW pre-excitation *vs.* 210
 inferolateral zone *see* inferolateral zone
 lateral
 RV enlargement *vs.* 135
 WPW pre-excitation *vs.* 210
 non-Q wave *see* non-Q wave MI
 non-ST segment elevation *see* non-ST segment elevation MI
 pathological findings 407
 peri-procedural 449–50
 progress in Hospital 420
 Q wave *see* Q wave MI
 QRS narrowing 244, 406–13, 438–44
 septal *see* septal wall
 ST segment elevation *see* ST segment elevation MI
 treatment 407
 vector theory 244
 ventricular *see* ventricles
 ventricular block in *see* ventricular block
 ventricular tachycardia in 338
- Myocardial ischemia *see* ischemia; ischemic events; ischemic heart disease
- Myocarditis 475–6
 pericarditis and 483
 T waves 227, 483
- Myotonic muscular dystrophy 498
- Myxedema 494
- Necrosis 222
 Q wave of 216, 218, 243–51
 quantification 440
- Negative predictive value (NPV) 96
- Neonates (newborns)
 adult ECG differences from 89
 congenital heart disease 487–8
 ventricular enlargement
 right 133
 right and left (biventricular) 154–5
- Nerve supply 28–31
- Neuromediated syncope, diagnosis 539
- Neuromuscular diseases 498
- New York Heart Association (NYHA) score, left atrial enlargement 110
- Newborns *see* neonates
- NON-Q wave MI 435, 436 439, 440
 Q wave MI *vs.* 244–5
- Non-ST segment elevation acute coronary syndrome (NSTE-ACS) 404
 patterns on ECG 408
 ST depression 230, 408, 416, 424–9
 T wave in 224
- Non-ST segment elevation MI (NSTEMI) 16, 404, 418–429
 ECG patterns: table 20.4
 angiographic findings 407
 BBB and 434
 clinical findings 407
 ECG pattern changes to STEMI from 431
 evolving 424
 in-hospital prognosis 420
 management and the importance of ECG in identification of 410–11
 pathological findings 407
 treatment 407
- Normal ECG characteristics 67–93
- Novacode 523
- NYHAC score, left atrial enlargement 110
- Obesity 94
 LV enlargement 148
- Older people *see* elderly
- I (limb lead one) 54–5
 Q wave 71
 R wave 74
 S wave 75
 T wave 77, 79
- Oversensing by pacemakers 372–3
- P cells 33
- P congenitale 105, 111, 390
- P loop (vectorcardiography) 43, 50, 526
- P mitrale 109, 473
- P waves 42–3, 48, 70–2, 103, 390
 in acute coronary syndrome 436–7
 atrial block
 1st degree 113–14
 2nd degree 114
 3rd degree 114
 atrial dissociation 116
 atrial enlargement
 left 104, 110, 111
 right 104, 105, 106–7
 right and left (bi-atrial) 112
 atrial fibrillation 116, 320–1
 atrial infarction 117, 119
 atrial repolarization disturbances 118–20
 axis
 abnormal 394
 in frontal plane 70
 clinical implications of abnormalities 120–1
 dispersion 117
 Ebstein's disease 489
 in ischemia 276
 low-voltage, sinus rhythm with 322
 mitral stenosis 120, 473
 morphology 70–2
 morphology abnormalities 394
 in acute pulmonary edema, transient 121
 variable morphology in same tracing 383
 pacemaker sensing 370
 paroxysmal junctional reentrant tachycardia 315–16
 polarity 70–2
 premature ectopic *see* P' wave
 signal averaged duration 103
 sinus tachycardia 306
 in step-by-step approach to arrhythmia diagnosis in clinical practice 383
 ventricular enlargement, left 146
 voltage 70–2
 abnormalities 394
- P' wave (premature ectopic P wave)
 monomorphic atrial tachycardias 307, 377
 premature supraventricular complexes 305
- Pacemaker (implantable) 364–71, 511–2
 choosing 374–5
 complications 372–4
 congenital AV block 515
 implantation protocols 375
 interpreting unknown pacemaker ECG 311–14
 Q wave MI in patients with 271, 444
 RBBB plus superoanterior hemiblock 198
 sick sinus syndrome 374–5, 375, 511
 technological evolution 368–71
- Pacemaker syndrome 369–370
- Pain (acute), chest, presentation with 394–7
- Palpitations, rapid, ECG changes with 397–9
- Papillary muscle infarction 432
- Parahisian technique 371
- Parasystoles 290–292
 ventricular 333, 335, 338, 349
- Parkinson, Sir John 14
- Parkinson's disease, atrial flutter simulation 65
- Paroxysmal atrial fibrillation 286, 317, 319
- Paroxysmal monomorphic atrial tachycardia due to ectopic focus 307
- Paroxysmal supraventricular rhythms with QRS complex <0.12s and r' in lead V1 382–4
- Paroxysmal tachycardias
 supraventricular 288, 313, 315–16, 316–17, 386–8
 children 513
 tips and recommendations 284
 WPW pre-excitation 205, 209, 210, 211

- Pause (in active arrhythmias) 384
analysis 382
- Pectus excavatum 77, 111, 135, 170–1, 393, 408, 413, 466, 467
- Percutaneous coronary interventions (PCI) 405, 408
ECG during 423–4
MI during 449–50
- Pericardial disease 480–3
- Pericarditis 397, 480–3
atrial fibrillation disturbances 119, 121
chronic 227
constrictive 483
differential diagnosis 399, 400
idiopathic 483
myocarditis and *see* myocarditis
post-cardiac surgery 483
T waves 227, 483
- Peripartum cardiomyopathy 508
- Perugia score 146, 147
- Pheochromocytoma 297
- Pleomorphism, ventricular tachycardia 346–47
- Pneumothorax 494
- Point score systems, LV enlargement 145, 146–7
- Polarity
atrial wave, analysis 377–8
P wave 70–2
QRS complex 72
T wave 76–8
- Polymorphic ventricular tachycardias 333, 345–48, 516
catecholaminergic 351, 467, 469
- Positive predictive value (PPV) 96
tachycardias with wide QRS complexes 341–2
- Postnatal period (puerperium) 508
- Postoperative period
ECG 511
pericarditis following cardiac surgery 483
- Potassium disturbances 504
- P/PR segment ratio, left atrial enlargement 111
- PR interval 67, 388
long *see* long PR interval
short (and short PR pre-excitation) 203, 205, 212–15, 386, 392
in WPW pre-excitation 204–5
- PR segment 67–8
in acute coronary syndrome 436–7
in atrial repolarization disturbances, depression and elevation 119
in pericarditis 483
see also P/PR segment ratio
- Precordial leads
bipolar (Lewis lead) 58–9, 537
in RV enlargement 130–2
in inferoposterior hemiblock 190
left
extreme 58
in RV enlargement 128
right
extreme 58
in LV enlargement 152
prominent precordials *vs.* RV enlargement 136
in superoanterior hemiblock 186
- Predictive value (PV) 96–8
arrhythmias 285
tachycardias with wide QRS complexes 341–2
- Pre-excitation (ventricular) 203–15
advanced right BBB in 168
atypical 180, 203, 205, 212
genetically determined 469
myocardial infarction and 444
short PR interval 203, 205, 212–15, 386, 392
Wolff–Parkinson–White *see* Wolff–Parkinson–White pre-excitation
- Pregnancy 508
- Premature and repetitive complexes 279
- Premature complexes/beats/contractions 279
analysis in step-by-step approach to arrhythmia diagnosis in clinical practice 382
athletes 501
children 515
in chronic heart disease 515
extrasystolic *see* extrasystoles
interatrial block (2nd degree) induced by 114
parasystolic *see* parasystoles
supraventricular 295–7
ventricular *see* ventricular premature complexes
- Premature ectopic P wave *see* P' wave
- Premature newborns, differences from adults 89
- Preoperative ECG 508
- Prinzmetal (variant) angina 443–6
- Prolonged PR and QT intervals *see* long PR interval; long QT interval
- Psychiatric diseases 498
- Puerperium 508
- Pulmonary disease, chronic obstructive *see* chronic obstructive pulmonary disease
- Pulmonary edema, acute, transient P wave morphologies 121
- Pulmonary embolism 396
advanced right BBB and 168
in cor pulmonale 484
differential diagnosis from other causes of cardiovascular pain 396
RV enlargement and 133
- Pulmonary emphysema
atrial enlargement and 105
in cor pulmonale 485
- Pulmonary hypertension 485
atrial enlargement and 105
hyperkinetic 486
primary 484, 485, 494
- Pulmonary valve stenosis, congenital 130, 487–8
- Purkinje cells 33
- Purkinje network 31
reentry and 285
- q wave absence in I/VL/V6 in patients with QRS complex < 0.12s 393
- Q wave 72
distortion in ischemia 274
false, due to hemiblocks 268
in hypertrophic cardiomyopathy 453, 457
MI without 437–9
see also Q wave MI
of necrosis *see* necrosis
neonatal 485
- Q wave MI 248–60, 436–7
confounding factors/conditions 439–41
hemiblock 265–4, 440–1
diagnostic criteria 436
errors in diagnosis 64
evolution of ECG pattern 436
location 250–9, 436–7
necrosis *see* necrosis
new classification 250
non-Q wave MI *vs.* 249
in pacemaker patients hemiblock 272–4, 441
Wolff–Parkinson–White pre-excitation associated with 210, 272
- QRS complex 72, 377–8
alternating 382, 393, 517
axis in frontal plane *see* ÅQRS
bigeminal 381
cadence 377–8
delayed/late 378–9
delayed diffuse intraventricular activation 200
fractioned 218, 259–60, 439
in patients without ischemia heart disease 260–1
narrow 248–60, 404–6, 520
acute coronary syndrome (incl. MI) 242, 402–29, 434–39
ventricular tachycardias 343
normal 72
origin 4
pacemaker undersensing 369
polarity/morphology/voltage 72
rate 378
in step-by-step approach to arrhythmia diagnosis in clinical practice 377–9
of variable morphology in same tracing 379
wide 338–3, 382, 429–30
aberrancy *see* aberrancy
BBB and 429–30
ectopy 318–19
LV hypertrophy and 225–7, 246, 429
tachycardias with *see* tachycardia
width and morphology 377
- QRS complex changes/abnormalities (disorders with) 248–74
in acute coronary syndrome 433
arrhythmogenic RV cardiomyopathy 455
atrial enlargement (right) 104, 106, 112, 120
combined with P wave criteria 107
atrial fibrillation 317–18
atrial flutter 324–5
BBB, left 430
advanced 175, 177–9
partial 182
BBB, right 430
advanced 166
inferoposterior hemiblock plus 197–8
superoanterior hemiblock plus 194–5
duration abnormalities (in general) 391–2
escape complex and escape rhythm 354
heart failure 477–9
inferoposterior hemiblock 189, 189–90, 190
plus RBBB 197–8
paroxysmal supraventricular rhythms 382–4
junctional reentrant tachycardia 311–12
paroxysmal monomorphic atrial tachycardia due to ectopic focus 307
sudden death risk 521
superoanterior hemiblock 184, 184–7
plus RBBB 194–5

- ventricular enlargement
left 138–41, 145–6
left and right (biventricular) 154
ventricular flutter 348, 349
ventricular premature complexes 329, 331, 434
ventricular tachycardia 335–7
voltage abnormalities (in general) 390–1
WPW pre-excitation 205–8
- QRS loop (vectorcardiogram) 6, 50, 526
inferoposterior hemiblock 188–9
in differential diagnosis 190
left BBB
1st degree 181
3rd degree (complete) 174, 263
left ventricular enlargement 137–8
RV enlargement 124–9, 190
progressive anterior and right displacement 124–9
progressive posterior and right displacement 128–9
superoanterior hemiblock 184
- QRS tachycardia, broad, differential diagnosis 16
QRS–T (angle/complexes) 76
RV enlargement 124–9
- QS in right precordial leads in LV enlargement 152
- QT (or QTc) interval 69–70, 388–90
corrected for heart rate (QTc) 69
dispersion 389–90, 463
long/prolonged *see* long QT interval
short *see* short QT interval
quadrifascicular theory 31, 44, 158, 184
- r wave absence in V1 (V1–V2) in patients with QRS complex < 0.12 s 393
- R waves 72
morphologies with significant or predominant R wave in V1 392–3
neonatal 485
origin 4
ventricular enlargement (right) 126, 126–8
differential diagnosis 136
ventricular enlargement (right and left/biventricular) 154
ventricular tachycardia 336
- race (ethnicity) 94
LV enlargement 148
- radioisotope studies in exercise testing 529
radiology *see* imaging
rapid response cells *see* fast response cells
- recording
devices 60–2
leads *see* leads
techniques 62–3
- reentry (reentrant arrhythmias) 285–90
AV junctional tachycardias 286, 309–13
children 309
bundle branch 334
see also macro-reentry; micro-reentry
- refractory period 39–40
- regression models, LV enlargement 145, 147
- relative refractory period 40
- relaxation (resting phase), contractile cells 32, 48
- renal disease 498
- repetitive arrhythmia analysis 381
repetitive complexes, premature and 279
- repetitive (repeated) non-sustained monomorphic ventricular tachycardia 344–5
- repolarization 3, 5, 38–9
age-related variations
childhood 89
elderly 90
alternating 517
atrial *see* atria
dipole 3, 4, 38
early 519–20
differential diagnosis 395, 396
electrical axis of *see* electrical axis
phases 38–9
polarities of cellular *vs.* human repolarization wave 49–50
sum of depolarization and 68
ventricular *see* ventricular repolarization
- repolarization alterations/abnormalities 79–80, 118–20, 393–400
alcoholism 503
in arrhythmogenic RV cardiomyopathy 456, 459
athletes 499
conditions causing subtle changes 94
in cor pulmonale 485
drug-related 502
Holter monitoring 529
in hypertrophic cardiomyopathy 457
from innocent to very serious findings 393–400
in ischemia 228–48
chronic, in Q wave MI 265
experimentally induced 217–19
mixed (primary and secondary) 80
in myocarditis 475
primary 80
secondary 80
in WPW pre-excitation 208
- respiratory diseases 494
- restrictive cardiomyopathy 476
- resynchronization pacemakers 362, 366–7
- retrograde conduction
advanced interatrial block with left atrial 512–13
tachycardia with 286
- rheumatic disease 498
- rheumatic fever 484
- rheumatic heart disease 485
left atrial enlargement 109
- rhythm
abnormal *see* arrhythmias
ambulatory cardiac telemetry in recording of 533
dominant, determining presence 373
ectopic 67
normal *see* sinus rhythm
- right axis deviation in advanced left BBB 177
- Romano–Ward syndrome 389
- Romhilt–Estes score 146, 147
- Rosenbaum–Elizari’s syndrome 199, 515
- RR changes/irregularities
aberrant conduction with 295, 297
aberrant conduction without 298
sinus tachycardia 303
- S waves 72
ventricular enlargement
right 126
right and left (biventricular) 154
- sarcoidosis 498
- sarcolemma 32
- sarcomeres 32
- sarcoplasmic reticulum 32
- sensing by pacemakers 364–6
problems 368–9
- sensitivity 96
arrhythmias 280
atrial abnormalities 103
ventricular enlargement 129, 130, 133, 144
- septal wall 253
congenital defects 486
fibrosis, LV enlargement associated with 140–1
infarction
hemiblocks masking 268
RV enlargement *vs.* 136
rupture 432
see also anteroseptal zone and wall
- sex *see* gender
- short PR interval (and short PR pre-excitation) 203, 205, 212–15, 382, 388
- short QT interval 70, 388–9
genetic causes (short QT syndrome) 70, 388, 463–4
- sick sinus syndrome 511
pacing 370–1, 511–12
- signal averaging electrocardiogram (SAEGG) 536–9
- sinoatrial block 358, 381
- sinoventricular conduction 67, 213, 382, 388, 504
- sinus bradycardia 511–12
athletes 504
severe 511–12
sinus automaticity depression causing 354–8
- sinus complexes, delayed 378–9
- sinus node 28–9
automaticity 39
sinus bradycardia due to depression of 354–8
impulse origin 29, 42
P waves 390
- sinus rate, assessment 374
- sinus rhythm 67
atrial fibrillation in *see* atrial fibrillation
atrial flutter (2 × 1) *vs* 382
with low-voltage P waves 318
misdiagnosed as ectopic rhythm 381–2
paroxysmal junctional reentrant tachycardia 311
in ventricular pre-excitation 205
atypical pre-excitation 205, 212
WPW pre-excitation 205, 209
in ventricular tachycardia 334
with Wenckebach-type AV block 381
- sinus tachycardia 302–3
RV enlargement and 133
- slow response cells (automatic) 34, 38–9
capacity of fibers to transmit stimuli to neighbouring cells from 40
rapid response cells and, differences 40
- repolarization 38–9
transmembrane action potential origin in 35
transmembrane diastolic potential 34
- Sokolow–Lyon criteria 145
- spasm, coronary 396, 443–6

- specificity 95–6
 arrhythmias 281
 atrial abnormalities 103
 ventricular enlargement 129, 130, 131
- speed (ECG recording) 63
- spongiform cardiomyopathy 458–60
- ST segment 72–6
 injury vector 229
 measuring shifts 74–6
 normal variants 72–4
 of variable morphology in same tracing 379
- ST segment changes/deviations 379
 BBB 228–48
 advanced (complete) left 179, 246
 advanced (complete) right 166
 cardiovascular non-ischemic pain with 396–7
 inferoposterior hemiblock 190
 in ischemia (experimental studies) 218, 228–9
 depression 229–35
 elevation 235–46
 in ischemia (humans) and ischemic heart disease 225–7, 229–48, 407–10, 420–5
 acute coronary syndrome evolving to MI, persistence of ST elevation 432
 acute coronary syndrome with non-ST elevation 420–9
 acute coronary syndrome with ST elevation 420–5
 atypical ECG patterns (depression) 408–9
 quantification of ischemic burden based on 415
 resolution 408
 typical ECG patterns 407–8
- pericarditis 481, 483
 primary 80
 superoanterior hemiblock 188
 ventricular enlargement
 left 141–3, 146, 246
 right 132, 133, 136
- ST segment elevation acute coronary syndrome (STE-ACS) 402
 Q wave of necrosis in evolution of 249
 ST depression 230
 ST elevation and location of occlusion 239–40
 T wave 224–5
- ST segment elevation MI (STEMI) 16, 402, 412, 416–17
 angiographic findings 405
 atypical ECG patterns
 BBB and 430
 clinical findings 405
 diagnostic approach 394–6
 ECG pattern change from NSTEMI to 424–7
 evolving 412
 poor prognostic signs 415–16
 ST elevation in 235–40, 408
 in-hospital prognosis 415
 management and the importance of ECG in identification of 406
 pathological findings 405
 patterns on ECG 407
 treatment 405
 typical ECG patterns
- ST–T alternans 382, 399, 18
see also T waves, alternans of
- ST-Ta (atrial repolarization wave) 43, 118–19
 depressed 118–19
 elevated 119
 Steinert's disease 498
- stimulation (pacemaker)
 monopolar vs bipolar spike 362
 problems 368
 “strain pattern” 124, 142, 151, 152, 246, 473–4, 488
- stress testing in ischemic heart disease, ST depression 231
see also exercise
- string galvanometer 11–13
- stroke (cerebrovascular accident) 494
- subarachnoid hemorrhage 494
- subendocardial ischemia 219, 395, 411, 415, 431, 443, 447
- subepicardial ischemia 219
- sudden death/SD (risk of) 511–21
 antiarrhythmic drugs and post-infarction SD 502, 517
 athletes 501
 children 510
 congenital AV block 515
 hypertension (with associated arrhythmias) 491
 inherited heart diseases 454
 arrhythmogenic RV cardiomyopathy 456
 Brugada syndrome 464–8
 catecholaminergic polymorphic ventricular tachycardia 467, 469
 hypertrophic cardiomyopathy 454
 long QT syndrome 389, 461–463
 short QT syndrome 388, 463–4
- ischemic causes 402
 with normal/near normal ECGs 521
 patterns suggesting 16
 torsades de pointes 389, 461
 ventricular fibrillation 349, 350
 WPW syndrome 211, 212
- supernormal conduction 290
- supernormal excitability 40
- superoanterior division (of left bundle branch) 30, 44
 block (hemiblock; SAH) 158, 159, 184–8, 267–74
 inferoposterior hemiblock plus 198
 left 171
 left BBB plus 198, 198–9
 left ventricular hypertrophy associated with 152, 179
 partial 188
 Q wave MI associated with 267–74
 right BBB plus 194–7, 514
- superoanterior zonal block 171
 differential diagnosis 171–3
- supraventricular arrhythmias (in general) 280, 301–28
 active 301–28, 376
 algorithms for detecting 376, 375
 atrial activation waves morphology in 373–4
 atrial fibrillation differentiated from other types 318
 in Brugada syndrome 466
- supraventricular extrasystoles *see* extrasystoles
- supraventricular premature complexes 295–6
- supraventricular tachycardia/
 tachyarrhythmias 302–27
 aberrant, misdiagnosed as ventricular tachycardia 382
 classification 303
 mechanisms 285
 paroxysmal *see* paroxysmal tachycardia
- surface ECG (basic aspects)
 athletes 498–9
 future 18–19
 interpretation in light of patient's clinical setting 523
 in ischemia induced by experimental coronary artery occlusion 218
 limitations 17–18
 utility 16–17
 what it is 3–6
- surgery 508–9
 cardiac *see* heart
- syncope
 neuromediated, diagnosis 539
 unexplained, implantable loop recorder to determine cause of 532–3
- systemic diseases 498
 systemic hypertension *see* hypertension
- T loops 47, 50, 526
 LV enlargement 137–8
- T waves 48, 76–8, 379, 399–400
 alternans of 19, 93, 382, 399, 431, 518
 arrhythmogenic RV cardiomyopathy 455
 axis on frontal plane 76
 BBB
 advanced left 179
 advanced right 166
 differential diagnosis of abnormalities in 399–400
 filtering 19, 534–5
 inferoposterior hemiblock 190
 in ischemia 219–28, 422–3
 in acute coronary syndromes 430, 431
 in chronic ischemia 225
 differential diagnosis 227–8
 experimental studies 216, 217, 217–18, 219
 flat or negative 224–8, 406, 407, 412, 419, 422–3
 in ischemic heart disease 219–25, 406, 407, 412, 419, 420, 422–3
 in non-ischemic heart diseases and other situations 227–8
 peaked–symmetrical–wider and/or taller 219–24, 226
 positive 221, 225
 tall/taller 219–8, 410–12, 415, 431
- non-ST elevation MI 406
 origin 4, 5
 pericarditis 227, 481
 polarity/morphology/voltage 76–8
 primary disturbances 80
 short QT syndrome 463–4
 superoanterior hemiblock 188
 of variable morphology in same tracing 379
- vectorcardiographic curve of *see* T loops
- ventricular enlargement (left) 141–3, 146, 225
 neonatal 485

- ventricular enlargement (right) 126, 130–1, 133
 differential diagnosis 136
 ventricular premature complexes 434
 very deep 144, 151, 224, 423, 431
see also QRS-T; ST-Ta
 table tilt test 539
- tachycardia (and tachyarrhythmia)
 angina secondary to 441–2
 with anterograde conduction over one
 accessory pathway 286
 antidromic 312
 atrial, monomorphic 303–9
 broad QRS, differential diagnosis 16
 children 509–10
 fast–slow 287–8, 309, 312
 future, ECG suggesting 16
 in ischemia 274
 junctional *see* junctional tachycardias
 in long QT syndrome 463
 mechanisms 282–3
 pacemaker-induced 369
 paroxysmal *see* paroxysmal tachycardias
 with retrograde conduction 286
 sinus *see* sinus tachycardia
 slow–fast type 286, 309, 311–12
 supraventricular *see* atria
 ventricular *see* ventricular tachycardia
 in ventricular pre-excitation 205
 atypical pre-excitation 212
 WPW pre-excitation 205, 209, 210,
 211, 212
 with wide QRS complexes 335, 533
 differential diagnosis 338–43
- tachycardia–bradyarrhythmia (bradycardia–
 tachycardia) syndrome 317, 511
- Tako–Tsubo syndrome 238, 396, 442–3, 476
- Talbot *et al* criteria (QRS voltage in LV
 enlargement) 146
- tamponade, cardiac/pericardial 483
- techniques of recording 62–3
- telemetry
 ambulatory cardiac 533
 techniques 530–3
- tetralogy of Fallot *see* Fallot's tetralogy
- thoracic abnormalities 17, 111, 135, 170–1, 190,
 393, 408, 498
- III (limb lead two) 54–5
 Q wave 71
 R wave 74
 S wave 75
 T wave 77–9
- three-dimensional organ, heart as 5, 46
- three-fascicular theory *see* trifascicular block;
 trifascicular theory
- Thrombolysis in Myocardial Infarction (TIMI)
 risk score 415
see also fibrinolysis
- thrombophilias, hereditary 441
- thrombosis (and atherothrombosis) causing blood
 flow decrease 402, 406–41
- thyroid disease 494
- tilt table test 539
- TIMI risk score 415
- torsades de pointes ventricular tachycardia
 345–6, 516
- classical 345–6
 familial 469
 sudden death 389
- training-related ECG findings 498–9
- transesophageal recording (esophageal leads) 59,
 526
- transitional cells 33
- transmembrane action potential (AP) 34–9, 411
 in experimental ischemia 216–17, 217, 219, 228
 summation of the TAPs 219, 229
- transmembrane diastolic potential (DP) 34, 35–6
 baseline level of previous 294
 rate of rise 294
- transmural involvement/injury
 complete, acute coronary syndrome with 402
 lateral wall, ST depression 220
 non-complete, acute coronary syndrome
 with 402–4
- transplanted heart 479
- transverse axis rotations 87–8
- transverse tubular system 32
- tricuspid valve
 atresia 486
 regurgitation secondary to mitral tight
 stenosis 473
- trifascicular block 159
- trifascicular theory 30, 44, 158, 183
- triggered electrical activity 284–5, 334
- Trypanosoma cruzi* and Chagas
 cardiomyopathy 477
- II (limb lead three) 54–5
 Q wave 71
 R wave 74
 S wave 75
 T wave 79
- U wave 78–9
 in acute coronary syndrome 433
 in ischemia 274
 negative 79
 non-ST elevation MI 419
- undersensing by pacemakers 369
- V1–V6
 Q waves 71
 R waves 74
 S waves 75
 T waves 79
- V3R and V4R leads 58
- V7 leads 58
- valvular heart disease 473–5
 acquired 473–5
see also rheumatic heart disease
 congenital 486–8
 left atrial enlargement 109
 P wave abnormalities 109, 120
see also specific valves
- variants (normal) 93
 age-related *see* age-related values
 and variations
 ST segment 72–4
- vector 1 (ventricular depolarization) 45
- vector 2 (ventricular depolarization) 45, 46
- vector 3 (ventricular depolarization) 45–6
- vectorcardiography 3, 6–8, 524–6
- ECG correlations 8, 9, 60
- ECG preferred to (and limitations of) 8–9
- P loop 43, 50, 526
- QRS loop *see* QRS loop
- synthesizing loops from 12-lead ECG 19
- T loop *see* T loops
- usefulness 526
- ventricles
 aberrant conduction 294
 activation 44–7
 pacemakers, preservation of normal
 activation 370–1
 activity analysis with arrhythmias 281
 aneurysm 432
 apical right pacing 371
 in atrial fibrillation, response 317–18
 in atrial flutter 324–5
 bigeminy 381
 conduction from atria to *see* atrioventricular
 conduction
 conduction of premature supraventricular
 complexes to 301–2
 conduction system 29–30, 158
 dysfunction in left advanced BBB 180
 dysplasia, arrhythmogenic right *see*
 arrhythmogenic RV dysplasia
 extrasystoles *see* extrasystoles
 fibrillation 349–50
 in acquired long QT 516
 in ischemia 274
 pacemaker-induced 369
 flutter 348–9
 infarction
 left, basal parts 439
 right 439
 inferobasal segment of LV 253
 in ischemia, left
 experimental studies, correlation between
 ECG changes/coronary artery involved
 and affected LV area 218–19
 T wave duration and reversibility of
 damage 227
 reentrant circuit location 286
 resynchronization pacemakers 367
 septal defect 486
 transient LV apical ballooning
 (Tako–Tsubo syndrome) 238, 396,
 442–3, 476
 vulnerable period 41
 walls 25–8
 zones of LV 26–7
see also entries under biventricular
 ventricular arrhythmias 280
 in acute coronary syndrome 431
 in arrhythmogenic RV cardiomyopathy 456
 in chronic heart disease 515
 malignant (MVA) 96–8, 389, 462, 537
 Wolff–Parkinson–White pre-excitation and *see*
 Wolff–Parkinson–White syndrome
see also specific types (main entries below)
 ventricular blocks 158–202, 513–15
 1st degree 158
 2nd degree 158, 294–5
 3rd degree 158
 anatomic considerations 158

- ventricular blocks (*cont'd*)
- biventricular hypertrophy diagnosis in presence of 155
 - combined 193–9
 - definition of terms 158
 - divisional 183–91
 - right 171
 - electrophysiological considerations 158–60
 - in ischemia 274
 - LV hypertrophy diagnosis in presence of 152
 - masked 195–7
 - by Q wave MI 267
 - masking of Q wave infarction 267–8
 - middle fibers block 191–3
 - myocardial infarction with 168, 261–74
 - Q wave 261–74
 - peripheral 159
 - proximal 158–9
 - RV enlargement diagnosis in presence of 136–7
 - zonal right 136, 171–3, 188
 - see also* bundle branch block
- ventricular complexes, premature *see* ventricular premature complexes
- ventricular depolarization 4, 44–6
- in ventricular block 161
 - advanced left BBB 180
 - advanced right BBB 162–3
- ventricular dilation 123, 124–37
- left 137–53
 - LV hypertrophy vs 149
 - right 124–37
 - acute 130
- ventricular enlargement 123–57
- atrial enlargement combined with 156
 - concept 123
 - homolateral, in ventricular block 161
 - left 137–53
 - advanced left BBB and 179
 - advanced left BBB *vs.* 180
 - advanced right BBB and 168
 - in aortic valve disease 473, 474
 - clinical implications 152–3
 - concept and associated diseases 137
 - diagnosis in clinical practice 147
 - diagnostic ECG criteria 144–7
 - differential diagnosis 151–2
 - in hypertension 137, 152, 489–92
 - in hypertrophic cardiomyopathy 457
 - limitations of diagnostic criteria 147–9
 - mechanisms of ECG changes 137–44
 - prognosis 153
 - ST segment changes 141–3, 146, 246
 - T waves changes *see* T waves
 - value of other ECG techniques 149
 - left and right (biventricular) *see* biventricular enlargement
 - right 124–37
 - advanced left BBB and 179
 - advanced right BBB and 167
 - clinical implications 137
 - concept and associated diseases 124
 - in cor pulmonale 484
 - diagnosis in clinical practice 130
 - diagnostic ECG criteria 129–30
- differential diagnosis 135–6, 171–3, 173, 190, 210
- mechanisms of ECG changes 124–9
 - regression of ECG signs 133–5
 - special characteristics of some types 130–3
- ventricular hypertrophy 123, 124–37
- left 137–53
 - acute coronary syndrome and 429
 - diagnosis in presence of ventricular blocks 152
 - domination in biventricular hypertrophy of
 - ECG manifestations of 154
 - importance of degree of 146
 - indirect signs 149–51
 - LV dilation *vs.* 149
 - regression of ECG signs 151
 - RV dilation *vs.* 136
 - special characteristics of some types 149–51
 - “strain pattern” 124, 142, 151, 152, 246, 473–4, 488
 - superoanterior hemiblock associated with 152, 179
 - T waves 227
 - and wide QRS 227, 246, 429–30
 - WPW pre-excitation *vs.* 210
 - left and right *see* biventricular enlargement and hypertrophy
 - right 124–37
- ventricular parasystoles 329, 331, 334, 345
- ventricular pre-excitation *see* pre-excitation
- ventricular premature complexes (PVCs) 329–33, 434
- clinical implications 331–3
 - concept and mechanisms 329
 - ECG diagnosis incl. differential diagnosis 329–31, 434
 - interatrial block (2nd degree) induced by 114
 - interpolated 298
 - in ventricular tachycardia 334, 344, 345, 346
- ventricular repolarization 46–7
- heterogeneous dispersion 334
 - left BBB, advanced 175
 - right BBB
 - advanced 163
 - inferoposterior hemiblock plus 198
 - partial 169
 - superoanterior hemiblock plus 195
- ventricular tachycardias and tachyarrhythmias 333–47
- aberrant supraventricular tachycardia misdiagnosed as 382
 - in acquired long QT 516–7
 - atrial fibrillation in WPW syndrome vs 319, 337
 - bidirectional 347
 - in chronic heart disease, sustained 515
 - classical 334–38
 - incessant idiopathic 509
 - mechanisms 285, 334
 - monomorphic 333–45
 - pleomorphism 346
 - polymorphic *see* polymorphic ventricular tachycardias
 - torsades de pointes *see* torsades de pointes ventricular tachycardia
- see also* ventricular arrhythmias
- ventriculogram, WPW pre-excitation 205–8
- verticalization (vertical heart) 36, 85, 89
- with dextrorotation 88
- VF (left foot lead) 55–7
- T wave 77–8
 - see also* aVF
- VL (left arm lead) 55–7
- T wave 78
 - see also* aVR
- voltage (amplitude)
- in LV enlargement 149
 - day-to-day variations 149
 - QRS complex 145, 145–6
 - sum of 12 leads 146
 - P wave 70–2
 - Q wave 71
 - R wave 74
 - S wave 75
 - T wave 79
- voltage-dependent recovery of excitability 40
- VOO pacemaker 364
- VR (right arm lead) 55–7
- see also* aVR
- vulnerable period 41
- VVI pacemakers 365, 368
- with on-demand tachycardization capability (VVIR) 366, 368, 371
 - AV node ablation plus 366–7
- wall(s) (heart)
- anatomy 25–8
 - anterior *see* anterior wall; anteroseptal zone and wall
 - inferior *see* inferior wall; inferolateral zone and wall
 - lateral *see* inferolateral zone and wall; lateral wall
 - Q wave MI and location in 250–9
 - rupture in MI 432
 - septal *see* septal wall
- Waller, Augustus D 11
- wave amplification techniques 534–6
- wave filters *see* filters
- Weidmann, Silvio 14
- Wenckebach phenomenon (Mobitz type I block) 292–3
- alternating 293
 - atypical 293
 - AV node 361–2
 - sinus rhythm with 381
 - sinoatrial node 358
- White, Paul Dudley 14
- Wilson, Frank N 14
- Wilson system (leads) 55
- Wilson’s electrical window 249
- Wolff, Louis 14
- Wolff–Parkinson–White (WPW)
- pre-excitation 203, 203–12, 272
 - arrhythmias and *see* Wolff–Parkinson–White syndrome
 - associated with conditions 210
 - ischemic heart disease 210, 272
 - concept and mechanism 203

confirming or excluding 210–11
differential diagnosis 210
 left BBB 180, 206, 210
 LV enlargement 151
 RV enlargement/hypertrophy
 135, 210
ECG characteristics 203–10
neonatal 485

type I 161, 180, 206, 210
type II 135, 180, 206, 210
type III 135, 206–7, 210
type IV 207, 210
Wolff–Parkinson–White (WPW) syndrome 203,
 210–12
 atrial fibrillation in, *vs.* ventricular
 tachycardia 319, 337

children 510
clinical implications 211–12
discovery/first description 14–15
women and men, differences 93
zonal RV blocks 136, 171–3, 188





