

# Index

- ABCD mnemonic, 360–361
- Abdominal bloating and diarrhea case study, 313–316
  - critical thinking, 314
  - objective, 314
  - resolution, 314–316
  - subjective, 313–314
- Abdominal pain case studies
  - toddler/preschool child, 77–81
    - critical thinking, 78–79
    - objective, 78
    - resolution, 79–81
    - subjective, 77–78
  - weight gain and, 213–218
    - critical thinking, 214–215
    - objective, 214
    - resolution, 215–218
    - subjective, 213–214
  - women's health cases, 189–191, 213–218
    - critical thinking, 190
    - objective, 189–190
    - resolution, 190–191
    - subjective, 189
- Abscess, 111
- Acetaminophen
  - for back pain, 335
  - for burns, 70
  - for migraine headache, 173
  - for phantom limb pain, 323
  - for shingles-associated pain, 374
- ACL (anterior cruciate ligament) tear, 167–168
- ACS. *See* Acute coronary syndrome (ACS)
- Acupuncture, for menopause transition, 182
- Acute coronary syndrome (ACS), 272–274
- ADHD screening, 125
- Adolescent case studies, 133–168
  - birth control decision-making, 135–138
  - funny feeling with urination, 139–141
  - left knee pain and swelling, 165–168
  - menstrual cramps, 147–150
  - missed periods, 161–163
  - mother's concern, 151–154
  - sexual identity, 155–159
  - weight loss, 143–146
- Adult health case studies, general, 241–324
  - abdominal bloating and diarrhea, 313–316
  - aching in legs, 287–290
  - anxiety, 309–312
  - burning chest pain, 267–269
  - burning epigastric pain after meals, 263–266
  - chest pain, 271–274
  - chest pain and dyspnea without radiation, 275–278
  - depression, 305–308
  - difficulty breathing, 291–294
  - facial pain, 259–262
  - fatigue, 249–253
  - hand numbness, 299–303
  - hepatitis C, 317–320
  - intractable pain, 321–324
  - morning headache, 255–258
  - MRSA, 283–286
  - persistent cough and joint tenderness, 279–281
  - weight gain and fatigue, 243–247
  - wrist pain and swelling, 295–298
- Albuterol, for asthma, 104
- Alcohol, as hot flash trigger, 182
- Alcohol abuse/dependence, 307
- Alendronate
  - for osteoporosis, 336
  - soreness associated with, 371

- Alendronate plus cholecalciferol, for osteoporosis, 336  
 Allergic conjunctivitis, 96  
 Allergic rhinitis, 260–262  
 Allopurinol, 371  
 Amenorrhea, 145–146  
 Amitriptyline  
   for fibromyalgia, 199  
   for migraine headache, 173  
   for phantom limb pain, 323  
 Amoxicillin, for *Helicobacter pylori* infection, 217  
 Amoxicillin-clavulanate, for otitis media, 61  
 Amphotericin B, for blastomycoses, 281  
 Amsler grid, 359  
 ANA (antinuclear antibody) titer, in systemic lupus erythematosus, 195  
 Anabolic agents, for osteoporosis, 335  
 Anemia  
   of chronic kidney disease, 252  
   with hypothyroidism, 246  
   iron deficiency, 33–34  
   pernicious, 246  
 Angina, 333–334  
 Antacids, for gastroesophageal reflux disease (GERD), 265  
 Anterior cruciate ligament (ACL) tear, 167–168  
 Anticoagulant therapy, for stroke, 361  
 Anticonvulsants, for menopause transition, 183  
 Antidepressants, for fibromyalgia, 199  
 Antihistamines, for pruritus, 373–374  
 Antihypertensives  
   for hypertension, 257  
   for menopause transition, 183  
 Antinuclear antibody (ANA) titer, in systemic lupus erythematosus, 195  
 Antiphospholipid syndrome (APL), 195  
 Antiplatelet therapy, for stroke, 361  
 Anxiety case study, 309–312  
   critical thinking, 310  
   objective, 310  
   resolution, 310–312  
   subjective, 309  
 APL (antiphospholipid syndrome), 195  
 Arterial blood gas  
   in chronic obstructive pulmonary disease (COPD) case study, 293  
   pulmonary screening exam, 11  
 Arterial disease, venous disease compared, 289  
 Arthritis  
   osteoarthritis, 379–380  
   rheumatoid, 297–298, 328, 333–334, 379  
 Asthma  
   diagnosis, 103  
   differential diagnosis, 103  
   exacerbation, treatment of, 104  
   exercise intolerance due to asthma associated with obesity, 107–108  
   in school-aged child case study, 103–104  
   severity classification, 103  
 Atrophic rhinitis, 261  
 Aura, migraine, 172–173  
 Azithromycin  
   for *Chlamydia*, 141  
   for group A beta-hemolytic streptococci (GABHS), 111–112  
   for otitis media, 61  
   for pneumonia, 344  
 Bacitracin, for burns, 70  
 Back pain case study, 327–340  
   critical thinking, 331  
   objective, 330  
   resolution, 331–339  
   subjective, 327–330  
 Bacterial conjunctivitis, 96–98  
 Bacterial vaginosis, signs and symptoms of, 211  
 Bactrim, for urinary tract infection (UTI), 203  
 Balanoposthitis, 85–86  
 Beck Depression Inventory (BDS), 180  
 Beclomethasone dipropionate, for chronic obstructive pulmonary disease (COPD) case study, 293  
 Bedwetting case study, 63–66  
   critical thinking, 64–65  
   objective, 64  
   resolution, 65–66  
   subjective, 63–64  
 Behavior problems. *See* Disruptive behavior case study  
 Bellerger, for menopause transition, 183  
 Benign essential tremor, 351  
 Benign prostatic hyperplasia (BPH), 238  
 Beta-agonists  
   for asthma, 104  
   for bronchiolitis, 19  
 Biofeedback, for phantom limb pain, 323  
 Biopsy, for prostate disease, 237–238  
 Birth control decision-making case study, 135–138  
   critical thinking, 136  
   objective, 135  
   resolution, 136–138  
   subjective, 135  
 Bisphosphonates  
   for osteoporosis, 335, 338  
   soreness associated with, 371  
 Black cohosh, 182  
 Blastomycoses dermatitidis, 280–281  
 Blepharitis, 97  
 Bloating. *See* Abdominal bloating and diarrhea case study  
 Blood pressure  
   hypertension, 257–258  
   orthostatic, 384, 389  
   pulsus paradoxus, 277  
 Body mass index (BMI), 107  
 BPH (benign prostatic hyperplasia), 238  
 Brain tumor, 351  
 Breathing  
   croup, 47  
   deep breathing exercises for menopause transition, 182

- oxygenation case study, 17–20
- pulmonary screening exam case study, 9–11
- transient tachypnea of the newborn (TTN), 11
- Breathing difficulty case studies
  - adult patient, 291–294
    - critical thinking, 292
    - objective, 291–292
    - resolution, 292–293
    - subjective, 291
  - school-aged child patient, 101–104
    - critical thinking, 102
    - objective, 102
    - resolution, 103–104
    - subjective, 101–102
- Bronchiolitis, 19–20
- Bronchitis, acute, 344
- Bronchodilator
  - for asthma, 104
  - for bronchiolitis, 19
  - for chronic obstructive pulmonary disease (COPD), 293
- Brudzinski sign, 173
- Burn case study, 67–71
  - clinical thinking, 68
  - Lund and Browder burn chart, 70
  - objective, 68
  - resolution, 69–71
  - rule of nines burn chart, 69
  - subjective, 67–68
- Burning chest pain case study, 267–269
  - critical thinking, 268
  - objective, 267–268
  - resolution, 268–269
  - subjective, 267
- Burning epigastric pain after meals case study, 263–266
  - critical thinking, 264
  - objective, 263–264
  - resolution, 264–266
  - subjective, 263
- Butoconazole, for *Candida*-caused vaginal itching, 210
- Caffeine, as hot flash trigger, 182
- Calcitonin, for osteoporosis, 335–336, 338
- Calcium supplementation, 334
- CAM. *See* Complementary and alternate medicine (CAM) therapy
- Cancer
  - prostate, 237–239
  - testicular, 233
- Candida*
  - balanoposthitis, 85
  - pharyngitis, 111
  - in vaginal itching case study, 210–211
- Carbamazepine, for phantom limb pain, 323
- Cardiac catheterization, 273
- Cardiovascular disease
  - acute coronary syndrome (ACS), 272–274
  - angina, 333–334
- case studies
  - chest pain, 271–274
  - chest pain and dyspnea without radiation, 275–278
  - heart murmur, 41–43
  - pericarditis, 277–278
- Cardiovascular screening exam case study, 5–8
  - critical thinking, 6–7
  - objective, 6
  - resolution, 7–8
  - subjective, 5–6
- Caries, 75–76
- Carpal tunnel syndrome (CTS), 297, 302–303
- Case study
  - adolescent, 133–168
    - birth control decision-making, 135–138
    - funny feeling with urination, 139–141
    - left knee pain and swelling, 165–168
    - menstrual cramps, 147–150
    - missed periods, 161–163
    - mother's concern, 151–154
    - sexual identity, 155–159
    - weight loss, 143–146
  - general adult health, 241–324
    - abdominal bloating and diarrhea, 313–316
    - aching in legs, 287–290
    - anxiety, 309–312
    - burning chest pain, 267–269
    - burning epigastric pain after meals, 263–266
    - chest pain, 271–274
    - chest pain and dyspnea without radiation, 275–278
    - depression, 305–308
    - difficulty breathing, 291–294
    - facial pain, 259–262
    - fatigue, 249–253
    - hand numbness, 299–303
    - hepatitis C, 317–320
    - intractable pain, 321–324
    - morning headache, 255–258
    - nonhealing skin lesion, 283–286
    - persistent cough and joint tenderness, 279–281
    - weight gain and fatigue, 243–247
    - wrist pain and swelling, 295–298
  - infant, 25–56
    - cough, 45–47
    - diarrhea, 49–52
    - fall off changing table, 53–56
    - growth and development, 35–39
    - health maintenance, 31–34
    - heart murmur, 41–43
    - nutrition and weight, 27–30
  - men's health cases, 225–239
    - fatigue, 227–230
    - prostate changes, 235–239
    - testicular pain, 231–233
  - neonate, 3–23
    - cardiovascular screening exam, 5–8
    - nutrition and weight, 21–23

- Case study (*Continued*)  
 oxygenation, 17–20  
 pulmonary screening exam, 9–11  
 skin screening exam, 13–15  
 older adult, 325–390  
 back pain, 327–340  
 confusion, 365–367  
 delirium, 381–390  
 itching and soreness, 369–375  
 just not feeling right, 341–346  
 knee pain, 377–380  
 tremor and fatigue, 347–355  
 visual changes, 357–363  
 school-aged child, 87–131  
 cough and difficulty breathing, 101–104  
 disruptive behavior, 123–126  
 eye irritation, 93–99  
 incontinence, 117–121  
 nightmares, 127–131  
 obesity, 105–108  
 rash and fever, 113–116  
 skin rash, 89–92  
 sore throat, 109–112  
 toddler/preschool child, 57–86  
 abdominal pain, 77–81  
 bedwetting, 63–66  
 burn, 67–71  
 earache, 59–62  
 lesion on penis, 83–86  
 toothache, 73–76  
 women's health cases, 169–224  
 abdominal pain, 189–191  
 abdominal pain and weight gain, 213–218  
 contraception, 219–224  
 fatigue and joint pain, 193–196  
 headache, 171–173  
 insomnia, 205–208  
 muscle tenderness, 197–200  
 night sweats, 175–188  
 urinary frequency, 201–203  
 vaginal itching, 209–211
- Cataracts, 359  
 Cefdinir, for otitis media, 61  
 Cefotaxime, *Neisseria gonorrhoeae*, 98  
 Cefpodoxime, for otitis media, 61  
 Ceftriaxone, hyperbilirubinemia from, 98  
 Cefuroxime, for otitis media, 61  
 Celiac disease, 315–316  
 Cephalexin, postamputation, 324  
 Cerebrovascular accident (CVA), 387  
 Cervical radiculopathy, 302  
 CGS (Glasgow Coma Scale), 55  
 Cherry angioma, 371  
 Chest pain case studies  
 burning chest pain, 267–269  
 critical thinking, 268  
 objective, 267–268  
 resolution, 268–269  
 subjective, 267  
 chest pain case study, 271–274  
 burning chest pain, 267–269  
 objective, 271–272  
 resolution, 272–274  
 subjective, 271  
 chest pain and dyspnea without radiation, 275–278  
 critical thinking, 276–277  
 objective, 275–276  
 resolution, 277–278  
 subjective, 275  
 Chickenpox, 115–116, 372  
 Children, case studies involving  
 adolescent, 133–168  
 infant, 25–56  
 neonate, 3–23  
 school-aged child, 87–131  
 toddler/preschool child, 57–86  
*Chlamydia*  
 conjunctivitis, 97–98  
 sexually transmitted infection, 141  
 signs and symptoms of, 211  
 symptoms upon urination, 141  
 Cholecystitis, 191  
 Cholesterol screen, 107  
 Chronic kidney disease, 251–253  
 Chronic obstructive pulmonary disease (COPD)  
 case study, 292–293  
 as fatigue differential diagnosis, 252  
 Chronic venous insufficiency, 289–290  
 Cimetidine, delirium associated with, 386–387  
 Ciprofloxacin, for epididymitis, 233  
 Citalopram, for major depressive disorder, 307  
 Clarithromycin  
 for *Helicobacter pylori* infection, 217  
 for otitis media, 61  
 Clindamycin, for methicillin-resistant *Staphylococcus aureus* (MRSA), 285  
 Clonidine, for menopause transition, 183  
 Clotrimazole, for *Candida*-caused vaginal itching, 210  
 Cluster headache, 172–173  
 Cognitive behavioral therapy, for fibromyalgia, 199  
 Common cold, 261  
 Complementary and alternate medicine (CAM) therapy  
 for back pain, 335  
 for menopause transition, 182  
 Computed tomography (CT)  
 for abdominal pain, 191  
 after fall off changing table, 55  
 with migraine headache, 173  
 in visual changes case study, 361  
 Confidentiality agreement, 153, 158  
 Confusion Assessment Method, 385  
 Confusion case study, 365–367  
 critical thinking, 366  
 objective, 365–366  
 resolution, 366–367  
 subjective, 365  
 Conjunctivitis, 96–98  
 Consent laws, 153

- Constipation  
 abdominal pain in toddler/preschool child, 79–81  
 iron deficiency, 33–34
- Contraception  
 in birth control decision-making case study, 135–138  
 case studies for, 219–224  
 methods  
 advantages, disadvantages, and effectiveness of, 221  
 complications of, 222
- COPD. *See* Chronic obstructive pulmonary disease (COPD)
- Costochondritis, 333
- Cough case studies  
 infant, 45–47  
 critical thinking, 46–47  
 objective, 46  
 resolution, 47  
 subjective, 45–46  
 persistent cough and joint tenderness, 279–281  
 critical thinking, 280  
 objective, 279–280  
 resolution, 280–281  
 subjective, 279  
 school-aged child, 101–104  
 critical thinking, 102  
 objective, 102  
 resolution, 103–104  
 subjective, 101–102
- C-peptide measurement, 120
- Cramps, menstrual, 147–150
- Croup, 47
- CT. *See* Computed tomography (CT)
- CTS. *See* Carpal tunnel syndrome (CTS)
- CVA (cerebrovascular accident), 387
- Cymbalta, for fibromyalgia, 199
- Cystitis, 203
- DASH guidelines, 257–258
- DDVAP (desmopressin acetate vasopressin), 66
- Deep breathing exercises, for menopause transition, 182
- Deep vein thrombosis (DVT), 289
- Delirium case study, 381–390  
 critical thinking, 383  
 objective, 382–383  
 resolution, 383–389  
 subjective, 381–382
- Dementia  
 in confusion case study, 367  
 described, 252  
 symptoms, 252
- Denosumab, for osteoporosis, 335–336, 338
- Dental caries, 75–76
- Depot medroxyprogesterone acetate (DMPA), 137–138
- Depression  
 case study, 305–308  
 critical thinking, 306  
 objective, 306  
 resolution, 306–308  
 subjective, 305  
 lifestyle changes and, 269  
 major depressive disorder, 307–308  
 menopause transition and, 181  
 screening, 384
- Desmopressin acetate vasopressin (DDVAP), 66
- Desvenlafaxine, for menopause transition, 183
- DEXA. *See* Dual-energy X-ray absorptiometry (DXA) scan
- Dexamethasone, for croup, 47
- DFA (direct fluorescent antigen) test, 115
- Diabetes mellitus  
 Type 1 (insulin-dependent), 119–120  
 Type 2 (noninsulin-dependent), 246–247
- Diabetic retinopathy, 359
- Diaphragm (contraceptive), 221–222
- Diarrhea case studies  
 abdominal bloating and diarrhea, 313–316  
 critical thinking, 314  
 objective, 314  
 resolution, 314–316  
 subjective, 313–314  
 infant, 49–52  
 critical thinking, 50–51  
 objective, 50  
 resolution, 51–52  
 subjective, 49–50
- Digital rectal exam, 238
- Dilation tonometry, 96
- Diphenhydramine, for pruritus, 373–374
- Direct fluorescent antigen (DFA) test, 115
- Disease-modifying antirheumatic drug (DMARD), 329
- Disruptive behavior case study, 123–126  
 critical thinking, 124–125  
 objective, 124  
 resolution, 125–126  
 subjective, 123–124
- DMARD (disease-modifying antirheumatic drug), 329
- DMPA (depot medroxyprogesterone acetate), 137–138
- Domeboro soaks, 372
- Doppler ultrasound, for testicular pain, 232
- Doxycycline, for methicillin-resistant *Staphylococcus aureus* (MRSA), 285
- Dressler's syndrome, 277
- Drug abuse, prescription pain medication, 152–153
- Dry skin (xerosis), 371, 373–374
- Dual-energy X-ray absorptiometry (DXA) scan, 332–333, 335
- Duloxetine, for fibromyalgia, 199
- Dutasteride (Avodart), for prostate disease, 238
- DVT (deep vein thrombosis), 289
- DXA (dual-energy X-ray absorptiometry) scan, 332–333, 335
- Dysmenorrhea, 148–150
- Dyspnea, chest pain and, 275–278
- Earache case study, 59–62  
 critical thinking, 60–61  
 objective, 60  
 resolution, 61–62  
 subjective, 59–60



- EBV (Epstein Barr Virus), 111
- ECG
- in chest pain and dyspnea without radiation case study, 276–277
  - in chest pain case study, 272–273
  - in chronic obstructive pulmonary disease (COPD) case study, 292–293
- Echocardiography, 277
- EEG, 129, 350
- Enuresis, 65–66
- Epididymitis, 232–233
- Epidural hematoma, 55
- Epigastric pain after meals case study, 263–266
- critical thinking, 264
  - objective, 263–264
  - resolution, 264–266
  - subjective, 263
- Epiglottitis, 47
- Epstein Barr Virus (EBV), 111
- Ergotamines, for migraine headache, 173
- Erythema toxicum, 15
- Erythromycin
- for *Chlamydia*, 98
  - for conjunctivitis, 97–98
- Erythropoietin, 252
- Escitalopram, for generalized anxiety disorder, 311
- Estrogen
- for menopause transition, 183–185
  - for osteoporosis, 335, 337
- Exercise, for menopause transition, 182
- Exercise intolerance, due to asthma associated with obesity, 107–108
- Eyes
- eye irritation case study, 93–99
  - critical thinking, 95
  - objective, 94–95
  - resolution, 95–98
  - subjective, 93–94
  - herpes simplex, 97
  - ocular zoster, 372
  - visual changes case study, 357–363
  - critical thinking, 358–359
  - objective, 358
  - resolution, 359–362
  - subjective, 357–358
- Facial nerve, 372
- Facial pain case study, 259–262
- critical thinking, 260
  - objective, 259–260
  - resolution, 260–262
  - subjective, 259
- Failure to thrive, 37–39
- Fall off changing table case study, 53–56
- critical thinking, 54–55
  - objective, 54
  - resolution, 55–56
  - subjective, 53–54
- FAST mnemonic, 361
- Fatigue case studies
- general adult health, 249–253
  - critical thinking, 251
  - objective, 250–251
  - resolution, 251–253
  - subjective, 249–250
  - men's health, 227–230
  - critical thinking, 228
  - objective, 228
  - resolution, 228–230
  - subjective, 227
  - tremor and fatigue, 347–355
  - critical thinking, 349
  - objective, 348–349
  - resolution, 350–354
  - subjective, 347–348
  - women's health, 193–196
  - critical thinking, 194
  - objective, 193–194
  - resolution, 195–196
  - subjective, 193
- Fenamates, dosage for, 150
- Fever. *See* Rash and fever case study
- Fibromyalgia, 199–200
- Finasteride, for prostate disease, 238
- 5-alpha-reductase inhibitors, for prostate disease, 238
- Flick sign, 302
- Fluoroquinolones, for urinary tract infection (UTI), 203
- Fluoxetine, for menopause transition, 183
- Foreskin, infection of, 85–86
- Fracture, vertebral compression, 333–339
- FRAX algorithm, 332–333
- Fungal disease
- Blastomycoses dermatitidis*, 280–281
  - Candida*
  - balanoposthitis, 85
  - pharyngitis, 111
  - vaginal itching, 210–211
- Gabapentin
- for fibromyalgia, 183
  - for menopause transition, 183
  - for phantom limb pain, 323
  - for shingles-associated pain, 373
- GABHS (group A beta-hemolytic streptococci), 111–112
- GAD. *See* Generalized anxiety disorder (GAD)
- Gallstones, 191, 216
- Gastrocolic reflex, 80
- Gastroenteritis, viral, 51–52
- Gastroesophageal reflux disease (GERD)
- as chest pain differential, 272
  - cholecystitis, 216
  - complications, 266
  - epigastric pain after meals case study, 263–266
  - exacerbation, 268
  - in neonates, 23
  - signs and symptoms of, 216
  - treatment, 265
- Generalized anxiety disorder (GAD), 307, 311–312

- Gentamicin, for conjunctivitis, 97
- Geriatric assessment, 388
- Giant cell arteritis. *See* Temporal arteritis
- Gingivitis, 75–76
- Glasgow Coma Scale (GCS), 55
- Glaucoma, 359
- Gleason Staging system, 238
- Glomerular filtration rate (GFR), 251–252
- Gluten-free diet, 315
- Gonococcal conjunctivitis, 97–98
- Gonorrhea, signs and symptoms of, 211
- Gout, 379
- Graves disease, 207–208
- Gray baby syndrome, 98
- Group A beta-hemolytic streptococci (GABHS), 111–112
- Growth and development case study, 35–39
  - critical thinking, 36–37
  - objective, 36
  - resolution, 37–39
  - subjective, 35
- H2 blockers, for gastroesophageal reflux disease (GERD), 265
- Haemophilus influenzae*
  - conjunctivitis, 96
  - pneumonia, 344
  - sore throat, 111
- Haldol, 386
- Hand numbness case study, 299–303
  - critical thinking, 300–301
  - objective, 300
  - resolution, 301–303
  - subjective, 299
- Headache case studies
  - migraine, 171–173
    - aura, 172–173
    - critical thinking, 172
    - objective, 171–172
    - resolution, 172–173
    - subjective, 171
  - morning headache, 255–258
    - critical thinking, 256
    - objective, 256
    - resolution, 257–258
    - subjective, 255–256
- Head injury, in fall off changing table, 53–56
- Health maintenance case study, 31–34
  - critical thinking, 32–33
  - objective, 32
  - resolution, 33–34
  - subjective, 31–32
- Healthy Eating and Activity Together (HEAT) program, 108
- Heart disease. *See* Cardiovascular disease
- Heart murmur case study, 41–43
  - critical thinking, 42
  - objective, 42
  - resolution, 43
  - subjective, 41
- HEAT (Healthy Eating and Activity Together) program, 108
- Helicobacter pylori* infection, 215–218
- Hemoglobin A1c, 215, 217, 246
- Hemosiderin, 289
- Hepatitis C case study, 317–320
  - critical thinking, 318
  - objective, 317–318
  - resolution, 318–320
  - subjective, 317
- Herpes genitalis, signs and symptoms of, 211
- Herpes simplex virus (HSV) eye disease, 97
- Herpes zoster, 370–374
- Hirschsprung disease, 79
- Hormone therapy
  - for menopause transition, 182–185
  - for osteoporosis, 335, 337
- Hot flashes. *See* Night sweats
- HPV vaccine, 157
- HSDD (hypoactive sexual desire disorder), 181
- Hydrocephalus, normal pressure, 387
- Hydroxychloroquine, for systemic lupus erythematosus, 196
- Hyperglycemia, 246
- Hyperlipidemia, 268–269
- Hyperprolactemia, 216
- Hypertension, 257–258
- Hyperthyroidism
  - case study, 207–208
  - hypothyroidism compared, 208
  - signs and symptoms, 311
- Hypnotherapy, for fibromyalgia, 199
- Hypoactive sexual desire disorder (HSDD), 181
- Hypogonadism
  - fatigue and, 246
  - secondary, 229–230
- Hypotension, orthostatic, 384, 389
- Hypothyroidism
  - cholecystitis, 216
  - as differential for menopause, 181
  - hyperthyroidism compared, 207
  - signs and symptoms, 246
- Ibandronate, for osteoporosis, 336
- IBD (inflammatory bowel disease), 315
- IBS (irritable bowel syndrome), 315
- Ibuprofen
  - for burns, 70
  - dosage, 150
  - for patent ductus arteriosus (PDA) closure, 7
- IgA antiendomysial antibody, 314–315
- IgA antitissue transglutimase antibody, 314–315
- Impetigo, 91
- Incontinence case study, 117–121
  - critical thinking, 118–119
  - objective, 118
  - resolution, 119–120
  - subjective, 117–118
- Indocin, for pericarditis, 277

- Indomethacin, for patent ductus arteriosis (PDA) closure, 7
- Infant case studies, 25–56  
   cough, 45–47  
   diarrhea, 49–52  
   fall off changing table, 53–56  
   growth and development, 35–39  
   health maintenance, 31–34  
   heart murmur, 41–43  
   nutrition and weight, 27–30
- Inflammatory bowel disease (IBD), 315
- Influenza, 344
- Inhaler, 104
- Insomnia case study, 205–208  
   critical thinking, 206  
   objective, 205–206  
   resolution, 207–208  
   subjective, 205
- Insulinoma, 191
- Insulin resistance, 107, 217, 246
- Interferon, for hepatitis C, 319
- Interstitial cystitis, 203
- Intractable pain case study, 321–324  
   critical thinking, 322  
   objective, 321–322  
   resolution, 322–324  
   subjective, 321
- Intrauterine contraception (IUC), 137
- Intrauterine device (IUD)  
   advantages and disadvantages of, 221  
   complications of, 222
- Iodine (radioactive), for hyperthyroidism, 207
- Ipodate sodium, for hyperthyroidism, 207
- Iron deficiency anemia and constipation, 33–34
- Irritable bowel syndrome (IBS), 315
- Itching and soreness case study, 369–375  
   critical thinking, 370  
   objective, 369–370  
   resolution, 370–374  
   subjective, 369
- IUC (intrauterine contraception), 137
- IUD. *See* intrauterine device (IUD)
- Joint problems. *See also* Knee pain case studies  
   joint pain and fatigue case study, 193–196  
     critical thinking, 194  
     objective, 193–194  
     resolution, 195–196  
     subjective, 193  
   persistent cough and joint tenderness case study, 279–281  
     critical thinking, 280  
     objective, 279–280  
     resolution, 280–281  
     subjective, 279
- “Just not feeling right” case study, 341–346  
   critical thinking, 342–343  
   objective, 342
- resolution, 343–345  
   subjective, 341–342
- Keratolytics, 374
- Kernig sign, 173
- Kidney disease  
   chronic, 251–253  
   stages, 252
- Knee pain case studies  
   in adolescent, 165–168  
     critical thinking, 166–167  
     objective, 166  
     resolution, 167–168  
     subjective, 165  
   anterior cruciate ligament (ACL) tear, 167–168  
   in older adult, 377–380  
     critical thinking, 378  
     objective, 378  
     resolution, 379–380  
     subjective, 377
- KOH (potassium hydroxide) smear test, 115
- Kyphoplasty, 338
- Lansoprazole, for *Helicobacter pylori* infection, 217
- Leg case studies  
   aching in legs, 287–290  
     critical thinking, 288  
     objective, 287–288  
     resolution, 288–290  
     subjective, 287  
   knee pain, 377–380  
     critical thinking, 378  
     objective, 378  
     resolution, 379–380  
     subjective, 377  
   left knee pain and swelling, 165–168  
     critical thinking, 166–167  
     objective, 166  
     resolution, 167–168  
     subjective, 165
- Levodopa, 350
- Lidocaine patch, 372
- Liver enzyme elevation, 317–319
- Lund and Browder burn chart, 70
- Lyme disease, 115, 379
- Lyrica  
   for fibromyalgia, 183  
   for phantom limb pain, 323
- MacuFlow, 359
- Macular degeneration, 359–360
- Magnetic resonance imaging (MRI)  
   in confusion case study, 367  
   in tremor and fatigue case study, 350  
   in visual changes case study, 361
- Major depressive disorder (MDD), 307–308, 311
- Median nerve, 302–303
- Mefenamic acid, dosage of, 150



- Megestrol, for menopause transition, 183
- Menopause transition, 179–186  
   diagnostic tests, 179–180  
   night sweats case study, 175–186  
   symptoms associated with, 180  
   treatment plan, 181–185  
   vasomotor symptoms, managing, 182–183
- Men's health case studies, 225–239  
   fatigue, 227–230  
   prostate changes, 235–239  
   testicular pain, 231–233
- Menstrual cramps case study, 147–150  
   critical thinking, 148  
   objective, 147–148  
   resolution, 148–150  
   subjective, 147
- Metered dose inhaler, 104
- Metformin  
   for diabetes mellitus Type 2, 246  
   use in older patients, 247  
   use in pregnancy, 217
- Methicillin-resistant *Staphylococcus aureus* (MRSA)  
   case study, 284–285  
   community acquired (CA), 284–285  
   impetigo, 91–92  
   treatment, 285
- Methimazole, for hyperthyroidism, 207
- Methotrexate, for systemic lupus erythematosus, 196
- Methyl dopa, for menopause transition, 183
- Metoclopramide, for migraine headache, 173
- Miconazole, for *Candida*-caused vaginal itching, 210
- Migraine headache (case study), 171–173  
   aura, 172–173  
   critical thinking, 172  
   objective, 171–172  
   resolution, 172–173  
   subjective, 171
- Milnacipran, for fibromyalgia, 183
- MIND ESCAPE mnemonic, 385
- Mini-Mental State Examination (MMSE), 381, 385, 389
- Minocycline  
   drug-induced lupus from, 196  
   for methicillin-resistant *Staphylococcus aureus* (MRSA), 285
- Mirror box therapy, 323
- Missed periods case study, 161–163  
   critical thinking, 162  
   objective, 161–162  
   resolution, 162–163  
   subjective, 161
- MMSE (Mini-Mental State Examination), 381, 385, 389
- Montreal Cognitive Assessment (MoCA), 381
- Morning headache, 255–258  
   critical thinking, 256  
   objective, 256  
   resolution, 257–258  
   subjective, 255–256
- Mother's concern case study, 151–154  
   critical thinking, 152  
   resolution, 152–153  
   subjective, 151–152
- MRI. *See* Magnetic resonance imaging (MRI)
- MRSA. *See* Methicillin-resistant *Staphylococcus aureus* (MRSA)
- Mupirocin, for impetigo, 92
- Murmur. *See* Heart murmur case study
- Murphy's sign, 191
- Muscle tenderness case study, 197–200  
   critical thinking, 198–199  
   objective, 198  
   resolution, 199–200  
   subjective, 197–198
- Myalgia, 197–200
- Mydriasis, 96
- Myocardial infarction  
   in chest pain case study, 272–274  
   pericarditis after, 277
- Naproxen, dosage of, 150
- NARES (nonallergic rhinitis with eosinophilia syndrome), 261
- National Eye Institute Visual Functioning Questionnaire 25, 359
- National Osteoporosis Foundation, 335
- Neisseria gonorrhoeae* conjunctivitis, 97–98
- Neomycin, for burns, 70
- Neonatal conjunctivitis, 97–98
- Neonate case studies, 3–23  
   cardiovascular screening exam, 5–8  
   nutrition and weight, 21–23  
   oxygenation, 17–20  
   pulmonary screening exam, 9–11  
   skin screening exam, 13–15
- Neurological exam, in Parkinson disease, 352
- Neuropathic pain, 323
- Nightmares case study, 127–131  
   critical thinking, 128–129  
   objective, 128  
   resolution, 129–130  
   subjective, 127–128
- Night sweats case study, 175–188  
   critical thinking, 178–179  
   objective, 178  
   resolution, 179–186  
   subjective, 175–178
- Night terrors, 129–130
- Nitrofurantoin, for urinary tract infection (UTI), 203
- Nocturia, in diabetes mellitus Type 2, 246
- Nonallergic rhinitis with eosinophilia syndrome (NARES), 261
- Nonhealing skin lesion case study, 283–286  
   critical thinking, 284  
   objective, 283–284  
   resolution, 284–285  
   subjective, 283

- Nonorganic failure to thrive, 37–39
- Non-ST elevation myocardial infarction (NSTEMI), 272–274
- Nonsteroidal antiinflammatory drugs (NSAIDs)
- for back pain, 335
  - for menstrual cramps, 149–150
  - for migraine headache, 173
  - for patent ductus arteriosus (PDA) closure, 7
  - for phantom limb pain, 323
  - for shingles-associated pain, 374
  - for systemic lupus erythematosus, 196
- Normal pressure hydrocephalus, 387
- North American Menopause Society, 335
- NSAIDs. *See* Nonsteroidal antiinflammatory drugs (NSAIDs)
- NSTEMI (non-ST elevation myocardial infarction), 272–274
- Numbness. *See* Hand numbness case study
- Nutrition and weight case studies
- infant, 27–30
    - critical thinking, 28–29
    - objective, 28
    - resolution, 29–30
    - subjective, 27–28
  - neonate, 21–23
    - critical thinking, 22
    - objective, 22
    - resolution, 23
    - subjective, 21
- Obesity case study
- critical thinking, 106–107
  - objective, 106
  - resolution, 107–108
  - subjective, 105–106
- Obstructive sleep apnea
- as fatigue differential diagnosis, 252
  - hypertension, 257
- ODD (oppositional defiant disorder), 125–126
- OGGT (oral glucose tolerance test), 107
- Older adult case studies, 325–390
- back pain, 327–340
  - confusion, 365–367
  - delirium, 381–390
  - itching and soreness, 369–375
  - just not feeling right, 341–346
  - knee pain, 377–380
  - tremor and fatigue, 347–355
  - visual changes, 357–363
- Opioids
- for phantom limb pain, 323
  - for shingles-associated pain, 374
- Oppositional defiant disorder (ODD), 125–126
- Oral contraceptive pills, 136–137, 149
- complications of, 222
  - as migraine trigger, 173
  - for polycystic ovarian syndrome (PCOS), 217
  - workup prior to prescribing, 222
- Oral glucose tolerance test (OGGT), 107
- Orthostasis, 384
- Osteoarthritis, 379–380
- Osteoporosis
- diagnosis, 331–333
  - fracture risk, 371
  - management of, 335–339
  - secondary, 333, 339
  - vertebral compression fracture, 333–339
- Otitis media, 61–62
- Overfeeding, 23
- Oxycodone, for phantom limb pain, 323
- Oxygenation case study, 17–20
- critical thinking, 18–19
  - objective, 18
  - resolution, 19–20
  - subjective, 17–18
- Pain, in case studies
- back pain, 327–340
  - burning chest pain, 267–269
  - burning epigastric pain after meals, 263–266
  - chest pain, 271–274
  - chest pain and dyspnea without radiation, 275–278
  - earache, 59–62
  - facial pain, 259–262
  - fatigue and joint pain, 193–196
  - intractable pain, 321–324
  - phantom limb pain, 322–324
  - testicular pain, 231–233
  - toothache, 73–76
  - wrist pain and swelling, 295–298
- Pain path, imprinting of, 323
- Paraphimosis, 85
- Parathyroid hormone, for osteoporosis, 335
- Parkinson disease, 350–354
- demographics, 350
  - differential diagnosis, 351
  - information sources, 354
  - objective findings, 351
  - subjective report, 350–351
  - treatment plan, 351–353
- Paroxetine, for menopause transition, 183
- Partial thickness burn, 69–71
- Patellofemoral syndrome, 379
- Patent ductus arteriosus (PDA), 7–8
- PCOS (polycystic ovarian syndrome), 215–218
- PDA (patent ductus arteriosus), 7–8
- Pediatric Symptom Checklist, 125
- PEG (polyethylene glycol), for constipation, 80
- Pelli-Robson contrast sensitivity chart, 359
- Pelvic inflammatory disease, as intrauterine device (IUD) contraindication, 222
- Penicillin VK, for group A beta-hemolytic streptococci (GABHS), 111–112
- Penis lesion case study, 83–86
- critical thinking, 84–85
  - objective, 84

- resolution, 85–86
  - subjective, 83–84
- Peptic ulcer disease, *Helicobacter pylori* infection and, 215–217
- Pericardial effusion, 277
- Pericarditis, 277–278
- Periods, missed (case study), 161–163
  - critical thinking, 162
  - objective, 161–162
  - resolution, 162–163
  - subjective, 161
- Peritonsillar abscess, 111
- Persistent cough and joint tenderness case study, 279–281
  - critical thinking, 280
  - objective, 279–280
  - resolution, 280–281
  - subjective, 279
- PET (positron emission tomography), in tremor and fatigue case study, 350
- Phantom limb pain, 322–324
- Pharyngitis, 111–112
- Phenazopyridine, for urinary tract infection (UTI), 203
- Phimosis, 85
- Phren's sign, 232–233
- Pink eye, 96–98
- Plaquenil, for systemic lupus erythematosus, 196
- PMR (polymyalgia rheumatica), 173, 371
- PNE (primary nocturnal enuresis), 65–66
- Pneumonia, 343–345
- Polycystic ovarian syndrome (PCOS), 215–218
- Polyethylene glycol (PEG), for constipation, 80
- Polymyalgia rheumatica (PMR), 173, 371
- Polymyxin B, for conjunctivitis, 97
- Polysomnography, 129
- Polyuria, in diabetes mellitus Type 2, 246
- Positron emission tomography (PET), in tremor and fatigue case study, 350
- Postherpetic neuralgia, 372
- Posttraumatic stress disorder (PTSD), 307
- Potassium hydroxide (KOH) smear test, 115
- PPI. *See* Proton pump inhibitors (PPI)
- Prednisolone, for asthma, 104
- Prednisone, for systemic lupus erythematosus, 196
- Pregabalin, for fibromyalgia, 183
- Pregnancy
  - polycystic ovarian syndrome and, 217
  - testing for, 162–163
- Prescription pain medication abuse, 152–153
- Primary dysmenorrhea, 148–150
- Primary nocturnal enuresis (PNE), 65–66
- Progesterone, for menopause transition, 184–185
- Pronator syndrome, 302
- Propranolol
  - for hyperthyroidism, 207
  - for migraine headache, 173
- Propylthiouracil (PTU), for hyperthyroidism, 207
- Proscar, for prostate disease, 238
- Prostate changes case study, 235–239
  - critical thinking, 236
  - objective, 236
  - resolution, 237–239
  - subjective, 235
- Prostatectomy, 238
- Prostate specific antigen (PSA), 237
- Proton pump inhibitors (PPI)
  - for gastroesophageal reflux disease (GERD), 265
  - for *Helicobacter pylori* infection, 217
- Pruritus. *See* Itching and soreness case study
- PSA (prostate specific antigen), 237
- Pseudogout, 379
- Psychogenic headache, 173
- Psychosocial evaluation, in childhood obesity, 107
- PTSD (posttraumatic stress disorder), 307
- PTU (propylthiouracil), for hyperthyroidism, 207
- Pulmonary embolism, as chest pain differential, 272–273
- Pulmonary function testing, 281
- Pulmonary screening exam case study, 9–11
  - critical thinking, 10
  - objective, 10
  - resolution, 11
  - subjective, 9
- Pulsus paradoxus, 277
- Radiculopathy, cervical, 302
- Radioactive iodine, for hyperthyroidism, 207
- Raloxifene, for osteoporosis, 337–338
- Ramsay Hunt syndrome, 372
- RANK-ligand inhibitor, for osteoporosis, 335
- Rapid strep test, 111
- Rash and fever case study, 113–116
  - critical thinking, 114–115
  - objective, 114
  - resolution, 115–116
  - subjective, 113
- Rash case studies
  - neonate skin screening exam, 13–15
  - in school-aged child
    - rash and fever, 113–116
    - skin rash, 89–92
- Red eyes, 93–99
- Respiratory disease. *See also specific conditions*
  - Blastomycoses dermatitidis*, 280–281
  - breathing difficulty case studies
    - adult patient, 291–294
    - school-aged child patient, 101–104
  - pneumonia, 343–345
- Respiratory syncytial virus (RSV), 19, 103
- Retapamulin, for impetigo, 92
- Retinopathy, diabetic, 359
- Retropharyngeal abscess, 111
- Rheumatic fever, 111
- Rheumatoid arthritis, 297–298, 329, 333–334, 379
- Rhinitis medicamentosa, 261

- Ribavirin  
   contraindications, 319  
   for hepatitis C, 319  
   for respiratory syncytial virus (RSV), 19
- Risedronate, for osteoporosis, 336
- Risedronate plus calcium carbonate, for osteoporosis, 336
- Rotavirus, 51–52
- RSV (respiratory syncytial virus), 19, 103
- Rule of nines burn chart, 69
- Scabies, 371
- Scarlet fever, 115
- School-aged child case studies, 87–131  
   cough and difficulty breathing, 101–104  
   disruptive behavior, 123–126  
   eye irritation, 93–99  
   incontinence, 117–121  
   nightmares, 127–131  
   obesity, 105–108  
   rash and fever, 113–116  
   skin rash, 89–92  
   sore throat, 109–112
- Screening exam case studies  
   cardiovascular, 5–8  
   pulmonary, 9–11  
   skin, 13–15
- Seborrheic keratoses, 371
- Secondary hypogonadism, 229–230
- Selective serotonin reuptake inhibitors (SSRIs)  
   black box warning, 311  
   for fibromyalgia, 199  
   for generalized anxiety disorder, 311  
   for major depressive disorder, 307–308  
   for menopause transition, 183–184  
   for phantom limb pain, 323
- Serotonin norepinephrine reuptake inhibitors (SNRIs),  
   for menopause transition, 183–184
- Sexual dysfunction  
   in fatigue case study, 227–230  
   prostate disease and, 238–239
- Sexual identity case study, 155–159  
   critical thinking, 156–157  
   objective, 156  
   resolution, 157–159  
   subjective, 155
- Sexually transmitted infection (STI)  
   in case studies  
     birth-control decision-making, 135–138  
     funny feeling with urination, 139–141  
     *Chlamydia*, 141
- Shingles, 370–374
- Sinus infection, 260–262
- Skin lesion, nonhealing (case study), 283–286  
   critical thinking, 284  
   objective, 283–284  
   resolution, 284–285  
   subjective, 283
- Skin rash case study, 89–92  
   critical thinking, 90  
   objective, 90  
   resolution, 90–92  
   subjective, 89
- Skin screening exam case study, 13–15  
   critical thinking, 14–15  
   objective, 14  
   resolution, 15  
   subjective, 13
- SLE. *See* Systemic lupus erythematosus (SLE)
- Sleep apnea  
   in childhood obesity, 107  
   as fatigue differential diagnosis, 252  
   hypertension, 257
- Sleep problems, with anxiety, 311
- Sleep study, 107
- Sleep terrors, 129–130
- Slit lamp examination, 96
- Smoking  
   as cardiovascular disease risk factor, 273  
   as migraine trigger, 173
- SNRIs (serotonin norepinephrine reuptake inhibitors),  
   for menopause transition, 183–184
- Soreness. *See* Itching and soreness case study
- Sore throat case study, 109–112  
   critical thinking, 110–111  
   objective, 110  
   resolution, 111–112  
   subjective, 109–110
- Soy, to prevent bone loss, 335
- Spider bites, 284–285
- SSRIs. *See* Selective serotonin reuptake inhibitors (SSRIs)
- Staphylococcus aureus*  
   balanoposthitis, 85  
   conjunctivitis, 96  
   impetigo, 91–92  
   methicillin-resistant (MRSA), 91–92, 284–285  
   sore throat, 111
- Steroids, for hyperthyroidism, 207
- Stevens-Johnson Syndrome, 371
- STI. *See* Sexually transmitted infection (STI)
- Still murmur, 43
- Stool softeners, 80
- Stool test for occult blood, 79
- Streptococcus*  
   balanoposthitis, 85  
   *S. pneumoniae*  
     conjunctivitis, 96  
     pneumonia, 344  
   *S. pyogenes*  
     group A beta-hemolytic streptococci (GABHS) throat  
       infection, 111–112  
     impetigo, 91–92
- Stroke, 360–362
- Subarachnoid hemorrhage, 55
- Subconjunctival hemorrhage, 96–97
- Subdural hematoma, 55

- Substance abuse, 152–153
- Suicide, signs of risk for, 159
- Systemic lupus erythematosus (SLE), 195–196
  - complications, 196
  - criteria for diagnosis, 195
  - diagnostic testing, 195
  - differential diagnosis, 195
  - treatment plan, 196
- Tachypnea
  - in pneumonia, 343–344
  - transient tachypnea of the newborn (TTN), 11
- Tamsulosin
  - hypotension and, 389
  - for prostate disease, 238
- Temporal arteritis, 173, 359–360, 371
- TENS (transcutaneous electrical nerve stimulation), for phantom limb pain, 323
- Tension headache, 173
- Terazosin (Hytrin), for prostate disease, 238
- Teriparatide, for osteoporosis, 335, 337–338
- Testicular pain case study, 231–233
  - critical thinking, 232
  - objective, 231–232
  - resolution, 232–233
  - subjective, 231
- Testicular torsion, 232–233
- Testosterone therapy, 229–230
- Thenar atrophy, 303
- Throat culture, 111
- TIA (transient ischemic attack), 360–362
- Tinea corpus, 115
- Tobramycin, for conjunctivitis, 97
- Toddler/preschool child case studies, 57–86
  - abdominal pain, 77–81
  - bedwetting, 63–66
  - burn, 67–71
  - earache, 59–62
  - lesion on penis, 83–86
  - toothache, 73–76
- Tonometry, 96
- Toothache case study, 73–76
  - critical thinking, 74–75
  - objective, 74
  - resolution, 75–76
  - subjective, 73–74
- Topiramate
  - for fibromyalgia, 183
  - for migraine headache, 173
- Toxic epidermal necrosis, 371
- Toxic erythema of the newborn, 15
- Tramadol, for fibromyalgia, 183
- Transcutaneous electrical nerve stimulation (TENS), for phantom limb pain, 323
- Transient ischemic attack (TIA), 360–362
- Transient tachypnea of the newborn (TTN), 11
- Transrectal ultrasound (TRUS), for prostate disease, 237–238
- Tremor and fatigue case study, 347–355
  - critical thinking, 349
  - objective, 348–349
  - resolution, 350–354
  - subjective, 347–348
- Trichomonas, signs and symptoms of, 211
- Tricyclic antidepressants
  - for phantom limb pain, 323
  - for shingles-associated pain, 373
- Trimethoprim-sulfamethoxazole, for methicillin-resistant *Staphylococcus aureus* (MRSA), 285
- Trimethoprim sulfate, for conjunctivitis, 97
- Triptans, for migraine headache, 173
- Tropicamide, for mydriasis, 96
- TRUS (transrectal ultrasound), for prostate disease, 237–238
- TTN (transient tachypnea of the newborn), 11
- Tympanocentesis, 61
- Tympanometry, 61
- Ulcer
  - arterial, 290
  - Helicobacter pylori* infection and, 215–217
  - neuropathic, 289
  - venous stasis, 289–290
- Ultrasound
  - for abdominal pain, 191
  - for testicular pain, 232
  - transrectal for prostate disease, 237–238
  - transvaginal for polycystic ovarian syndrome, 215
- Upper respiratory infection, sinus infection and, 261
- Urinary case studies
  - bedwetting, 63–66
  - funny feeling with urination, 139–141
  - incontinence, 117–121
  - urinary frequency, 201–203
- Urinary frequency case study, 201–203
  - critical thinking, 202
  - objective, 201–202
  - resolution, 202–203
  - subjective, 201
- Urinary tract infection (UTI), 203, 238
- Urination, funny feeling with, 139–141
  - critical thinking, 140
  - objective, 139–140
  - resolution, 140–141
  - subjective, 139
- U.S. Preventive Services Task Force (USPSTF), 237
- UTI (urinary tract infection), 203, 238
- Vaginal dryness, 177, 184
- Vaginal itching case study, 209–211
  - critical thinking, 210
  - differential diagnosis, 211
  - objective, 209–210
  - resolution, 210
  - subjective, 209



- Vaginal ring, 137, 221
- Vanderbilt ADHD screening, 125
- Varicella zoster virus (VZV)
- chickenpox, 115–116
  - shingles, 370–374
- Vasomotor rhinitis, 261
- Vasomotor symptoms, managing menopause transition, 182–183
- Venlafaxine
- for fibromyalgia, 199
  - for menopause transition, 183
- Venous stasis ulcer, 289–290
- Vertebral compression fracture, 333–339
- Vertebroplasty, 338
- Viral exanthema, 115
- Viral infections. *See also specific conditions*
- conjunctivitis, 96
  - gastroenteritis, 51–52
  - hepatitis C virus (HCV), 317–320
  - respiratory syncytial virus (RSV), 19, 103
  - sore throat, 111
  - varicella zoster virus (VZV)
    - chickenpox, 115–116
    - shingles, 370–374
- Visual changes case study, 357–363
- critical thinking, 358–359
  - objective, 358
  - resolution, 359–362
  - subjective, 357–358
- Vitamin D, 334
- VZV. *See* Varicella zoster virus (VZV)
- Warfarin therapy, for stroke, 361
- Weight gain case studies
- abdominal pain and weight gain, 213–218
    - critical thinking, 214–215
    - objective, 214
    - resolution, 215–218
    - subjective, 213–214
  - weight gain and fatigue, 243–247
    - critical thinking, 245
    - objective, 244–245
    - resolution, 245–247
    - subjective, 243–244
    - two-month followup, 244–245
- Weight loss case study, 143–146
- critical thinking, 144–145
  - objective, 144
  - resolution, 145–146
  - subjective, 143
- WOCN (wound, ostomy, continence nurse), 289
- Women's health case studies, 169–224
- abdominal pain, 189–191
  - abdominal pain and weight gain, 213–218
  - contraception, 219–224
  - fatigue and joint pain, 193–196
  - headache, 171–173
  - insomnia, 205–208
  - muscle tenderness, 197–200
  - night sweats, 175–188
  - urinary frequency, 201–203
  - vaginal itching, 209–211
- Wood lamp examination, 96
- World Health Organization, osteoporosis diagnostic criteria, 335
- Wound, ostomy, continence nurse (WOCN), 289
- Wrist pain and swelling case study, 295–298
- critical thinking, 296–297
  - objective, 296
  - resolution, 297–298
  - subjective, 295–296
- Xerosis, 371, 373–374
- Zoledronic acid, for osteoporosis, 336