

# Index

Note: *Italicized page locators indicate illustrations; tables are noted with t.*

- AAOMR. *See* American Academy of Oral and Maxillofacial Radiology
- ACF. *See* Anterior cranial fossa
- acromegaly, 43
- acute maxillary sinusitis, common cold and, 47, 48
- acute sinusitis, 47–48  
definition/clinical characteristics/  
radiographic description, 47  
differential interpretation/treatment/  
recommendation, 48  
treatment for, 49
- ADA. *See* American Dental Association
- adenoidal hyperplasia  
definition/clinical characteristics/  
radiographic description, 81  
differential interpretation/treatment, 81  
mild, sagittal slice showing, 82  
moderate, sagittal slice showing, 82
- adenoids, involution of, 81
- agger nasi cells, 41, 43, 70  
directly medial to the orbits, coronal slices  
showing, 73  
left, coronal slices of, 71  
pneumatization of, 72  
sagittal slice slightly lateral to midline  
showing, 65  
type 1 frontal cell directly medial to the  
right orbit and superior to, 73  
type 1 frontal cell directly superior to,  
coronal slice showing, 73  
type 2 frontal cells superior to, coronal  
and sagittal slices showing, 74
- alar-facial junction, 60
- alar lobule, 59
- aliasing, 9
- allergic rhinitis, chronic sinusitis and, 48
- allergic sinusitis, definition/clinical  
characteristics/radiographic  
description, 49
- American Academy of Oral and  
Maxillofacial Radiology  
CBCT recommendations of, 26  
imaging recommendations of  
initial examination, 167–168  
postoperative imaging, 169  
preoperative site-specific imaging,  
168–169  
interpretation of cone beam computed  
scan, 27–28  
prescribing cone beam computed  
tomography scan, 26  
use of cone beam computed tomography  
scan, 26–27  
website, 189
- American Dental Association, CBCT  
recommendations of, 26
- amucopyoceles, 55
- anaerobes, chronic sinusitis and, 48
- aneurysmal bone cysts, in  
temporomandibular joints, 165
- ankylosis, TMJ  
definition/clinical characteristics, 164–165  
differential interpretation, 165  
radiographic description, 165  
treatment of, 165

*Interpretation Basics of Cone Beam Computed Tomography*, First Edition.

Edited by Shawneen M. Gonzalez.

© 2014 John Wiley & Sons, Inc. Published 2014 by John Wiley & Sons, Inc.

- ANs. *See* Agger nasi cells
- anterior arch of C1
- axial view at level of inferior aspect of maxillary sinuses showing, 124
  - coronal view at aspect of auditory canal showing, 126
- anterior articular eminence, sagittal slice showing, 144
- anterior clinoid process
- axial slice at level of midorbits showing, 86
  - axial views with corresponding figures, 88*t*
  - coronal slice at aspect of coronoid process showing, 89
  - coronal views with corresponding figures, 91*t*
  - sagittal slice at lateral aspect of posterior teeth showing, 92
  - sagittal views with corresponding figures, 93*t*
- anterior cranial fossa, 44
- axial slice at level of midorbits showing, 104
  - axial slice at level of superior aspect of orbits showing, 104
  - coronal slice at midmaxillary sinus and midorbits showing, 107
  - coronal slice at posterior aspect of orbits showing, 107
  - sagittal slice at lateral aspect of nasal cavity showing, 110
  - sagittal slice on midline showing, 111
- anterior ethmoidal complex, 42
- anterior maxilla, facial concavity in, reconstructed pantomograph and cross-sectional slices showing, 22
- anterior ostiomeatal unit, obstruction of, anatomical variations and, 41
- antral polyps, 51
- antral pseudocysts, 50
- antral retention pseudocysts, 51
- antroliths
- coronal slices showing, 54
  - definition/clinical characteristics, 53
  - differential interpretation, 53
  - in left maxillary sinus, axial slice showing, 54
  - radiographic description, 53
  - sagittal slice showing, 54
  - treatment/recommendations for, 55
- antrum, 45
- apicoectomy, periapical radiograph showing, after findings on CBCT scan, 16
- articular eminence, 146
- artifacts, 9
- motion, 11
  - ring, 11
  - streak, 10
- aspirin intolerance, polyps and, 79
- atelectatic uncinata process, 70
- atherosclerotic plaques
- of carotid artery, 137
  - of internal carotid artery, 114
  - of vertebral (basilar) artery, 116
- axial view, multiplanar reformation, 6
- bacterial sinusitis, treatment for, 49–50
- bacteroides, chronic sinusitis and, 48
- “balloon on a string” appearance, in type 4 frontal cells, 73
- basal cell nevus syndrome, 98
- basal lamella, 44
- basisphenoid-basiocciput synchondrosis. *See* Spheno-occipital synchondrosis
- benign cyst of the antrum, 50
- benign mucosal cyst of the sinus, 50
- benign mucous cyst, 50
- benign tumors of TMJ
- definition/clinical characteristics, 165
  - differential interpretation, 165
  - radiographic description, 165
  - treatment for, 165
- bifid condyle
- axial slice showing notching of right condyle consistent with, 151
  - definition/clinical characteristics/radiographic description, 151
  - differential interpretation, 151
  - sagittal slice showing notching on superior aspect of condyle, 151
  - treatment for, 152
- bilaminar zone, 146
- bilateral cleft palate, axial view of, 12
- Boering’s arthrosis. *See* Juvenile arthrosis (Boering’s arthrosis)
- bone erosions
- between bodies of C3 and C4, sagittal and coronal views of, 136
  - on vertebral surfaces, 135
- bone graft assessment, CBCT imaging and, 12
- bone loss
- anterior mandible, axial, sagittal, and coronal views of, 19
  - axial, sagittal, and coronal views showing extent of, 20
  - with impacted mandibular right third molar, consistent with dentigerous cyst, 20

- bone setting, 3D rendered view with, 9
- bony ankylosis, 165
- bony pathosis, CBCT imaging and, 16
- bony spur formation, left-sided, axial slice showing, 67
- bony variations, orbits, displacement of lamina papyracea, 118
- brain, soft tissue of
  - incidental calcifications, 108, 110–114
    - choroid plexus calcification, 108, 110–111
    - dural calcifications, 112–113
    - pineal gland calcification, 113
  - pathosis
    - cavernous carotid artery calcification, 114–116
    - vertebral (basilar) artery calcification, 116–118
- bullae ethmoidalis, 42
- bulla lamella, 72
- calcifications, brain
  - cavernous carotid artery calcification, 114–116
  - choroid plexus calcification, 108–111
  - dural calcification, 112–113
  - pineal gland calcification, 113
  - vertebral (basilar) artery calcification, 116–118
- calcium pyrophosphate dihydrate deposition disease, 161
- Caldwell-Luc procedure, definition/radiographic description, 57
- canine, impacted, dentigerous cyst associated with, 17
- carotid artery calcifications
  - bilateral
    - axial slice showing as ovoid radiopaque entities posterolateral of sphenoid sinuses, 115
    - axial view showing, 140
    - coronal slice at posterior aspect of ramus showing, 116
    - coronal slice at posterior aspect of ramus showing as curved radiopaque entities lateral to SS and medial to posterior clinoid process, 116
    - coronal view showing, 139
      - as curved radiopaque entities, 115
    - definition/clinical characteristics, 137
    - differential interpretation, 139
    - radiographic description, 138
    - sagittal slice lateral to midline showing as two curved radiopaque lines posterior to sphenoid sinuses, 116
    - treatment/recommendations, 139
    - unilateral
      - axial view showing, 140
      - sagittal view showing, 139
- carotid canal
  - axial slice at level of inferior orbit/superior maxillary sinus showing, 87
  - axial views with corresponding figures, 88*t*
- cavernous carotid artery calcifications, 114–116
  - definition/clinical characteristics, 114
  - differential interpretation, 115
  - radiographic description, 114–115
  - treatment/recommendations, 116
- cavernous sinuses, 44
- CBCT. *See* Cone beam computed tomography
- CBCT data
  - viewing, 6, 6
    - 3D rendering, 6, 9
    - multiplanar reformation, 6
- CBCT imaging
  - developing dentition, 12, 15
    - cleft palate and bone graft assessment, 12
    - localization of impacted teeth, 12, 15
  - restoring the dentition, 15–16, 22
    - periapical pathosis, 15
    - root fractures, 16
  - surgical applications, 16, 22
    - bony pathosis, 16
    - implants, 16
- CBCT scans, sample reports of areas captured on, 177–187
- cephalometric skull, sample reconstructed lateral, 7
- cervical myelopathy, 135
- cervical spine
  - degenerative joint disease in, 134–135
  - soft tissues of
    - axial figures, 123, 124, 125
    - coronal figures, 126, 127
    - sagittal figures, 128
- cervical vertebrae
  - coronal slice at body of, showing mastoid air cells, 34
  - developmental anomalies, 129–134
    - clefts, 129–130
    - congenital block vertebrae (C2–C3), nonsegmentation, 133, 134
    - os terminale (C2), 130–131

- cervical vertebrae (*cont'd*)
  - subdental synchondrosis (C2), 132–133
  - motion artifact of, sagittal and axial views, 11
- pathosis, 134–140
  - bone erosions, 135
  - carotid artery calcification, 137–139, 140
  - degenerative joint disease, 134–135
  - facet hypertrophy, 136–137
  - intervertebral joint space narrowing, 135
  - osteophytes, 135
  - subchondral cysts, 135
- C4
  - coronal view at aspect of posterior cranial base showing portions of, 127
  - sagittal view at lateral aspect of maxillary posterior teeth showing portions of, 128
- chondroblastoma, in temporomandibular joints, 165
- chondrocalcinosis in TMJ
  - definition/clinical characteristics, 161
  - differential interpretation, 162
  - radiographic description, 162
  - treatment, 162
- choroid plexus calcifications, brain
  - axial slice at level of superior midorbital region showing, 114
- bilateral
  - axial slice at level of midorbits showing, 111
  - coronal slice at aspect of posterior cervical vertebrae showing, 112
  - coronal slice at posterior to cervical vertebrae showing, 112
  - definition/clinical characteristics, 108
  - differential interpretation, 111
  - radiographic description, 110
- chronic sinusitis
  - definition/clinical characteristics/radiographic description, 48
  - differential interpretation/treatment/recommendations, 48
  - treatment for, 50
- cleft lip, cervical vertebral clefts and patients with, 129
- cleft palate
  - bilateral, axial view of, 12
  - CBCT imaging and assessment of, 12
  - cervical vertebral clefts and patients with, 129
  - coronal view showing discontinuity of nasal cavity associated with, 12
- clefts (C1)
  - anterior arch, axial view showing in 4 year 11 month old, 129
  - anterior arch, coronal view showing in 5 year 11 month old, 129
  - definition/clinical characteristics, 129
  - differential interpretation, 129
  - radiographic description, 129
  - single anterior, axial view showing in 20 year old, 130
  - single anterior, coronal view showing in 20 year old, 130
  - single posterior, axial view showing, 130
  - single posterior, coronal view showing, 130
  - treatment/recommendations, 130
- clivus/basisphenoid
  - sagittal slice on midline showing, 93
  - sagittal views with corresponding figures, 93*t*
- clivus/occipital bone
  - axial slice at level of midmaxilla showing mastoid process with, 87
  - axial views with corresponding figures, 88*t*
  - sagittal slice on midline showing, 93
  - sagittal views with corresponding figures, 93*t*
- columella, 59, 60
- common cold, acute maxillary sinusitis and, 47, 48
- computed tomography, conventional, 3–4
- concha, levels in, 39
- concha bulla, deviated, chronic sinusitis and, 48
- concha bullosa, 42
  - classifications of, 68–69
  - coronal slice showing, 68
  - of right middle concha, axial slices showing, 69
  - of right middle concha, coronal slice showing, 68
  - sagittal slice showing, 69
- condylar aplasia, 148
- condylar fractures, 164
- condylar hyperplasia
  - definition/clinical characteristics/radiographic description of, 149
  - differential interpretation of, 149
  - right, coronal slice showing, 150
  - right, reconstructed pantomograph showing, 150

- 3D reconstruction showing mandibular asymmetry, 150
- treatment for, 149
- condylar hypoplasia
  - definition/clinical characteristics/ radiographic description of, 148
  - differential interpretation of, 148
  - reconstructed pantomograph showing, 148
  - treatment recommendations for, 148
- condylar morphology, normal, sagittal and coronal slices showing, 154
- condyles, 146
  - axial slice at level of, 64
  - axial slice showing, 145
  - coronal slice at, showing posterior aspect of sphenoid sinuses, 34
  - coronal slice showing, 144
  - coronal slices showing various shapes of, 145
  - cross-sectional slices with axial view and reconstructed pantomograph, 8
  - flattening of, coronal slice showing, 155
  - right and left, cross-sectional slices of, 149
  - sagittal slice showing, 144
- C1
  - anterior arch of, axial view at level of inferior aspect of maxillary sinuses showing, 124
  - anterior arch of, coronal view at aspect of auditory canal showing, 126
  - clefts, 129, 129–130, 130
  - coronal view at aspect of mastoid air cells showing, 126
  - coronal view at aspect of posterior cranial base showing, 127
  - coronal view showing, 127
  - sagittal view at lateral aspect of maxillary posterior teeth showing, 128
  - sagittal view on midline showing, 128
- cone beam computed tomography. *See also* Legal issues with cone beam computed tomography
  - general information about, 4
  - Hounsfield units and, 171
  - implants, linear measurement accuracy and, 169
  - resources for, 189–190
  - sinus disease evaluation and, 45
- ConeBeam website, 189
- congenital block vertebrae (C2–C3), nonsegmentation, 133, 134
- coronal view showing, 134
- coronal view showing, left lateral process of C2 and C3, 134
- definition/clinical characteristics, 133
- differential interpretation, 133
- radiographic description, 133
- sagittal view showing, lateral processes of C2 and C3, 134
- treatment/recommendations, 133
- conventional CT *vs.* cone beam CT, 4
  - field of view, 4
  - radiation doses, 4
  - voxels, 4
- coronal view, multiplanar reformation, 6
- coronoid hyperplasia
  - definition/clinical characteristics/ radiographic description, 151
  - differential interpretation, 151
  - treatment/recommendations for, 151
- corynebacteria, chronic sinusitis and, 48
- cranial nerve V, 44, 81
- cranial skull base, 85–101
  - anatomical variants, 94–95
    - interclinoid ligament calcification, 98
    - petroclinoid ligament calcification, 100–101
    - vascular markings, 97
- anatomy, 85, 86, 87
  - axial, 85, 86, 87, 88t
  - coronal, 88, 88, 89, 90, 91t
  - sagittal, 91, 91, 92, 93, 93t
- incidental findings, developmental appearances, 93–94
- cranial thickness
  - definition/clinical characteristics, 94
  - differential interpretation, 95
  - radiographic description, 94–95
- craniomandibular articulation, 146
- cranium
  - thick, axial slice at level of midorbits showing, 96
  - thick, coronal slice at level of angle of mandible showing, 96
  - thin, axial slice at level of midorbits showing, 96
- cribriform plate, 44
  - coronal slice at lateral aspect of orbits showing, 89
- coronal views with corresponding figures, 91t
- sagittal slice on midline showing, 93
- sagittal views with corresponding figures, 93t
- cricopharyngeus, 83

- crista galli
  - axial slice at level of superior aspect of orbits showing, 86
  - axial views with corresponding figures, 88*t*
  - coronal slice at lateral aspect of orbits showing, 89
  - coronal views with corresponding figures, 91*t*
- CT. *See* Computed tomography
- C3
  - axial view at level of hyoid bone showing entire arch of, 125
  - coronal view at aspect of mastoid air cells showing, 126
  - coronal view at aspect of posterior cranial base showing, 127
  - coronal view showing, 127
  - sagittal view at lateral aspect of maxillary posterior teeth showing, 128
  - sagittal view on midline showing, 128
- C2
  - axial view at level of mandibular teeth at cemento-enamel junction showing entire arch of, 125
  - coronal view at aspect of auditory canal showing AP-C1 and portions of body of, 126
  - coronal view at aspect of mastoid air cells showing, 126
  - coronal view at aspect of posterior cranial base showing, 127
  - coronal view showing, 127
  - odontoid process of, axial view at level of inferior aspect of maxillary sinuses showing, 124
  - odontoid process of, axial view at level of mandibular foramina showing, 124
  - os terminale, 130–131, 131
  - sagittal view at lateral aspect of maxillary posterior teeth showing, 128
  - sagittal view on midline showing, 128
  - subdental synchondrosis, 131, 132, 132–133
- C2-C3 junction, congenital block vertebrae at, 133, 134
- cystic fibrosis
  - chronic sinusitis and, 48
  - polyps and, 79
- Daubert v. Merrell Dow*, 25, 26
- degenerative joint disease, 134–135, 150
  - definition/clinical characteristics, 134–135
  - radiographic classification of, 138*t*
  - radiographic description, 135
  - in TMJ
    - definition/clinical characteristics, 153
    - differential interpretation, 154
    - moderate, sagittal and coronal slices showing, 154
    - moderate of left condyle, sagittal and coronal slices showing, 154
    - radiographic description, 153–154
    - severe, sagittal and coronal slices showing, 154
    - treatment/recommendations for, 155
- dental infections, chronic sinusitis and, 48
- dental X-ray units, AAOMR recommended use of, 27
- dentigerous cysts
  - associated with impacted canine, 17
  - bitewing radiographs and pantomograph showing bone loss with impacted right third molar consistent with, 20
  - reconstructed pantomograph and cross-sectional slices showing width of, 21
- dentition, restoring, CBCT imaging and, 15–16, 22
- “dentocentral ghost,” 133
- diabetes mellitus
  - carotid artery calcification and, 137
  - cavernous carotid artery calcification and, 114
  - vertebral (basilar) artery calcification and, 116
- diplopia, mucocele and, 55
- direct volume rendering, 6
- disc displacement
  - causes of, 153
  - of temporomandibular joint, 152
- dislocation of TMJ
  - definition/clinical characteristics, 163
  - differential interpretation, 163
  - radiographic description, 163
  - treatment for, 163
- DJD. *See* Degenerative joint disease
- Draf type I surgery, 75
  - coronal slice showing, 76
  - sagittal slice showing, 76
- Draf type II procedure, 76
- Draf type III procedure, 76
- dural calcifications, brain
  - axial slice at level of superior midorbital region showing, 112
  - definition/clinical characteristics, 112
  - differential interpretation, 113

- radiographic description, 112
  - single, coronal slice at level of ramus showing, 113
  - single, sagittal slice at level of ramus showing, 113
- EAC. *See* Ethmoid air cells
- EADMR. *See* European Academy of DentoMaxilloFacial Radiology
- EB. *See* Ethmoid bulla
- effusion, trauma to TMJ
  - definition/clinical characteristics, 163
  - differential interpretation, 163
  - radiographic description, 163
  - treatment, 163
- Ely cyst, 153
- empyema, definition/clinical characteristics/
  - radiographic description, 53
- endoscopic frontal recess approach (Draf Type 1 procedure), 75
- epitympanum, 45
- erosive differential, radiographic, 154
- ethmoid air bulla, variations in size and shape of, 41
- ethmoid air cells, 39, 42
  - anatomical landmarks for, 39*t*
  - anterior, drainage from, 39–40
  - anterior, drainage pathway for, 60
  - axial slice at level of midorbits showing, 35
  - coronal slice of, 32
  - coronal slice at maxillary second molars showing, 33
  - right, axial slice showing mucocoele of, 56
  - right, coronal slice showing mucocoele of, 56
  - sagittal slice just lateral to midline showing, 38
  - sagittal slice showing mucocoele of, 56
- ethmoidal infundibulum, frontal sinus drainage into, 43
- ethmoidal sinuses, mucocoeles in, 55
- ethmoid bone, 31, 60
  - anatomical landmarks identifiable on axial views with corresponding figures, 88*t*
  - anatomical landmarks identifiable on coronal views with corresponding figures, 91*t*
  - anatomical landmarks identifiable on sagittal views with corresponding figures, 93*t*
  - perpendicular plate of, 60
- ethmoid bulla, 43, 44
  - coronal slice of, 32
- ethmoid cells, location and formation of, 42
- ethmoid sinus, acute sinusitis in, 47
- ethmoid sinusitis, 49
- European Academy of DentoMaxilloFacial Radiology
  - basic principles about CBCT in dentistry
  - interpretation of cone beam computed tomography scan, 29
  - prescribing cone beam computed tomography scan, 28
  - use of cone beam computed tomography scan, 28–29
  - website, 189
- Eustachian tubes, 45, 80
- extended frontal sinusotomy (Draf type II procedure), 76
- external auditory meatus, sagittal views with corresponding figures, 93*t*
- extracapsular fractures, classification of, 164
- eye, axial slice at level of midorbits showing globe of, 104
- facet hypertrophy
  - definition/classification of, 136
  - differential interpretation of, 136
  - left, axial view showing, 138
  - treatment/recommendations for, 137
- facial concavity, reconstructed
  - pantomograph and cross-sectional slices showing, in anterior maxilla, 22
- false ankylosis, 164
- false cyst, 50
- faucial pillars, 83–84
- females
  - degenerative joint disease in TMJ and, 153
  - osteoarthritis in TMJ and, 155
  - rheumatoid arthritis in, 157
- FESS. *See* Functional endoscopic sinus surgery
- fibromyxoma, in temporomandibular joints, 165
- fibrous ankylosis, 165
- fibrous capsule, temporomandibular joint and, 146
- field of view
  - for bony pathosis, 16
  - cleft palate and bone graft assessment, 12
  - conventional CT *vs.* cone beam CT, 4
  - for detecting periapical pathosis, 15
  - large, from anteroposterior view, 5
  - large, from lateral view, 5



- field of view (*cont'd*)
  - for localization of impacted teeth, 15
  - medium, from anteroposterior view, 5
  - medium, from lateral view, 5
  - for root fractures, 16
  - small, from anteroposterior view, 5
  - small, from lateral view, 5
- first premolar, impacted, pantomograph and periapical radiographs showing
  - canine and, with dentigerous cyst, 17
- foramen lacerum
  - axial slice at level of inferior orbit/superior maxillary sinus showing, 87
  - axial views with corresponding figures, 88*t*
  - coronal slice at posterior aspect of ramus showing, 90
  - coronal views with corresponding figures, 91*t*
- foramen magnum
  - axial slice at level of midmaxilla showing mastoid process with, 87
  - axial views with corresponding figures, 88*t*
- foramen rotundum
  - coronal slice at aspect of coronoid process showing, 89
  - coronal views with corresponding figures, 91*t*
- fossa of Rosenmuller, 81
- FOV. *See* Field of view
- fovea ethmoidalis, 42, 70
- fractures
  - in teeth, evaluating for, concerns related to, 16
  - temporomandibular joint
    - definition/clinical characteristics, 164
    - differential interpretation, 164
    - neonatal, 164
    - radiographic description, 164
- frontal bone, 31
  - anatomical landmarks identifiable on axial views with corresponding figures, 88*t*
  - anatomical landmarks identifiable on coronal views with corresponding figures, 91*t*
  - anatomical landmarks identifiable on sagittal views with corresponding figures, 93*t*
- frontal bullar cells, 72, 74
- frontal cells
  - Kuhn classification and types of, 72–74
  - location and development of, 43–44
  - type 1, 72
    - directly medial to right orbit and superior to agger nasi cell, coronal slice showing, 73
    - directly superior to agger nasi cell and lateral to frontal recess, coronal slice showing, 73
  - type 2, 73
    - superior to an agger nasi cell, coronal and sagittal slices showing, 74
  - type 3, 74
  - type 4, 73–74
  - variations in size and shape of, 41
- frontal recess, 41
  - anatomy of, 71–75
    - agger nasi cell, 72
    - frontal bullar cell, 74
    - frontal cells, 72–74
    - interfrontal sinus septal cell, 75
    - overview, 71–72
    - suprabullar cells, 74–75
    - supraorbital ethmoid cells, 74
  - coronal slice of ostiomeatal unit showing, 62
  - coronal views of, with corresponding figures, 66*t*
  - FESS failure in, 76
  - obstruction of, other causes of, 79
  - sagittal slice slightly lateral to midline showing, 65
  - scarring and inflammatory mucosal thickening in, 78–79
  - stenosis after FESS and, 78
- frontal recess cells
  - clinical relevance of, 72
  - residual, postoperative, 76
- frontal recess drainage, effect of superior attachment of uncinate process on, 77
- frontal recess obstruction, clearing, 72
- frontal sinus disease, type 4 frontal cells and, 74
- frontal sinuses
  - anatomical landmarks for, 39*t*
  - axial slice at level superior to orbits showing, 86
  - axial views with corresponding figures, 88*t*
  - coronal slice at anterior aspect of nasal cavity showing, 88*t*
  - coronal slice at anterior opening of nasal cavity and, 32



- coronal views with corresponding figures, 91*t*
- drainage from, 39, 40, 43
- location and development of, 42–43
- mucocoeles in, 55
- sagittal slice on midline showing, 38, 93
- sagittal views with corresponding figures, 93*t*
- surgical variations for, 75–77
- Fry v. United States*, 25, 26
- FS. *See* Frontal sinuses
- functional endoscopic sinus surgery, 78
  - failure in frontal recess, 76
  - revision, recurrent polyposis and, 79
  - scarring and inflammatory mucosal thickening after, 78–79
- fungal sinusitis
  - allergic, polyps and, 79
  - definition/clinical characteristics/radiographic description, 49
- fusobacteria, chronic sinusitis and, 48
- gender
  - degenerative joint disease in TMJ and, 153
  - osteoarthritis in TMJ and, 155
  - rheumatoid arthritis and, 157
- General Health Report, 178–179
  - interpretation, 179
  - radiology report, 178
  - reconstructed pantomograph slice, 178
- giant cell lesions, in temporomandibular joints, 165
- glenoid fossa, 146
- globe of eye
  - axial slice at level of midorbits showing, 104
  - sagittal slice at lateral aspect of angle of mandible showing, 110
- goblet cells, 32
- grey values, implant imaging and, 170
- Haller cells, 41
  - bilateral, coronal slice showing, 41
- hard palate, 80
- helical/spiral (fifth generation) CT units, 3
- hemifacial microsomia
  - definition/clinical characteristics of, 147–148
  - radiographic description of, 148
- hiatus semilunaris, 44
- horizontal root fractures
  - CBCT imaging and, 16
  - cross-sectional slices showing, 18
- Hounsfield, Godfrey, 3
- Hounsfield units (HU)
  - implant imaging and, 170–171
  - for various tissues frequently captured on CBCT scan, 171*t*
- hyoid bone, 83
- hypercholesterolemia
  - carotid artery calcification and, 137
  - cavernous carotid artery calcification and, 114
  - vertebral (basilar) artery calcification and, 116
- hyperostosis, 78
- hyperostosis frontalis interna, 95
- hypertension
  - carotid artery calcification and, 137
  - cavernous carotid artery calcification and, 114
  - vertebral (basilar) artery calcification and, 116
- hypopharynx, 80, 83
- hypoplastic sinuses, 39
- IC. *See* Inferior concha
- IM. *See* Inferior meatus
- impacted canine, dentigerous cyst associated with, 17
- impacted teeth, localization of, CBCT imaging and, 12, 15
- Implant Report, 184–187
  - coronal slice showing inspissated mucous, 187
  - cross-sectional slices left maxilla, 186
  - interpretation, 187
  - radiology report, 184, 184, 185
- implants, 167–174
  - CBCT imaging and, 16
  - close-up of cross-sectional slices with measurements, 170
  - cross-sectional slices through anterior maxilla with spacing and measurements, 170
  - grey values and Hounsfield units, 170–171
  - imaging for, 167–169
    - initial exam, 167–168
    - postoperative, 169
    - preoperative site-specific, 168–169
  - linear measurement accuracy, 169
  - mandibular canal and, 171–172
  - virtual implant placement software, 172
- incinate bulla, 70
- indirect volume rendering, 6

- inferior concha, 39, 60
  - axial slice at level of inferior aspect of maxillary sinuses showing, 63
  - axial views of, with corresponding figures, 66*t*
  - coronal slice of maxillary premolar showing, 61
  - coronal slice of ostiomeatal unit showing, 61, 62
  - coronal slice of posterior aspect of maxillary sinuses showing, 63
  - coronal slice of zygomatic process of maxilla showing, 62
  - coronal views of, with corresponding figures, 66*t*
  - sagittal slice slightly lateral to midline showing, 65
- inferior meatus
  - axial slice at level of inferior aspect of maxillary sinuses showing, 63
  - axial views of, with corresponding figures, 66*t*
  - coronal slice of maxillary premolar showing, 61
  - coronal slice of ostiomeatal unit showing, 61, 62
  - coronal slice of posterior aspect of maxillary sinuses showing, 63
  - coronal slice of zygomatic process of maxilla showing, 62
  - coronal views of, with corresponding figures, 66*t*
  - nasolacrimal duct drained via, 40, 40
  - sagittal slice slightly lateral to midline showing, 65
- inferior turbinate, 60
- inflammatory diseases, 77–79
  - osteoneogenesis, 78
  - other causes of frontal recess obstruction, 79
  - of paranasal sinuses, 45–49
    - acute sinusitis, 47–48
    - allergic sinusitis, 49
    - causes of, 45
    - chronic sinusitis, 48
    - fungal sinusitis, 49
    - mucositis, 46–47
    - sinusitis, 47
  - proper interpretation of CT scans and, 79
  - recurrent polyposis, 79
  - scarring and inflammatory mucosal thickening, 78–79
  - sinusitis, 78
- infraorbital ethmoid cells, 41
- infundibulum, 41, 42, 43, 44, 60
- inspired air, journey of, through nasal cavity, 60
- interclinoid ligament calcification
  - axial slice at level of midorbits showing bilateral radiopaque bands of sella turcica consistent with, 99
  - axial slice at level of midorbits showing right radiopaque band of sella turcica consistent with, 99
  - definition/clinical characteristics, 98
  - radiographic description, 98
  - sagittal slice just lateral to midline showing radiopaque line covering superior aspect of sella turcica consistent with, 98
- interfrontal sinus septal cells, 72, 75
- internal derangements
  - defined, 152
  - of temporomandibular joint, 152–153
- interstitial cyst, 50
- intervertebral joint space
  - asymmetrical, sagittal view on midline showing, 136
  - narrowing, 135
  - normal, sagittal view on midline showing between bodies of C2–C3–C4, 135
- intracapsular disc, of temporomandibular joint, 147
- InVivo software
  - close-up of grey levels and Hounsfield units for selected bone with use of, 171
  - coronal view showing sample bone area of bone selected for Hounsfield unit calculation with use of, 171
  - implant screen using, with corresponding axial and single cross-sectional slice and Hounsfield units, 174
- ipsilateral sinus disease, concha bullosa and, 69
- isotropic voxels, 4
- jaws
  - cross-sectional slices with axial view and reconstructed pantomograph, 8
  - temporomandibular joint and movement of, 147
- jugular foramen
  - coronal slice at posteriormost aspect showing, 90
  - coronal views with corresponding figures, 91*t*

- juvenile arthritis in TMJ
  - coronal and axial slices showing erosions
    - in superior aspect of right/left condyles in patient with, 159
  - definition/clinical characteristics, 159
  - radiographic description, 159
- juvenile arthrosis (Boering's arthrosis)
  - definition/clinical characteristics/
    - radiographic description, 149–150
  - differential interpretation of, 150
  - treatment/recommendations for, 150
- juvenile chronic arthritis, 159
- juvenile rheumatoid arthritis, 159
- keratinizing squamous cell carcinoma (Type I), 81
- Klippel-Feil syndrome (KFS), type 2, 133
- Koerner's septum, 45
- Kuhn classification, of frontal cells, 72–74
- lamellae, ethmoid sinuses, 42
- lamellar concha, 68, 69
  - at attachment of right and left middle conchae, paradoxical curvature of right and left middle conchae with, 68
  - bilateral, coronal slice showing, 70
  - coronal slice showing, 68
- lamina papyracea, 42, 43, 44, 70, 72
  - displacement of
    - definition/clinical characteristics, 118
    - differential interpretation, 118
    - left-sided, toward ethmoid air cells, 119
    - radiographic description, 118
    - right-sided, axial slice at level of midorbits showing, 119
    - right-sided lateral, toward orbit, 119
    - right-sided medial, coronal slice at posterior orbits showing, 119
    - treatment/recommendations, 118
- lamina terminalis, 70
- Langerhans cell histiocytosis, in
  - temporomandibular joints, 165
- laryngopharynx, 83
- “lateral fanning” attachments, 44
- lateral nasal wall, 39
- legal issues with cone beam computed tomography, 25–29
  - European Academy of
    - DentoMaxilloFacial Radiology-basic principles, 28–29
    - interpretation of cone beam computed tomography scan, 29
  - prescribing cone beam computed tomography scan, 28
  - use of cone beam computed tomography scan, 28–29
  - recommendations--United States, 26–27
  - standard of care, 25–26
- levatorvelli palatine muscle, 80
- licensure, violations of standard of care and loss of, 25
- linear measurement accuracy, imaging for implants and, 169
- lingual concavity, reconstructed
  - pantomograph and cross-sectional slices showing, in posterior mandible, 21
- lymphangiectatic cyst, 50
- malar bone, 38
- males
  - degenerative joint disease in TMJ and, 153
  - osteoarthritis in TMJ and, 155
  - rheumatoid arthritis and, 157
- malignant tumors, of TMJ, 166
- malpractice, violations of standard of care and, 25
- mandible
  - anterior, odontogenic myxoma in,
    - periapical and pantomograph radiographs showing, 18
  - temporomandibular joint and, 143
- mandibular canal
  - anterior extension of, reconstructed
    - pantomograph from CBCT scan showing, 171, 171–172
  - cross-sectional views of, 173
  - implant placement and, 171–172
  - reconstructed pantomograph and cross-sectional slices showing, 21
  - reconstructed pantomograph showing, 13
  - right and left, reconstructed
    - pantomograph from CBCT showing, 172
  - rotated sagittal view showing as
    - radiolucent band with thin radiopaque borders, 173
- mandibular condyle, 143
- mandibular fossa, 146
  - coronal slice showing, 144
  - sagittal slice showing, 144
- mandibular incisive canal, 171
- mandibular third molars, impacted,
  - reconstructed pantomograph showing, 13

- mandibulofacialdysostosis, 39
- Marcilan website, 189
- mastoid air cells
  - anatomical landmarks for, 39*t*
  - axial slice at level of hard palate showing small portion of, 36
  - axial slice at level of inferior aspect of orbits and cranial skull base showing, 35
  - axial slice at level of midmaxilla showing mastoid process with, 87
  - coronal slice at aspect of mastoid process showing mastoid process with, 90
  - coronal slice at body of cervical vertebrae showing, 34
  - development of, 45
  - sagittal slice at condyle showing, 37
  - sagittal slice at lateral aspect of mastoid process showing mastoid process with, 91
- mastoid process, 45
  - axial views with corresponding figures, 88*t*
  - coronal views with corresponding figures, 91*t*
  - sagittal views with corresponding figures, 93*t*
- maxillary bone, 31
- maxillary canines
  - with external resorption on lingual aspect of lateral incisor, cross-sectional slices of, 15
  - impacted, CBCT imaging of, 12, 14
  - impacted, reconstructed pantomograph and cross-sectional slices showing location of, 14
- maxillary first molar, sagittal view showing distal dilaceration of mesiobuccal root of, with short endodontic filling and rarefying osteitis, 16
- maxillary left third molar, impacted, reconstructed pantomograph and cross-sectional slices showing location of, 14
- maxillary sinuses, 34–35, 38–39
  - anatomical landmarks for, 39*t*
  - antroliths within, 53
  - axial slice at level of condyles showing, 36
  - axial slice at level of hard palate showing, 36
  - axial slice at level of inferior aspect of, 63
  - axial slice at level of inferior aspect of orbits and cranial skull base showing, 35
  - axial slice at midlevel of, 64
  - coronal slice of, 32
  - coronal slice at maxillary second molars showing, 33
  - coronal slice of posterior aspect of, 63
  - drainage from, 39, 40
  - drainage pathway for, 60
  - growth and development of, 38–39
  - Haller cell with mucosal thickening at superior aspect of, 41
  - inflammation of, Caldwell-Luc procedure for, 57
  - left, coronal slice showing thickened bone border of, 48
  - medial wall of, 43
  - mucous retention pseudocysts in, 50
  - retention cyst of, 50
  - right, coronal slice showing radiopacification of compared to air-filled left maxillary sinus, 47
  - sagittal slice at maxillary teeth buccal roots showing, 37
- maximum intensity projection, 6
  - cleft palate and bone graft assessment, 9
- MC. *See* Middle concha
- MCF. *See* Middle cranial fossa
- medial wall of maxillary sinus, 43
- medical X-ray units, AAOMR recommended use of, 27
- membranous septum, 60
- mesothelial cyst, 50
- metallic restorations, 9
  - axial view showing streak artifact due to, 10
  - coronal view showing streak artifact due to, as multiple horizontal lines, 10
- metallic streak artifact, axial view with, and aliasing scan as linear radiolucent lines throughout image, 10
- MF. *See* Mandibular fossa
- middle conchae, 39, 44, 60
  - axial slice at level of condyles showing, 64
  - axial slice of inferior orbits showing, 65
  - axial views of, with corresponding figures, 66*t*
  - coronal slice of maxillary premolar showing, 61
  - coronal slice of ostiomeatal unit showing, 61, 62
  - coronal slice of posterior aspect of maxillary sinuses showing, 63
  - coronal slice of zygomatic process of maxilla showing, 62

- coronal views of, with corresponding figures, 66*t*
- left, coronal slice showing paradoxical curvature of, 68
- sagittal slice slightly lateral to midline showing, 65
- middle cranial fossa
  - axial slice at level of inferior orbit and superior maxillary sinus showing, 105
  - axial slice at level of midorbits showing, 104
  - coronal slice at posterior aspect of ramus showing, 108
  - sagittal slice at lateral aspect of angle of mandible showing, 110
  - sagittal slice at lateral aspect of mastoid process showing, 109
- middle ear infections, in infancy, 45
- middle lamellae, 42
- middle meatus, 44
  - coronal slice of maxillary premolar showing, 61
  - coronal slice of ostiomeatal unit showing, 61, 62
  - coronal slice of posterior aspect of maxillary sinuses showing, 63
  - coronal slice of zygomatic process of maxilla showing, 62
  - coronal views of, with corresponding figures, 66*t*
  - left-sided bony spur formation at level of, coronal slice showing, 67
  - sagittal slice slightly lateral to midline showing, 65
- middle turbinate
  - anatomical variations of, 65, 67–69
    - concha bullosa, 65, 68–69
    - lamellar concha, 65, 69
    - L-shaped lateral branding, 65
    - medial/lateral displacement, 65
    - paradoxical curvature, 65, 67
    - sagittal transverse clefts, 65
  - concha bullosa and, 68
  - variations in size and shape of, 41
- middle turbinate remnant, lateralized, postoperative, 77
- MIP. *See* Maximum intensity projection
- MM. *See* Middle meatus
- modified Lothrop procedure (Draf type III procedure), 76
- motion artifacts, 11
  - of cervical vertebrae, sagittal and axial views showing, 11
- MPR. *See* Multiplanar reformation
- MS. *See* Maxillary sinuses
- mucocele, 55–56
  - definition/clinical characteristics, 55
  - differential interpretation, 55
  - radiographic description, 55
  - treatment of, 56
- mucoperiosteum, of sinuses, 32
- mucosa, of paranasal sinuses, 32
- mucosal antral cyst, 50
- mucosal thickening, inflammatory, scarring and, 78–79
- mucositis
  - coronal slice showing minimal thickening
    - of mucosal lining in right maxillary sinus consistent with, 46
  - definition/clinical characteristics of, 46
  - differential interpretation for, 46
  - radiographic description of, 46
  - treatment/recommendations, 47
- mucous retention cysts, 50
  - sinus polyposis *vs.*, sagittal slice showing, 52
- mucous retention pseudocysts, 50
- multiplanar reformation, 6
  - axial, coronal, and sagittal planes, 6
  - sagittal view, 6
- myeloradiculopathy, 135
- nasal cavities, 59, 60
- nasal dorsum, 59, 60
- nasal fossa, 34, 38, 59
- nasal septum, 60
  - anatomical variations of, 61, 63
  - axial slice at level of condyles
    - showing, 64
  - axial slice at level of inferior aspect of maxillary sinuses showing, 63
  - axial slice at midlevel of maxillary sinuses showing, 64
  - axial slice of inferior orbits showing, 65
  - axial views of, with corresponding figures, 66*t*
  - coronal slice of maxillary premolar showing, 61
  - coronal slice of ostiomeatal unit showing, 61, 62
  - coronal slice of posterior aspect of maxillary sinuses showing, 63
  - coronal slice of zygomatic process of maxilla showing, 62

- nasal septum (*cont'd*)
  - coronal views of, with corresponding figures, 66*t*
  - deviations in, 41, 61, 63
    - chronic sinusitis and, 48
    - to the right with enlargement of septal cartilage, coronal slice showing, 67
- nasal sidewalls, 59
- nasal tip, 59
- nasal valve, 60
- nasal valve angle, 60
- nasion, 59
  - sagittal slice slightly lateral to midline showing, 65
- nasofrontal duct, 41
- nasofrontal recess, 41
- nasolacrimal duct, 60
  - axial slice at level of condyles showing, 64
  - axial slice at midlevel of maxillary sinuses showing, 64
  - axial slice of inferior orbits showing, 65
  - axial views of, with corresponding figures, 66*t*
  - coronal slice of maxillary premolar showing, 61
  - coronal slice showing drainage from, into inferior meatus, 40, 40
  - coronal views of, with corresponding figures, 66*t*
- nasopharyngeal cancers, 80, 81
- nasopharynx, 80–82
  - anatomy of, 81
  - description of, 80
  - incidental findings, adenoidal hyperplasia, 81–82
- ND. *See* Nasolacrimal duct
- Nebraska, interpretation of CBCT scan in, fictional case, 27–28
- neck. *See* Soft tissue of cervical spine and neck
- neck pain, 135
- negligence, violations of standard of care and, 25
- neonatal fractures, TMJ, 164
- neoplasms, retention pseudocysts and, differential interpretation, 51–52
- NewTom, 4
- nonisotropic voxels, 4
- nonkeratinizing epidermoid carcinoma (Type II), 81
- “nonreducing” disc, TMJ and, 153
- nose
  - subunits of, 59
  - tip of, 59, 60
- NS. *See* Nasal septum
- occipital bone
  - anatomical landmarks identifiable on axial views with corresponding figures, 88*t*
  - anatomical landmarks identifiable on coronal views with corresponding figures, 91*t*
  - anatomical landmarks identifiable on sagittal views with corresponding figures, 93*t*
- occipital condyle
  - sagittal slice at lateral aspect of posterior teeth showing, 92
  - sagittal views with corresponding figures, 93*t*
- odontogenic myxoma
  - in anterior mandible, periapical and pantomograph radiographs showing, 18
  - reconstructed pantomograph and cross-sectional slices showing width of, 19
- odontoid process
  - of C2
    - axial view at level of inferior aspect of maxillary sinuses showing, 124
    - axial view at level of mandibular foramina showing, 124
    - fracture of tip of, 131
- Onodi cells, 43
- OP-C2. *See* Odontoid process of C2
- optic nerves, 44
- oral cavity, 82
- orbits, 44
  - bony variations, 118
  - coronal slice at anterior aspect of maxillary sinuses showing, 106
  - sagittal slice at lateral aspect of nasal cavity showing, 110
- scleral plaques, 119–121
- soft tissue of
  - axial slices, 103, 104, 105, 106
  - coronal slices, 104, 106, 107, 108
  - sagittal slices, 104, 109, 110, 111
- oropharynx, 80, 82–83
- osteitis, 78
- osteoarthritis, 134
  - of temporomandibular joint, 153–155

- osteoarthritis (degenerative arthritis) of TMJ
  - anterior osteophyte formation, cross-sectional slices showing, 156
  - definition/clinical characteristics, 155
  - radiographic description, 155
  - subchondral cyst formation
    - coronal slices showing, 157
    - cross-sectional slices showing, 157
- osteoblastoma, in temporomandibular joints, 165
- osteocartilaginous exostosis, 165
- osteochondroma, 165
  - in temporomandibular joints, 165
- osteochondromatosis, 161
- osteoma, in temporomandibular joints, 165
- osteoneogenesis, 78
- osteophytes, 135
  - formation of, 136
- os terminale (C2)
  - coronal views showing at superior aspect of odontoid process of C2, 131
  - definition/clinical characteristics, 130
  - differential interpretation, 131
  - radiographic description, 130–131
  - sagittal views showing at superior aspect of odontoid process of C2, 131
  - treatment/recommendations, 131
- ostiomeatal complex
  - definition of, 39
  - morphological evaluation in, 40–41
  - normal anatomy of, 39–45, 60
    - ethmoid sinuses, 42
    - frontal cells, 43–44
    - frontal sinus, 42–43
    - mastoid air cells, 45
    - Onodi cells, 43
- ostiomeatal unit, 39
  - coronal slice of, 32, 40, 61
  - sinusitis and opacification of, 48
- OU. *See* Ostiomeatal unit
- PA-C1. *See* Posterior arch of C1
- palatine tonsils, 83
- panoramic radiography, imaging for implants and, 167–168
- pantomographs
  - reconstructed, sample cross-sectional slices with axial view and, 8
  - sample reconstructed, 3D view on bottom left, trough bottom middle, and preview bottom right, 7
- paradoxical curvature
  - of left middle concha, coronal slice showing, 68
  - of right and left middle conchae, with lamellar concha at attachment of right and left middle conchae, 68
- paradoxical curvature, 67
- paranasal development, normal, 31–33
- paranasal sinuses
  - functions of, 33
  - inflammatory disease of, 45–49
    - acute sinusitis, 47–48
    - allergic sinusitis, 49
    - chronic sinusitis, 48
    - fungal sinusitis, 49
    - mucositis, 46–47
    - sinusitis, 47
  - intrinsic diseases of, 49–56
    - antrolith, 52–53, 55
    - empyema, 53
    - mucocoele, 55–56
    - polyps, 52–53
    - retention pseudocyst, 50–52
  - postsurgical changes of, 56–57
    - Caldwell-Luc procedure, 57
    - uncinectomy, 56–57
  - significant structures of, 44
- Passavant's muscle, 80
- Pathology Report, 180–181
  - cross-sectional slices, 182, 183
  - interpretation, 181
  - radiology report, 180
  - reconstructed pantomograph, 180
- PCF. *See* Posterior cranial fossa
- periapical pathosis, CBCT imaging and, 15
- periapical radiographs, imaging for implants and, 168
- perpendicular ethmoid bone, 63
- perpendicular plate of ethmoid, 60
- petroclinoid ligament calcification
  - axial slice at level of midorbits showing bilateral radiopaque bands posterior to posterior clinoid process consistent with, 100
  - definition/clinical characteristics, 100
  - radiographic description, 100–101
  - sagittal slice just lateral to midline showing thin radiopaque line posterior to sphenoid bone consistent with, 100
- petrosquamous suture line, 45



- petrous ridge
  - axial slice at level of inferior orbit/superior maxillary sinus showing, 87
  - axial views with corresponding figures, 88*t*
  - coronal slice at posteriormost aspect showing, 90
  - coronal views with corresponding figures, 91*t*
  - sagittal slice at lateral aspect of angle of mandible showing, 92
  - sagittal slice at lateral aspect of posterior teeth showing, 92
  - sagittal views with corresponding figures, 93*t*
- pharyngeal space, 83–84
- pharyngobasilar fascia, 80
- pharynx, sections of, 80
- pineal gland calcification, brain
  - axial slice at level of superior midorbital region showing, 114
  - axial slice near superior aspect of orbits showing, 114
  - coronal slice at aspect of posterior cervical vertebrae showing, 115
  - definition/clinical characteristics, 113
  - differential interpretation, 113
  - radiographic description, 113
  - sagittal slice in midline showing, 114
  - treatment/recommendations, 113
- pneumatitic cells, of temporal bone, 45
- pneumatization
  - of agger nasi cells, 72
  - of frontal recess, 72
  - of interfrontal sinus septum, 75
  - of mastoid air cells, 45
  - maxillary sinus and process of, 35
  - of middle concha, 48
  - of sphenoid sinus, 43
  - turbinate, classifications of concha bullosae and, 68
  - of uncinate process, 70
- polyposis
  - recurrent, 79
  - of sinus mucosa, 52
- polyps
  - definition/clinical characteristics of, 52
  - differential interpretation of, 53
  - radiographic description of, 52
  - treatment/recommendations for, 53
- postericoid region, of hypopharynx, 83
- posterior arch clefts, 129
- posterior arch of C1, axial view at level of mandibular foramina showing, 124
- posterior clinoid process
  - axial slice at level of midorbits showing, 86
  - axial views with corresponding figures, 88*t*
  - coronal slice at posterior aspect of ramus showing, 90
  - coronal views with corresponding figures, 91*t*
  - sagittal slice on midline showing, 93
  - sagittal views with corresponding figures, 93*t*
- posterior cranial fossa
  - axial slice at level of inferior maxillary sinus showing, 106
  - axial slice at level of inferior orbit and superior maxillary sinus showing, 105
  - axial slice at level of midmaxillary sinus showing, 105
  - coronal slice at midcervical vertebrae showing, 108
  - coronal slice of posterior aspect of cervical vertebrae showing, 109
  - sagittal slice at lateral aspect of angle of mandible showing, 110
  - sagittal slice at lateral aspect of nasal cavity showing, 110
  - sagittal slice on midline showing, 111
- posterior disc attachment, internal
  - derangements of temporomandibular joint and, 146
- posterior ethmoid labyrinth, 43
- posterior mandible, lingual concavity in,
  - reconstructed pantomograph and cross-sectional slices showing, 21
- posterior wall, of hypopharynx, 83
- proliferative differential, radiographic, 154
- proptosis, mucocoele and, 55
- PR-SS. *See* Pterygoid recess of sphenoid sinus
- pseudocysts, 50
- pseudogout, 161
  - axial, coronal, and sagittal slices showing increased radiopacity of right condyle in patient with, 162
- psoriatic arthritis in TMJ, definition/clinical characteristics/radiographic description, 160
- pterygoid muscle, lateral, 146
- pterygoid process
  - axial slice at level of midmaxilla showing mastoid process with, 87

- axial views with corresponding figures, 88*t*
- coronal slice at aspect of coronoid process showing, 89
- coronal views with corresponding figures, 91*t*
- sagittal slice at lateral aspect of posterior teeth showing, 92
- sagittal views with corresponding figures, 93*t*
- pterygoid recess of sphenoid sinus
  - axial slice at level of condyles showing, 36
  - sagittal slice at maxillary teeth buccal roots showing, 37
- pyocele, 55
- pyriform sinuses, 83
- quadrangular cartilage, 60
- radiation doses, conventional CT *vs.* cone beam CT, 4
- Radiation Protection 136, European Guidelines on Radiation Protection in Dental Radiology*, 28
- radiculopathy, 135
- ramus, coronal slice at, showing sphenoid sinuses, 33
- recessus terminalis, 77
- “reducing” disc, TMJ and, 153
- remodeling of temporomandibular joint
  - definition/clinical characteristics/
  - radiographic description, 153
  - differential interpretation of, 153
- resources about cone beam computed tomography
  - articles, 189–190
  - books, 190
  - websites, 189
- retention cyst of the maxillary sinus, 50
- retention pseudocyst, 50–52
  - definition/clinical characteristics, 50
  - differential interpretation of, 51–52
  - opaque dome-shaped entity on floor of maxillary sinus consistent with, 51
  - polyp differentiated from, 53
  - radiographic description of, 50–51
  - treatment/recommendations for, 52
- retrobulbar recess cell, 44
- retrodiscal pad, 147
- retrodiscal tissue, 146
- rheumatoid arthritis in temporomandibular joint
  - definition/clinical characteristics, 157
  - differential interpretation, 159
  - erosion with, 154
  - radiographic description, 158
  - reconstructed pantomograph of patient with, 158
  - severe bony destruction of right and left condyles, cross-sectional slices showing, 158
  - treatment/recommendations, 159
- rhinoliths, 53
- rhinosinusitis, infectious, polyps and, 79
- ring artifacts, 11
  - coronal and sagittal views showing, 11
- root fractures, 16
  - vertical, on maxillary right second premolar, 17
  - vertical and horizontal, CBCT imaging and, 16
- Ruprecht, Axel, 49
- scarring and inflammatory mucosal thickening, in frontal recess, 78–79
- scleral plaques, 119–121
  - bilateral medial, axial slice at midorbits showing as linear radiopaque entities, 120
  - definition/clinical characteristics, 119
  - differential interpretation, 121
  - left-sided medial, coronal slice at anterior orbits showing as curved linear radiopaque entity, 120
  - radiographic description, 120
  - sagittal slice showing as linear radiopaque entity, 120
  - treatment/recommendations, 121
- scoliosis, Klippel-Feil syndrome and, 133
- sella turcica
  - axial slice at level of midorbits showing, 86
  - axial views with corresponding figures, 88*t*
  - sagittal slice on midline showing, 93
  - sagittal views with corresponding figures, 93*t*
- septal cartilage, 61
- septation, levels of, sinuses and, 41
- septic arthritis in TMJ
  - definition/clinical characteristics, 160
  - differential interpretation of, 160
  - radiographic description, 160
- serous glands, 32
- serous nonsecretory retention pseudocyst, 50
- sigmoid sinus, depression of
  - coronal slice at aspect of mastoid process showing mastoid process with, 90

- sigmoid sinus, depression of (*cont'd*)
  - coronal views with corresponding figures, 91*t*
- “silent sinus,” 49
- sinonasal polyposis, surgical failure rates with, 79
- sinonasal polyps, sinusitis and, 79
- sinus anatomy, observing, on medical CT or CBCT, 41
- sinuses. *See also* Maxillary sinuses; Paranasal sinuses
  - hypoplastic, 39
  - maxillary, 34–35, 38–39
  - paranasal, normal development of, 31–33
  - pyriform, 83
- sinus imaging studies, correct interpretation of, 39
- sinusitis, 39
  - acute, 47–48
  - allergic, 49
  - bacterial, 49–50
  - chronic, 48
  - definition of, 47
  - deviations of nasal septum and, 63
  - drainage challenges contributing to, 41
  - FESS and treatment of, 78
  - fungal, 49
  - paradoxical curvature and, 67
- sinus lateralis. *See* Retrobullar recess cell
- sinus of Morgagni, 80
- sinusoidal inflammatory disease, prevalence of, 39
- soft palate, 80, 83
- soft tissue of brain, 108–118
  - incidental findings, 108–114
  - pathosis, 114–118
- soft tissue of cervical spine and neck
  - anatomy, 123
    - axial figures, 123, 124, 125
    - coronal figures, 126, 127
    - sagittal figures, 128
- soft tissue of orbits
  - anatomy
    - axial slices, 103, 104, 105, 106
    - coronal slices, 104, 106, 107, 108
    - sagittal slices, 104, 109, 110, 111
- sphenoethmoidal recess, 39, 41, 44
- sphenoidal conchae, 43
- sphenoid bone, 31
  - anatomical landmarks identifiable on axial views with corresponding figures, 88*t*
  - anatomical landmarks identifiable on coronal views with corresponding figures, 91*t*
  - anatomical landmarks identifiable on sagittal views with corresponding figures, 93*t*
- sphenoid bone pathology, “occult,” 43
- sphenoid sinuses
  - anatomical landmarks for, 39*t*
  - axial slice at level of inferior aspect of orbits and cranial skull base showing, 35
  - axial slice at level of midorbits showing, 35
  - coronal slice at condyles showing posterior aspect of, 34
  - coronal slice at ramus showing, 33
  - location and development of, 43
  - osteum for, 44
  - sagittal slice just lateral to midline showing, 38
  - sagittal slice on midline showing, 38
- sphenomandibular ligament, 146
- spheno-occipital synchondrosis
  - axial slice at level of petrous ridge showing, as discontinuity of clivus, 95
  - coronal slice at aspect of condyles showing, 95
  - definition/clinical characteristics, 93–94
  - differential interpretations, 94
  - radiographic description, 94
  - sagittal slice on midline showing, 94
- spine. *See* Cervical spine
- split axis, anterior and posterior clefts and, 129
- spnenoid bone anatomy, axial slice at level of midorbits showing, 86
- spondylosis, 134
- standard of care
  - for cone beam computed tomography, 25–26
  - defined, 25
- staphylococcus, chronic sinusitis and, 48
- Still’s disease, 159
- streak artifacts, 9
  - aerial view with metallic streak artifact and aliasing of scan as linear radiolucent lines throughout image, 10
  - axial view showing, due to metallic restorations, 10
  - coronal view showing, due to metallic restorations as multiple horizontal lines, 10
- styloid process

- axial slice at level of midmaxilla showing mastoid process with, 87
- axial views with corresponding figures, 88*t*
- sagittal slice at lateral aspect of angle of mandible showing, 92
- sagittal views with corresponding figures, 93*t*
- stylomandibular ligament, 146
- subchondral cysts, 135
  - formation of, 136
  - on left lateral process of C4, coronal, sagittal, and axial views showing, 137
- subdental synchondrosis (C2)
  - complete, sagittal view showing, 132
  - definition/clinical characteristics, 132
  - differential interpretation, 133
  - partial, coronal views showing, 133
  - partial, sagittal view showing, 132
  - radiographic description, 132
  - treatment/recommendations, 133
- superior conchae, 39, 60
- superior lamellae, 42
- supraalar facets, 59
- suprabullar cells, 72, 74–75
- supraorbital ethmoid cells, 72
  - extending partially superior to right orbit, coronal slice showing, 75
  - preoperative identification of, 74
- supreme concha, 39
- Supreme Court (U.S.), standard of care cases, 25–26
- supreme lamellae, 42
- surgical variations, 75–77
  - frontal sinuses, 75–77
    - effect of superior attachment of uncinat process on frontal recess drainage, 77
  - endoscopic frontal recess approach, 75
  - extended frontal sinusotomy, 76
  - FESS failure in frontal recess, 76
  - lateralized middle turbinate remnant, 77
  - modified Lothrop procedure, 76
  - residual frontal recess cells, 76
  - retained uncinat process, 77
- “swing door” technique, uncinectomy
  - performed via, 56
- synovial chondromatosis in TMJ
  - definition/clinical characteristics, 161
  - differential interpretation, 161
  - radiographic description, 161
  - treatment of, 161
- synovial chondrometaplasia, 161
- synovial layer, 146
- technology, standard of care legal cases and, 25–26
- teeth setting, 3D rendered view with, 9
- temporal bones, 146
  - anatomical landmarks identifiable on axial views with corresponding figures, 88*t*
  - anatomical landmarks identifiable on coronal views with corresponding figures, 91*t*
  - anatomical landmarks identifiable on sagittal views with corresponding figures, 93*t*
  - pneumatitic cells of, 45
  - temporomandibular joint and, 143
- temporomandibular joint disc, 143, 144
- temporomandibular joints, 143–166
  - chondrocalcinosis in, 161
  - degenerative joint disease of, 153–155
  - developmental abnormalities of, 147–152
    - bifid condyle, 151–152
    - condylar aplasia, 148
    - condylar hyperplasia, 149
    - condylar hypoplasia, 148
    - coronoid hyperplasia, 151
    - hemifacial microsomia, 147–148
    - juvenile arthrosis (Boering’s arthrosis), 149–150
  - imaging assessments of, 143
  - internal derangements of, 152–153
  - juvenile arthritis in, 159
  - managing disorders in, 143
  - normal anatomy and function of, 143–144, 146–147
  - osteoarthrosis in, 155
  - psoriatic arthritis in, 160
  - remodeling and, 153
  - rheumatoid arthritis in, 157–159
  - septic arthritis in, 160
  - synovial chondromatosis of, 161
  - trauma to, 163–165
    - ankylosis, 164–165
    - dislocation, 163
    - effusion, 163
    - fracture, 164
    - neonatal fractures, 164
  - tumors in, 165–166
    - benign, 165
    - malignant, 166
  - view with cross-sectional slices, 8

- thalassemia, 39  
 third molars, impacted, CBCT imaging of, 12, 13  
 3D rendering  
   of CBCT data, 6  
   view with bone setting, 9  
   view with teeth setting, 9  
 TMJ. *See* Temporomandibular joints  
 tongue, 83  
 tonsils, 83–84  
 torus tubarius, 81  
 Treacher Collins syndrome, 39  
 true ankylosis, 164  
 tumors  
   in parapharyngeal space, 83, 84  
   of temporomandibular joint  
     benign, 165  
     malignant, 166  
 tympanic cavity, 45  
  
 uncinata bulla, or right uncinata process and left agger nasi cells, coronal slices showing, 71  
 uncinata process, 34, 42, 43, 44, 60  
   anatomy of  
     attachment, 70  
     deviation, 70–71  
   axial slice of inferior orbits showing, 65  
   axial views of, with corresponding figures, 66*t*  
   coronal slice of ostiomeatal unit showing, 61, 62  
   coronal views of, with corresponding figures, 66*t*  
   effect of superior attachment of, on frontal recess drainage, 77  
   retained, postoperative, 77  
   right, uncinata bulla of, coronal slices showing, 71  
   variations in size and shape of, 41  
 uncinctomy  
   definition, 56–57  
   radiographic description, 57  
 undersampling, 9  
 undifferentiated carcinoma (Type III), 81  
 UP. *See* Uncinate process  
  
 vascular markings, cranium  
   axial slice at level of midorbits showing multiple radiolucent indentations on internal aspect of left cranium caused by, 97  
   axial slice at level of superior aspect of orbits showing radiolucent indent on internal aspect of cranium caused by, 97  
   coronal slice at aspect of midramus showing radiolucent indent on internal aspect of cranium caused by, 97  
   definition/clinical characteristics, 97  
   radiographic description, 97  
 vertebrae. *See* Cervical vertebrae  
 vertebral artery calcification, 116–118  
   bilateral, axial slice at level of inferior portion of maxillary sinus showing, 118  
   definition/clinical characteristics, 116  
   differential interpretation, 117  
   radiographic description, 117  
   sagittal slice lateral to midline showing as ovoid radiopaque entity posterior to clivus, 117  
   treatment/recommendations, 118  
   unilateral, axial slice at level of inferior portion of maxillary sinus showing, 118  
   unilateral, coronal slice at posterior aspect of cervical vertebrae showing, 117  
 vertical root fractures  
   CBCT imaging and, 16  
   cross-sectional slices showing, on maxillary right second premolar, 17  
 vidian canal  
   coronal slice at aspect of coronoid process showing, 89  
   coronal views with corresponding figures, 91*t*  
 vidian nerve, 44  
 virtual implant placement software, cross-sectional views with, 172, 174  
 vomer, 60, 63  
 voxels, conventional CT *vs.* cone beam CT, 4  
 voxel size  
   for bony pathosis, 16  
   for cleft palate and bony graft assessment, 12  
   for detecting periapical pathosis, 15  
   for implants, 16, 22, 169  
   for localization of impacted teeth, 15  
  
 Zinman, Edwin, on “no average patients,” 29  
 zygomatic process of temporal bone (ZP-TB), axial slice showing, 145