

# Index

NOTE: Page numbers in *italic* refer to figures.  
Page numbers in **bold** refer to tables.

- abandonment of colonoscopy, 124
- abdomen
  - hand-pressure, 116, 126–127, 133–134
  - transillumination, 144–145
- ablation, esophageal carcinoma, 59
- absolute alcohol, 70
- accessories, 10
  - colonoscopy, 98
- achalasia, 46, 57–58
- adenomas, 161
  - multiple, 169
  - narrow band imaging, 147
- adherent clot, 69
- adhesions (inflammatory), 124
- administrators, 4
- adverse events, 21–22
  - delayed bleeding, 83, 173–174
  - management, 30–31
- AIDS, 84
- air *see* insufflation
- air pressure perforations, colonoscopy, 81
- air/water channels
  - blockage, 13
  - flushing, 15
- alcohol (absolute), 70
- alongside-the-scope method, feeding tube placement, 72
- alpha maneuver, 119–121
- “alpha” spiral loop, sigmoid colon, 113, 114, 119–121, *see also* reversed alpha loop
- American Society for Gastrointestinal Endoscopy, 5
- American Society of Anesthesiologists, risk classification, **23**
- anal canal, 101–102
  - sphincters, 104
- anastomoses
  - colon, balloon dilation, 175–176
  - ileo-rectal, bowel preparation, 90
- anesthesia (general), 22, 29, *see also* local anesthesia;  
pharyngeal anesthesia
  - colonoscopy, 85, 92
  - children, 149
  - risk classification, **23**
  - angiodyplasias, 149, 177
- angiomas, 71
- angulus, stomach, 40, 42
- anoscopy (video-proctoscopy), 102, 104, 148
- antagonists (reversal agents), sedation, **28**, 94
- antibiotics, prophylaxis, 22, **23**, 55, 82, 84
- anticoagulants, 22
  - polypectomy and, 175
- antiplatelet drugs, 22, 87, 173, 174–175
- antispasmodic agents
  - approaching cecum, 137
  - colonoscopy, 95
  - glucagon, 29, 63, 94–95
  - hyoscine butylbromide, 29, 94–95
- antrum, stomach, 40
- anus, 101–102
  - sphincters, 104
- anxiolytics, 28–29
- aphthoid ulcers, 148
- appendix, 136
- appendix trick, 138
- argon plasma coagulation (APC), 12, 166
  - angiodyplasias, 177
  - cannulas, 154
    - palliative, 59
- arteries, as landmarks, 103, 144
- ascending colon, 136–142
- ascites, 84
- aspiration (pulmonary), 21
  - prevention, 71
- aspiration (suction) *see* suction
- aspirin, 22, 175
- assessment of patients, 19–23
- assistants, 3
  - hand-pressure, 116, 126–127, 134
  - two-person colonoscopy, 106
- atrophy, stomach, 47
- atypical sigmoid loops, 122
- auto-cut option, 11–12, 157
- autofluorescence imaging, 6
- aztreonam, **23**
- “back-to-back” colonoscopy studies, 143
- bacteremia, 22
- bacteriological surveillance, 17
- balloon-assisted enteroscopy, 53
- balloon colonoscopy, 128

---

*Cotton and Williams' Practical Gastrointestinal Endoscopy: The Fundamentals*, Seventh Edition.  
Adam Haycock, Jonathan Cohen, Brian P Saunders, Peter B Cotton, and Christopher B Williams.  
© 2014 John Wiley & Sons, Ltd. Published 2014 by John Wiley & Sons, Ltd.  
Companion Website: [www.wiley.com/go/cottonwilliams/practicalgastroenterology](http://www.wiley.com/go/cottonwilliams/practicalgastroenterology)

- balloon dilation
  - achalasia, 58
  - benign esophageal strictures, 54, 55
  - colonic strictures, 175–176
  - gastric and duodenal stenoses, 61–62
- balloting, colonoscopy, 145
- banding, varices, 68
- bariatric surgery, 182
- barium enema, 79, 80
- Barrett's esophagus, 39, 45
- baskets, multi-wire, 155
- batteries (swallowed), 63, 64
- behavior of staff, 4
- bends, sigmoidoscopy, 114–115
- biodegradable stents, 57
- biopsy, 49–50
  - Barrett's esophagus, 45
  - colonoscopy, 80, 147
  - cytology with, 51
  - "hot", 162–163
  - partial gastrectomy, 52
- biopsy channels, 9
  - cleaning, 15
- biopsy forceps, 10, 49
  - approaching ileum, 140
  - "hot", 154, 162, *see also* heat probes
  - angiodyplasias, 177
- bisacodyl, 88
- biteguards, 11
- bleeding, 21, 65–71
  - after colonoscopy
    - delayed, 83
    - "hot" biopsy, 162
    - polypectomy, 168, 173–174
    - post-inflammatory polyps, 171
  - biopsy sites, 50
  - before colonoscopy, 90–91, 148, 149–150
  - video-proctoscopy, 104
- bleeding diatheses, 22
- blended currents, electrocautery, 156–157
- blind areas, colonoscopy, 80, 142–143
- blind insertion, upper endoscopy, 36–37
- blockage, channels, 13
- blue rubber bleb nevus syndrome, 177
- botulinum toxin, 58
- bougies, 54, 55–56
- bow and arrow sign, 138
- bowel preparation, 85–91
  - children, 89, 149
  - per-operative colonoscopy, 150
  - polypectomy, 174
- bradycardia, 43
- breast milk, drugs, 30
- bridges, 9
- brochures, 23–27
- bronchoscopy, inadvertent, 43
- brushes
  - cleaning channels, 15
  - cytology, 10, 50
- bubbles, colonoscopy, 110, 170
- burns
  - contralateral, 168
  - distal rectum, 167
- Buscopan (hyoscine butylbromide), 29, 94–95
- button batteries, 63, 64
- cap-assisted colonoscopy, 99
- capsule endoscopy, 53
- carbon dioxide, 9, 80, 95, 98, 142
- carcinoma
  - colonoscopy, 79, 147
    - "non-lifting sign", 165, 171
    - palliation, 178
    - polyps, 171–172
  - esophagus, 45
    - palliation, 58–61
  - stomach, 45, 47
    - after surgery, 51–52
- cardiac disease, 22
- carrying endoscopes, 12, 13
- carts, 3
- catheters, for flushing, 10
- cavernous hemangiomas, 177
- CCD (charge-coupled devices), 6, 7
- cecal sling fold, 136
- cecum, 135–136
  - abnormal position, 101
  - approach, 137
  - distance measurement at withdrawal, 143
- cefazolin, **23**
- cefotaxime, **23**
- celiac disease, duodenum, 48
- cellulose filters, biopsy mounting, 49–50
- certification, 182
- channels, 9
  - blockage, 13
  - flushing, 15
- charge-coupled devices, 6, 7
- checking of endoscope
  - colonoscopy, 97–98
  - upper endoscopy, 33–34, 35
- children
  - bowel preparation, 89, 149
  - colonoscopy, 149
  - pyloromyotomies, foreign bodies and, 64
  - upper endoscopy, 52
- chromoendoscopy, 6, 170, *see also* dye enhancement
- circular musculature, colon, 103
- cleaning, 15–16, 43
- clindamycin, **23**
- clipping, bleeding lesions, 70
- clipping devices, 154
  - large stalked polyps, 169
- clockwise torque, for splenic flexure, 127
- coagulation currents, 12, 156–157, 161
  - "hot" biopsy, 163
- coagulation disorders, 22
- coaptive treatments, for bleeding lesions, 70, 157
- cold snaring, 162
- colitis *see* inflammatory bowel disease

- collagenous colitis, 148
- colon
  - anatomy, 99–103
  - normal appearances, 146
- colonoscopes, 95–98, *see also* loops in colonoscopes;
  - pediatric colonoscopes; variable-stiffness colonoscopes
  - future developments, 181
- colonoscopy, 78–152
  - carbon dioxide, 9, 80, 95, 98, 142
  - complications, 81–83
  - contraindications, 83–84
  - indications, 78–83
  - by nurses, 181
  - as screening method, 181
  - technique
    - ascending colon, 136–142
    - descending colon, 124–125
    - handling, 106–109
    - hepatic flexure, 134–135
    - insertion, 103–105
    - sigmoid colon, 110–124
    - splenic flexure, 125–130
    - transverse colon, 130–134
  - therapeutic, 153–179
    - complications, 82, 173–174
  - visualization, 141–148
- color CCDs, 6, 7
- colostomy, 149
  - bowel preparation, 90
- complete examination, colonoscopy, 80
- complications
  - colonoscopy, 81–83
  - upper endoscopy, 20
    - levels of severity, 20
    - management, 30–31
    - rates, 21
- computed tomography colography, 79
  - colonoscopy with, 80
- computer chips, 181
  - charge-coupled devices, 6, 7
- condoms with hard drugs, 64
- conscious sedation, *see also* sedation
  - vs* deep sedation, 28
- consent
  - colonoscopy, 83
  - upper endoscopy, 23–27
- constipation, bowel preparation, 90
- contact laxatives, 86
- continuous quality improvement programs, 143
- contraindications, colonoscopy, 83–84
- contralateral burns, 168
- corticosteroids, benign esophageal strictures, 56–57
- counterclockwise de-rotation, reversed splenic flexure, 129–130
- counterclockwise torque, at transverse colon, 132
- cricoarytenoid cartilage, 36, 36
- Crohn's disease, 148, *see also* inflammatory bowel disease
  - duodenum, 48
- current density, 157–159
  - cutting currents, 12, 156–157
  - cyanoacrylates, treatment of varices, 69
  - cybernetics, 181
  - cytology, 50–51
  - cytology brushes, 10, 50
- DALM (dysplasia-associated lesion or mass), 171
- debulking, colonic tumors, 178
- decompression tubes, 71–72
- deep sedation, 28
  - pregnancy, 30
- defibrillators, implantable, 22, 84, 156
- deflation, 176
- defunctioned bowel, preparation, 90
- delayed adverse events
  - bleeding, 83, 173–174
- de-rotation, reversed splenic flexure, 129–130
- descending colon, 112–114, 124–125
  - distance measurement at withdrawal, 143–144
- descending duodenum, 41–42
- desiccation, 157, 158
- dial settings *see* power settings
- diameter, endoscopes, 10
- diaphragmatic hiatus, 39
- diathermy, *see also* electrosurgery
  - for bleeding lesions, 70
  - esophageal carcinoma, 59
  - polyps, 62, 155–159
- diazepam, 28, 93
- diet, for colonoscopy, 87, 90
- digital chromoendoscopy, 6, 170
- digital examination, anorectal, 103–104
- digital processing, 6
- dilation, *see also* balloon dilation
  - benign esophageal strictures, 54–57
  - colonoscopy, complications, 82
  - esophageal carcinoma, 59, 60
- diphenhydramine, **28**
- direct introducer technique, percutaneous endoscopic
  - gastrostomy, 74
- direct vision insertion, upper endoscopy, 35–36
- disaccharide sugars, 88
- discharge, 30
- discharge instructions, 30
- disinfectants, 16
- disinfection, 14–17
- dislodgement, percutaneous endoscopic gastrostomy, 74
- disorientation, *see also* localization errors
  - colonoscopy, 112, 135
  - upper endoscopy, 43–44
- distance measurements, colonoscopy, 143–145
- distress, 43
- diverticula (colonic), perforation, 81
- diverticula (esophageal), 46
- diverticular disease, 103, 122–124
  - polyps, 167
- diverticulitis, 84
- documentation, 4–5
  - images, 11
  - reports, 3–4

- double-contrast barium enema, 79
  - colonoscopy with, 80
- drainage tubes, colon, 176
- droperidol, **28**
- drugs of abuse, condoms with, 64
- drying, endoscopes, 14–15, 16
- duodenitis, 48
- duodenum, 41–42
  - celiac disease, 48
  - polyps, 62
  - stenoses, 61–62
  - ulcers, 47, 48
    - after surgery, 52
    - biopsy, 49–50
    - bleeding, 69–71
- dye enhancement, 48, 141, 146, 169–170
  - cannulas, 154
- dysphagia, 54
  - esophageal carcinoma, 59
- dysplasia-associated lesion or mass (DALM), 171
- education (training)
  - of endoscopists, 182
  - endoscopists, 180
  - of patients, 30, 83, 104
  - patients, 23–27
  - staff, 5
- electrocardiography, 27
- electrocoagulation, for bleeding lesions, 70
- electrodes, 156
- electrolytes, polyethylene glycol preparations, 87
- electronic chromoendoscopy, 6, 170
- electrosurgery, *see also* diathermy
  - equipment, 11–12
  - polypectomy, 155–164, 167–168
- elevators, 9
- embryology, colon, 99–101
- endocarditis, 22
- EndoLoop®, 169
- endoscopes, 6–10, *see also* colonoscopes
  - carrying, 12, 13
  - drying, 14–15, 16
  - passing, 34–38
  - reprocessing, 14–15
  - selection, 9–10
- endoscopic mucosal resection, polyps, 62, 164–165
- endoscopic submucosal dissection, 166–167
- endoscopists
  - education, 180, 182
  - reports, 3–4
  - responsibility for disinfection, 17
- endoscopy units, 1–3, 95
- endotracheal tubes, 37
- enemas, bowel preparation, 86, *see also* phosphate enemas
- enteral nutrition, 71–75
- enteroscopy, 52–53
- epiglottis, 36, 36
- epinephrine
  - for bleeding lesions, 70, 173
  - endoscopic mucosal resection, 164
  - polyps, 62, 168–169
  - rectum, 102, 167
- equipment
  - colonoscopy, 95–99, *see also* colonoscopes
  - therapeutic, 153–159
  - upper endoscopy, 6–18, *see also* endoscopes
    - extraction devices, 64–65
    - maintenance, 12–13
- erosions, 47
- erythromycin, 67
- esophagitis, 44–45
- esophagogastric junction, 38–39
- esophagus, 44–46
  - anatomy, 38–39
  - carcinoma, 45
    - palliation, 58–61
  - perforation, 61
  - strictures
    - benign, 54–57
    - food impaction, 63
- ethanolamine oleate, 69
- explosion hazard
  - mannitol, 88
  - polypectomy, 174
- extraction devices, for foreign bodies, 64–65
- fainting *see* vaso-vagal events
- fasting, 27
- feeding tubes, 71–72
- fentanyl, **28**, 29, 94
  - breast-feeding after, 30
- fibrin glue, 69
- finger-assisted insertion, upper endoscopy, 37
- finger-grip, colonoscopy, 107–108
- fistulae, percutaneous endoscopic gastrostomy, 74
- flatus tubes *see* deflation
- Fleet's Phospho-Soda®, 88–89
- flexible sigmoidoscopy, 79–80, 109–112, 114–115
  - instruments, 96
- fluid levels, 144
- fluids *see* flushing devices
- fluids (dietary)
  - before colonoscopy, 87
  - with Phospho-Soda tablets, 89
- flumazenil, **28**, 29, 94
- flushing
  - after use, 15, 43
  - for clear view, 44
- flushing devices, 10, *see also* water bottles
  - for channels, 13
  - colonoscope check, 97
- folds, gastric, 47
- follow-up, 21
- food impaction, 63
- food residue, 44
- forceps, *see also* biopsy forceps
  - destruction of polyps, 161
  - for foreign bodies, 64–65
- foreign bodies, 64–65

- free-floating colon, 101, 122
  - splenic flexure, 132
- freeing snare loops, 161
- Fuji Intelligent Chromo Endoscopy, 6, 170
- Fujinon Magnetic Endoscopy Imaging, 99
- fundus of stomach, 42
  - carcinoma, 45
  - disorientation, 43
- fusion failure, mesocolon, 101
- future trends, 181–182
  
- gamma loop, transverse colon, 131, 133
- gastrectomy, partial, 51–52
- gastric folds, 47
- gastric juice, 39
- gastritis, 46, 47
- gastroesophageal reflux, *see also* reflux esophagitis
  - stents and, 61
- gastrosopes, 6–10
  - carrying, 12, 13
  - drying, 14–15, 16
  - passing, 33–37
  - reprocessing, 14–15
  - selection, 9–10
- Glasgow–Blatchford score, **66**
- glaucoma, 94
- Global Rating Scale project, 5
- gloves, colonoscopy insertion, 103–104
- glucagon, 29, 63, 94–95
- glutaraldehyde, 16
- guidewires
  - balloon dilation, 56
  - biopsy forceps used as, 140
  - feeding tube placement, 72
  - percutaneous endoscopic gastrostomy, 73–74
  
- handling of endoscope
  - colonoscopy, 106–109
  - upper endoscopy, 34, 34, 39
- hand-pressure, abdomen, 116, 126–127, 134
- haustral folds, 103, 111, 142
  - transverse colon, 131
- heart disease, 22
- heat probes, *see also* “hot” biopsy forceps
  - for bleeding lesions, 70
- Helicobacter pylori* infection, biopsy, 50
- hemangiomas, colon, 148–149, 177
- hemorrhoids, 102, 148, 167
- hepatic flexure, 134–135, 144
  - mid-transverse flexure *vs.*, 131
- hiatus hernia, 39
- high-frequency currents, 156
- Hirschsprung’s disease, 90
- historical aspects, colonoscopy, 78
- hospital admission, colonoscopy, 85
- hospital units *see* endoscopy units
- “hot” biopsy, 162–163
- “hot” biopsy forceps, 154, 162, *see also* heat probes
  - angiodyplasias, 177
- hyoscine butylbromide, 29, 94–95
  
- hyperemia, stomach, 46
- hyperplastic polyps, colon, 147, 161
- hypertonic saline, endoscopic mucosal resection, 164
- hypotension, *see also* vaso-vagal events
  - colonoscopy, 81
- hypoventilation, 27
- hypoxia, 21
  - colonoscopy, 81
  - prevention, 93
- hysterectomy, sigmoid colon, 112
  
- ileo-cecal valve, 137, 138–141, 144
- ileo-rectal anastomoses, bowel preparation, 90
- ileostomy, 149
  - bowel preparation, 90
- ileum, 52–53, 139–141
  - per-operative endoscopy, 150
- ileus, colonic tube placement, 176
- image documentation, 11
- immunizations, staff, 14
- implantable defibrillators, 22, 84, 156
- incomplete examination, colonoscopy, 80
- incomplete fusion, mesocolon, 101
- indentation, via abdominal wall, 145
- India ink, 172
- indications
  - antibiotics, 82
  - colonoscopy, 78–83
  - emergency endoscopy, 65–66
  - surgery, malignant colonic polyps, 172
  - upper endoscopy, 19–20
- infection, 21–22
  - colonoscopy, 82, 84
  - control, 13–14
  - Helicobacter pylori*, biopsy, 50
  - percutaneous endoscopic gastrostomy, 74
- inflammatory bowel disease, 148
  - anal sphincters, 104
  - bowel preparation, 89–90
  - colonoscopy and, 84, 141
  - mucosal appearances, 146, 148
  - polyps, 170–171
- inflation *see* insufflation
- information for patient
  - colonoscopy, 83
  - video-proctoscopy, 104
- injection polypectomy (endoscopic mucosal resection), 62, 164–165
- injection sclerotherapy, varices, 68–69
- insertion
  - colonoscopes, 103–105
  - gastrosopes, 34–37
- insufflation, 9, 43
  - children, 52
  - colonoscopy check, 97
  - colonoscopy, 110
  - postoperative patient, 51, 52
- intestinal metaplasia, 47
- intravenous antispasmodics, 95
- intravenous infusion, site problems, 21

- intussusception, 177  
 iron supplements, 87  
 i-Scan system, 6
- jejunal feeding, percutaneous endoscopic jejunostomy, 74–75  
 J maneuver, 42  
   disorientation, 43–44  
 journals, 180  
 J-wires, colonic tumor stenting, 178
- large sessile polyps, removal, 165–166  
 large stalked polyps, 167–169  
 lasers, 12  
   esophageal carcinoma ablation, 59  
 lateral vision, 10  
 lavage  
   for bleeding, 66–67, 91  
   per-operative colonoscopy, 150  
 leaflets, 23–27  
 leak testing, 15  
 left iliac artery, 103  
 leiomyomas, stomach, 47  
 lenses, 10, 44, *see also* flushing; flushing devices  
 lesser curve, stomach, 39, 42, 43  
 lifting *see* “non-lifting sign”  
 light guide connecting tubes, endoscopes, 6  
 light sources, colonoscope check, 97  
 limited bowel preparation, 86  
 linitis plastica, 47  
 liver, 103  
 local anesthesia, rectal polyps, 167  
 localization errors, *see also* disorientation  
   colonoscopy, 80, 143–145  
 loops (colon), *see also* spiral loops  
   reversed splenic flexure, 124–125, 128–130  
 loops (for polypectomy) *see* nylon loops  
 loops in colonoscopes  
   control, 109, 114–122  
   magnetic imaging, 99  
 lubrication, balloons, 55  
 lymphoid tissue, prion diseases and, 17
- magnesium salts, 88  
 magnetic imaging, 99, 119, 122, 133  
 magnification, 6  
 maintenance of equipment, 12–13  
 Mallory–Weiss tears, 46  
 management of endoscopy units, 4  
 mannitol, 88  
 manometers, balloon dilation, 175  
 manual cleaning, 16  
 marking of snare handles, 154, 159–160  
 measurements *see* distance measurements  
 meat tenderizer, 63  
 megacolon, 90  
 melanosis, 147  
 memory metal *see* multi-wire baskets  
 meperidine, 28, 29, 93, 94
- mesenteries (mesocolon)  
   embryology, 100–101  
   persistent, 101, 113–114  
   sigmoid colon, 112, 113–114  
   transverse colon, 130  
 metaplasia, intestinal, 47  
 microscopic colitis, 148  
 midazolam, 28, 93  
   breast-feeding after, 30  
   pregnancy, 30  
 middle finger, colonoscopy, 108  
 migration of stents, 61  
 military approach to polypectomy, 174  
 mini-snare, 162  
 missed mucosal surface, colonoscopy, 143  
 miss rates, colonic polyps, 81  
 mobile colon *see* free-floating colon  
 monitoring, 11, 17, 27, 30  
 monochrome CCDs, 6, 8  
 motility disturbances, esophagus, 46  
 Mount Fuji effect, 163  
 MoviPrep®, 87–88  
 mucosa  
   colon, 146  
     inflammatory bowel disease, 148  
     rectum, 102  
     stomach, 46  
 mucus, rectum, 102  
 multidisciplinary working, 182  
 multiple polyps, 169–171  
 multi-wire baskets, 155  
 musculature  
   colon, 103  
   transverse colon, 131  
 mycobacteria, 84  
 myocardial infarction, 84
- naloxone, 28, 29, 94  
 narcotics, *see also* opiates  
   condoms with, 64  
 narrow band imaging, 6, 147, 170  
 nasogastric tubes, 37  
   lavage with, 91  
 natural orifice transluminal endoscopic surgery  
   (NOTES), 182  
 needle-knives, 165, 176  
 needles, 10, 154  
 neonates, colonoscopy, 150  
 nets (nylon), 155, 170  
 nitrous oxide, 92–93  
 “N”-loops, 116–121, 126, 144  
 “non-lifting sign”, carcinoma, 165, 171  
 nonmetal stents  
   benign esophageal strictures, 57  
   esophageal carcinoma palliation, 60  
 “nonspecific” hand-pressure, 134  
 non-steroidal anti-inflammatory drugs, 22  
 polypectomy, 175  
 ulcers, 47

- NOTES (natural orifice transluminal endoscopic surgery), 182
- N-spiral elements, sigmoid loops, 116–117
- nurses, 27
- colonoscopy by, 181
  - reports by, 3
- nursing workstations, 3
- nylon loops
- large stalked polyps, 169
  - placement devices, 154
- nylon nets, 155, 170
- obstruction
- bowel preparation and, 86
  - gastric outlet, 44
- ofloxacin, 23
- Ogilvie syndrome, colonic tube placement, 176
- operating rooms (endoscopy units), 1–3, 95
- opiates, 29, 93, 94
- condoms with, 64
  - meperidine, 28, 29, 93, 94
- outlet obstruction, stomach, 44
- over-angulation
- in sigmoid colon, 114–115
  - at splenic flexure, 126
- overtubes
- colonoscopy, 128
  - enteroscopy, 53
  - for foreign bodies, 63
  - for lavage, 67
  - upper endoscopy, 11
- oxygen, 27, 93
- oxyphenisatin, 86
- pacemakers, 22, 84, 156
- pain, 43
- colonoscopy, 82, 91, 115–116, 118
  - sessile polypectomy, 165–166
- palliation
- colonic tumors, 178
  - esophageal carcinoma, 58–61
- palpation, colonoscopy, 116, 126–127, 134, 145
- pancreatic tissue, ectopic, 47
- paperless endoscopy units, 4
- paradoxical movement, colonoscopy, 132
- partial gastrectomy, 51–52
- patient preparation areas, 2–3
- patients, *see also* positioning of patient
- assessment, 19–23
  - distress, 43
  - education, 23–27, 30, 83, 104
  - preparation, 27
  - colonoscopy, 85–91, *see also* bowel preparation
- pediatric colonoscopes, 96–97, 123
- freeing snare loops in colon, 161
  - piecemeal polypectomy, 165
- pediatrics *see* children
- pedunculated polyps *see* stalked polyps
- pentazocine, 94
- peptic ulcer, 47, 48
- after surgery, 52
  - bleeding, 69–71
- percutaneous endoscopic gastrostomy, 72–74
- antibiotics, 23
- percutaneous endoscopic jejunostomy, 74–75
- perforation
- colonoscopy, 81
  - dilations, 82, 176
  - polypectomy, 174
- percutaneous endoscopic gastrostomy, 74
- upper endoscopy, 21, 43, 44
  - esophagus, 59, 61
- perianal soreness, prevention, 89
- peritoneal dialysis, 84
- peritoneum, postpolypectomy syndrome, 174
- per-operative colonoscopy, 150
- pethidine (meperidine), 28, 29, 93, 94
- PEX-ACT technique, percutaneous endoscopic gastrostomy, 74
- Peyer's patches, prion diseases and, 17
- pharyngeal anesthesia, 29
- phlebitis, meperidine, 94
- phosphate enemas, 86, 89
- multiple polyps, 170
- Phospho-Soda® (Fleet's), 88–89
- phrenicocolic ligament, 125, 133
- Picolax®, 88
- piecemeal removal, sessile polyps, 164, 165–166
- piggy-back method, drainage tube placement, 176
- pneumoperitoneum
- colonoscopy, 81
  - percutaneous endoscopic gastrostomy, 74
- polidocanol, 69
- polyethylene glycol
- bowel preparation, 87–88
  - condoms with hard drugs, 64
- polymers, treatment of varices, 69
- polypectomy
- colonic, 80, 153–175
  - delayed bleeding, 83
  - electrosurgery, 155–159
  - finding detached specimen, 161
  - hospital admission, 85
  - rectum, 102
  - retrieval, 154, 155
  - upper gastrointestinal, 62
- polyps
- colonoscopy, 147
  - appendix *vs.*, 136
  - miss rates, 81
  - small, 161–162, 163
- duodenum, 62
- stomach, 47, 62
- positioning of patient
- colonoscopy, 112, 118, 127–128, 135, 142
  - upper endoscopy, 33, 34
- post-dilation management, benign esophageal strictures, 57

- post-inflammatory polyps, 170–171
- postoperative patient
  - colonoscopy, 79
  - upper endoscopy, 51–52
- postpolypectomy syndrome, 174
- post-snaring, large stalked polyps, 168
- post-stent management, esophageal carcinoma, 60–61
- pouches, ileo-anal, 149
  - bowel preparation, 90
- power, electrosurgical units, 11, 12
- power settings, electrosurgery, 158, 160
  - large stalked polyps, 167
- pregnancy, 22
  - colonoscopy, 84
  - sedation, 29–30
- pre-injection, large stalked polyps, 168–169
- preparation areas for patients, 2–3
- preparation of patient
  - colonoscopy, 85–91, *see also* bowel preparation
  - upper endoscopy, 27
- pre-snaring, large stalked polyps, 167
- pressure-guns, balloon dilation, 175
- prion diseases, 17
- probes, electrocoagulation, 70
- procedure manuals, 4
- procedure rooms, 2
- proctoscopy (video-proctoscopy), 102, 104, 148
- propofol, 29, 85, 94
- proton pump inhibitors, benign esophageal strictures, 57
- pseudo-obstruction, colonic tube placement, 176
- pseudo-polyps, 170–171
- pull and twist maneuver, for duodenum, 41–42
- pulling back, colonoscopy
  - from cecum, 138
  - hepatic flexure, 134
  - sigmoid colon, 116–117
  - spiral loop straightening, 121
  - splenic flexure, 126
  - stomas, 148–149
  - withdrawal phase, 142
- “pull” techniques
  - colonoscopy, endoscopic mucosal resection, 164–165
  - percutaneous endoscopic gastrostomy, 73
- pull-with-clockwise-twist, 118
- pulmonary aspiration, 21
  - prevention, 71
- pulmonary disease, 22
- pulsion diverticula, 46
- “push” technique
  - colonoscopy
    - endoscopic mucosal resection, 164
    - sigmoid colon, 115, 118
    - splenic flexure, 127
  - percutaneous endoscopic gastrostomy, 73–74
- pyloroduodenal stenosis, 62
- pyloromyotomies, children, foreign bodies and, 64
- pyloroplasty, 52
- pylorus, 40–41
- quality improvement, 5, 182
  - colonoscopy, 143
  - instrument reprocessing, 17
- radiofrequency currents, 156
- radiotherapy, colonoscopy after, 84
- record-keeping
  - image documentation, 11
  - instrument reprocessing, 17
- recovery, 30
- recovery areas, 2–3
- rectum, 102
  - colonoscope insertion, 105
  - digital examination, 103–104
  - sessile polypectomy, 166–167
  - tattooing and, 172
  - veins, 102, 146
- red out, colonoscopy, 111
  - approaching ileum, 139
  - at insertion, 105
- red wine, 87
- reflux esophagitis, 44–45, *see also* gastroesophageal reflux
- rehearsing control movement
  - colonoscopy, 111, 139
  - upper endoscopy, 35
- reports, 3–4
- resistance of tissue (electrical), 157
- resuscitation, equipment, 11
- retrieval, polypectomy specimens, 154, 169, 170
- retroversion
  - colonoscopy, 105
  - upper endoscopy *see* J maneuver
- reversal agents, sedation, **28**, 94
- reversed alpha loop, 122
- reversed splenic flexure, 124–125, 128–130
- right iliac artery, 103
- rigid proctoscopy, 104
- rings, esophagus, 46
  - food impaction, 63
- rinsing endoscopes, 16
- risk management, 22–23
- Rockall score, **66**
- Roth nets, 155, 170
- routine diagnostic surveys, upper endoscopy, 38–43
- safety, 19
  - colonoscopy, 82–83
    - balloon dilation, 176
    - polypectomy, 156, 174–175
- saline, endoscopic mucosal resection, 164
- salvage cytology, 51
- Savary–Gilliard bougies, 56
- scarring, polypectomy, 165, 166–167
- sclerotherapy, varices, 68–69
- ScopeGuide®, 99, 119
- screening, colonoscopy as method, 181
- sedation, 27–30
  - assessment for, 22
  - children, 52

- colonoscopy, 85, 91–94
  - monitoring, 11
- self-expandable stents, esophageal carcinoma palliation, 59–60
- self-retaining loops (EndoLoop®), 169
- self-steering colonoscopes, 181
- sensitization, glutaraldehyde, 16
- septicemia, colonoscopy, 82
- sequential system CCDs, 6, 8
- serrated polyps, colon, 147
- sessile polyps
  - colon, 163–167
  - stomach and duodenum, 62
- shaft loops, colonoscopes *see* loops in colonoscopes
- shaft perforations, colonoscopy, 81
- sharp objects, swallowed, 64
- short colon, 116–121
- sigmoid colon, 103, 112–114, *see also* flexible sigmoidoscopy
  - distance measurement at withdrawal, 143
  - volvulus, 176
- sigmoidoscopes, 96
- silicones, 29
  - balloon lubrication, 55
- simethicone, 39, 44, 51
- simulations, 182
- single-handed colonoscopy, 107–109
  - withdrawal phase, 143
- “slide-by”, colonoscopy, 121
- S-loops, colonoscopy, 121
- “slow cooking”, polypectomy, 158–159
- small intestine, 52–53, *see also* duodenum; ileum
- snare loops, 153–154
  - current density, 157, 158
  - polypectomy with, 62, 159–162
- sodium morrhuate, 68–69
- sodium phosphate, 88–89
- sodium tetradecylsulfate, 68–69
- spasm, cecum, 137
- “specific” hand-pressure, 133–134
- specimen collection, 49–51, 154, 155, 161, 169, 170, *see also* biopsy
- sphincters, anal, 104
- spikes
  - biopsy forceps, 10, 49
  - snare, 165
- spiral enteroscopy, 53
- spiral loops, 117, 119–122, 144, *see also* “alpha” spiral loop
  - reversed alpha loop, 122
- spleen, 103
- splenic flexure, 125–130
  - distance measurement at withdrawal, 143–144
  - mistaken for hepatic flexure, 136
  - mobile, 133
  - reversed, 124–125, 128–130
- squamocolumnar junction, esophagogastric, 39
- squeeze pressure, snare loops, 153–154
- staff, 3, 4, 5
  - protection from infection, 14
- stalked polyps
  - large, 167–169
  - removal, 159–161
- stenoses, gastric and duodenal, 61–62
- stents
  - colonic tumors, 178
  - esophagus
    - benign strictures, 57
    - carcinoma palliation, 59–61
- sterilization, 14
- stigmata, bleeding ulcers, 69
- stomach, 39–40, 46–47
  - bezoars, 63–64
  - carcinoma, 45, 47
    - after surgery, 51–52
  - J maneuver, 42
  - outlet obstruction, 44
  - polyps, 47, 62
  - stenoses, 61–62
- stomas, 148–149
  - bowel preparation, 90
- storage, equipment, 12
- storage space, 3
- straightening of loops, colonoscopy, 121
- stretchers, 11
- strictures
  - colon, balloon dilation, 175–176
  - esophagus
    - benign, 54–57
    - food impaction, 63
- submucosal injection, endoscopic mucosal resection, 164
- submucosal lesions
  - colon, 146
  - sampling, 51
- suction, 9
  - checking of colonoscope, 97–98
  - clearing blockages, 13
    - at colonoscopy, 105, 109–110, 134
- suction traps, 11, 50–51, 155, 162
- sugars, disaccharide, 88
- superior duodenal angle, 41
- surgery
  - bariatric, 182
  - for colonoscopic perforations, 82
  - endoscopy after, 51–52
  - for esophageal perforation, 61
  - malignant colonic polyps, 172
- surveillance, *see also* monitoring
  - bacteriological, 17
- sutures, 52
- swallowed objects, 64
- syringes, channel flushing, 13
- tachycardia, 43
- “tandem” colonoscopy studies, 143
- tannates, 87
- tattooing, colonoscopy, 171–172
- teams, 4
- telangiectasia, 71

- teniae, 103, 111
  - transverse colon, 131, 131
- tenting, polyps, 163, 164
- textbooks, 180
- therapeutic colonoscopy, 153–179
  - complications, 82, 173–174
- therapeutic upper endoscopy, 54–77
- thrombosis, infusion sites, 21
- through-the-channel method, feeding tubes, 72
- “through-the-scope” balloon dilation, 55, 175
- tip control, 8
- tip perforations, colonoscopy, 81
- tongue, viewing, 35, 36
- torque-steering, colonoscopy, 105, 108–109, 111, 123
- traction diverticula, 46
- training *see* education
- transanal microsurgery, 166
- transillumination, abdomen, 144–145
- transverse colon, 126, 130–134
  - distance measurement at withdrawal, 143
- trapped snare loops, 161
- traps (suction), 11, 50–51, 155, 162
- trauma, of colonoscopy, 146
- triamcinolone, benign esophageal strictures, 56–57
- triangular cross-section of colon, 103, 126, 131, 144
- trolleys, 11
- TTS (“through-the-scope”) balloon dilation, 55, 175
- tube placement, ileus, 176
- tuberculosis, colonoscopy, 84
- two-handed technique, colonoscopy, 106–107
- two-person colonoscopy, 106
  
- ulcerative colitis *see* inflammatory bowel disease
- ulcers
  - colon, 84, 148
    - after “hot” biopsy, 162, 163
  - duodenum, 47, 48
    - after surgery, 52
    - biopsy, 49–50
    - bleeding, 69–71
  - stomach, 47, 69–71
    - after surgery, 52
    - biopsy, 49–50
- umbilical cords, endoscopes, 6
- underwater colonoscopy, 99, 123–124
- universal cords, endoscopes, 6
  
- unplanned events, 20–22, *see also* complications
  - management, 30–31
- upper endoscopy
  - adverse events, 21–22, 30–31
  - indications, 19–20
  - patient education, 23–27
  - post-procedural care, 30
  - sedation, 27–30
  - techniques, 33–53
  - therapeutic, 54–77
- uvula, 35, 36
  
- vancomycin, 23
- variable-stiffness colonoscopes, 96
  - at splenic flexure, 126
- varices
  - antibiotics, 23
  - esophagus, 46
  - rectum, 102
  - treatments, 67–69
- vascular malformations, 71, *see also* hemangiomas
- vascular pattern, colon, 146
- vaso-vagal events, *see also* hypotension
  - bowel preparation, 86
- veins, rectum, 102, 146
- video-proctoscopy, 102, 104, 148
- villi
  - celiac disease, 48
  - terminal ileum, 141
- villous adenomas, 147
- virtual colonoscopy *see* computed tomography colography
- visible vessel, bleeding ulcers, 69
- volvulus, 176
  
- walking-stick handle impaction, 115, 126
- wash-out technique, multiple polyps, 170
- water bottles, 9, *see also* flushing devices
- water-immersion colonoscopy, 99, 123–124
- water-soluble contrast swallow, foreign bodies and, 63
- webs, esophagus, 46
- websites, 180
- wine, 87
- wire, snare loops, 153
- withdrawal *see* pulling back
  
- Zenker’s diverticula (pulsion diverticula), 46
- Z-line, esophagogastric, 39