

Index

Note: Page numbers in *italics* refer to Figures; those in **bold** to Tables.

- Abbey Dementia Scale, 125
- Abbreviated Mental Test Score (AMTS), 77, 78
- acute compartment syndrome (ACS) *see* compartment syndrome
- acute confusional state *see* delirium
- AIS *see* ASIA Impairment Scale (AIS)
- allied health professionals
 - description, 53
 - dietitians, 54
 - musculoskeletal radiology, 53
 - occupational therapy, 53
 - orthotics and prosthetics, 53–4
 - physiotherapists, 53
- ambulatory care, 8
- amplified musculoskeletal pain syndrome (AMPS), 304–5
- AMTS *see* Abbreviated Mental Test Score (AMTS)
- arthrodesis, 272–3
- arthroplasty
 - description, 176
 - excision, 177
 - hemiarthroplasty, 177
 - hip and knee, 134
 - shoulder, 179–80
- articular fractures, 317, 331
- ASIA Impairment Scale (AIS), 255, 257, 258, 260, 262, 263
- autonomic dysreflexia (AD), 258, 261
- avascular necrosis (AVN)
 - chondrolysis, 299
 - femoral nerve palsy, 293
 - screw fixation, 300
 - surgical correction, 294
- axonotmesis, 271
- back pain, 154, 162–3, 165
- bone
 - calcification, 112
 - cancellous (spongy), 30
 - childhood skeletal growth, 310–311
 - classifications, 28, **30**
 - collagen and mineral salts, 28
 - compact, 29
 - description, 28
 - excessive alcohol consumption, 114
 - fracture *see* fracture
 - growth and development
 - appositional, 32
 - endochondral, 32
 - hormones, metabolism, 32
 - ossification, 30, 31
 - Haversian system/osteon, 30, 31
 - metastatic disease, 192–3
 - neurovascular supply, 33
 - osteomyelitis, 161–2
 - osteoporosis, 159–61
 - repair and remodel, 312, 313
 - tissue cell types, 28, **30**
- bone sarcoma
 - chondrosarcoma, 184
 - diagnosis
 - biopsy, 186–7
 - delays, 186
 - fluoroscopic guided biopsy, 186
 - specialist centres, 185
 - signs and symptoms, 185
 - staging, 186
- brachial plexus injuries
 - axillary and musculocutaneous nerve, 269
 - axonotmesis, 271
 - cervical and thoracic roots, 269, 270
 - holistic approach, 275
 - infraclavicular, 271
 - mechanisms, 270
 - muscle strength, 271
 - nerve root avulsion, 270
 - neurapraxia, 271
 - neurotmesis, 270–271
 - non-surgical management, 273
 - orthosis, 274
 - radial, median and ulnar nerve, 270
 - rehabilitation
 - DREZ procedure, 274
 - physical activity, 274
 - psychological exercises, 273
 - quality of life, 274
 - spinal nerves, 269, 270
 - supraclavicular, 271
 - surgical management
 - arthrodesis, 272–3
 - direct nerve suturing, 272
 - muscle transfer, 273
 - nerve graft and transfer, 272
 - tendon transfer, 273
 - trunks, 269
- bradycardia, 253, 256, 258

- cardiogenic shock, 100
- cartilaginous joints, 33–4
- casting
- application principles, 81–2
 - complications, 82, **83**
 - functions, 80, **81**
 - health and safety, 80
 - layers, 318
 - living with, 84
 - materials, 80, **81**
 - orthotics, 85–6
 - purpose, 318
 - removal, splitting and bi-valving, 84–5
 - synthetic, 82, 84
- CCN *see* Children's Community Nurse (CCN)
- CDH *see* congenital dislocation of the hip (CDH)
- central modulation, 122, 123
- child and young person
- age
 - assessment, 281–2
 - honesty, 280–281
 - orthopaedic care, 280, 281
 - physical and cognitive development, 280
 - psychosocial and educational issues, 279
 - care environment, 282
 - consent and capacity
 - adults, 283
 - 16–17 years, 283
 - under 16 years, 283–4
 - musculoskeletal wellbeing, 279, 280
 - non-accidental injury (NAI), 287
 - pain, 284–6
 - planning care, 283
 - practitioners, 287–8
 - safeguarding, 286–7
 - spica cast, 279, 280
 - team, care
 - clown doctors, 282
 - parent/guardian, 282–3
 - play specialists, 282
- childhood injuries
- lower extremity fractures
 - ankle, 331–2
 - femoral shaft, 328–30
 - metatarsal, 332
 - tibial, 330–331
 - non-accidental injury (NAI), 287, 333
 - physeal injuries, 323–4, 324
 - spinal cord injury (SCI), 332–3
 - upper limb injuries
 - clavicle fractures, 324–5
 - elbow fractures, 325–6
 - forearm fractures, 326–7
 - hand and finger fractures, 327–8
- childhood orthopaedic conditions
- AMPS, 304–5
 - congenital talipes equino-varus (CTEV), 301–4
 - flat feet, 291
 - genu varum and genu valgum deformities, 291
 - LCPD, 296–8
 - musculoskeletal assessment, 290–291, 291
 - neonate, infant, child and young person
 - congenital muscular torticollis, 291
 - developmental dysplasia of the hip (DDH), 292–6
 - slipped capital femoral epiphysis (SCFE), 298–300
 - vitamin D deficiency, 300–301
- Children's Community Nurse (CCN), 281, 282
- chondrosarcoma, 186, 189–90, 190
- clavicle fractures, 324–5
- clinical assessment
- cognitive function, 78
 - impact of disease, individual, 77–8
 - medical model
 - history of onset, 72–3, **73**
 - physical examination, 74–7
 - models and frameworks
 - emergency presentation, 70
 - Maslow's hierarchy of needs, 72
 - MDT, 70
 - non-emergency, elective/planned presentation, 70–71
 - Roy's adaptation model, 71
 - wellness framework, 71
 - principles, 69–70, **70**
 - risk, 78
- community rehabilitation, 64, 247
- compartment syndrome
- bandages and dressings, 104
 - compartment pressure measurement, 104
 - description, 103–4
 - intra-compartmental monitor system, 104
 - limb compression, 104
 - neurovascular assessment, 105
 - surgical intervention, 105
 - symptoms, 104
- competence
- decision making, 22
 - features, 22
 - 'Gillick competence', 284
 - orthopaedic and trauma practitioner
 - comfort enhancer, 23
 - contemporary healthcare, 22
 - partner/guide, 23
 - risk manager, 23
 - technician, 23–4
- compound fractures *see* open fractures
- congenital dislocation of the hip (CDH), 292
- congenital muscular torticollis, 291
- congenital talipes equino varus (CTEV)
- atypical club foot, 303
 - boots on bar, 303, 304
 - club foot, 302
 - idiopathic club foot, 302
 - lower limb, 301, 302
 - Pirani scoring system, 302, 303
 - Ponseti method, 302, 303
 - relapsed club foot, 304
 - surgical correction, 303–4
- constipation
- causes, 107
 - embarrassment/pain, 108
 - hip fracture, 246
 - impaction, 108
 - laxatives, 108–9
 - prevention and management, 108
 - risk assessment scale, 108
 - women, 107

- continuing professional development (CPD)
 definition, 20
 employer, 20
 facilitated reflection, 24
 education, 24
 effective reflection, 24
 reflective learning, 24
 post-registration programmes, 21
- continuing professional education (CPE) system, 21
- cranium (the skull)
 bones, 34, **36**
 functions, 36
 hyoid bone, 36
 inner and outer surfaces, 34
 ossification, 36
- critical thinking, definition, 14
- CTEV *see* congenital talipes equino varus (CTEV)
- DDH *see* developmental dysplasia of the hip (DDH)
- dehydration, 107, 116–17, 245–6
- delirium, 78, 244, 246, 248
- developmental dysplasia of the hip (DDH)
 congenital dislocation of the hip (CDH), 292
 dynamic stress test, 293
 dysplastic hip, 292, 293
 Gallows traction, 294
 infant, 292, 293
 newborn
 avascular necrosis (AVN), 293
 parent's information, 294
 Pavlik harness, 293, 294
 nursing considerations
 epidural, 295
 fibreglass cover, 296
 occupational therapist (OT), 296
 young person, 296
 ossific nucleus, 293
 pelvic osteotomy, 295, 295
 residual hip dysplasia, 295
 risk factors, 292
 surgical correction, 294
 surgical programme, 294, **295**
 x-ray, 293, 295
- diet and musculoskeletal health
 balanced diet, 111
 basal metabolic rate, 111
 dietary components, 111–12
 energy, 111
 fibre, 114
 metabolic response, tissue injury, 114
 minerals
 aluminum, 114
 calcium, 112–13, **113**
 fluoride, 114
 iron, 113
 magnesium, 114
 manganese, 114
 phosphorus, 113
 potassium, 114
 sodium, 113–14
 zinc, 113
 nutrition assessment and intervention
 vitamins, 112
- digital removal of faeces (DRF), 258, 260, 261
- dorsal root entry zone (DREZ) procedure, 274
- early supported discharge (ESD), 247, 248
- early warning score (EWS)
 assessment sheet, 212, 213–15
 blood pressure, 217–18
 mental status, 218
 oxygen saturation, 217
 pulse, 217
 respirations, 216–17
 temperature, 217
 urinary output, 218
- EBP *see* evidence-based practice (EBP)
- ECPs *see* enhanced recovery programmes (ECPs)
- elbow fractures
 brachial/radial pulse, 326
 fall on an out-stretched hand (FOOSH), 325
 Gartland's classification, 326
 neurovascular assessment, 325–6
 supracondylar fracture, humerus, 325, 325
- elective orthopaedic surgery
 arthroplasty/TJR, 176–7
 care principles
 clinician engagement, 169
 communication, 168–9
 ECPs, 168
 education and information, 169
 patient empowerment, 168
 patient engagement, 169
 shared decision making, 169
 support and advice, 169
 diagnosis, 50
 hip surgery-THR and resurfacing, 177–8
 inpatient stay, 50
 patient preparation, surgery, 50, 51
 perioperative care, 172, 174
 peripheral neurovascular deficit, 181
 post-hospital, 50
 post-operative care, 174–6
 preoperative care *see* preoperative care, elective surgery
 shoulder arthroplasty, 179–80
 spinal surgery, 180–181
 TKR surgery, 178–9
- enhanced recovery programmes (ECPs), 168
- epithelioid sarcoma, 192
- ESD *see* early supported discharge (ESD)
- Essence of Care initiative, 116, **117**
- evidence-based medicine, 12
- evidence-based practice (EBP)
 application models
 linear, 17
 multi-dimensional, 17
 partnership, 17
 professionals role, 17
 types, 16–17
 The Briggs report, 11
 clinical decision making, 11
 complex organisational functions, 12
 components, 13
 economic and educational factors, 11
 elements, 12, 12, 17
 and evidence-based medicine, 12

- evidence-based practice (*cont'd*)
 general research appreciation skills, 14
 hierarchies, 13–14
 knowledge development
 critical thinking, 14
 literature evidence summaries, 15, **16**
 literature matrix, 16, **16**
 problem solving, 14
 research evidence summaries, 15, **15**
 research matrix, 16, **16**
 steps, 14–16
 misperceptions, 13
 nurse, changing roles, 12
 research, 11, 12
 specific skills, 14
 Ewing's sarcoma, 184, 185, 189
 EWS *see* early warning score (EWS)
- external fixation
 biomechanics, 87
 complications
 compartment syndrome, 88
 joint stiffness, 87
 nerve and blood vessel injury, 88
 pain, 87
 pin site infection, 87
 re-fracture, 88
 swelling, 88
 venousthromboembolism, 88
 description, 86
 distraction osteogenesis, 86
 fixator types
 circular, 86, 87
 monolateral, 86, 86–7
 nursing care
 LEAP, 88
 mobilising, 89
 NSAIDs, 89
 pin site infection, 90
 pin site wounds, 89–90
 pre-operative counselling, 88
 returning to work, 89
 sexuality, 89
 sleeping, 89
 extracapsular fracture, 239, 240, 242, 242
- fall on an outstretched hand (FOOSH), 222, 230, 325–7
 fasciotomy, 105
 fat embolism, 102
 fat embolism syndrome (FES)
 description, 102
 diagnosis, 103
 interventions, 103, 104
 lethal case report, 103
 mechanical theory, 102
 obstructive theory, 102
 risk factors, 102
 toxic theory, 102
 FES *see* fat embolism syndrome (FES)
 fibrous joints, 33
 FOOSH *see* fall on an outstretched hand (FOOSH)
- formal pain assessment
 The Abbey Dementia Scale, 125
 chronic pain, 125
 descriptive, visual analogue and numerical scales, 124
 McGill Pain Questionnaire, 125
 SF36 scale, 125
- fracture
 assessment and emergency care, 225–6
 causes and types
 bending, 222
 compression, 222
 shearing, 221–2
 tension, 222
 torsion, 222
 complications, 226
 description, 222
 evidence-based practice, 234
 healing, 227–8
 infant, child and young person
 accidental trauma, 315
 adolescents, 310
 articular fractures, 317
 bone mineral density, 314
 bone repair and remodelling, 312
 buckle and greenstick fractures, 316
 childhood skeletal growth, 310–311
 classification, 315–16
 fracture dislocations, 317
 growth plate injury, 316
 joint dislocations, 317
 OI, 312–14
 pathological, 314–15
 pitfalls, 317
 pre-ambulant child, 309
 pre-school child, 309–10
 principles of, 318–20
 radiological imaging, 315
 school aged child, 310
 skeleton, 309
 management
 'five Rs', 227
 lower limb fractures, 229–30, **231**
 upper limb fractures, 230, **232–3**
 older person
 constipation, 246
 dehydration, 245–6
 delirium, 246
 fragility fracture, 236–8
 hip fracture, 238–4
 malnutrition, 244–5
 palliative care, 238–9
 pressure ulcers, 246–7
 rehabilitation, 247–8
 trauma care, 238
 open *see* open fractures
 repair
 bone healing, 222
 bridging callus, 225
 flat bones, 223
 granulation, 225
 haematoma and inflammation, 223–5
 primary callus, 225
 remodelling, 225
 types, 222, 223
 fragility fracture
 low energy trauma, 236
 morbidity, 237, 237
 osteoporosis, 236
 post-menopausal women, 237
 vertebral, 237

- Gate Control theory of pain, 120, 121
 ‘Gillick competence’, 284
- HaH *see* Hospital at Home (HaH)
- Haversian system, 30, 31
- head injury, 210–211, 218, 329
- healing, wound
 description, 132
 factors and conditions, 133, **133**
 good nutrition, 132
 granulation tissue, 132
 inflammatory phase goal, 132
 maturation, 132
 moist wound healing, 134–5
 proliferation phase goal, 132
- health-related quality of life (HRQoL) tools, 61, 77
- HFP *see* hip fracture programmes (HFP)
- hip fracture
 audit, 249
 classification, 238, 239
 diagnosis, 239
 ethical considerations, 242–3
 management
 extracapsular, 242, 242
 head and neck, 240
 intertrochanteric, 242, 242
 intracapsular, 240–242
 subtrochanteric, 242, 243
 timing of surgery, 240
 nursing management, 243–4
 orthopaedic unit, 238
 pain, 244
 PPF, 238
- hip fracture programmes (HFP), 247
- Hospital at Home (HaH), 65
- HRQoL tools *see* health-related quality of life (HRQoL) tools
- hydration and dehydration, 116–17
- hypovolaemic shock (HS), 99–100
- IDT *see* interdisciplinary team (IDT)
- infection
 cardinal signs, 96
 contamination, 96
 diagnosis, 97
 ‘five moments for hand hygiene’, 98, **98**
 hand hygiene compliance, 98, 99
 healthcare-associated, 97
 orthopaedic, 97
 prevention and control, 97–8
- infraclavicular injury, 271
- interdisciplinary team (IDT), **62**
- intertrochanteric fracture, 242, 242
- intervertebral disc disease, 165, 180
- intracapsular fracture
 displaced
 femoral head blood supply, 240, 241
 hemiarthroplasty, 241, 241
 THR, 241, 241
 undisplaced, 240
- joints
 ankle, 47
 cartilaginous, 33–4
 dislocation, 317
- fibrous, 33
 knee, 44
 metacarpophalangeal (MCP), 43
 replacement, 50, 52, 54, 126, 153
 stiffness, 87
 synovial, 34, 35
- LEAP *see* Lower Extremity Assessment Project (LEAP)
- Legg Calvé Perthes disease (LCPD)
 arthrodiastasis, 298
 avascular necrosis, 296
 bed rest and hydrotherapy, 297–8
 femoral head, 297, 297
 non-steroidal therapy, 297
 shelf acetabuloplasty, 298, 298
 stages, 297
 thrombophilia, 296
 varus derotation femoral osteotomy, 298
- leiomyosarcoma, 191–2
- limb
 lower
 ankle joint, 47
 femur, 44
 hip to knee, 44, 45
 knee, 44
 knee to foot, 44, 46
 nerves, 47
 stability, 47
 tendons and ligaments, 47
 salvage surgery, 88, 187, 190
- upper
 clavicle (collarbone), 40
 elbow, 43
 humerus, 43
 metacarpals, 43
 pectoral/shoulder girdle, 40
 right, 40, 42
 scapula (shoulder blade), 40
 wrist and hand, 43
- liposarcoma, 190–191, 191
- Lower Extremity Assessment Project (LEAP), 88
- lower extremity fractures
 ankle, 331–2
 femoral shaft, 328–30
 metatarsal, 332
 tibial, 330–331
- lower limb fractures
 femur, 229–30
 tibial fractures, 230
- malignant peripheral nerve sheath tumours (MPNST), 192
- malnutrition
 altered metabolism, 245
 chronic illness, 244
 energy, protein and other nutritional requirements, 245
 excess losses, 245
 food availability, 244
 impaired absorption, 245
 inability to eat, 244
 reduced intake, 244
- Malnutrition Universal Screening Tool (MUST), 115
- Mangled Extremity Severity Score (MESS), 229
- Maslow’s Hierarchy of Needs, 72
- McGill Pain Questionnaire, 125

- median nerve injury, 268
- Medical Research Council (MRC), 269, 271
- mentors, 21–2
- metastatic bone disease, 192–3
- Mini Mental State Examination (MMSE), 78
- MPNST *see* malignant peripheral nerve sheath tumours (MPNST)
- MRC *see* Medical Research Council (MRC)
- multidisciplinary team (MDT) working
- allied health professionals, 53–4
 - clinical psychologist, 54
 - elective orthopaedic surgery *see* elective orthopaedic surgery
 - vs.* interdisciplinary team (IDT) and transdisciplinary team (TDT), 61, **62**
- multi-faith workers, 54
- nurse-led services
- consolidation, 56
 - essence model, 54, 55
 - expansion, 56
 - measures/measurements, 56
 - need/case establishment, 54–5
 - new service/clinic, 56
 - scoping service, 55
 - steps, 55–6
- nursing role
- domains, 49
 - functions, 49
 - SCP, 49–50
- ODPs, 54
- pharmacists, 54
- role, 48
- social worker, 54
- musculoskeletal conditions and trauma
- acute compartment syndrome (ACS), 103–5
 - constipation, 107–9
 - fat embolism syndrome (FES), 102–3
 - infection, 96–8
 - respiratory tract infection, 106–7
 - shock *see* shock
 - urinary retention, 106
 - urinary tract infection (UTI), 105–6
 - VTE *see* venous thromboembolism (VTE)
- musculoskeletal interventions
- casting principles *see* casting
 - external fixation *see* external fixation
 - orthotics, 85–6
 - traction, 91–5
- musculoskeletal radiology, 53
- musculoskeletal system and human movement
- anatomical position, 27, 28, 29
 - bone *see* bone
 - cranium (the skull), 34, 36, **36**
 - joints, 33–4
 - ligaments, tendons and cartilage, 33
 - limb *see* limb
 - pelvis, 43–4, 44
 - skeletal muscle, 32
 - skeleton, 28, **30**
 - spine, 36–7
 - terminology, 27, 29
 - vertebrae, 37, **38**, 38
- musculoskeletal trauma nursing
- diverse orthopaedic patient
 - age groups, 7, **8**
 - extrinsic factors, 8
 - intrinsic factors, 7
- mobility and function
- centrality, 5, 6
 - nursing models, 5, 6
 - nursing process, 6, 7
- multidisciplinary approach *see* multidisciplinary team (MDT) working
- public health, 7
- MUST *see* Malnutrition Universal Screening Tool (MUST)
- NAI *see* non-accidental injury (NAI)
- nausea and vomiting, 117–18
- neurapraxia, 267, 271, 273
- neurogenic and spinal shock, 256
- neuropathic pain, 123, 124, 129, 163, 274, 305
- neurotmesis, 270–271
- nociceptive pain, 123, 124
- non-accidental injury (NAI)
- children, 287, 333
 - fracture, 309
 - osteogenesis imperfecta (OI), 313
 - vital information, 315
 - vitamin D level, 312
- non-steroidal anti-inflammatory drugs (NSAIDs), 89, 127, 128, 153, 155, 157, 163, 226, 228, 245–6
- nurse-led services
- consolidation, 56
 - essence model, 54, 55
 - expansion, 56
 - measures/measurements, 56
 - need/case establishment, 54–5
 - new service/clinic, 56
 - scoping service, 55
 - steps, 55–6
- nutrition
- anthropometry, 115
 - assessment and intervention, 114–16
 - biochemical status measures, 115
 - body mass index (BMI), **115**
 - diet and musculoskeletal health, 111–14
 - Essence of Care initiative, 116, **117**
 - hydration and dehydration, 116–17
 - malnutrition, 114–15
 - metabolic response, tissue injury and trauma, 114
 - MUST, 115
 - nausea and vomiting, 117–18
 - nutritional support, 115–16
 - obesity, 115
 - occupational therapists, 116
 - oral health problems, 116
 - starvation/fasting, 118–19
- OA *see* osteoarthritis (OA)
- occupational therapy, 53, 153, 158
- OI *see* osteogenesis imperfecta (OI)
- open fractures
- BOA/BAPRAS (2009) standards, 228
 - ‘Gustilo’ classification system, 228, **229**
 - Mangled Extremity Severity Score (MESS), 229
 - splints and casts, 229
 - stabilisation, external fixation, 228
 - surgery aims, 228

- orthopaedic and trauma care
 - ambulatory care, 8
 - clinical assessment *see* clinical assessment
 - elective orthopaedic surgery, 4
 - ethical and legal aspects
 - end of life care, 9–10
 - informed consent, 9
 - mental health problems, 9
 - family support, 8
 - musculoskeletal *see* musculoskeletal trauma nursing
 - orthopaedic conscience, 3–4
 - skilled practitioners, 4
 - technology, monitoring and supporting patients, 9
 - tuberculosis and poliomyelitis, 3
- orthopaedic conscience, 3–4
- orthopaedic elective surgical care *see* elective orthopaedic surgery
- orthosis, 54, 85, 86, 254, 274, 293, 295, 332
- orthotics, 53, 85–6, 153, 291, 314
- orthotic splints, 318
- osteoarthritis (OA)
 - description, 151
 - pathogenesis, 151–2
 - pharmacological management, 153
 - signs and symptoms, 152–3
- osteogenesis imperfecta (OI)
 - abnormal reparative bone, 312
 - chronic condition, 314
 - genetic skeletal dysplasia, 312
 - spinal fusion, 314
 - types, 313
- osteomyelitis
 - acute, adults, 161–2
 - chronic, 162
 - description, 161
 - endogenous, 161
 - exogenous, 161
 - prevention, 161
 - treatment, 162
- osteon *see* Haversian system
- osteoporosis
 - age related bone loss, 159
 - bone remodelling, 159
 - definition, 159
 - diagnosis, 160
 - drug treatments, 160–161
 - fractures, 159
 - patient education, 159, 160
- osteosarcoma
 - chemotherapy, 188
 - CT scan, 188, 188
 - description, 187–8
 - mifamutide (Mepact), 188–9
 - neutropenic sepsis, 188
 - surgery, 188
 - treatment, 188
- pain
 - acute, physiological effects
 - harmful effects, **122**
 - prolonged stress, 122
 - stress response, 122
 - types, 123
 - undertreated pain, 123
 - analgesia protocol, 244
 - assessment
 - areas, 123–4
 - formal pain, 124–5
 - hip fractures, 123
 - nociceptive pain, 124
 - successful pain, 125–6
 - categories, 259
 - central modulation, 122
 - child and young person, 284–6
 - conscious recognition, 122
 - Gate Control Theory, 120, 121
 - hip fracture, 244
 - management
 - conscious recognition, 128
 - site of trauma interventions, 127
 - systemic analgesia, 128–9
 - transmission blocking interventions, 127–8
 - nature, 120
 - peripheral sensitisation, 120
 - spinal modulation, 121–2
- palliative care, 195, 248–9
- partnership, patient and health care professional, 23
- Patient Reported Outcome Measures (PROMs), 50
- pelvis
 - description, 43
 - female, 43, 44
 - fracture, 103, 209–10, 226
 - functions, 43, 44
- perioperative care, elective surgery
 - anaesthetic preparation, 172
 - intraoperative period, 172, 174
 - recovery, 174
- peripheral nerve injury
 - arm, 267, **267**
 - description, 266
 - median nerve, 268
 - radial nerve, 267
 - sciatic nerve, 268–9
 - ulnar nerve, 267–8
- Perthes disease *see* Legg Calvé Perthes disease (LCPD)
- PFF *see* proximal femoral fracture (PFF)
- physeal injuries
 - Salter Harris classification, 323, 324
 - signs, 323
- physical examination
 - assessment
 - deep tendon reflexes, 76
 - gait, 75
 - lower limb shortening, 75
 - movement, 75
 - muscle strength, 75, **75**
 - clinical investigations, 76–7
 - clinical reasoning, 75
 - inspection, 74
 - observation, 74
 - palpation, 74–5
 - principle, 74
 - the Trendelenburg test, 76
- PONV *see* post-operative nausea and vomiting (PONV)
- post-operative care, elective surgery
 - blood replacement, 175
 - discharge planning/rehabilitation

- post-operative care, elective surgery (*cont'd*)
- physical criteria, 175
 - psychological criteria, 175–6
 - social criteria, 176
- hospitalisation, 174
- patient education/health promotion, 176
- post-operative nausea and vomiting (PONV), 117–18
- pre-ambulant child, 309
- preoperative care, elective surgery
- admission, 171
 - assessment, 170, **170**
 - consent, 172
 - discharge planning, 171
 - education, 170–171
 - fasting, 171
 - pre-medication, 171
 - safety checklist, 172, 173
 - skin preparation, 171
- pre-school child, 309–10
- pressure ulcers (PUs)
- classification, 140, 140
 - description, 139
 - 'endless pain' and 'restricted life', 140
 - formation
 - deep ulceration, 141
 - extrinsic factors, 140
 - superficial ulceration, 140
 - global incidence and prevalence surveys, 139
 - management, 145
 - preventative care
 - alternating support surfaces, 144
 - clinical guidelines, 141
 - collars, 144
 - 30-degree tilting regime, 142–3
 - external mechanical forces minimisation, 141–2
 - heel splints, 144
 - malnutrition, 141
 - moisture, 141
 - pillows, 143–4
 - pressure-reducing support surfaces, 144–5
 - risk assessment scales, 141
 - turning, 142
- professional development
- barriers, 20
 - CPD *see* continuing professional development (CPD)
 - CPE, 21
 - learning, 20
 - mentors, 21–2
 - printed educational materials, 21
 - regulation, 20
- PROMs *see* Patient Reported Outcome Measures (PROMs)
- proximal femoral fracture (PFF), 238
- public health, 7, 221
- PUs *see* pressure ulcers (PUs)
- RA *see* rheumatoid arthritis (RA)
- radial nerve injury, 267
- rehabilitation *see also* spinal cord injury (SCI)
- assessment, 61
 - community, 64
 - cost-based analysis, 247
 - definition, 59
 - ESD, 247
 - goals, 59–61
 - HFP, 247
 - implementation plan and evaluation, 61–2
 - models of care, 60
 - multidisciplinary, 52
 - nurses role, 63
 - orthopaedic conditions and trauma, 64
 - psychological support, 63–4
 - settings, 64–5
 - team approaches
 - interdisciplinary/multidisciplinary/transdisciplinary, 62, **62**
 - multidisciplinary approaches, 62
 - traditional pathway, 247
 - trauma nursing practice, 248
- respiratory tract infection, 106–7
- rhabdomyolysis, 211–12
- rhabdomyosarcoma, 192
- rheumatoid arthritis (RA)
- anti-CCP, 157
 - biologics, 158–9, **159**
 - clinical presentation, 156–7
 - description, 156
 - management, 157–8
 - symptoms, 156
 - synovitis, 156
 - ultrasound scanning, 157
 - x-ray, 157
- Roy's adaptation model, 71
- safeguarding children
- child abuse, 286
 - physical abuse
 - alerting features, 286
 - consider, 286
 - factors, 286
 - signs and symptoms, 286
 - spiral humeral and metaphyseal fractures, 287
 - suspect, 286–7
- sarcoma
- bone *see* bone sarcoma
 - chondrosarcoma, 189–90
 - clinical trials, 193
 - description, 184
 - Ewing's sarcoma, 189
 - follow-up, 194–5
 - metastatic bone disease, 192–3
 - nursing and psychological care, 193–4
 - osteosarcoma, 187–9
 - palliative care, 195
 - related websites, 196
 - soft tissue sarcoma, 190–192
 - specialist nursing, 194
 - treatment
 - chemotherapy and radiotherapy, 186, 187
 - ESMO Clinical guidelines, 187
 - limb salvage, 187
 - surgery, 186–7
- SCFE *see* slipped capital femoral epiphysis (SCFE)
- SCI *see* spinal cord injury (SCI)
- sciatic nerve injury, 268–9, **269**
- scoliosis, 163–5, 301, 332
- septic shock, 100–101, 103, 217
- SF36 scale, 125

- shock
 - cardiogenic, 100
 - definition, 98
 - HS *see* hypovolaemic shock (HS)
 - septic, 100–101, 103, 217
 - stages, 99
- shoulder arthroplasty, 179–80
- SIA *see* Spinal Injuries Associations (SIA)
- skeletal muscle
 - attachment, 32
 - functions, 32
 - insertion, 32
- slipped capital femoral epiphysis (SCFE)
 - classification, 299
 - femur slips, 298
 - left femoral capital epiphysis, 299, 299
 - non and partial weight bear, 300
 - osteotomies, 299
 - perichondral fibrocartilaginous ring, 298
 - screw fixation, 299, 300
- soft tissue injury
 - ligaments and tendons, 265
 - multiple risk factors, 265
 - pain management, 266
 - sprains and strains, 265–6
 - swelling, 266
- soft tissue sarcoma
 - diagnosis, 190
 - epithelioid sarcoma, 192
 - leiomyosarcoma, 191–2
 - liposarcoma, 190–191, 191
 - MPNST, 192
 - rhabdomyosarcoma, 192
 - signs and symptoms, 190
 - synovial sarcoma, 191
 - treatments, 190
- SpA *see* spondyloarthropathies (SpA)
- spasm
 - fracture system, 92
 - spasticity, 259
 - spinal and neurogenic shock, 259
 - Thomas splint, 92
- spinal cord injury (SCI)
 - assessment, 332
 - bony elements, 252
 - bowel management
 - defecation and micturition, 260
 - DRE, 258
 - neurologic, 261, **261**
 - neurological damage, 260
 - pelvic floor, 261
 - pharmacological and non-pharmacological intervention, 261
 - transanal irrigation, 262
 - UMN, 261
 - bradycardia, 256
 - care and rehabilitation
 - AD, 258
 - bladder and bowel management, 258
 - bradycardia, 256
 - ISNCSCI, 255
 - neurogenic and spinal shock, 256
 - respiratory, 256–7
 - skin, 257
 - supraconal injury, 255
 - catastrophic events, 251
 - collar/brace, 259
 - CSF, 252
 - diagnosis, 332
 - discharge and future life plan, 263
 - early rehabilitation
 - genitourinary management, 262–3
 - mobilisation, 259–60
 - pain, 259
 - pressure ulcer prevention, 257, 260
 - spasm, 259
 - high cervical injury, 253
 - moving and handling patients, 254
 - musculoskeletal complications, 332
 - neurological deficit, 255, **255**
 - non-traumatic causes, 252
 - pathophysiology, 253
 - posterior and radicular arteries, 252
 - post-operative instructions, 258
 - priapism, 253
 - unstable fractures and soft tissue injury, 254
- Spinal Injuries Associations (SIA), 252, 255
- spinal modulation, 121–2
- spinal stenosis, 165, 253
- spine
 - functions, 36–7
 - regions, 36
 - soft tissues
 - annulus fibrosus, 37
 - intervertebral discs, 37, 39
 - intrasegmental and intersegmental system, 38
 - ligaments, 38, **39**
 - muscles, 40
 - nucleus pulposus, 37
 - spinal cord and vertebral nerves, 40, 41
 - structure, 36, 37
 - surgery
 - decompression, 180–181
 - musculoskeletal injuries, 180
- spondyloarthropathies (SpA)
 - ankylosing spondylitis, 154–5
 - description, 154
 - psoriatic arthritis, 155–6
- starvation/fasting, 118–19
- Stryker intra-compartmental monitor system, 104
- subtrochanteric fracture, 240, 242, 243
- supraclavicular injury, 271
- surgical care practitioner (SCP)
 - definition, 49
 - responsibilities, 50
- surgical site infection (SSI)
 - causes, 138
 - definition, 137
 - diagnosis
 - approaches, 138
 - cardinal signs, 139
 - clinical assessment, 138, **139**
 - laboratory analysis, 139
 - prevention, 138
 - surveillance data, 138
- surgical wounds, 14, 127, 131, 134, 135, 138, 180

- Surviving Sepsis Campaign (SCC), 100
- synovial joints, 34, 35
- synovial sarcoma, 191
- synovitis, 156, 157
- systemic analgesia
- adjuvant analgesics, 129
 - carbamazapine, 129
 - IV administration, 128
 - nitrous oxide, 129
 - opioids, 128–9
 - paracetamol, 128
 - relative efficacy, analgesics, 129, **129**
- tibial fractures, 230
- total hip replacement (THR), 65, 168, 177–8, 241
- total joint replacement (TJR), 176–7
- total knee replacement (TKR), 65, 168, 178–9
- traction
- application methods, 91, 92
 - care, 93
 - description, 318–19
 - Dunlop traction, 94, 95
 - Gallows/Bryant traction, 94, 94
 - Hamilton Russell traction, 93, 93
 - mechanics
 - counter-traction, 92
 - friction, 93
 - pulleys position, 92
 - vector forces, 92–3
 - principles, 91–2
 - Thomas splint traction, 94, 94
 - types, 319
- transcutaneous electrical nerve stimulator (TENS) machines, 127–8, 153, 158
- transdisciplinary team (TDT), **62**
- trauma care
- description, 201
 - EWS and deteriorating patient *see* early warning score (EWS)
 - major orthopaedic, 52
 - medical roles, 53
 - minor orthopaedic, 51
 - monitoring, deterioration and early warning scores, 212
 - musculoskeletal assessment, 207
 - pre-hospital care
 - management, 201
 - mechanism of injury, 201
 - primary survey
 - airway, spinal precautions, 202, 202–3
 - ATLS protocol, 201
 - breathing, 203–4
 - circulation, 204
 - disability, 204
 - exposure/environment control, 205
 - rhabdomyolysis, 211–12
 - secondary survey
 - haemorrhage control and acute coagulopathy, 205, 205
 - spinal precautions, 206–7, 208
 - wound management, 206
 - severe injury and polytrauma
 - head injury, 210–211
 - multiple trauma, 209
 - pelvic fractures, 209–10
 - wounds, crush injuries and traumatic amputations, 211
- traumatic wounds, 97, 98, 131–2, 206
- ulnar nerve injury, 267–8
- upper limb fractures, 230, **232–3**
- upper limb injuries
- clavicle fractures, 324–5
 - elbow fractures, 325–6
 - forearm fractures, 326–7
 - hand and finger fractures, 327–8
- urinary retention, 106
- urinary tract infection (UTI)
- description, 105
 - prevention, 105–6
 - symptoms, 106
 - treatment, 106
- venous thromboembolism (VTE)
- care, 102
 - description, 101
 - factors, development, 101
 - mechanical, 102
 - pharmacological, 102
 - prevention methods, 102
 - risk assessment, 102
 - risk factors, 101
 - Virchow's Triad, 101
- vitamin D deficiency
- genu varum/valgum, 301
 - rickets, 300, 301
 - wrist, 300, 300
 - wrong and right foods, 301
- VTE *see* venous thromboembolism (VTE)
- “Wong Baker Faces” rating scale, 124
- wound management
- assessment, 135
 - bed, 135–7
 - healing *see* healing, wound
 - measurement, 135
 - PUs *see* pressure ulcers (PUs)
 - SSI *see* surgical site infection (SSI)
 - surgical wounds, 131
 - traumatic wounds, 131–2