

Index

Note: Page numbers followed by f or t refer to Figures or Tables

- abrasions, 251
- abusive head trauma (AHT)
 - anatomy, 208
 - brain oedema, swelling and hypoxic ischaemic brain injury, 236–239
 - cortical contusions, 235
 - diffuse axonal injury (shear injury), 235–236
 - extradural haemorrhage, 234
 - incidence and extent, 256
 - injury patterns, 207–208
 - intracranial manifestations, 218–219
 - investigation of, 217
 - scalp injury, 209
 - skull fracture mimics, 214–217
 - skull injury, 209–213
 - subarachnoid haemorrhage, 233–234
 - subdural haemorrhage, 219–233
 - time of injury estimates, 213–214
- accessory sutures, 214
- acute behavioural disorder. *See* excited delirium syndrome
- adolescents, 93, 259
- AEIOU TIPS mnemonic, 105t
- agitated delirium. *See* excited delirium syndrome
- alcohol use/abuse
 - brief interventions and, 202
 - child abuse and, 261–262
 - driving impairment and, 153–155, 162–163, 172
 - police custody and, 181–183, 185–189, 191, 195, 202–203
- Alcohol Use Disorders Identification Test (AUDIT), 202
- Alcolizer LE®, 163
- alprazolam, 166
- American College of Emergency Physicians (ACEP), 99, 190
- amphetamines, 157–158. *See also* amphetamine-type stimulants; methamphetamines
- amphetamine-type stimulants (ATS), 163–165. *See also* amphetamines
- amplification process, 7–8, 11, 23
- anthrax, 189
- antipsychotics, 106–110
- antisocial personality disorder, 145, 147–148
- archaeological recovery of human remains, 277–279, 314–316
- Argentina, 270, 273
- Argentine Forensic Anthropology Team (EAAF), 271
- arteriosclerosis, 133
- asphyxia, 91, 92
- Association for the Recovery of Historical Memory, 271
- asthmatics, 55, 181–183, 192
- Attorney General's Reference (No. 2 of 1992)*, 132
- Australasian Association of Forensic Physicians (AAFP), 26–30
- autoclaving, 15t, 19–20
- autoerotic deaths
 - definition, 83–84
 - historical perspectives, 81–83
 - incidence, 85
 - investigation of, 86–88
 - methods of, 88–92
 - victims of, 92–94

- Autoerotic Fatalities* (Hazelwood, Dietz & Burgess), 83
- automatism
- arteriosclerosis and, 133
 - cerebral tumour/oedema and, 133
 - concussion and, 133
 - confusion about, 119–120
 - definitions, 120–121
 - degree of impairment and, 123
 - diabetes and, 121, 123–125, 134
 - epilepsy and, 121–122, 131–132
 - internal-external test, 122
 - legal perspectives, 121–123
 - multiple sclerosis and, 132–133
 - prescription drugs and, 133–134
 - psychiatric disorders and, 129–131
 - reform proposals, 135
 - self-induced intoxication and, 122
 - sentencing and mitigation, 134–135
 - sleep disorders and, 125–129
- avoidant/anxious (avoidant)/dependent personality disorder, 148–149
- bath salts, 35, 37, 101
- Bell, Luther, 98
- Bell's Mania, 98
- benzodiazepines, 106–108, 166
- benzoylcegonine, 157, 158t, 166
- beta radiation, 15t, 16
- bleach, 15t, 18–19
- blood alcohol concentration (BAC), 162–163
- body wrapping, 92
- borderline and emotionally unstable personality disorder, 145–147
- Bosnia-Herzegovina, 272
- brain oedema/swelling, 235–238
- brain tumors, 189
- Bratty* (legal case), 120, 131
- Brief Jail Mental Health Screen (BJMHS), 201
- Brief Psychiatric Rating Scale, 184
- Broome v Perkins* (1987), 123, 135
- bruises, 248–250, 263t
- Burgess* (legal case), 126
- burns, 253–255, 263t
- cannabis, 157, 165–166, 202
- cardiac rhythm analysis, 102
- cathinones, 37, 42, 101, 165
- cause of death determination, 279–281
- cell-free nucleic acid (CNA), 11
- cephalhaematomas, 209
- cerebral tumour/oedema, 133
- child abuse. *See also* child abuse, head trauma
- contributing and risk factors, 246
 - definitions, 244
 - fabricated or induced illness, 257–258
 - general signs and symptoms, 246–247
 - mimic conditions, 262–264
 - neglect, 260
 - overview, 243
 - physical signs, 247–257
 - physician's role in detection, 244–246
 - screening instruments, 260–262
 - suspect clinical presentations, 259–260
- child abuse, head trauma. *See also* child abuse
- abuse
 - anatomy of head, 208
 - brain oedema, swelling and hypoxic ischaemic brain injury, 236–239
 - cortical contusions, 235
 - diffuse axonal injury (shear injury), 235–236
 - extradural haemorrhage, 234
 - incidence and extent, 256
 - injury patterns, 207–208
 - intracranial manifestations, 218–219
 - investigation of, 217
 - mimics of skull fractures, 214–217
 - scalp injury, 209
 - skull injury, 209–213
 - subarachnoid haemorrhage, 233–234
 - subdural haemorrhage, 219–233
 - time of injury estimates, 213–214
- Child Protection Register (CPR), 261
- children, 51, 93. *See also* child abuse; child abuse, head trauma
- Chile, 270, 272
- choking games, 93
- cholecystokinin (CCK), 50
- chyme, 49, 50
- citalopram, 134
- clinical forensic medicine
- deaths and other harm in police custody, 185–189
 - excited delirium syndrome and, 190–191
 - healthcare delivery and, 179–180
 - healthcare problems of detainees, 180–185
 - mental health screening and referral, 197–202
 - prevention of death and harm, 202–203
 - risk assessment, 191–197

- clonazepam, 158t
- cocaine
 brief interventions and, 202
 driving impairment and, 157, 158t, 166
 excited delirium syndrome and, 98–99, 101
- codeine, 167–168
- Colombia, 271
- Combined DNA Index System (CODIS), 9
- comingled remains, 282–283
- communications, 295
- community liaison nurses (CLN), 261
- computed tomography (CT), 217, 224–228, 233, 235–239
- conducted electrical weapons (CEWs). *See* TASER® International devices
- conducted energy devices (CEDs). *See* TASER® International devices
- confusional arousal/sudden arousal disorders, 127
- cooling measures, 111–112
- cortical contusions, 235
- Cox v Rawlinson* (2010), 121
- Crime and Courts Act 2013, 157
- crimes against humanity
 complex cases, 282–283
 forensic anthropology and, 269–272
 investigatory phases, 275–281
 legal framework, 274
 misconceptions about, 274–275
 multidisciplinary approaches, 281–282
 recommendations, 283–284
 types of cases, 273
- cross-dressing, 82, 84, 86–88, 93–94
- data triangulation, 36
- death, cause of. *See* cause of death
 determination
- death, time of. *See* time of death
- “Decade for Road Safety,” 153
- decontamination. *See also* laboratory cleaning
 autoclaving, 15t, 19–20
 beta and gamma radiation, 15t, 16
 commercially available solutions for, 29
 databases and, 31
 DNA damage, 14–20
 DNA denaturation, 13–14
 ethylene oxide, 15t, 17–18, 20
 evaluation of, 30
 selection issues, 12
 sodium hypochlorite (bleach), 15t, 18–19
- stability of DNA molecule, 12–13
- sterilization techniques, 14, 15t, 21
- UV radiation, 14–16
- denaturation, 13–14
- dental/oral lesions, 257
- diabetics
 automatism and, 121, 123–125, 134
 gastric content analysis and, 55
 police custody and, 181–183, 192
- Diagnostic and Statistical Manual of Mental Disorders*, 5th edition (DSM-V), 100, 140–141, 143
- diazepam (Valium®), 107t, 108, 158t
- diffuse axonal injuries (DAI) (shear injuries), 235–236
- digestion, 48–49, 55
- dihydrocodeine, 167
- DNA contamination, 2–5
- DNA interpretation, 9–11, 281–282
- DNA profiling
 amplification process, 7–8, 11, 23
 developments in, 6
 electrophoresis, 8–9
 extraction and quantification, 7
 overview, 9
 sample collection, 6–7, 276
- dopamine, 101–102
- double swabbing techniques, 7
- doughnut lesions, 216
- Driver and Vehicle Licensing Agency (DVLA), 169–170
- driving impairment
 alcohol and, 162–163
 amphetamine-type stimulants and, 163–166
 benzodiazepines and, 166
 causes of, 153–155
 cocaine and benzoylecgonine and, 166
 forensic specimens and, 168–169
 gammahydroxybutrate and, 168
 ketamine and, 168
 legal approaches, 155–158
 medical conditions and fitness to drive, 169–171
 opiates and, 167–168
 police custody and, 188–189
 sleep deprivation and, 171–172
 sobriety assessment, 158–162
 Z drugs and, 167
- Driving Under the Influence of Drugs (DUID), 159

- droperidol (Inapsine®), 107t, 108
 Drug Evaluation and Classification Program (DEC), 158
 Drug Recognition Expert Programs (DREs), 158–159
 drug use/abuse. *See also specific drugs such as benzodiazepines*
 child abuse and, 261–262
 driving impairment and, 153–155
 police custody and, 181–183, 185–191, 197, 202–203
 DRUID Project (Driving under the Influence of Alcohol, Drugs and Medicines), 155, 162, 168, 170–171
- early evidence kits (EEK), 30
 electrocution, 92
 electronic control devices (ECDs). *See* TASER® International devices
 electrophoresis, 8–9
 El Salvador, 270
 emotional abuse, 244
 emotionally unstable personality disorder, 145–147
 environmental hazards, 300
 epilepsy, 121–122, 131–132, 181–182, 192
 equipment, 292–293, 296–297, 313
 escape mechanisms, 84
 Ethiopia, 270
 ethylene oxide, 15t, 17–18, 20
 European Monitoring Centre for Drugs and Drugs Addiction (EMCDDA), 36
 European Standard Set (ESS), 9
 excited delirium syndrome (ExDS)
 aetiology, 101–102
 definitions and overview, 97–100
 diagnosis, 103–104
 initial approach and work-up, 104–106
 medication treatment, 106–110
 memory aids for law enforcement, 112–114, 192f
 risk factors for, 190–191
 supportive treatment, 110–112
 exhumation/excavation of human remains, 277–279, 314–316
 explosives, 299
 extraction of DNA, 7
 extradural haemorrhage (EDH), 234
 eye trauma, 256
 fabricated or induced illness, 257–258
 Faculty of Forensic and Legal Medicine (FFLM) of the Royal College of Physicians, 26–30, 203
 failure to thrive, 263t
 Fast Alcohol Screening Test (FAST), 202
 fasting, 49
 field missions
 administration and logistics, 291–295, 312–314
 communications and command, 295, 314
 equipment, 292–293, 296–297, 313
 execution of, 289–291, 312
 financial arrangements, 293, 313
 goals and objectives, 287–288
 International SOS, 297
 mission of, 289, 312
 mission plan, 289, 312–314
 mission plan template, 312–314
 personal documentation, 294, 297
 reports and diary, 296
 security, 295–296, 297–311, 314
 situation and background, 288–289, 312
Finegan v Heywood (2000), 121, 135
 flunitrazepam, 158t
 foreign body insertion, 92
 forensic clean, 21–22
 Forensic Medical Examiner (FME), 181
 fractures, 251–253, 263t, 264
- gammahydroxybutyrate (GHB), 168
 gamma radiation, 15t, 16
 gastric content analysis
 DNA analysis, 60–61
 gastric emptying factors, 53–56
 macroscopic, 58–59
 measurement methods, 52–53
 microscopic, 59–60
 motility and emptying, 49–52
 Perper's protocol, 57t
 physiology and, 48–49
 qualitative, 58
 quantitative, 57
 time of death and, 47–48, 53, 61–63
 gastrin, 50
 gastrointestinal tract, 48
 gloves, 28–29
 golden triangle of forensic investigation, 86
 Goudge Inquiry, 240
 gowning, 24, 29

- Guatemala, 270–271
gyral calcifications, 238
- haloperidol (Haldol®), 107t, 108–110
hanging, 82, 84, 86–92, 94
head trauma in children. *See* abusive head trauma
healthcare in police custody. *See* clinical forensic medicine
Hennessy (legal case), 119, 124, 125
heroin/diamorphine, 157, 167
high template amplicons, 8
HM Advocate v Aitken (2012), 125
Howie-style laboratory coats, 23
human remains recovery, 277–279, 314–316. *See also* comingled remains
human rights violations. *See* crimes against humanity
hydrocephalus, 238
hyperthermia, 102, 111–112
hypoglycaemia, 121, 123–125, 134
hypopnoea syndrome, 129
hypoxia, 218
hypoxic ischaemic injuries, 238–239
hysterical fugue, 130
- impairment offence, 156
improvised explosive devices (IED), 299
infants, 51. *See also* child abuse; child abuse, head trauma
injuries in police custody. *See* clinical forensic medicine
Inquiry into Pediatric Forensic Pathology, 240
International Association of Chiefs of Police (IACP), 158
International Classification of Diseases (ICD-10), 100, 140
International Commission on Missing Persons, 271
International Criminal Court, 270
International Criminal Tribunal for Rwanda, 270
International Criminal Tribunal for the Former Yugoslavia, 270
International Laboratory Accreditation Co-operation (ILAC), 22–23
International Personality Disorder Examination (IPDE), 144
International SOS, 297
interpreters, 292, 302, 308, 313
intoxication, 122. *See also* alcohol use/abuse; drug use/abuse
intracranial injuries, 218–219
intravenous fluids
 for excited delirium syndrome, 110–111
investigation techniques, 275–276, 284
irritant sprays (IS), 185
- Jama, Farah Abdulkadir, 2–4
Jeffreys, Alec, 6
- Kay v. Butterworth* (1945), 121
ketamine
 driving impairment and, 157, 158t, 168
 for excited delirium syndrome, 106–107, 109–110
khat leaves, 165
Kiesewetter, Michele, 2
- laboratory cleaning. *See also* decontamination
 AAFP/FFLM procedures, 26–30
 databases and, 31
 erroneous assumptions, 21–22
 evaluation of, 30
 good practices, 23–26
 ILAC guidelines, 22–23
lacerations, 251
land mines, 299, 309, 316
legal highs. *See* novel psychoactive substances
legal limits for drugs, 156–158
Leskie, Jaidyn, 5
Lion Intoxilyzer®, 163
Locard's principle, 10
lorazepam (Ativan®), 107t, 108, 110, 158t
low template analysis, 8
LSD, 157, 158t
- magnetic resonance imaging (MRI), 217, 226–233, 235–238
marijuana, 157, 165–166, 202
Maroc, 270
mass graves, 314–316
masturbation, 86–87
McGhee v R (2013), 133–134
memorandum of understanding, 291
mental health issues. *See* psychiatric symptoms; *specific issues such as* schizophrenia
mephedrone (4-methylmethcathinone), 36–39, 42

- methadone, 158t, 167
methamphetamines (MA), 155, 157, 158t, 164
methoxetamine, 41
methylamphetamine, 163–164
methylenedioxymethamphetamine (MDMA), 155, 157, 158t, 163–164
Mexico, 270
midazolam (Versed®), 107t, 108
migrating motor complex (MMC), 49
Millon Clinical Multiaxial Inventory (MCMI-III), 144
mini-satellites, 6
Minnesota Multiphasic Personality Inventory (MMPI-2), 143
mission diaries and reports, 296
monoacetylmorphine, 158t
morphine, 158t
motor vehicle accidents. *See* driving impairment
Motor Vehicles (Driving Licenses) Regulations 1999, 169
multiple sclerosis, 132
multiple SIDS, 263t
Munchausen syndrome by proxy. *See* fabricated or induced illness
munitions, 299
Mutual Assistance Agreements, 288
- National Association of Medical Examiners (NAME), 99, 191
National Poisons Information Service, 37
natural disasters, 273, 283
near-drowning, 259
neglect, 244, 260
NEO-PI-R, 144
neuroticism, 139–140
novel psychoactive substances (NPS)
 chronic toxicity, 40–41
 classes of, 36t
 deaths, 41
 mephedrone, 36–39, 42
 synthetic cannabinoid receptor agonists, 39–40, 42–43
 toxicity, 35–37
NREM parasomnias, 127
nuclear medicine bone scans, 217
nystagmus, 161
- obsessive-compulsive/anankastic personality disorder, 148–149
obstructive sleep apnoea, 129
olanzapine (Zyprexa®), 107t, 109
openness to experience, 139–140
opiates, 167–168, 202
oral fluid samples, 168
oxazepam, 158t
oxycodone, 167
- paranoid personality disorder, 144–145
parietal foramina, 216–217
passports. *See* visas
personality disorders
 assessment instruments, 143–144
 automatism and, 130
 categories of, 144–149
 definitions and overview, 139–141
 diagnostic approaches, 141–142, 143
 forensic issues, 149–150
 prevalence, 142–143
Personality Inventory for DSM-V (PID), 144
personnel tasks, 290–291, 312
Peru, 270–271
Phantom of Heilbronn, 2
physical abuse
 accidental *vs.* non-accidental injury, 247–248
 bruises, 248–250
 burns, 253–255
 cold injury, 255
 defined, 244
 dental/oral lesions, 257
 eye trauma, 256
 fractures, 251–253
 human bites, 248, 250–251
 lacerations, abrasions and scars, 251
 spinal injury, 257
 visceral lesions, 255–256
Physicians for Human Rights (PHR), 271
Pitchfork, Colin, 6
poisoning, 259
Police and Criminal Evidence Act 1984, 192
police brutality, 188
police custody. *See* clinical forensic medicine
Police Mental Health Screening Questionnaire (PolQuest), 197–199
polymerase chain reaction (PCR), 6, 8, 11
pornography, 82, 86–87, 94
positive airflow cabinets, 23
post-traumatic stress disorder, 131
Preliminary Impairment Test (PIT), 159–162

- prescription drugs
 automatism and, 133–134
 driving impairment and, 153, 167–168, 171
 Prison Screening Questionnaire (PriSnQuest), 198
 psychiatric symptoms
 child abuse and, 261–262
 in police custody, 181–184, 200–202
 psychosis, 130

 quantification of DNA, 7
Quick (legal case), 119, 124

 radioisotope methodology, 52
 Railway and Transport Safety Act 2003, 159
 random breath testing (RBT), 163
 Readiness to Change Questionnaire, 202
 Ríos Montt, Efraín, 270
 risk assessment. *See* threat assessments
 roadside drug testing, 155
 Road Traffic Act 1988 (RTA), 156, 157, 169
 Road Transport (Safety and Traffic Management) Act and Regulation 1999, 155
 robotics, 25
R v Ball (2007), 134
R v Bingham (1991), 125
R v Burton, 133
R v C (2007), 125
R v Charlson (1955), 123
R v Clark, 124–125
R v Coley (2013), 122, 130
R v Gilbert (2006), 121
R v Harrison (2004), 134
R v Isitt (1978), 123, 130
R v Kemp (1957), 123
R v Lipman (1969), 122
R v Lowe, 127
R v Marison (1997), 121
R v Parks (1992), 119, 123, 126, 129
R v Pooley (2013), 122
R v Pull, 132
R v Rabey (1980), 131
R v Rigby (2013), 134
R v Roach (2001), 130
R v Smallshire (2008), 134
 Rwanda, 270

 sample collection, 6–7
 scalp injuries, 209
 scars, 251

 schizoid/schizotypal personality disorder, 144–145
 schizophrenia, 101–102
 scintigraphy, 53
 Scott, Adam, 4–5
 security, 289, 295–296, 297–311, 314
 self-inflicted injuries, 263t
 sexsomnia, 127–129
 sexual abuse, 244
 shaken baby syndrome. *See* abusive head trauma
 short tandem repeats (STRs), 6, 9
 short-term police custody. *See* clinical forensic medicine
 Single
 Alcohol Screening Question (M-SASQ), 202
 skull injuries/fractures
 estimate of time of injury, 213–214
 investigation of, 217
 mimics of, 214–217
 overview, 209–213
 sleep deprivation, 171–172
 sleep disorders, 125–129
 sleepwalking, 125–126, 135
 SMASHED mnemonic, 105t
 SMEACS mnemonic, 288
 sobriety assessment, 158–162
 sodium bicarbonate, 111
 sodium hypochlorite (bleach), 15t, 18–19
 somnambulism, 125–126, 135
 South Africa, 270
 Spice. *See* synthetic cannabinoid receptor agonists
 spinal injury, 257
 squamous epithelial cells, 10–11
 Standard Impairment Assessment (SIA), 161
 standardized field sobriety tests (SFST), 158, 164
 sterilization techniques, 14, 15t, 21
 stomach content analysis. *See* gastric content analysis
 stomach physiology, 48
 stratum corneum, 10–11
 stress, 131
 Structured Clinical Interview for DSM-IV (SCID-II), 142, 144
 subarachnoid haemorrhage (SAH), 233–234
 subdural haemorrhage (SDH)
 computed tomography, 224–228
 magnetic resonance imaging, 228–233
 overview, 219–222
 ultrasound imaging, 223–224

- subgaleal haematomas, 209, 219f
- synthetic cannabinoid reception agonists (SCRAs), 39–40, 42–43
- TASER® International devices
 - effects of, 70–77
 - electrical outputs, 68–70
 - excited delirium syndrome and, 106
 - market domination, 67–68
 - modes of use, 68
 - in police custody, 184–185
- teenagers, 93, 259
- temazepam, 133–134, 158t
- tetra-hydrocannabinol (THC), 155, 158t, 165–166
- tetra-nucleotides, 9
- threat assessments, 289, 295–296, 297–311, 314
- time of death analysis, 47–48, 53, 61–63
- tobacco use, 202
- traffic accidents. *See* driving impairment
- tramadol, 167
- transport, 291–292, 312–313
- traumatic brain injury, 218. *See also*
 - abusive head trauma
- truth commissions, 270–272
- ultrasound, 52, 53, 217, 223–224
- unexploded bombs (UXB), 299
- United Nations Field Security Handbook, 298
- United Nations' High Commissioner for Human Rights, 270
- United Nations Integrated Security Clearance and Tracking System (ISECT), 298
- Uruguay, 271, 272
- Use of Force (UoFF) modalities, 184–185
- UV radiation, 14–16
- Valium®. *See* diazepam
- vascular impressions, 214
- victim identification, 279–281
- visas, 294, 297, 313
- visceral lesions, 255–256
- war crimes. *See* crimes against humanity
- Wormian bones, 215
- Yugoslavia, 270
- Z drugs, 156, 167
- zero tolerance, 155, 157, 166, 171
- ziprasidone (Geodon®), 107t, 109