

Index

- Acrylic appliances, 163–166, 191–195, 216–218
- Acupuncture, 224, 254–255, 316–317
- Acute malocclusion, 116–119, 125–128, 159–160, 354–356
- Acute pain, 86–87, 92–93, 103–148, 168, 276, 277, 279–281, 319
 - case scenarios, 333–336, 349–350, 353–358
- Acute pulpalgia, 15–16, 33, 39, 62–65, 111, 325, 333–335, 370, 371
- Acute TMD conditions, 86–87, 92–93, 103–148, 168, 276, 277, 279–281, 319, 357–358
- Acute TMJ disc displacement with reduction. *See* TMJ, disc displacement without reduction with limited opening
- Adherence of condyle, 83, 88, 143
- Adhesions within TMJ, 83, 88, 305, 306
- Adjunctive therapies, 247–248, 261–262, 301, 321, 324, 366, 372
- Adjustments of appliances, 153–155, 172–190, 204–205
 - external, 178–184, 217
 - internal, 172–175
- Advil. *See* Ibuprofen
- Advocacy group for patients, 415
- Afrin, 17, 65, 337
- Allergy from appliance, 165, 166, 172
- Alloplastic disc implants, 11, 13, 27, 68, 77, 308, 321
- American Board of Orofacial Pain Diplomates, 416
- Amitriptyline, 23, 36, 63, 114, 282–283, 322–323, 344, 357
- Amoxicillin/clavulanate. *See* Augmentin
- Analgesic creams, 284–289, 342
- Analgesics, 107, 277–280, 284–289, 342
- Anaprox. *See* Naproxen
- Anatomy, of TMJ, 19–20
- Anesthetic test, 40, 64, 66–67, 118, 334, 370
- Ankylosis, 21, 74, 83, 88–89, 116, 304, 306, 307, 321, 413
- Anterior digastric muscle
 - pain from, 115, 133
 - palpation, 51–55
 - referred pain from, 54
- Anterior midline shift, 34, 61–62, 68, 77, 387
- Anterior open bite, 17, 27, 34, 61, 68, 77, 89–90, 387
- Anterior positioning appliances, 84, 137–139, 151, 208, 213–221, 349–350, 419
 - adjustment, 216–218
 - allergy from, 165, 166, 172
 - bisphenol A (BPA) within, 151–152
 - care for, 397–398 (also on accompanying CD)
 - chairside fabrication, 137–139
 - description, 137–139, 151
 - design, 216–218
 - interocclusal record for, 215–216
 - management for, 151, 137–139, 218–221, 349–350
 - mandibular position for, 151, 213–216
 - mechanisms, 151, 213–215
 - occlusal changes secondary to, 218–219
 - temporary appliance, 137–139, 349–350
- Antibiotics, for sinus pain, 17, 65, 337
- Antidepressants
 - selective serotonin reuptake inhibitor (SSRI), 276–277, 284
 - tricyclic, 103, 275, 276, 282–284, 319, 323, 324, 326, 338, 357
 - amitriptyline, 23, 36, 63, 114, 282–283, 322–323, 344, 357
 - daytime pain treated using, 283, 323, 358
 - description, 282
 - desipramine, 283, 323, 358

- Antidepressants (*continued*)
 nocturnal habits treated using, 282–283, 322–323
 nortriptyline, 23, 36, 63, 114, 283, 322–323
- Anti-inflammatory medications
 corticosteroids, 108, 141, 279–280, 350, 352, 355, 358
 nonsteroidal anti-inflammatory medications (NSAIDs)
 ingested, 103, 108, 113, 118, 141, 277–279, 340, 350, 352, 355–356, 258
 topical, 286–288, 342
- Anxiety, 100, 103, 249, 261, 269, 275, 281, 313, 325, 332, 352, 411
- Appliances. *See also* Anterior positioning
 appliances; Sleep apnea, appliances;
 Stabilization appliances; Thermoplastic
 stabilization appliances
 opposing, 203–204, 208, 315, 322, 341
 repair, 188–190
 retention, 170–171
 thickness, 158, 167, 169–170, 178, 183–184, 188, 192–193, 195–196, 200–202, 405–406
 wear, 154, 205, 315
- Arm pain analogy, 26, 240–241
- Arteritis, 26–27, 38
- Arthralgia. *See* TMJ, arthralgia
- Arthritis
 osteoarthritis, 17, 27, 34, 61, 77, 83, 90, 149, 285, 287, 289–290
 rheumatoid, 71, 82, 86, 90, 99
 systemic arthritides, 7, 35, 71, 82, 83, 89, 90
- Arthrocentesis, 142–143, 280, 304–306, 320, 351–352
- Arthrography, 75
- Arthroscopy, 304, 306–307
- Articular diagnostic categories, 82–92
- Articular eminence interference
 luxation, 20–22, 89, 106, 145–148, 315, 442
 Monoject syringe for, 147
 stabilization appliance for, 149, 315
 subluxation, 20–22, 89, 106, 145–148, 315, 442
 stabilization appliance for, 149, 315
- Articular surface remodeling, 71, 82, 89
- Aspercreme cream, 284–285, 396
- Assessing clinical trials, 380
- Athletic mouthpiece, 154, 163, 168, 201–204
- Augmentin, 17, 65, 337
- Autonomic changes, 17–18
- Awakening symptoms, 7, 13, 23, 62, 98–99, 134, 141, 205, 207, 281–283, 296, 322–324, 339–340
 medications for, 23, 63, 113–115, 280–281, 282–283, 322–323, 332, 352
 occlusal appliance for, 154, 205, 315
- Baclofen, 381–382
- Biofeedback, 247, 261, 263–265, 269–271, 317–319, 321–323, 342, 357–358, 411, 419
- Bisphenol A (BPA), within appliances, 151–152
- Bite registration (interocclusal record)
 anterior positioning appliance, 215–216
 stabilization appliance, 153–154, 155–158, 360–362
- Blinded (masked) subjects, 375–377, 380
- Bloodshot eyes, 17
- Bone remodeling, 71, 82, 89
- Books, for patients and practitioners, 415–417
- BOTOX®, 250, 316
- Botulinum toxin-A, 250, 316
- BPA (Bisphenol A), within appliances, 151–152
- Breaking daytime habits, 23–24, 99, 135, 240–244, 261–266, 317, 321–322, 342
 external cues, 241–242, 267, 420
 internal cues, 242, 267, 327, 420
- Brochures for patients, 415
- Bruxism. *See* Parafunctional habits
- Burning pain, 15–16, 27, 33
- Caffeine consumption, 233–236, 314, 326, 396
- Candidiasis, under appliance, 205
- Capsaicin, 285–286
- Capsulitis. *See* TMJ, arthralgia
- Cardinal TMD signs and symptoms, 1
- Care for appliances, 397–398 (also on accompanying CD)
- Caries and restorations
 altering therapy, 62–65, 110–114, 116–120, 154, 177–178, 200, 295, 296, 320, 333–335
 imaging for, 76
- Carisoprodol, 280
- Carotid artery
 palpation, 46, 48
 significance, 48
- Carotidynia, 48

- Case-control study, 370, 373
- Case report, 369, 370–371, 378
- Case series study, 369, 371–372
- CBCT (cone beam computed tomography), 71, 72, 74, 76
- Celebrex. *See* Celecoxib
- Celecoxib, 290
- Centrally mediated myalgia, 83, 95
- Centric relation (CR), 153–154, 155–159, 296, 303, 320, 419
- Cervical muscles
 - palpation, 45–46, 48–57, 337–339
 - referred pain from, 48–57, 337–339
- Cervical pain, 419
 - awakens patients, 23, 33
 - case scenario, 337–339
 - headache contribution from, 18, 251–252, 255
 - palpation for, 48–57, 338
 - prevalence, 18, 106, 248, 250
 - referred pain from, 48–57
 - scope of care within, 19, 39, 60
 - significance, 18–19, 49, 60, 315
 - treatment, 57, 60, 248–254, 255–256, 284, 286, 315, 316, 321, 324, 338–339
- Cervicogenic headache, 18, 48–50, 251–252, 317
- Chief complaint, 5, 44, 64, 81
- Chiropractics, 255–256, 317
- Chlorzoxazone, 280
- Chondroitin, 289–290
- Clearance, for orthodontic therapy, 301
- Clenching teeth, 1, 6, 19, 26, 37, 71, 82, 97, 100, 234–235, 267, 295, 337
 - test for, 68
- Clinical examination, 39–68. *See also* Initial evaluation
 - additional evaluations, 67–68
 - intraoral examination, 61–67
 - palpation, 39–40, 44–61, 65–67, 110–111
 - structures
 - anterior digastric muscle, 51–55
 - carotid artery, 45–48
 - cervical muscles, 45–46, 48–57
 - coronoid process, 53, 59
 - initial palpations, 44–51
 - lateral pterygoid area, 52–54, 57–58, 111
 - masseter muscle, 45–48, 54, 111
 - medial pterygoid muscle, 52–54, 58–59
 - more intense TMD palpations, 50–51, 57, 59, 66
 - posterior digastric muscle, 53–56
 - splenius capitis muscle, 45–46, 48–50, 54
 - sternocleidomastoid muscle, 53–54, 56
 - stylomandibular ligament, 59–60
 - temporalis muscle, 45–49, 51–55, 59, 111
 - temporalis tendon, 52–54, 59
 - thyroid, 45–48
 - TMJ, 45–47, 50–54, 111
 - trapezius muscle, 45–46, 48–50, 54
- tables/figures
 - additional palpations, 53
 - for dental patients, 111
 - initial recommended palpation, 46
 - recommended initial palpation, 46
 - sites referred pain felt maps, 54
 - sources of referred pain generation maps, 52
- range of motion, 40–43, 332
- TMJ noise
 - click, 20, 22, 43, 84–86, 131–132, 156, 207, 215, 220, 345–349, 422
 - crepitus, 20, 43, 89, 156, 346, 419
- Clinical trials, 365–381
 - assessing, 380
 - control groups, 374–376
 - designs, 369–378
 - generalizable, 366, 380
 - hypothesis, 367, 380
 - outcome measures, 375, 380
 - quality, 367, 377
 - registration, 367
- Closed lock (disc displacement without reduction with limited opening of TMJ), 20, 36, 86–88, 346, 349–352
 - case scenarios, 346, 349–352
 - characteristics, 86–88, 131–134, 136–43
 - clinical features, 20, 36, 86–88, 131–134, 136–43
 - illustration, 20, 86–88, 393 (also on accompanying CD)
 - intermittent occurrence. *See* Disc displacement with reduction with intermittent locking
 - manipulation, 136–138, 349–350
 - stretching retrodiscal tissue of, 139–142, 350–352
 - techniques for patient to unlock, 135–138
 - temporary appliance for, 139
 - treatment, 131–134, 136–43, 349–352

- Closing mouth disorders, 21–22, 36, 116–119, 125, 145. *See also* Lateral pterygoid muscle, spasm; TMJ, luxation; TMJ, subluxation
- Closure muscle-stretching exercise, 114–116, 236–238, 315, 339, 342–347, 399–400
- Cochrane Library, 366, 379
- Coenzyme Q10. *See* CoQ10
- Cognitive behavioral intervention, 1, 223, 244, 261–271, 276, 411–412
- Cohort study, 373–374
- Cold, and thermotherapy, 107, 224, 231–232, 333–335
- Cold beverage aggravating TMD symptoms, 15–16, 33, 40, 63
- Cold testing of teeth, 63, 333–335
- Compliance with therapy, 27, 225–226, 230, 232, 236, 239, 268, 325
- Computed tomography (CT), 71, 72, 74, 76
- Condylar fracture, 72, 76, 83, 87, 91, 106, 133, 370–371
- Condylar hyperplasia, 83, 92
- Condylar hypoplasia, 83, 91, 106
- Condylar remodeling, 71, 82, 89
- Condyle, distraction of, 127, 135–138, 147, 238
- Condyle-disc complex, 19, 22, 83–88, 131–148, 345–352, 393 (also on accompanying CD)
reduced position, 20, 22, 85, 137–138, 207, 213, 421
- Condylitis. *See* TMJ, condylitis of
- Cone beam computed tomography (CBCT), 71, 72, 74, 76
- Consolidated Standards of Reporting of Trials (CONSORT), 370, 377
- Contracture, 21, 83, 93–94, 115–116, 125, 218
- Contributing factors, 3, 5–8, 13, 22, 65, 75, 82, 97–101, 103, 107, 142, 224, 247, 261, 314, 321, 325, 332, 343–345, 419
cervical pain, 18–19, 49, 60, 315. *See also* Cervical pain
initiating, 98, 420
muscle tension, 1, 99, 135, 229–231, 235, 237, 240, 242–244, 261, 267
case scenarios with, 341–342, 348, 352, 358
perpetuating, 6, 98–100, 103, 106–107, 142, 224–225, 230, 247, 343–345, 420
poor sleep, 19, 22–23, 33, 36, 233, 269, 282–283, 318, 322–324, 343–344
predisposing, 97, 106, 300, 420
psychosocial contributors, 1, 24–25, 100, 103, 107, 261–262, 321, 324–326, 343–344
depression, 1, 24–25, 100, 103, 107, 261–262, 321, 324–326, 343–344
frustrations, 24, 101, 271, 323, 421
management, 313, 321, 343–344
stress, 1, 6, 24, 98, 101, 103, 241, 261
widespread pain, 19, 35, 94, 225, 321, 325, 344–345, 420
- Control groups, 374–376
- CoQ10, 290
- Coronoid hyperplasia, 21, 83, 95
- Coronoid process, 53, 59, 95
palpation. *See* Temporalis tendon
referred pain from. *See* Temporalis tendon
- Corticosteroids, 108, 141, 279–280, 350, 352, 355, 358
- COX₂ inhibitors, 278, 279
- Crepitus, 20, 43, 89, 156, 346, 419
- Cross-sectional study, 370, 371, 372–373
- CT (computed tomography), 71, 72, 74, 76
- Cyclobenzaprine (Flexeril), 63, 114, 280, 281, 323, 332, 352
case scenarios with, 332, 352
- Cyclooxygenase-2 inhibitors. *See* COX₂ inhibitors
- Daytime habit-breaking appliance, 160, 164, 171, 183, 195–199, 205–206, 242–244, 342
- Daytime parafunctional habits, 240–244, 266–267, 317, 341–342, 357–358
symptoms from, 13, 99–101, 134–135, 261–264, 317, 341–342
therapies for, 323–324
biofeedback, 247, 261, 263–265, 269–271, 317–319, 321–323, 342, 357–358, 411, 419
breaking daytime habits, 23–24, 99, 135, 240–244, 261–266, 317, 321–322, 342
cognitive behavioral intervention, 1, 223, 244, 261–271, 276, 411–412
habit breaking appliance, 160, 164, 171, 183, 195–199, 205–206, 242–244, 342
hypnotherapy, 269, 318
occlusal appliance for, 160, 164, 171, 183, 195–199, 205–206, 242–244, 342
relaxation, 235, 261, 263–271, 318
stress management, 263–265, 271, 317, 319, 323, 411–412
tricyclic antidepressants for, 283, 323, 358

- Degenerative joint disease, 20, 43, 83, 89–90, 419
- Dental care
 - alternatives to appliance therapy for, 62–63, 113–114
 - preventing TMD during, 111–114, 118
 - appliance's internal surface changes for, 177–178, 200
 - TMD secondary to, 109–120, 353–354, 359–360
 - etiology, 109–120
 - inability to close into MI, 116–119. *See also*
 - Lateral pterygoid muscle, spasm; TMJ, luxation
 - medial pterygoid muscle pain, 110, 114–116, 342–343
 - obstructive sleep apnea appliances, 120–122
 - occlusal interference sequelae, 97, 111, 119–120, 295, 296
 - predisposed patients, 98, 109, 110, 112
 - pretreatment palpations, 98, 110–111
 - prevention, 111–114, 118
- Dental caries
 - altering therapy, 62–65, 110–114, 116–120, 296, 320, 333–335
 - imaging for, 76
- Dental etiology contribution to TMD, 14–16, 62–65, 105–106, 325, 333–335
- Dental implant supported crowns, 152, 182–183, 217–218
- Dental Practice-Based Research Network, 369
- Dental record entry example, 407–408
- Dental treatment, preventing aggravation from, 111–114, 118
- Depression, 1, 24–25, 100, 103, 107, 261–262, 321, 324–326, 343–344
- Description of pain, 14–17, 322–361
- Designs for clinical studies, 369–378
- Desipramine, 283, 323, 358
- Developmental disorders, 91–92
- DexPak 6-Day Taperpak, 108, 141, 279–280, 350, 352, 355, 358
- Diagnoses, 81–95
 - primary, 5–7, 81–82, 421
 - secondary, 6–7, 81–82, 421
 - table, 83
 - tertiary, 6–7, 81–82, 422
- Diagnostic categories, for TMD, 81–95
 - associated structures, 95
 - headache disorders, 95
 - masticatory muscle disorders, 92–95
 - table, 83
 - TMJ disorders, 82–92
- Diagnostic tests
 - anesthetic, 40, 64, 66–67, 118, 334, 370
 - clenching teeth, 68
 - cold, 63, 333–335
 - stretching, 21, 41, 93–94, 117, 127–128, 351, 355
- Diazepam, 108, 113, 115, 117–118, 128, 141, 275, 280–281, 322
 - case scenarios with, 332, 343, 350, 353, 356, 358
- Diclofenac, topical. *See* Nonsteroidal anti-inflammatory medications, topical
- Diet restrictions, 93, 107, 233–234, 396
- Digastric muscles
 - anterior
 - pain from, 115, 133
 - palpation, 51–55
 - referred pain from, 54
 - posterior
 - pain from, 115, 133, 357–358
 - palpation, 51–56
 - referred pain from, 54
- Disc-condyle complex, 19, 22, 83–88, 131–148, 345–352, 393 (also on accompanying CD)
 - reduced position, 20, 22, 85, 137–138, 207, 213, 421
- Disc-condyle complex disorders patient handout, 393 (also on accompanying CD)
- Disc derangement disorders. *See various entries for*
 - Disc displacement
- Disc displacement with reduction of TMJ, 19–20, 36, 43–44, 85–86, 213–214
 - case scenario, 345–346, 357–358
 - characteristics, 43–44, 85–86
 - clinical features, 19–20, 36, 43–44, 85–86
 - illustration, 19–20, 84–85, 393 (also on accompanying CD)
 - treatment, 43–44, 149, 345–346
- Disc displacement with reduction with
 - intermittent locking of TMJ, 20–21, 36, 43–44, 85–87, 131–136, 156, 214, 220, 280, 301, 346, 347–349, 351–352
 - case scenarios, 346, 347–349, 351
 - characteristics, 43–44, 85–86, 131–136
 - clinical features, 20, 36, 43–44, 85–86, 131–136

- Disc displacement with reduction with intermittent locking of TMJ (*continued*)
 illustration, 20, 85–86, 393 (also on accompanying CD)
 techniques for patient to unlock, 135
 treatment for, 131–136, 346, 347–349
- Disc displacement without reduction with limited opening of TMJ (closed lock), 20, 36, 86–88, 346, 349–352
 case scenarios, 346, 349–352
 characteristics, 86–88, 131–134, 136–43
 clinical features, 20, 36, 86–88, 131–134, 136–43
 illustration, 20, 86–88, 393 (also on accompanying CD)
 intermittent occurrence. *See* Disc displacement with reduction with intermittent locking
- manipulation, 136–138, 349–350
 stretching retrodiscal tissue, 139–142, 350–352
 techniques for patient to unlock, 135–138
 temporary appliance for, 139
 treatment, 131–134, 136–43, 349–352
- Disc displacement without reduction without limited opening of TMJ, 87–88
 clinical features, 87–88
 illustration, 20, 87–88, 393 (also on accompanying CD)
- Dislocation. *See* Luxation; Subluxation
- Distraction of condyle, 127, 135–138, 147, 238
- Doppler, use of, 43
- Drop out subjects, 376
- Dry socket (osteitis), 111, 353–354
- Dual laminate thermoplastic appliances, 166–167, 170, 188, 200–201
- Duration of pain, 17
- Dyskinesia, 83, 94
- Dystonia, 83, 94
- Eagle's syndrome, 36
- Ear pain, 1, 52, 56, 60, 92, 372
- Ear symptoms, 1, 372
- Eclipse appliances, 165–166
- Elavil. *See* Amitriptyline
- Electrical stimulation, 251
- Emotional stress, 1, 6, 24, 98, 101, 103, 241, 261
- Equilibration of teeth, 65, 297–300, 319–320, 375
- Ernest syndrome, 59
- Evaluation, initial. *See* Initial evaluation
- Examples
 dental record entry, 407–408
 insurance company coding, 413–414 (also on accompanying CD)
 laboratory appliance instructions, 405–406 (also on accompanying CD)
 physical therapy consult, 409–410
 psychology consult, 411–412
 stabilization appliance
 dual laminate thermoplastic, 200–201
 hard thermoplastic, 195–199
 Impak, 199–200
 maxillary acrylic, 193–195
 pressure cured mandibular acrylic, 191–193
 soft thermoplastic, 201–204
- Exercises
 closure muscle-stretch, 236–238, 315, 399–400 (also on accompanying CD)
 lateral pterygoid spasm-stretch, 127–128, 355–356
 medial pterygoid spasm-stretch, 114–116, 342–343
 posture, 239–240, 315, 401–403 (also on accompanying CD)
 retrodiscal tissue stretch, 139–142, 350–352
 tongue depressors to forcibly stretch, 116
- External adjustments
 anterior positioning appliance, 217
 stabilization appliance, 178–184
- External cues, 241–242, 267, 420
- External reline of appliance, 184–188
- Extraction of tooth, 64, 67, 76, 110, 116, 298, 300, 353–354
- Eye
 bloodshot, 17
 pain in or around (periorbital), 12, 48–52, 338
- Facebow, 158
- Face
 red, 17
 swollen or puffy, 17, 35, 61, 76, 77, 91, 306–307
- Fibromyalgia, 19, 23, 83, 94, 99, 344–345
- Fight-or-flight mechanism, 268
- Finger holding analogy, 26
- Flector Patch, 286–288
- Flexeril, 63, 114, 280, 281, 323, 332, 352
- Follow-up, 25, 40, 104, 116, 129, 158, 408

- Fracture of condyle, 72, 76, 83, 87, 91, 106, 133, 370–371
- Frustrations, 24, 101, 271, 323, 421
- Full-coverage appliances, 154, 159–160, 171
- Fungal infection under appliance, 205
- General dentist's efficacy, 3, 225
- Giant cell arteritis, 26–27, 38
- Glucosamine, 275, 278, 289–290
- Growth disorders, 91–92
- Habits
- daytime habit-breaking appliance, 160, 164, 171, 183, 195–199, 205–206, 242–244, 342
 - muscle tension, 1, 99, 135, 229–231, 235, 237, 240, 242–244, 261, 267
 - case scenarios with, 341–342, 348, 352, 358
 - parafunctional
 - clenching teeth, 1, 6, 19, 26, 37, 71, 82, 97, 100, 234–235, 267, 295, 337
 - daytime, 13, 23–24, 25–26, 99–101, 135, 155, 261–262, 317, 341–342
 - symptoms from, 13, 99–101, 134–135, 261–264, 317, 341–342
 - therapies for, 323–324
 - biofeedback, 247, 261, 263–265, 269–271, 317–319, 321–323, 342, 357–358, 411, 419
 - breaking daytime habits, 23–24, 99, 135, 240–244, 261–266, 317, 321–322, 342
 - cognitive behavioral intervention, 1, 223, 244, 261–271, 276, 411–412
 - hypnotherapy, 269, 318
 - occlusal appliance for, 160, 164, 171, 183, 195–199, 205–206, 242–244, 342
 - relaxation, 235, 261, 263–271, 318
 - stress management, 263–265, 271, 317, 319, 323, 411–412
 - tricyclic antidepressants for, 283, 323, 358
 - emotional stress relation, 24, 98, 101, 103, 241, 261
 - masticatory muscle tension, 1, 99, 135, 229–231, 235, 237, 240, 242–244, 261, 267
 - case scenarios with, 341–342, 348, 352, 358
 - nocturnal, 13, 24, 99, 339–340
 - symptoms from, 13, 24, 99, 322
 - therapies for, 322–323, 339–340, 346–347
 - medications for, 63, 281–283, 319, 322–323, 332
 - occlusal appliance for, 154, 205, 315
 - reversal, 229, 235, 240–244, 262–269, 317
 - external cues, 241–242, 267, 420
 - internal cues, 242, 267, 327, 420
 - tooth pain caused by, 65–67
- Headache
- cervicogenic, 18, 48–50, 251–252, 317
 - chronic, table of, 18
 - migraine, 1, 14, 18–19, 33, 290, 321, 338
 - sinus, 16–17, 33, 34, 40, 65, 67, 321, 336–337
 - tension-type (muscle tension), 1, 18–19, 290
 - treatment recommendation table, 18
- Head posture
- exercises for, 239–240, 315, 401–403 (also on accompanying CD)
 - importance, 239–240, 315, 377
- Heat thermotherapy, 114–115, 141, 224, 231–232, 236, 237
- History-taking
- initial evaluation, 5–7, 11–27, 31–38
 - secondary to trauma, 34, 76, 87, 88, 91, 93, 95, 105–108, 133
 - imaging, 76, 106
 - treatment, 107–108, 277
- Hyaluronic acid. *See* Sodium hyaluronate
- Hybrid appliance material, 166–167, 188, 199–200
- Hygienists' referral criteria, 387 (also on accompanying CD)
- Hyperplasia
- condyle of, 83, 92
 - coronoid of, 21, 83, 95
- Hypertrophy, of muscle, 83, 94
- Hypnosis (hypnotherapy), 269, 318
- Hypnotherapy, 269, 318
- Hypoplasia, of condyle, 83, 91, 106
- Hypothesis for clinical trials, 367, 380
- Ibuprofen, 95, 108, 113, 115, 118, 128, 178–179, 286, 289, 290, 332, 339–340, 342–343, 353, 396
- Icy Hot, 231, 248, 284

Imaging

- arthrography, 75
- axially corrected sagittal tomography, 71, 73–74, 76
- computed tomography (CT), 71, 72, 74, 76
- cone beam computed tomography (CBCT), 71, 72, 74, 76
- magnetic resonance imaging (MRI), 20, 72, 74, 76, 78, 85, 304, 350, 372
- osseous changes of TMJ, 71–72, 74, 75–77, 82, 88–92
- panoramic radiograph, 71, 72–73, 76–78, 91, 106–107, 128, 143, 207, 325, 414
- plain radiographs, 71, 72
- recommendations table, 76

Impak appliances, 151, 153, 165–167, 172, 188, 199–200, 204

Implants

- adjustments to stabilization appliance for crowns supported by
 - external, 182–183, 217–218
 - internal, 152
- TMJ prosthesis, 11, 27, 68, 74, 77, 307–308, 321
- TMJ Teflon-Proplast or Silastic, 11, 13, 27, 68, 77, 308, 321

Impressions with restricted opening, 142

Inability to close into maximum intercuspation, 116–119. *See also* Lateral pterygoid muscle, spasm; TMJ, luxation

Indirect trauma, 105, 420

Infection

- candidiasis, 205
- ear, 356
- muscle effect on, 92–93, 94, 116
- sinus. *See* Sinus congestion or pain
- TMJ, 47, 83, 304

Inflammation, of periodontal ligament, 65

Information, for patients, 393–403 (also on accompanying CD), 415

Initial evaluation

- clinical examination, 39–68
 - additional evaluations, 67–68
 - intraoral examination, 61–67
 - palpation, 39–40, 44–61, 65–67, 110–111
 - additional TMD palpations table, 53
 - dental patient palpations for, 111–114, 118
 - initial TMD palpations table, 46

more intense TMD palpations, 50–51, 57, 59, 66

range of motion, 27–30, 261–286

TMJ noise

- click, 20, 22, 43, 84–86, 131–132, 156, 207, 215, 220, 345–349, 422
- crepitus, 20, 43, 89, 156, 346, 419

contributing factors, 3, 5–8, 13, 22, 65, 75, 82, 97–101, 103, 107, 142, 224, 247, 261, 314, 321, 325, 332, 343–345, 419

cervical pain, 18–19, 49, 60, 315. *See also* Cervical pain

initiating, 98, 420

muscle tension, 1, 99, 135, 229–231, 235, 237, 240, 242–244, 261, 267

case scenarios with, 341–342, 348, 352, 358

perpetuating, 6, 98–100, 103, 106–107, 142, 224–225, 230, 247, 343–345, 420

poor sleep, 19, 22–23, 33, 36, 233, 269, 282–283, 318, 322–324, 343–344

predisposing, 97, 106, 300, 420

psychosocial contributors, 1, 24–25, 100, 103, 107, 261–262, 321, 324–326, 343–344

depression, 1, 24–25, 100, 103, 107, 261–262, 321, 324–326, 343–344

frustrations, 24, 101, 271, 323, 421

management, 313, 321, 343–344

stress, 1, 6, 24, 98, 101, 103, 241, 261

widespread pain, 19, 35, 94, 225, 321, 325, 344–345, 420

diagnostic tests

anesthetic, 40, 64, 66–67, 118, 334, 370

clenching teeth, 68

cold, 63, 333–335

stretching, 21, 41, 93–94, 117, 127–128, 351, 355

imaging, 71–78

secondary to trauma, 76, 91, 106

patient interview, 5–8, 11–27, 31–38, 262

review of the Initial Patient Questionnaire, 31–38

TMD diagnostic categories, 81–95

associated structures, 95

headache disorders, 95

masticatory muscle disorders, 92–95

table, 83

TMJ disorders, 82–92

- Initial patient questionnaire, 31–38, 389–392
 - (also on accompanying CD)
- Initial TMD palpations, 44–51
 - recommended palpation table, 46
- Initiating contributing factor, 98, 420
- Injections
 - periodontal ligamentary injection, 64, 66–67, 118, 334, 370
 - trigger-point, 40, 249–250, 316
- Insomnia, 19, 22–23, 33, 36, 233, 269, 282–283, 318, 322–324, 343–344
- Institutional Review Board (IRB), 366–367, 371, 381
- Insurance company coding, 413–414 (also on accompanying CD)
- Intaglio surface appliance adjustments, 172–175
- Intaglio surface reline of appliances, 175–178
- Integrating conservative TMD therapies, 321–324
- Integrating multidisciplinary therapies, 313–327
- Intensity of pain, 17
- Interferences, occlusal, 64–65, 97, 119–120, 295–303, 320, 334, 374, 375
- Intermediate softness appliance materials, 164–167, 200–201
- Intermittent closed lock, 20–21, 36, 43–44, 85–87, 131–136, 142, 156, 214, 220, 280, 301, 346, 347–349, 351–352
 - characteristics, 43–44, 85–86, 131–136
 - clinical features, 20, 36, 43–44, 85–86, 131–136
 - illustration, 20, 85–86, 393 (also on accompanying CD)
 - techniques for patient to unlock, 135
 - treatment for, 131–136, 346, 347–349
- Internal appliance adjustments, 172–175
- Internal cues, 242, 267, 327, 420
- Internal reline of appliances, 175–178
- Interocclusal record
 - anterior positioning appliance, 215–216
 - stabilization appliance, 153–154, 155–158, 360–362
- Interview, initial patient, 5–8, 11–27, 31–38, 262
- Intraoral examination, 61–67
- Iontophoresis, 251, 280, 324, 358
- IRB, 366–367, 371, 381
- Irreversible pulpalgia, 15–16, 33, 39, 62–65, 111, 325, 333–335, 370, 371
- Ivoclar appliances, 151, 165–166, 171
- Jaw relationships
 - anterior positioning appliance, 151, 213–216
 - stabilization appliance, 153–154, 155–158, 360–362
 - centric relation, 153–154, 155–157, 303, 419
 - neutral position, 157, 214, 307, 420
- Laboratory appliance instructions, 405–406 (also on accompanying CD)
- Lateral pterygoid muscle
 - palpation of area, 52–54, 57–58, 111
 - referred pain from, 54
 - spasm, 22, 36, 57–58, 83, 87, 93, 116–117, 125–129, 132, 169, 296, 354–356, 414, 420
 - clinical features, 22, 36, 87, 116–117, 125–128, 132, 169, 296, 354–356
 - illustration, 19–20, 126–127
 - stretching, 93, 116–119, 127–128, 355–356
- Lidocaine transdermal patch 5%, 288–289
- Lidoderm. *See* Lidocaine transdermal patch 5%
- Ligamentary injection, 64, 66–67, 118, 334, 370
- Lioresal. *See* Baclofen
- Literature review, 365–366, 378–379
- Loading TMJ
 - anterior positioning appliances, 151, 155, 213–214
 - arthralgia, 140, 277, 304–305, 313, 358
 - centric relation, 157, 158
 - closed lock, 133–134
 - disc adherence, 83, 88, 143
 - disc adhesions, 88
 - disc displacement
 - with reduction with intermittent locking, 133–134, 352
 - without reduction with limited opening, 133–134
 - muscle activity causing, 71–72, 82, 134, 234, 313, 358
 - nociceptive trigeminal inhibition appliance (NTI), 153, 160
 - occlusal appliance, effect on, 82, 134, 147, 151, 155, 157, 160, 213, 214
 - osteoarthritis effect, 72
 - pain causing, 14
 - parafunctional habits causing, 71, 82, 133, 134, 155, 234, 313, 352, 358
 - pseudodisc formation, 81, 84

Loading TMJ (*continued*)

- stabilization appliance, effect on, 82, 134, 147, 155, 158, 307
- TMD symptom effect, 71–72, 91, 133–134, 140, 230, 234, 277, 307, 313, 352, 358
- Long-term management, 320, 324, 326–327
- Luxation, 20–22, 89, 106, 145–148, 315, 442
 - Monoject syringe for, 147
 - stabilization appliance for, 149, 315
- Macrotrauma, 34, 76, 87, 88, 91, 93, 95, 98, 105–108, 114, 133, 306
 - imaging, 76, 91, 106
 - treatment, 107–108, 232, 277
- Magnesium, 290
- Magnetic resonance imaging (MRI), 20, 72, 74, 76, 78, 85, 304, 350, 372
- Magnetic therapy, 256–257, 317
- Malocclusion, 34, 61–62, 77, 90, 91, 97, 116–118, 119–120, 125–127, 153, 154, 159–160, 168, 204, 205, 218–219, 355, 387
 - causing TMD, 97, 119–120
 - secondary to anterior positioning appliance, 218–219
 - secondary to athletic mouthpiece, 154, 168
 - secondary to condylitis, 62, 77, 90
 - secondary to lateral pterygoid muscle, 62, 77, 116–118, 125–127, 355
 - secondary to neoplastic growth, 77
 - secondary to NTI, 153, 160
 - secondary to obstructive sleep apnea appliance, 121, 218, 219
 - secondary to over-the-counter appliances, 204
 - secondary to sleep apnea appliance, 121, 218, 219
 - secondary to stabilization appliance, 154, 159–160, 205
 - secondary to systemic arthritides, 90
 - secondary to TMJ arthralgia, 62, 77, 116–118
 - secondary to TMJ osteoarthritis, 61, 77
- Management, long-term, 319, 320, 326–327
- Mandibular appliances, 160–161, 171, 191–193, 195–199
 - recommendation table, 164
- Masked (blinded) subjects, 375–377, 380
- Massage therapy, 2, 118, 135, 136, 229, 230–231, 248–249, 314, 395 (also on accompanying CD)

Masseter muscle

- palpation, 45–48, 54, 111
- referred pain from, 54
- stretching, 115, 236–238, 315, 399–400 (also on accompanying CD)
 - case scenarios with, 342, 344, 345, 347, 360, 361
- Masticatory muscle disorders, 92–95
- Masticatory muscle tension, 1, 99, 135, 229–231, 235, 237, 240, 242–244, 261, 267
 - case scenarios with, 341–342, 348, 352, 358
- Masticatory structure palpations, 39–40, 44–61, 65–67, 110–111
 - additional palpations table, 53
 - dental patients palpations for table, 111
 - initial palpation table, 46
- Maxillary acrylic stabilization appliances, 193–195
- Maxillary appliances, 160–164, 171, 193–195
 - recommendation table, 164
- Maximum intercuspation (MI), 420
 - inability to close into, 116–119. *See also* Lateral pterygoid muscle, spasm; TMJ, luxation
- Medial pterygoid muscle
 - myositis of, 92–93, 111, 116
 - pain secondary to dental care, 114–116
 - palpation, 52–54, 58–59
 - referred pain from, 54
 - spasm, 114–116, 342–343
 - stretching, 114–116, 342–343
- Medications. *See also names of specific medications*
 - analgesic creams, 284–289, 342
 - analgesics, 107, 277–280, 284–289, 342
 - corticosteroids, 108, 141, 279–280, 350, 352, 355, 358
 - COX₂ inhibitors, 278, 279
 - muscle relaxants
 - central acting, 63, 108, 113–118, 120, 128, 141, 275, 280–281, 322–323, 332, 343, 350, 352, 353, 356, 358
 - peripheral acting, 281–282
 - nocturnal parafunctional habits for, 63, 281–283, 319, 322–323, 332
 - nonsteroidal anti-inflammatory medications (NSAIDs)
 - ingested, 103, 108, 113, 118, 141, 277–279, 340, 350, 352, 355–356, 258
 - topical, 108, 141, 279–280, 350, 352, 355, 358

- nutritional supplements, 275, 278, 289–290
- over-the-counter medications, 118, 231, 236, 276, 278–279, 284–286, 290, 396 (also on accompanying CD)
- prescribing regimens, 107–108, 279, 281, 332
- selective serotonin reuptake inhibitor (SSRI), 276–277, 284
- steroidal anti-inflammatory medications, 108, 141, 279–280, 350, 352, 355, 358
- topical, 284–289, 342
- tricyclic antidepressants, 103, 275, 276, 282–284, 319, 323, 324, 326, 338, 357
- MENS (microcurrent electrical nerve stimulation), 251
- Meta-analyses, 379–380
- Methocarbamol (Robaxin), 280
- Microcurrent electrical nerve stimulation (MENS), 251
- Microtrauma, 105, 140, 420
- Midline shift, 34, 61–62, 68, 77, 387
- Migraine headache, 1, 14, 18–19, 33, 290, 321, 338
- Monoject syringe, for TMJ luxation, 147
- Motivating patients, 24, 100, 236, 239, 267–268, 318
- Motrin. *See* Ibuprofen
- Mouth closing disorders, 21–22, 36, 116–119, 125, 145. *See also* Lateral pterygoid muscle, spasm; TMJ disc displacement with reduction; TMJ, luxation; TMJ, subluxation
- Mouth opening
 - measurement, 39–43, 331–361
 - restriction, 19–21, 86–87, 88–89, 93–94, 114–116, 125–129, 131–143, 149, 315
 - case scenarios, 333–335, 341–344, 346–358, 360–361
- MRI. *See* Magnetic resonance imaging
- Multifactorial disorder, of TMD, 2–3, 223–225, 295–298, 313–314
- Muscle. *See also names of specific muscles*
 - tension in, 1, 20, 23, 24, 94, 99–100, 134, 140, 223, 230, 231, 235–237, 240–244, 252, 261–262, 265–267, 271, 297, 319, 322, 375, 396 (also on accompanying CD)
 - case scenarios, 342, 348, 352, 358
 - tension-type headache, 1, 18–19, 290
- Musical instrument playing, 25, 37
- Myalgia
 - centrally mediated, 83, 95
 - local, 92, 95
- Myofascial pain, with referral, 45, 46, 48, 83, 92, 248, 409–410, 414
 - case scenarios, 332, 336, 338, 344, 348
- Myofibrotic contracture. *See* Contracture
- Myositis, 92–93, 111, 116
- Myospasm. *See* Spasm
- Naprosyn. *See* Naproxen
- Naproxen, 103, 108, 113, 118, 141, 277–279, 340, 350, 352, 355–356, 258
- Nasopharyngeal carcinoma, 61
- National Dental Practice-Based Research Network, 369
- Neck pain. *See* Cervical pain
- Neoplasm, 74, 77, 83, 90–91, 94, 143, 304, 307, 320
 - Neurogenic inflammation, 95
- Neuropathic pain, 15–16, 33, 282, 285
- Neutral position, 157, 214, 307, 420
- Nocturnal bruxism. *See* Nocturnal parafunctional habits
- Nocturnal parafunctional habits, 13, 24, 99, 339–340
 - symptoms from, 13, 24, 99, 322
 - therapies for, 322–323, 339–340, 346–347
 - medications for, 63, 281–283, 319, 322–323, 332
 - occlusal appliance for, 154, 205, 315
- Nonotologic otalgia, 1, 52, 56, 60, 92, 372
- Nonrandomized clinical trial, 374–376
- Nonsteroidal anti-inflammatory medications (NSAIDs)
 - ingested, 103, 108, 113, 118, 141, 277–279, 340, 350, 352, 355–356, 258
 - topical, 286–288, 342
- Non-TMD disorders, 5–8, 14–19, 26–27, 39, 67–68, 90, 207, 325–326, 333–335, 336–339. *See also* Carotidynia; Cervical pain; Eagle's syndrome; Fibromyalgia; Giant cell arteritis; Odontogenic pain; Pain, widespread; Rheumatoid arthritis; Systemic arthritides
- Norpramin. *See* Desipramine
- Nortriptyline, 23, 36, 63, 114, 283, 322–323
- NSAIDs. *See* Nonsteroidal anti-inflammatory medications

- NTI (Nociceptive Trigeminal Inhibition Tension Suppression System), 153, 160
- Nutritional supplements, 275, 278, 289–290
- Obstructive sleep apnea
 appliances, 120–122
 occlusal changes, 121, 218, 219
 symptoms, 23, 36, 207, 322–323
 TMD-like symptoms, 23, 36, 207, 322–323
 TMD symptoms from appliance, 120–122
- Occipital pain, 52
- Occlusal adjustment, 65, 297–300, 319–320, 375
- Occlusal changes, 34, 61–62, 77, 90, 91, 97, 116–118, 119–120, 125–127, 153, 154, 159–160, 168, 204, 205, 218–219, 355, 387
 causing TMD, 97, 119–120
 secondary to anterior positioning appliance, 218–219
 secondary to athletic mouthpiece, 154, 168
 secondary to condylitis, 62, 77, 90
 secondary to lateral pterygoid muscle, 62, 77, 116–118, 125–127, 355
 secondary to neoplastic growth, 77
 secondary to NTI, 153, 160
 secondary to obstructive sleep apnea appliance, 121, 218, 219
 secondary to over-the-counter appliances, 204
 secondary to sleep apnea appliance, 121, 218, 219
 secondary to stabilization appliance, 154, 159–160, 205
 secondary to systemic arthritides, 90
 secondary to TMJ arthralgia, 62, 77, 116–118
 secondary to TMJ osteoarthritis, 61, 77
- Occlusal equilibration, 65, 297–300, 319–320, 375
- Occlusal interference sequelae, 97, 111, 119–120, 295, 296
- Occlusal interferences, 64–65, 97, 119–120, 295–303, 320, 334, 374, 375
- Occlusal stability, 162–164, 171, 223, 295–8, 300, 302–303, 319, 323
- Occlusion, 119–120, 295–298, 359. *See also* Malocclusion; Occlusal stability
- Occlusion, on appliances
 anterior positioning, 216–218
 stabilization appliances, 178–184
- Odontalgia
 caused by parafunctional habits, 65–66
 contributing to TMD symptoms, 15–16, 33, 39, 62–65, 111, 325, 333–335, 370, 371
 referred from TMD structures, 65–67
- Odontogenic pain, 15–16, 33, 39, 62–65, 111, 325, 333–335, 370, 371
- OnabotulinumtoxinA, 250, 316
- Open bite
 anterior, 17, 27, 34, 61, 68, 77, 89–90, 387
 posterior, 34, 61–62, 68, 77, 91, 93, 121, 218–220, 306–307, 387
- Open lock. *See* TMJ, luxation; TMJ, subluxation
- OQAQ, 379
- Oral habits. *See* Habits, parafunctional
- Orthodontic therapy, 98, 160, 218, 220, 295, 298, 300–302, 313, 374, 415
- Orthognathic surgery, 205, 298, 302, 313, 361, 372
- Orthopedic stability. *See* Occlusal stability
- Orthotics. *See* Occlusal appliances
- Osseous changes, within TMJ, 71–72, 74, 75–77, 82, 88–92
- Osteitis, 111, 353–354
- Osteoarthritis, 17, 27, 34, 61, 77, 83, 90, 149, 285, 287, 289–290
- Osteoarthrosis, 83, 90
- Osteochondritis dissecans, 83, 90
- Osteonecrosis, 83, 90
- Otologic symptoms, 1–3, 52, 56, 60, 92, 169, 371, 372
- Over-the-counter medications, 118, 231, 236, 276, 278–279, 284–286, 290, 396 (also on accompanying CD)
- Over-the-counter appliances, 204
- Overuse of muscles, 19, 26, 92, 94, 118, 231, 237, 248, 395
- Overview Quality Assessment Questionnaire, 379
- Pain
 acute, 86–87, 92–93, 103–148, 168, 276, 277, 279–281, 319
 case scenarios, 333–336, 349–350, 353–358
 cervical pain, 18–19, 49, 60, 315. *See also* Cervical pain
 character. *See* Pain, quality
 chronic, 3, 25, 103, 276, 319
 concomitant symptoms with, 3, 11–27, 33–38, 48–50, 61–64, 67–68, 223–225, 321, 324

- deep, 62, 118
- description, 14–17, 322–361
- duration, 17
- in ear, 1, 52, 56, 60, 92, 372, 359
- in or around eye (periorbital), 12, 48–52, 338
- in forehead, 48, 50–53, 337–339
- frequency, 17
- headache
 - cervicogenic, 18, 48–50, 251–252, 317
 - migraine, 1, 14, 18–19, 33, 290, 321, 338
 - sinus, 16–17, 33, 34, 40, 65, 67, 321, 336–337
 - tension-type (muscle tension), 1, 18–19, 290
 - treatment recommendation table, 18
- intensity, 17
- muscle-overuse, 19, 26, 92, 94, 118, 231, 237, 248, 395
- in neck. *See* Cervical pain
- in occipital, 52
- periorbital, 12, 48–52, 338
- in post-auricular, 52
- quality, 14–16, 27, 33, 68
- referred, 12–19, 40, 45–67, 111, 333–336, 338–339, 349, 360, 371
- sinus, 16–17, 33, 34, 40, 65, 67, 321, 336–337
- throbbing, 14–16, 33, 63, 333–335, 338, 359
- tooth
 - caused by parafunctional habits, 65–66
 - contributing to TMD symptoms, 15–16, 33, 39, 62–65, 111, 325, 333–335, 370, 371
 - referred from TMD structures, 65–67
- in vertex, 52
- widespread, 3, 19, 23, 94, 225, 321, 324, 325, 332, 344–345, 420
- Palpation, 39–40, 44–61, 65–67, 110–111
 - additional, 51–60
 - cursory for dental patients, 111–114, 118
 - initial recommended, 44–51
 - more intense, 50–51, 57, 59, 66
 - structures
 - anterior digastric muscle, 51–55
 - carotid artery, 45–48
 - cervical muscles, 45–46, 48–57
 - lateral pterygoid area, 52–54, 57–58, 111
 - masseter muscle, 45–48, 54, 111
 - medial pterygoid muscle, 52–54, 58–59
 - posterior digastric muscle, 51–56
 - splenius capitis muscle, 45–46, 48–50, 54
 - sternocleidomastoid muscle, 53–54, 56
 - stylomandibular ligament, 59–60
 - temporalis muscle, 45–49, 51–55, 59, 111
 - temporalis tendon, 52–54, 59
 - thyroid, 45–48
 - TMJ, 45–47, 50–54, 111
 - trapezius muscle, 45–46, 48–50, 54
- tables/figures
 - additional TMD palpations, 53
 - dental patient palpations for, 111
 - initial TMD palpations, 46
 - recommended initial TMD palpations, 46
 - sites referred pain felt maps, 54
 - sources of referred pain generation maps, 52
- Pamelor. *See* Nortriptyline
- Panoramic radiograph, 71, 72–73, 76–78, 91, 106–107, 128, 143, 207, 325, 414
- Paraflex. *See* Chlorzoxazone
- Partial-coverage appliances, 154, 159–161, 171
- Patient(s)
 - advocacy group, 415
 - books, 415
 - brochures, 415
 - compliance, 27, 225–226, 230, 232, 236, 239, 268, 325
 - handouts, 393–403 (also on accompanying CD)
 - interview, 5–8, 11–27, 31–38, 262
 - questionnaire, 31–38, 389–392 (also on accompanying CD)
- Pennsaid, 286–288
- Periodontal disease, 62, 64, 76, 98, 100, 154, 161, 376
 - analogy for TMD, 98, 100
- Periodontal ligament inflammation, 65
- Periodontal ligamentary injection, 64, 66–67, 118, 334, 370
- Pharmacologic management, 275–290
 - acute symptoms, 103–141, 276, 277, 279–282, 319
 - case scenarios, 333–336, 349–350, 353–358
 - analgesic creams, 284–289, 342
 - analgesics, 107, 277–280, 284–289, 342
 - chronic symptoms, 103, 276, 319
 - corticosteroids, 108, 141, 279–280, 350, 352, 355, 358
 - counterirritant creams, 231, 284–285
 - COX₂ inhibitors, 278, 279
 - long-term management, 276, 319

- Pharmacologic management (*continued*)
- muscle relaxants
 - central acting, 63, 108, 113–118, 120, 128, 141, 275, 280–281, 322–323, 332, 343, 350, 352, 353, 356, 358
 - peripheral acting, 281–282
 - nonsteroidal anti-inflammatory medications (NSAIDs)
 - ingested, 103, 108, 113, 118, 141, 277–279, 340, 350, 352, 355–356, 258
 - topical, 286–288, 342
 - nutritional supplements, 275, 278, 289–290
 - over-the-counter medications, 231, 236, 278–279, 284–286, 290, 396
 - selective serotonin reuptake inhibitor (SSRI), 276–277, 284
 - sodium hyaluronate, 142, 305, 351
 - topical medications, 284–289, 342
 - tricyclic antidepressants, 103, 275, 276, 282–284, 319, 323, 324, 326, 338, 357
- Phonophoresis, 351, 280
- Physical medicine, 247–257
- Physical therapy, referral, 60, 249, 250–254, 282, 308, 316, 321, 324, 326, 377–378
- case scenarios, 338–339, 343, 344, 348, 351–352, 358, 360
 - examples, 409–410
 - exercises, 251–252
 - how to write, 253, 409–410
 - modalities, 251
 - recommendations for, 251–253
 - scope of care within, 19, 39, 60, 250
 - selecting therapist, 253–254
- Physician referrals
- case scenarios, 335, 337, 345
 - from, 12, 60, 335, 371
 - to, 14, 17–19, 25, 27, 33–38, 48, 60, 67, 68, 90, 207, 250, 254, 266, 276, 277, 279, 284, 321, 323
- Population for study, 365, 366, 376, 380
- Positioning appliance. *See* Anterior positioning appliance
- Post-auricular pain, 52
- Posterior digastric muscle
- pain from, 115, 133, 357–358
 - palpation, 51–56
 - referred pain from, 54
- Posterior open bite, 34, 61–62, 68, 77, 91, 93, 121, 218–220, 306–307, 387
- Posttraumatic stress disorder (PTSD), 23, 36, 325
- Posture
- exercises for, 239–240, 315, 401–404 (also on accompanying CD)
 - importance, 239–240, 315, 377
- Practice-based research, 369
- Practice management businesses, 416
- Predisposing contributing factors, 97, 106, 300, 420
- Prescribing regimens, 107–108, 279, 281, 332
- Pressure cured mandibular acrylic stabilization appliances, 191–193
- Preventing aggravation from dental treatment, 111–114, 118
- Primary diagnosis, 5–7, 81–82, 421
- Progressively increasing anterior open bite, 17, 27, 34, 61, 68, 77, 89–90, 387
- Prosthesis, for TMJ, 11, 13, 27, 68, 77, 308, 321
- Prosthodontic therapy, 2, 158–159, 218, 223, 297–298, 302–304, 313
- Pseudodisc of TMJ, 81, 84
- Pseudoephedrine HCl. *See* Sudafed
- Psychiatrist, referral to, 25, 37, 277, 313, 321, 326, 344
- Psychologist, referral to, 2, 23–25, 37, 101, 107, 135, 223, 229, 321, 264–269, 317, 321–326
- case scenarios, 342–345, 358
 - examples, 411–412
 - recommendations for, 229, 244, 264–269
 - selecting therapist, 261, 265–266
- Psychosocial contributors, 1, 24–25, 100, 103, 107, 261–262, 321, 324–326, 343–344
- depression, 1, 24–25, 100, 103, 107, 261–262, 321, 324–326, 343–344
 - frustrations, 24, 101, 271, 323, 421
 - management, 313, 321, 343–344
 - stress, 1, 6, 24, 98, 101, 103, 241, 261
- PTSD. *See* Posttraumatic stress disorder
- PubMed, 365, 379
- Pulpalgia
- caused by parafunctional habits, 65–66
 - contributing to TMD symptoms, 15–16, 33, 39, 62–65, 111, 325, 333–335, 370, 371
- Questionnaire, initial patient, 31–38, 389–392 (also on accompanying CD)
- Qutenza, 286

Randomized controlled trial (RCT), 376–378
 cross-over form, 378
 parallel-group form, 377–378

Range of motion, 40–43, 332

Recommendation tables
 for appliance alternatives for dental patients, 63
 for additional palpations, 53
 for imaging, 76
 for initial palpations, 46
 for maxillary or mandibular stabilization appliance, 164
 for palpations
 additional TMD, 53
 for dental patients, 111
 initial TMD, 46
 for physical therapy referral, 251
 for preventing TMD aggravation from dental treatment, 118
 for referrals
 physical therapist, 251
 specialist, 27, 68
 for sinus pain, 17
 for therapies
 for awakening symptoms, 322–323
 for both awakening and daytime symptoms, 324
 for daytime symptoms, 323–324
 for headache, 18

Record entry example, 407–408

Reduced disc-condyle position, 20, 22, 85, 137–138, 207, 213, 421

Referrals
 to chiropractics, 255–256, 317
 from hygienists, criteria, 387 (also on accompanying CD)
 to physical therapy, 60, 249, 250–254, 282, 308, 316, 321, 324, 326, 377–378
 case scenarios, 338–339, 343, 344, 348, 351–352, 358, 360
 examples, 409–410
 exercises, 251–252
 how to write, 253, 409–410
 modalities, 251
 recommendations for, 251–253
 scope of care within, 19, 39, 60
 selecting therapist, 253–254
 from physician, 12, 60, 335, 371

to physician, 14, 17–19, 25, 27, 33–38, 48, 60, 67, 68, 90, 207, 250, 254, 266, 276, 277, 279, 284, 321, 323
 case scenarios, 335, 337, 345

to psychiatrist, 25, 37, 277, 313, 321, 326, 344

to psychologist, 2, 23–25, 37, 101, 107, 135, 223, 229, 321, 264–269, 317, 321–326
 case scenarios, 342–345, 358
 examples, 411–412
 recommendations for, 229, 244, 264–269
 selecting therapist, 261, 265–266

receiving, 12, 60

recommendation tables
 physical therapist, 251
 specialist, 27, 68

specialist (advanced training in TMD), 11, 13, 16, 17, 21, 27, 61–62, 68, 77, 89–90, 106, 321, 416

for TMJ surgery, 304–308. *See also* TMJ, surgery

Referred pain, 12–19, 40, 45–67, 111, 333–336, 338–339, 349, 360, 371
 maps, 52, 54

Relaxation, 235, 261, 263–271, 318

Reline of appliances
 external, 184–188
 internal, 175–178

Remineralization of TMJ. *See* Osseous changes within TMJ

Remodeling of condyle, 71, 82, 89

Resilient appliances. *See* Soft thermoplastic stabilization appliances

Restorations
 alternatives to appliance therapy for, 62–63, 113–114
 preventing TMD during, 111–114, 118
 appliance's internal surface changes for, 177–178, 200
 TMD secondary to, 109–120, 353–354, 359–360
 etiology, 109–120
 inability to close into MI, 116–119. *See also* Lateral pterygoid muscle, spasm; TMJ, luxation
 medial pterygoid muscle pain, 110, 114–116, 342–343
 obstructive sleep apnea appliances, 120–122
 occlusal interference sequelae, 111, 119–120
 predisposed patients, 98, 109, 110, 112

- Restorations (*continued*)
 pretreatment palpations, 98, 110–111
 prevention, 111–114, 118
- Retrodiscal tissue
 pseudodisc, 81, 84
 stretching exercise, 139–142, 350–352
- Rheumatoid arthritis, 71, 82, 86, 90, 99
- Riboflavin. *See* Vitamin B-2
- Robaxin. *See* Methocarbamol
- Rofecoxib, 278
- S-Adenosylmethionine (SAMe), 290
- Secondary diagnosis, 6–7, 81–82, 421
- Secondary gain, 11, 14, 100, 421
- Selective serotonin reuptake inhibitor (SSRI), 276–277, 284
- Self-management therapy
 breaking daytime habits, 23–24, 99, 135, 240–244, 261–266, 317, 321–322, 342
 external cues, 241–242, 267, 420
 internal cues, 242, 267, 327, 420
 caffeine consumption, 233–236, 314, 326, 396
 closure muscle-stretching exercise, 236–238, 315, 399–400 (also on accompanying CD)
 diet restrictions, 93, 107, 233–234, 396
 heat thermotherapy, 114–115, 141, 224, 231–232, 236, 237
 instructions, 395–396 (also on accompanying CD)
 lateral pterygoid stretching exercise, 93, 116–119, 127–128, 355–356
 muscle massage, 2, 118, 135, 136, 229, 230–231, 248–249, 314, 395 (also on accompanying CD)
 over-the-counter medications, 118, 231, 236, 276, 278–279, 284–286, 290, 396 (also on accompanying CD)
 posture exercises, 239–240, 315, 401–403 (also on accompanying CD)
 ThermaCare, 232, 286
 thermotherapy, 107, 114–115, 141, 224, 231–232, 236, 333–335, 237
 trigger-point compression, 231, 248, 249, 314
- Sex differences, 1–2, 90, 304, 374
- Significance of results
 clinical, 372
 statistical, 372
- Signs of TMD, primary, 1
- Silastic disc replacement implants, 11, 13, 27, 68, 77, 308, 321
- Singing, 25, 37
- Sinus congestion or pain, 16–17, 33, 34, 40, 65, 67, 321, 336–337
 medications table for, 17
- Sleep
 poor, 19, 22–23, 36, 107, 233, 269, 282–283, 318, 321, 322–324, 343–345
 quality, 22–23, 36, 345
- Sleep apnea
 appliances, 120–122
 occlusal changes, 121, 218, 219
 symptoms, 23, 36, 207, 322–323
 TMD like symptoms, 23, 36, 207, 322–323
 TMD symptoms from appliance, 120–122
- Sodium hyaluronate, 142, 305, 351
- Soft palate uniform movement, 61
- Soma. *See* Carisoprodol
- SORT, 367
- Spasm
 lateral pterygoid muscle, 22, 36, 57–58, 83, 87, 93, 116–117, 125–129, 132, 169, 296, 354–356, 414, 420
 clinical features, 22, 36, 87, 116–117, 125–128, 132, 169, 296, 354–356
 illustration, 19–20, 126–127
 medial pterygoid muscle, 114–116, 342–343
- Splenius capitis muscle
 palpation, 45–46, 48–50
 referral from, 54
- Splints. *See* Occlusion, on appliances
- SSRI (selective serotonin reuptake inhibitor), 276–277, 284
- Stability, occlusal, 162–164, 171, 223, 295–8, 300, 302–303, 319, 323
- Stabilization appliances, 153–209
 acrylic, 163–166, 191–195, 216–218
 adjustment, 153–155, 172–190, 204–205
 external adjustments for, 178–184
 implant supported crowns, 182–183, 217–218
 external relines of, 184–188
 internal adjustments for, 172–175
 implant supported crowns, 152
 internal relines of, 175–178
 repair, 188–190
 allergy from, 165, 166, 172
 Astron, 166

- athletic mouthpiece, 154, 163, 168, 201–204
- bisphenol A (BPA) within, 151–152
- care for, 397–398 (also on accompanying CD)
- caries and restorations, 62–63, 113, 150, 154, 158–159, 160, 177–178, 200, 220
- centric relation (CR), 153–154, 155–157, 303, 419
- daytime wear, 154, 205, 315
- dental implants with, 152, 182–183, 217–218
- description, 150–151, 154, 421
- dual laminate thermoplastic, 166–167, 170, 188, 200–201
- Eclipse, 165, 166
- efficacy, 224, 243, 263, 268
- efficacy theories, 154–155
- examples, 190–204
 - dual laminate thermoplastic, 200–201
 - hard thermoplastic, 195–199
 - Impak, 199–200
 - maxillary acrylic, 193–195
 - pressure cured mandibular acrylic, 191–193
 - soft thermoplastic, 201–204
- external adjustments for, 178–184
 - implant supported crowns, 182–183, 217–218
- external reline, 184–188
- full-coverage, 154, 159–160, 171
- habit-breaking, 160, 164, 171, 183, 195–199, 205–206, 242–244, 342
- hard acrylic, 164–166, 191–195
- hard thermoplastic, 165–166, 195–199
- hybrid appliance material, 166–167, 188, 199–200
- Impak, 151, 153, 165–167, 172, 188, 199–200, 204
- implant supported crowns, 152, 182–183, 217–218
- impressions with restricted opening for, 142
- intermediate softness appliance materials, 164–167, 200–201
- internal adjustments for, 172–175
 - implant supported crowns, 152
- internal reline of, 175–178
- interocclusal record for, 153–154, 155–158, 360–362
- laboratory instructions for, 405–406 (also on accompanying CD)
- management for, 204–209
- mandibular, 160–161, 171, 191–193, 195–199
- mandibular positions for, 153–154, 155–158, 360–362
- maxillary, 160–164, 171, 193–195
- maxillary acrylic, 193–195
- mechanisms, 154–155
- nighttime wear, 154, 205, 315
- neutral position, 157, 214, 307, 420
- nocturnal wear, 154, 205, 315
- occlusal stability, 162–164, 171, 223, 295–298, 300, 302–303, 319, 323
- opposing appliances, 203–204, 208, 315, 322, 341
- over-the-counter appliances, 204
- partial coverage, 154, 159–161, 171
- pressure cured mandibular acrylic, 191–193
- reline
 - external, 184–188
 - internal, 175–178
- repair, 188–190
- restorations and caries, 62–63, 113, 150, 154, 158–159, 160, 177–178, 200, 220
- restricted opening with, 142
- retention, 170–171
- soft thermoplastic, 167–169, 201–204
- strategies for restorative needs
- theories of efficacy, 154–155
- thickness, 158, 167, 169–170, 178, 183–184, 188, 192–193, 195–196, 200–202, 405–406
- TMJ subluxation or luxation for, 149, 315
- TMJ loading effect from, 82, 134, 147, 155, 158, 307
- two opposing appliances, 203–204, 208, 315, 322, 341
- Staff referral criteria, 351
- Sternocleidomastoid muscle
 - palpation, 53, 56
 - referred pain from, 54
- Steroidal anti-inflammatory medications, 108, 141, 279–280, 350, 352, 355, 358
- Stethoscope, use, 43
- Strength-of-Recommendation Taxonomy (SORT), 367
- Stress, 1, 6, 24, 98, 101, 103, 241, 261
- Stress management, 263–265, 271, 317, 319, 323, 411–412
- Stretching exercises
 - closure muscle-stretch, 236–238, 315, 399–400 (also on accompanying CD)

- Stretching exercises (*continued*)
 lateral pterygoid stretch, 93, 116–119, 127–128, 355–356
 medial pterygoid spasm-stretch, 114–116, 342–343
 posture for, 239–240, 315, 401–403 (also on accompanying CD)
 retrodiscal tissue, 139–142, 350–352
 tongue depressors to forcibly stretch, 116
 Stretching test, 21, 41, 93–94, 117, 127–128, 351, 355
 Stretching with tongue depressors, 116
 Study
 design, 369–378
 generalizable, 366, 370, 380
 hypothesis, 367, 380
 outcome measures, 365, 367, 380
 population, 365–366, 380
 question, 365, 367
 registration, 367
 retrospective, 371, 373, 376
 Stylomandibular ligament, 59–60
 Subjects
 blinded (masked), 375–377, 380
 drop out, 376
 follow-up, 365, 376–377, 380
 masked, 375–377, 380
 Subluxation, 20–22, 89, 106, 145–148, 315, 442
 stabilization appliance for, 149, 315
 Sudafed, 17, 65, 337
 Suicide, 25, 37, 391 (also on accompanying CD)
 Summaries of TMD therapies, 313–324
 Supplements, nutritional, 275, 278, 289–290
 Surgery, of TMJ, 304–308
 alloplastic disc implants, 142–143, 280, 304–306, 320, 351–352
 arthrocentesis, 142–143, 280, 304–306, 320, 351–352
 arthroscopy, 304, 306–307, 351–352
 case scenarios, 351–352
 disc replacement implants, 11, 13, 27, 68, 77, 308, 321
 joint replacement implants, 11, 27, 68, 74, 77, 306–308, 321
 modified condylotomy, 89, 306, 307
 open joint surgery, 89, 305–307
 prosthesis, 11, 27, 68, 74, 77, 306–308, 321
 referral recommendations, 304–306
 Teflon-Proplast or Silastic implants, 11, 13, 27, 68, 77, 308, 321
 Swollen or puffy region, 17, 35, 61, 76, 77, 91, 306–307
 Synovial chondromatosis, 83, 91
 Synovitis. *See* TMJ, arthralgia
 Systematic reviews, 379
 Systemic arthritides, 7, 35, 71, 82, 83, 89, 90
 Systemic contributors to TMD, 7, 18–19, 35, 71, 82, 83, 89, 90, 94–95, 99, 344
 Tables
 additional palpations, 53
 appliance alternatives, 63
 diagnostic categories and diagnoses, 83
 events that patients related to TMD onset, 93
 headache patients' treatment recommendations, 18
 hygienists' referral criteria, 387
 imaging recommendations, 76
 initial palpations recommended, 46
 maxillary or mandibular appliance, 164
 palpations, 46, 53, 111
 patients recommend refer, 27, 68
 physical therapy referral, 251
 postoperative causes for TMD symptoms, 111
 prevention of TMD from dental treatment, 118
 sinus pain medications, 17
 specialist referral recommended, 27, 68
 stabilization appliance alternatives, 63
 tooth contributing to TMD, 15, 111
 therapies for awakening/daytime symptoms, 322–324
 TMD
 diagnostic categories and diagnoses, 83
 onset events, 93
 treatment causing, 111
 treatment prevention, 118
 unlock closed lock techniques, 135
 Team approach, 223–225, 313–314, 321–324
 Teflon-Proplast implants, 11, 13, 27, 68, 77, 308, 321
 Temporal arteritis, 26–27, 38
 Temporalis muscle
 palpation, 45–49, 51–55, 59, 111
 referred pain from, 54
 stretching, 115, 236–238, 315, 399–400 (also on accompanying CD)

- Temporalis tendon
 - palpation, 52–54, 59
 - referred pain from, 54
- Temporomandibular disorder. *See* TMD
- Temporomandibular joint. *See* TMJ
- Tender nodules. *See* Trigger points
- Tendonitis, 59, 83, 92
- Tertiary diagnosis, 6–7, 81–82, 422
- Tests
 - anesthetic, 40, 64, 66–67, 118, 334, 370
 - clenching teeth, 68
 - cold, 63, 333–335
 - stretching, 21, 41, 93–94, 117, 127–128, 351, 355
- Therapies
 - acupuncture, 224, 254–255, 316–317
 - adjunctive therapies, 247–248, 261–262, 301, 321, 324, 366, 372
 - altering due to dental caries, 62–65, 110–114, 116–120, 154, 177–178, 200, 295, 296, 320, 333–335
 - anterior positioning appliances, 137–139, 213–221, 349–350
 - athletic mouthpiece, 154, 163, 168, 201–204
 - awakening symptoms, 7, 13, 23, 62, 98–99, 134, 141, 205, 207, 281–283, 296, 322–324, 339–340
 - medications for, 23, 63, 113–115, 280–281, 282–283, 322–323, 332, 352
 - occlusal appliance for, 154, 205, 315
 - biofeedback, 247, 261, 263–265, 269–271, 317–319, 321–323, 342, 357–358, 411, 419
 - cervicogenic headache, 18, 48–50, 251–252, 317
 - chiropractics, 255–256, 317
 - cognitive behavioral intervention, 1, 223, 244, 261–271, 276, 411–412
 - cold thermotherapy, 107, 224, 231–232, 333–335
 - compliance with therapy, 27, 225–226, 230, 232, 236, 239, 268, 325
 - corticosteroids, 108, 141, 279–280, 350, 352, 355, 358
 - counterirritant creams, 231, 284–285
 - daytime symptoms for, 13, 23–24, 99–101, 317, 341–342
 - biofeedback, 247, 261, 263–265, 269–271, 317–319, 321–323, 342, 357–358, 411, 419
 - breaking daytime habits, 23–24, 99, 135, 240–244, 261–266, 317, 321–322, 342
 - cognitive behavioral intervention, 1, 223, 244, 261–271, 276, 411–412
 - habit breaking appliance, 160, 164, 171, 183, 195–199, 205–206, 242–244, 342
 - hypnotherapy, 269, 318
 - occlusal appliance for, 160, 164, 171, 183, 195–199, 205–206, 242–244, 342
 - relaxation, 235, 261, 263–271, 318
 - stress management, 263–265, 271, 317, 319, 323, 411–412
 - tricyclic antidepressants for, 283, 323, 358
 - efficacy, 3, 224–225, 229–230, 236, 240, 243, 263, 268, 269
 - electrical stimulation, 251
 - exercises
 - closure muscle-stretch, 236–238, 315, 399–400 (also on accompanying CD)
 - lateral pterygoid stretch, 93, 116–119, 127–128, 355–356
 - medial pterygoid spasm-stretch, 114–116, 342–343
 - posture, 239–240, 315, 401–403 (also on accompanying CD)
 - retrodiscal tissue stretch, 139–142, 350–352
 - tongue depressors to forcibly stretch, 116
 - habit reversal, 229, 235, 240–244, 262–269, 317
 - external cues/internal, 241–242, 267, 327, 420
 - hyaluronic acid. *See* Sodium hyaluronate
 - hypnosis, 269, 318
 - hypnotherapy, 269, 318
 - integrating conservative TMD therapies, 321–324
 - integrating multidisciplinary therapies, 313–327
 - long-term management, 319, 320, 326–327
 - magnetic therapy, 256–257, 317
 - massage therapy, 2, 118, 135, 136, 229, 230–231, 248–249, 314, 395 (also on accompanying CD)
 - MENS (microcurrent electrical nerve stimulation), 251
 - motivating patient, 24, 100, 236, 239, 267–268, 318
 - muscle relaxants

Therapies (*continued*)

- central acting, 63, 108, 113–118, 120, 128, 141, 275, 280–281, 322–323, 332, 343, 350, 352, 353, 356, 358
- peripheral acting, 281–282
- occlusal adjustment, 65, 297–300, 319–320, 375
- occlusal equilibration, 65, 297–300, 319–320, 375
- occlusal stability, 162–164, 171, 223, 295–8, 300, 302–303, 319, 323
- orthodontic therapy, 98, 160, 218, 220, 295, 298, 300–302, 313374, 415
- orthognathic surgery, 205, 298, 302, 313, 361, 372
- orthopedic stability. *See* Occlusal stability
- pharmacological management, 275–290
 - acute symptoms for, 103–141, 276, 277, 279–282, 319
 - case scenarios, 333–336, 349–350, 353–358
 - analgesic creams, 284–289, 342
 - analgesics, 107, 277–280, 284–289, 342
 - chronic symptoms for, 103, 276, 319
 - counterirritant creams, 231, 284–285
 - corticosteroids, 108, 141, 279–280, 350, 352, 355, 358
 - COX₂ inhibitors, 278, 279
 - long-term management, 276, 319
 - muscle relaxants
 - central acting, 63, 108, 113–118, 120, 128, 141, 275, 280–281, 322–323, 332, 343, 350, 352, 353, 356, 358
 - peripheral acting, 281–282
 - nonsteroidal anti-inflammatory medications (NSAIDs)
 - ingested, 103, 108, 113, 118, 141, 277–279, 340, 350, 352, 355–356, 258
 - topical, 286–288, 342
 - nutritional supplements, 275, 278, 289–290
 - over-the-counter medications, 118, 231, 236, 276, 278–279, 284–286, 290, 396 (also on accompanying CD)
 - selective serotonin reuptake inhibitor (SSRI), 276–277, 284
 - sodium hyaluronate, 142, 305, 351
 - steroidal anti-inflammatory medications, 108, 141, 279–280, 350, 352, 355, 358
 - topical medications, 284–289, 342
 - tricyclic antidepressants, 103, 275, 276, 282–284, 319, 323, 324, 326, 338, 357
- phonophoresis, 351, 280
- physical medicine, 247–257
- physical therapy, referral to, 60, 249, 250–254, 282, 308, 316, 321, 324, 326, 377–378
 - case scenarios, 338–339, 343, 344, 348, 351–352, 358, 360
 - examples, 409–410
 - how to write, 253, 409–410
 - recommendations for when, 251–253
 - scope of care within, 19, 39, 60, 250
 - selecting therapist, 253–254
- physicians, referrals from, 12, 60, 335, 371
- physicians, referrals to, 14, 17–19, 25, 27, 33–38, 48, 60, 67, 68, 90, 207, 250, 254, 266, 276, 277, 279, 284, 321, 323
 - case scenarios, 335, 337, 345
- post-dental treatment, 109–120, 353–354, 359–360
- post-traumatic, 34, 76, 87, 88, 91, 93, 95, 98, 105–108, 114, 133, 306
 - imaging, 76, 106
 - treatment, 107–108, 277
- prosthodontic therapy, 2, 158–159, 218, 223, 297–298, 302–304, 313
- psychiatrist referral, 25, 37, 277, 313, 321, 326, 344
- psychologist referral, 2, 23–25, 37, 101, 107, 135, 223, 229, 321, 264–269, 317, 321–326
 - case scenarios, 342–345, 358
 - examples, 411–412
 - recommendations for, 229, 244, 264–269
 - selecting therapist, 261, 265–266
- refractory to initial therapy, 324–326
- relaxation, 235, 261, 263–271, 318
- scope of care, 19, 39, 60, 250
- secondary to trauma, 34, 76, 87, 88, 91, 93, 95, 98, 105–108, 114, 133, 306, 419
 - imaging, 76, 106
 - treatment, 107–108, 277
- self-management therapy
 - breaking daytime habits, 23–24, 99, 135, 240–244, 261–266, 317, 321–322, 342
 - external/internal cues, 241–242, 267, 327, 420

- caffeine consumption, 233–236, 314, 326, 396
- closure muscle-stretching exercise, 236–238, 315, 399–400 (also on accompanying CD)
- diet restrictions, 93, 107, 233–234, 396
- heat thermotherapy, 114–115, 141, 224, 231–232, 236, 237
- instructions, 395–396 (also on accompanying CD)
- lateral pterygoid stretching exercise, 93, 116–119, 127–128, 355–356
- muscle massage, 2, 118, 135, 136, 229, 230–231, 248–249, 314, 395 (also on accompanying CD)
- over-the-counter medications, 118, 231, 236, 276, 278–279, 284–286, 290, 396 (also on accompanying CD)
- posture exercises, 239–240, 315, 401–403 (also on accompanying CD)
- ThermaCare, 232, 286
- thermotherapy, 107, 114–115, 141, 224, 231–232, 236, 333–335, 237
- trigger-point compression, 231, 248, 249, 314
- stabilization appliances. *See* Stabilization appliances
- stress management, 263–265, 271, 317, 319, 323, 411–412
- stretching exercises
 - closure muscle-stretch, 236–238, 315, 399–400 (also on accompanying CD)
 - lateral pterygoid stretch, 93, 116–119, 127–128, 355–356
 - medial pterygoid spasm-stretch, 114–116, 342–343
 - posture for, 239–240, 315, 401–403 (also on accompanying CD)
 - retrodiscal tissue, 139–142, 350–352
 - tongue depressors to forcibly stretch, 116
- summaries, of therapies, 313–324
- surgery. *See* TMJ, surgery
- topical medications, 284–289, 342
- trigger-point injection, 40, 249–250, 316
- ultrasound, 75
- yoga, 224, 249, 268, 316
- Thermoplastic stabilization appliances
 - dual laminate, 167, 200–201
 - hard, 165–166, 195–199
 - soft, 167–169, 201–204
 - over-the-counter, 204
- Thyroid, 45–48
- Tinnitus, 1–3, 169, 370, 372
- TMD
 - acute conditions, 86–87, 92–93, 103–148, 168, 276, 277, 279–281, 319
 - case scenarios, 333–336, 349–350, 353–358
 - advocacy group, 415
 - awakening symptoms, 7, 13, 23, 62, 98–99, 134, 141, 205, 207, 281–283, 296, 322–324, 339–340
 - medications for, 23, 63, 113–115, 280–281, 282–283, 322–323, 332, 352
 - occlusal appliance for, 154, 205, 315
 - books for patients and practitioners, 415–417
 - brochures for patients, 415
 - cardinal signs and symptoms, 1
 - chronic conditions, 3, 25, 103, 276, 319
 - clearance for orthodontic therapy, 301
 - concomitant symptoms with, 3, 11–27, 33–38, 48–50, 61–64, 67–68, 223–225, 321, 324
 - contributing factors. *See* Contributing factors
 - daytime symptoms. 13, 23–24, 99–101, 317, 341–342. *See also* Habits, parafunctional daytime
 - deep pain, 62, 118
 - definition, 1,3
 - diagnoses, 81–95
 - efficacy of therapy, 3, 224–225, 229–230, 236, 240, 243, 263, 268, 269
 - by general dentists, 3, 225
 - epidemiology, 1–2, 374
 - follow-up importance, 25, 40, 104, 116, 129, 158, 408
 - handouts for patients, 393–403 (also on accompanying CD)
 - history, 2–3
 - imaging. *See* Imaging
 - information for patients, 393–403 (also on accompanying CD), 415
 - initial evaluation. *See* Initial evaluation
 - initiating contributing factors, 98, 420
 - journals, 417
 - loading TMJ
 - anterior positioning appliances, 151, 155, 213–214
 - arthralgia, 140, 277, 304–305, 313, 358
 - centric relation, 157, 158

TMD (*continued*)

- closed lock, 133–134
- disc adherence, 83, 88, 143
- disc adhesions, 88
- disc displacement
 - with reduction with intermittent locking, 133–134, 352
 - without reduction with limited opening, 133–134
- muscle activity causing, 71–72, 82, 134, 234, 313, 358
- nociceptive trigeminal inhibition appliance (NTI), 153, 160
- occlusal appliance, effect on, 82, 134, 147, 151, 155, 157, 160, 213, 214
- osteoarthritis effect, 72
- pain causing, 14
- parafunctional habits causing, 71, 82, 133, 134, 155, 234, 313, 352, 358
- pseudodisc formation, 81, 84
- stabilization appliance, effect on, 82, 134, 147, 155, 158, 307
- TMD symptom effect, 71–72, 91, 133–134, 140, 230, 234, 277, 307, 313, 352, 358
- long-term management, 319, 320, 326–327
- multidisciplinary therapies. *See* Therapies
- multifactorial disorder, 2–3, 223–225, 295–298, 313–314
- muscle-overuse, 19, 26, 92, 94, 118, 231, 237, 248, 395
- malocclusion due to, 97, 119–120
- organizations, 416
- orthodontic clearance, 301
- overuse of muscles, 19, 26, 92, 94, 118, 231, 237, 248, 395
- palpation, 39–40, 44–61, 65–67, 110–111. *See also* Palpation, structures
 - tables, 46, 53, 111
- perpetuating contributing factors, 6, 98–100, 103, 106–107, 142, 224–225, 230, 247, 343–345, 420
- practice management businesses, 416
- predisposing contributing factors, 97, 106, 300, 420
- prevalence, 1–2, 372, 374
- primary signs and symptoms, 1, 3, 12–13, 103, 387
- professional organizations, 416
- post-dental care for, 109–120, 353–354, 359–360
- postoperative causes for symptoms, table, 111
- post-trauma, 34, 76, 87, 88, 91, 93, 95, 98, 105–108, 114, 133, 306
 - imaging, 76, 91, 106
 - treatment, 107–108, 232, 277
- publications, 416–417
- referral criteria for hygienists, 387
- referred pain, 12–19, 40, 45–67, 111, 333–336, 338–339, 349, 360, 371
- refractory to initial therapy, 324–326
- scope of care within, 19, 39, 60
- secondary to dental care
 - etiology, 109–120
 - inability to close into MI, 116–119. *See also* Lateral pterygoid muscle, spasm; TMJ, luxation
 - medial pterygoid muscle pain, 110, 114–116, 342–343
 - obstructive sleep apnea appliances, 120–122
 - occlusal interference sequelae, 111, 119–120
 - predisposed patients, 98, 109, 110, 112
 - pretreatment palpations, 98, 110–111
 - prevention, 111–114, 118
- secondary to trauma, 34, 76, 87, 88, 91, 93, 95, 98, 105–108, 114, 133, 306
 - imaging, 76, 106
 - treatment, 107–108, 277
- sex differences, 1–2, 90, 304, 374
- stress interrelation, 1, 6, 24, 98, 101, 103, 241, 261
- symptoms
 - acute, 86–87, 92–93, 103–148, 168, 276, 277, 279–281, 319
 - case scenarios, 333–336, 349–350, 353–358
 - awakening, 7, 13, 23, 62, 98–99, 134, 141, 205, 207, 281–283, 296, 322–324, 339–340
 - medications for, 23, 63, 113–115, 280–281, 282–283, 322–323, 332, 352
 - occlusal appliance for, 154, 205, 315
- cardinal, 1
- chronic, 3, 25, 103, 276, 319
- cold beverage aggravation, 15–16, 33, 40, 63
- concomitant symptoms with, 3, 11–27, 33–38, 48–50, 61–64, 67–68, 223–225, 321, 324

- correlations, 1, 13, 22–24, 44, 75, 233–234, 267, 271
- daytime, 13, 23–24, 99–101, 317, 341–342
- description, 14–19, 322–361
- duration, 17
- frequency, 17
- intensity, 17
- muscle-overuse, 19, 26, 92, 94, 118, 231, 237, 248, 395
- nighttime, 7, 13, 23, 62, 98–99, 134, 141, 205, 207, 281–283, 296, 322–324, 339–340
- noise
 - click, 20, 22, 43, 84–86, 131–132, 156, 207, 215, 220, 345–349, 422
 - crepitus, 20, 43, 89, 156, 346, 419
- patterns, 7, 13, 98–99, 134, 205, 322–324
- primary, 1, 3, 12–13, 103, 387
- quality, 14–16, 27, 33, 68
- tooth contributing to, 15–16, 33, 39, 62–65, 111, 325, 333–335, 370, 371
- textbooks, 416–417
- therapies. *See* Therapies
- treatment efficacy, 3, 224–225, 229–230, 236, 240, 243, 263, 268, 269
 - by general dentists, 3, 225
- treatment summaries, 313–324
- ThermaCare, 232, 286
- TMJ
 - acute disc displacement without reduction. *See* TMJ, disc displacement without reduction with limited opening
 - adherence, 83, 88, 143
 - adhesions, 88
 - anatomy, 19–20
 - ankylosis, 21, 74, 83, 88–89, 116, 304, 306, 307, 321, 413
 - anterior displacement. *See* TMJ, *various entries for* disc displacements
 - arthralgia, 47, 71–72, 77, 82–83, 87, 106, 113, 117, 120, 126–129, 132–133, 140–141, 156–158, 206, 234, 237, 239, 248, 277–281, 288, 296, 299, 303, 304–306, 320, 407–409, 413
 - case scenarios, 332, 346–352, 355–358, 360–361
 - arthritis
 - osteoarthritis, 17, 27, 34, 61, 77, 83, 90, 149, 285, 287, 289–290
 - rheumatoid, 71, 82, 86, 90, 99
 - systemic arthritides, 7, 35, 71, 82, 83, 89, 90
 - bone remodeling, 71, 82, 89
 - capsulitis. *See* TMJ, arthralgia
 - clicking, 20, 22, 43, 84–86, 131–132, 156, 207, 215, 220, 345–349, 422
 - closed lock, 86–87, 132, 136–143, 346, 349–352
 - condyle-disc complex, 19–20, 22, 83–88, 131–148, 345–352, 393 (also on accompanying CD)
 - reduced position, 20, 22, 85, 137–138, 207, 213, 421
 - condylolysis, 62, 77, 83, 90
 - crepitus, 20, 43, 89, 156, 346, 419
 - degenerative joint disease, 20, 43, 83, 89–90, 419
 - derangement disorders. *See* TMJ, *various entries for* disc displacements
 - diagnostic categories, 82–92
 - disc-condyle complex, 19, 22, 83–88, 131–148, 345–352, 393 (also on accompanying CD)
 - reduced position, 20, 22, 85, 137–138, 207, 213, 421
 - disc-condyle complex disorders patient handout, 393 (also on accompanying CD)
 - disc displacement with reduction, 19–20, 36, 43–44, 85–86, 213–214
 - case scenario, 345–346, 357–358
 - characteristics, 43–44, 85–86
 - clinical features, 19–20, 36, 43–44, 85–86
 - illustration, 19–20, 84–85, 393 (also on accompanying CD)
 - treatment, 43–44, 149, 345–346
 - disc displacement with reduction with
 - intermittent locking, 20–21, 36, 43–44, 85–87, 131–136, 156, 214, 220, 280, 301, 346, 347–349, 351–352
 - case scenarios, 346, 347–349, 351
 - characteristics, 43–44, 85–86, 131–136
 - clinical features, 20, 36, 43–44, 85–86, 131–136
 - illustration, 20, 85–86, 393 (also on accompanying CD)
 - techniques for patient to unlock, 135
 - treatment, 131–136, 346, 347–349
 - disc displacement without reduction with
 - limited opening (closed lock), 20, 36, 86–88, 346, 349–352

TMJ (*continued*)

- case scenarios, 346, 349–352
- characteristics, 86–88, 131–134, 136–43
- clinical features, 20, 36, 86–88, 131–134, 136–43
- illustration, 20, 86–88, 393 (also on accompanying CD)
- intermittent occurrence. *See* TMJ, disc displacement with reduction with intermittent locking
- manipulation, 136–138, 349–350
- stretching retrodiscal tissue, 139–142, 350–352
- techniques for patient to unlock, 135–138
- temporary appliance for, 139
- treatment, 131–134, 136–43, 349–352
- disc displacement without reduction without limited opening, 87–88
 - clinical features, 87–88
 - illustration, 20, 87–88, 393 (also on accompanying CD)
- dislocation. *See* TMJ, luxation; TMJ, subluxation
- distraction, 127, 135–138, 147, 238
- fracture, 72, 76, 83, 87, 91, 106, 133, 370–371
- hyperplasia, 83, 92
- hypoplasia, 83, 91, 106
- imaging. *See* Imaging
- implants within
 - prosthesis, 11, 27, 68, 74, 77, 307–308, 321
 - Teflon-Proplast or Silastic, 11, 13, 27, 68, 77, 308, 321
- inflammation. *See* TMJ, arthralgia
- intermittent closed lock. *See* TMJ, disc displacement with reduction with intermittent locking
- of disc displacement with reduction with intermittent locking, 20–21, 36, 43–44, 85–87, 131–136, 156, 214, 220, 280, 301, 346, 347–349, 351–352
- of disc displacement without reduction with limited opening (closed lock), 20, 36, 86–88, 131–134, 136–43, 346, 349–352
- loading
 - anterior positioning appliances, 151, 155, 213–214
 - arthralgia, 140, 277, 304–305, 313, 358
 - centric relation, 157, 158
 - closed lock, 133–134
 - disc adherence, 83, 88, 143
 - disc adhesions, 88
 - disc displacement
 - with reduction with intermittent locking, 133–134, 352
 - without reduction with limited opening, 133–134
 - muscle activity causing, 71–72, 82, 134, 234, 313, 358
 - Nociceptive Trigeminal Inhibition appliance (NTI), 153, 160
 - occlusal appliance, effect on, 82, 134, 147, 151, 155, 157, 160, 213, 214
 - osteoarthritis effect, 72
 - pain causing, 14
 - parafunctional habits causing, 71, 82, 133, 134, 155, 234, 313, 352, 358
 - pseudodisc formation, 81, 84
 - stabilization appliance, effect on, 82, 134, 147, 155, 158, 307
 - TMD symptom effect, 71–72, 91, 133–134, 140, 230, 234, 277, 307, 313, 352, 358
- luxation, 20–22, 89, 106, 145–148, 315, 442
 - Monoject syringe for, 147
 - stabilization appliance for, 149, 315
- neoplastic growth, 74, 77, 83, 90–91, 94, 143, 304, 307, 320
- noise
 - click, 20, 22, 43, 84–86, 131–132, 156, 207, 215, 220, 345–349, 422
 - crepitus, 20, 43, 89, 156, 346, 419
- osseous changes, 71–72, 74, 75–77, 82, 88–92
- osteoarthritis, 17, 27, 34, 61, 77, 83, 90, 149, 285, 287, 289–290
- osteoarthrosis, 83, 90
- osteochondritis dissecans, 83, 90
- osteonecrosis, 83, 90
- palpation, 45–47, 50–54, 111
- prosthesis, 11, 27, 68, 74, 77, 307–308, 321
- pseudodisc, 81, 84
- radiographic changes, 71–72, 74, 75–77, 82, 88–92
- reduced position, 20, 22, 85, 137–138, 207, 213, 421
- referred pain from, 54
- remineralization, 71–72, 74, 75–77, 82, 88–92
- replacement, 11, 27, 68, 74, 77, 306–308, 321

- retrodiscal tissue
 - pseudodisc, 81, 84
 - stretching exercise, 139–142, 350–352
- synovial chondromatosis, 83, 91
- stretching exercise for retrodiscal tissue, 139–142, 350–352
- subluxation, 20–22, 89, 106, 145–148, 315, 442
 - stabilization appliance for, 149, 315
- surgery, 304–308
 - alloplastic disc implants, 142–143, 280, 304–306, 320, 351–352
 - arthrocentesis, 142–143, 280, 304–306, 320, 351–352
 - arthroscopy, 304, 306–307, 351–352
 - case scenarios, 351–352
 - disc replacement implant, 11, 13, 27, 68, 77, 308, 321
 - joint replacement implants, 11, 27, 68, 74, 77, 306–308, 321
 - modified condylotomy, 306, 307
 - open joint surgery, 89, 305–307
 - prosthesis, 11, 27, 68, 74, 77, 307–308, 321
 - referral recommendations, 304–306
 - Teflon-Proplast or Silastic, 11, 13, 27, 68, 77, 308, 321
 - synovitis. *See* TMJ, arthralgia
- Tongue depressor stretch, 116
- Tooth extraction, 64, 67, 76, 110, 116, 298, 300, 353–354
- Topical medications, 284–289, 342
- Transdermal patch, lidocaine, 288–289
- Trapezius muscle
 - palpation, 45–46, 48–50
 - referred pain from, 54
- Trauma
 - direct, 34, 76, 87, 88, 91, 93, 95, 98, 105–108, 114, 133, 306, 419
 - indirect trauma, 105, 420
 - macrotrauma, 34, 76, 87, 88, 91, 93, 95, 98, 105–108, 114, 133, 306, 419
 - microtrauma, 105, 140, 420. *See* Habits, parafunctional
 - TMD secondary to, 34, 76, 87, 88, 91, 93, 95, 98, 105–108, 114, 133, 306
 - imaging, 76, 91, 106
 - treatment, 107–108, 232, 277
- Traumeel, 286
- Treatments. *See* Therapies
- Tricyclic antidepressants, 103, 275, 276, 282–284, 319, 323, 324, 326, 338, 357
 - amitriptyline, 23, 36, 63, 114, 282–283, 322–323, 344, 357
 - daytime pain treated using, 283, 323, 358
 - desipramine, 283, 323, 358
 - nocturnal habits treated using, 282–283, 322–323
 - nortriptyline, 23, 36, 63, 114, 283, 322–323
- Trigger points
 - compression, 231, 248, 249, 314
 - injections, 40, 249–250, 316
- Ultrasound, 75
- Valium. *See* Diazepam
- Vertex, pain in, 52
- Vioxx. *See* Rofecoxib
- Vitamin B-2
- Voltaren Gel, 286–288, 342
- Voltaren Emulgel, 287
- Wax interocclusal record
 - anterior positioning appliance, 215–216
 - stabilization appliance, 153–154, 155–158, 360–362
- Yoga, 224, 249, 268, 316
- Zostrix. *See* Capsaicin

