

Index

Page numbers in *italics* refer to tables or illustrations.
OT refers to occupational therapy.

- abductive reasoning 70, 71
- ABET *see* Adult Basic Education and Training
- abstract thought 469
- abusive behaviour, safety and 54
- acceptance (interactive reasoning) 378
- 'action', and volition 5
- action levels (du Toit) 6
 - and motivation levels 6
 - in paediatric assessments 252
 - see also* creative ability theory (du Toit)
- activities of daily living (ADL)
 - with acute psychiatry 120
 - with adolescents 284–5
- Activity Card Sort (Baum and Edwards) 439
- Activity Performance Outcomes Measure (APOM) 108
- acute psychiatry
 - ADHD and 120
 - assessment 117–18
 - case study 123–4
 - creative activities 120–122
 - discharge planning 122–3
 - group therapy and 122
 - models of practice 116–22
 - psycho-educational intervention 118–19
 - treatment programmes 119–22
- Adaptation Through Occupation (Reed)
 - and sexuality 215
- adaptations, and HIV/AIDS disability 95
- ADHD *see* attention deficit hyperactive disorder
- adjustment disorder 390–391
 - case study 402–4
- ADL *see* activities of daily living
- adolescence
 - assessments 280–286
 - cognitive development 287
 - intervention principles for 290
 - interviewing techniques 280–281
 - key features and trends 277
 - and play 255
 - standardised tests 281–2
 - treatment approaches 286–8
 - treatment programmes 288–9
- Adult Basic Education and Training (ABET) 137
- African Charter of Human and People's Rights (1981) 44
- ageing 465, 467
- aggressive behaviours, handling skills 141–2
- alcohol abuse 446–62
 - assessment 450–452
 - classification and definitions 453
 - handling principles 453
 - models for practice 450

Occupational Therapy in Psychiatry and Mental Health, Fifth Edition. Edited by Rosemary Crouch and Vivyan Alers.
© 2014 John Wiley & Sons, Ltd. Published 2014 by John Wiley & Sons, Ltd.

- OT role in early intervention 452–7
 OT role in prevention programmes 457, 458
 treatment aims 452–3
see also substance abuse
- Alcoholics Anonymous (AA), 12-step model of
 treatment 450
- alcoholism
 case study 460–461
 psychological behavioural signs of 451
- altruism 268
- AMPS *see* Assessment of Motor and Process Skills
- amygdala 339
- analytic attitude (interactive reasoning) 378–9
- anger management training 429
- anorexia nervosa 411
- ANS *see* autonomic nervous system
- antisocial personality 421
 case study 427
 OT interventions 426
- anxiety, developmental pathway to 235–6
- anxiety disorders 368–86
 activity and 379–80
 assessment and needs evaluation 369–70
 in children 256–7, 350
 classification and taxonomies 370, 371–3
 and clinical perspective 368–9
 determining priorities 375
 group therapy and 379
 models of practice and approaches 375–8
 occupational consequences 382, 383
 occupational implications 370, 371–3
 and occupational perspective 369
 occupation-centred practice 382–4, 383, 386
 participation restrictions 381–2
 performance component impairments 380–381
 preventative measures 375
 psycho-education and 379
 revolving door clients 375
 role of OT 374–5
 therapeutic play activities 257
- anxiety management groups 455
- APOM *see* Activity Performance Outcomes Measure
- applied behaviour analysis 231
- ASD *see* autism spectrum diagnosis; autism spectrum
 disorder
- ASI *see* Ayres Sensory Integration
- Asperger's syndrome 237
- assertiveness training 423, 429
 and sexual rehabilitation 221
- assessment
 acute psychiatry 117–18
 adolescent psychiatry 280–286
 alcohol dependency 450–452
 anxiety disorders 369–70
 attention deficit hyperactive disorder 326
 in community settings 130–133
 in groups 265, 285
 mood disorders 393–5
 personality disorders 422–3
 psychosocial disorders (children) 250–256, 252
 schizophrenia 439
 sensory integration 307
 sexuality and sexual functioning 219
 substance abuse 450–452
 trauma survivors 348–9
 in vocational rehabilitation programmes 180–185
- assessment of creative ability (du Toit) 7–12, 9–10
 basic parameters 7
 data recording grid systems 8, 11
 establishing motivation levels 12
 evaluation considerations 7–8
- Assessment of Motor and Process Skills
 (AMPS) 394–5, 439, 451
- assessment tools
 adolescent psychiatry 280, 281–2
 alcohol dependency 451–2
 anxiety disorders 370
 schizophrenia 439
 sexuality and sexual functioning 219
 substance abuse 451–2
 in vocational rehabilitation evaluations 181
- attachment disorders
 disorganized behaviours 249
 role of therapist 249
- attachment theory 249, 342
 styles of attachment 249
- attention deficit hyperactive disorder (ADHD) 255,
 259–60, 306, 319–34
 adult and 324
 assessment 326
 case study 333–4
 co-morbid conditions with 325–6
 criteria 320, 322
 developmental pathway to 236
 differential diagnosis of 325–6
 evaluating person with 327
 high school/university and 324
 infants and 323
 Interactive Metronome and 330–331
 OT intervention 326–32, 328, 329
 preschool and 323
 primary school and 323–4
 questionnaires 326–7
 sensory processing and 327, 328
 and sport or exercise 331–2
 symptoms of 324–5
 through lifespan 322–4
 treatment 327–8, 330–332
- attention-seeking behaviours 251, 423
see also personality disorders

- autism 230
- autism spectrum diagnosis (ASD) 296
- autism spectrum disorder (ASD) 260, 261, 305–6
developmental pathway to 237
- autistic disorders
and self-injury 312
see also sensory integration (SI)
- autonomic nervous system (ANS)
and hysterical seizures 377
and panic attacks 377
stress symptoms 311
- autonomy, ethics 99–100
- auxiliary staff 162–74
background 162–3
case study 173
ethical considerations 163–5
guiding principles 165
job terminology 162–3
legal context 163–5
limitations of practice 166–7
monitoring programmes 173
nature of relationship 170
personal development and job satisfaction 172
and personal life skills 173
registration 164
responsibilities 164–5
selection and recruitment 167–8
status and career paths 170
supervision guidelines 169–73
and supported placements 185
tasks 165–6
training 163, 168, 173
- avoidant personality 421
OT interventions 427
see also personality disorders
- Ayres, A.J. 296, 302
- Ayres Sensory Integration (ASI) 296, 297
- Barrett, M. 218
- Bay Area Functional Performance Evaluation (BaFPE) 439
- behaviour charts 254
- behavioural disorders (children) 256–61
- behavioural intervention approaches
with adolescents 287–8
see also cognitive-behavioural approaches
- behaviours
in disorganized attachment disorder 249
key areas in child observation 250–251
motivation and action relationships (du Toit) 6, 7
in personality disorders 419, 420–421
in post-traumatic brain injury 360
professional 44
psychotic 60
in trauma survivors 340
see also self-injurious behaviour
- beneficence (ethics) 100
in anxiety disorders 378
- bilateral integration and sequencing (BIS) disorder 301, 302
- biopsychosocial approaches
case study 400–401
in schizophrenia 442
- bio-psycho-social model (BPSM) 466–7
- bipolar disorder 393
functional consequences 393, 394
and hypomania 393, 394, 400–401
- bipolar patterns, developmental pathway to 236
- BIS disorder *see* bilateral integration and sequencing disorder
- borderline personalities 421
case study 427
OT interventions 426
see also personality disorders
- Botterbusch, K.F. 182
- boundaries
and children 254
and personality disorder clients 424, 426
and trauma survivors 347
- Bowlby, J. 249
- BPSM *see* bio-psycho-social model
- brain injuries *see* post-traumatic brain injury
- Broca's areas 339, 349
- Canadian Occupational Performance Model
and alcohol dependency 451
and substance abuse 451
- car accident injuries *see* corporate/medicolegal work;
post-traumatic brain injury
- career counselling *see* vocational counselling
- caregivers, and compassion fatigue 353
- carer's needs
community settings 130–131
support groups 139
see also family counselling
- 'carousel' techniques 429
- case management, and vocational rehabilitation 184–5
- Case Smith, J. 255
- catharsis, in group therapy 269
- CBR *see* community-based rehabilitation
- champions, and CBR programmes 138, 144
- change models
Stages of Change 450
see also models of practice
- child abuse
defined 350–351
goals of treatment 352–3
and incidence of psychosocial disorders 248
OT interventions 351–2
see also trauma
- child development

- and attachment theory 249
 - see also* sensory integration (SI)
- child-centred approaches 242, 255
- children with psychosocial disorders
 - assessment and evaluation 250–256, 252
 - and attachment theory 249
 - and child abuse 248
 - group play therapy 255–6
 - principles of treatment 253–4
 - resettlement and reassessment 261
 - specific types of disorder 256–61
 - see also* group therapy with children
- circle sociometry 348
- circular questioning 270
- Clark, F. *et al.* 35
- client-centred approach 151, 180, 412
 - see also* child-centred approaches
- clinical reasoning 69–70, 71
 - defined 67–8
 - four-stage process 76
 - and reflective journals 70–75
 - self-evaluation rating scales 70, 71
 - trauma survivors 348
 - use of STEP-SI dimensions 76, 80
- Cloutman, E. 61
- cognitive development, in adolescents 279, 287
- cognitive impairments
 - interacting with people and 469–70
 - intervention strategies 287
- cognitive intervention approaches, with adolescents 287
- cognitive-behavioural approaches
 - with adolescents 287
 - eating disorders 411
 - with personality disorders 424
- cohesion in groups 268–9, 289
- collage making, with adolescents 281, 291
- communication skills, and sexual intimacy 221
- communities, and mental illness 131–2
- community champions, and CBR programmes 138, 144
- community engagement, and existing organizations 135
- Community Integration Tools 63
- Community Rehabilitation Research and Education Programme (CORRE) 126
- community rehabilitation workers (CRWs) 138, 142, 163
 - see also* auxiliary staff
- community-based rehabilitation (CBR) 126–45
 - community settings 128
 - engaging local people 128–9
 - evaluation and outcomes 144
 - financial assistance and advice 143–4
 - health promotion activities 134–5
 - interface with existing services 136
 - local needs analysis 128–9
 - and medication 142–3
 - mental disabilities 128–30
 - mobilizing individual families 140–141
 - and national priorities 132–3
 - and schizophrenia 441–2
 - therapist roles 126
- compassion fatigue 353
- compensation claims *see* corporate/medicolegal work
- competency 49
- concentration difficulties 177
- conditional track (critical reasoning) 69, 71
 - example 74
- conduct disorders 257–8
 - treatment 258
- confidentiality
 - corporate/medicolegal work 206
 - and trauma survivors 347
- confrontation, and personality disorders 422, 426
- Constitution of South Africa Act 108 (1996) 45
- constructed occupations 34
- constructive action, stages of preparation (du Toit) 12
- containment 345–6
 - see also* boundaries
- contextual reasoning 70, 71
- contingency management *see* dialectical behaviour therapies (DBT)
- continuing professional development *see* professional development
- coping mechanisms
 - emotion-focused 102
 - for occupational therapists 101–2
- coping skills groups 455
- coping styles
 - children 253
 - and therapist stress 101–2
- corporate/medicolegal work 194–210
 - court appearances 208–10
 - fees 202
 - and general functional capacity 195
 - and home visits 203–4
 - preliminary steps 201–2
 - prerequisites for effective work in 196–201
 - professional standards 201
 - report content and length 205, 206, 206
 - report style and formatting 205–6
 - self-presentation in specific settings 198, 202
 - support and administration infrastructure 207–8
 - types of therapy referrals 195–6
 - understanding business realities 197
 - visiting arrangements 203–4
 - workplace visits 203, 204
- Correctional Services Act No. 111 (1998) 106
- court testimonials 208–10
- creative ability (du Toit)
 - defined 4
 - level of 5
 - model 108

- creative ability theory (du Toit) 3–31
 background and history 3–4
 basic concepts 4–5
 characteristics 7
 development in individuals 6–7
 group 1 characteristics 12, 13–20
 group 2 characteristics 12, 20–31
 group 3 characteristics 12, 31
 group profiles 12–13
 and mental illness 12, 14
 and paediatric mental disorders 252
 treatment within group 2 level 23–31
 treatment within group 1 level 13–20
- creative act (du Toit) 5
- creative activities 430
 acute psychiatry 120–122
 with alcohol dependency 456
see also expressive therapies
- creative capacity (du Toit) 4
- creative participation (du Toit) 5
- creative response (du Toit) 4–5
- Creek, J. 449–50
- Criminal Justice Act (2003) 106
- Criminal Law Act (1977) 106
- Criminal Procedure Act No. 51 (1977) 46, 106
- Criminal Procedure and Investigations Act (1996) 106
- critical governance, and auxiliary staff 173
- critical thinking
 eight sequential stages 68
see also clinical reasoning
- cultural competence
 aspect of 62
 in mental health 61
 standards into OT 63
- cultural differences, and sexuality 217
- cultural factors 60
- culture
 defined 59
 impact of, case study 64–5
 mental health and 60–61
 occupational therapy and 61–3
- DALY Scale *see* Disability-Adjusted Life Years
- DBT *see* dialectical behaviour therapies
- DCD *see* developmental coordination disorder
- decision-making, and Sinclair Model 76, 78
- deduction 76
- defence mechanisms 422–3
 and alcohol dependency 448–9
- delegation 171
see also auxiliary staff
- dementia *see* neurocognitive disorders
- denial 422, 448, 452
- dependent personality 421
 case study 433
- depressive disorders 390–391
 in children 258–9, 467–8
 developmental pathway to 236
 functional consequences 392, 392
 signs and symptoms 392, 392
see also bipolar disorder; mood disorders
- desensitization 379
- destructive action level (du Toit), paediatric
 assessments 252
- developmental approaches
 with adolescents 286
see also developmental models
- developmental coordination disorder (DCD) 306
- developmental disorders 229–46
 behavioural evidence 231
 behavioural strategies 243
 case study 244–6
 child–caregiver and family patterns 235
 child-centred developmental approach 242
 comprehensive functional intervention plan 238
 emotional development 238
 etiological evidence and 230
 evidence-based practice and 230–231
 functional emotional development 233, 242
 language capacities 234
 learning challenges 233
 learning differences 242–3
 medical and neurological diagnoses 235
 motor control for function 237
 multiaxial approach 232, 232–4
 multidisciplinary assessment 240
 multidisciplinary early intervention 238, 239
 multidisciplinary strategies 238–40
 neuropsychological evidencecoaches
 with adolescents 231
- 231multiaxial approach.4

- direct occupational therapy services 471–3
 group therapy 472–3
 orientation programme for new inhabitants 472
 validation therapy 473
 disability benefits, and vocational rehabilitation 179
 Disability-Adjusted Life Years (DALY) Scale 129
 Disabled People South Africa (DPSA) 143
 disabled people's organisations (DPOs) 129, 135–6
 discipline, boundary setting for children 254
 disclosure, and trauma survivors 347–8
 discrimination 50, 98
 discussion groups, with adolescents 288
 disruptive behaviour, case study 260
 DMM *see* Dynamic–Maturational Model of Attachment and Adaptation
 DPOs *see* disabled people's organisations
 Drago-Drama 346
 drama therapy, with alcohol dependency 455
 drooling 313
 drug dependency *see* substance abuse
 du Toit, H.J.V. 3–5, 7, 346, 437
 see also creative ability theory (du Toit)
 Dunn, W. 299
 dyads 429
 Dynamic–Maturational Model of Attachment and Adaptation (DMM) 342–3, 343–5
 dysthymia 391

 Early Start Denver Model (ESDM) 231
 eating disorders 408–17
 case study 415–17
 Model of Human Occupation (Kielhofner) 411–12
 multidisciplinary approach 410
 OT intervention 409–10
 OT within the team 410–411
 Therapeutic Spiral Model and 412–15
 treatment goals 409
 Ecology of Human Performance Model (Dunn) 376
 ECT *see* electroconvulsive therapy
 education
 with adolescents 283–4
 and CBR programmes 137
 as empowerment 382
 educational sessions
 and alcohol dependency 455
 on diet 134
 on mental illness 135
 for schizophrenia patients 441
 see also vocational rehabilitation
 EF disorder *see* executive functioning disorder
 electroconvulsive therapy (ECT) 391
 elite controllers 87
 emotional abuse, children 351
 emotional regulation skills, with adolescents 278
 emotion-focused coping mechanisms 102

 employment
 extra-personal effects of mental illness on 178–9
 health benefits 175
 intrapersonal effects of mental illness on 176
 Employment Equity Act (2001) 53–4
 Employment Equity Act 44 (1998) 46
 employment opportunities
 barriers 178
 in community settings 141
 physical disability v. psychosocial disability 175–6
 predictors of success 179
 sheltered workshop 143
 see also vocational rehabilitation
 encopresis 350
 encouragement (interactive reasoning) 378
 Engel, G. 466–7
 enuresis 350
 environmental factors
 and adolescents 277–8
 health care settings 51
 impact on occupation 35–7, 38
 epigenetic factors 230
 epilepsy, and sensory integration therapy 313
 episodic nature, of mental illness 176–7
 ESDM *see* Early Start Denver Model
 ethical dilemmas 50, 52
 ethical professional behaviour 44
 ethical reasoning 70, 71, 76
 see also clinical reasoning
 ethics, and Sinclair Model 76, 79
 evaluation methods
 community-based rehabilitation (CBR) 144
 physical screening 182
 pre-vocational skills 182
 and programme effectiveness 144
 psychosocial/mental health 182
 vocational skill 182–3
 work abilities 181–3
 see also assessment; corporate/medicolegal work
 evidence discovery, and Sinclair Model 76, 77
 executive functioning (EF) disorder 320, 321–2, 327
 exercise and activities
 and alcohol dependency 456
 and anxiety disorders 380, 381
 in health promotion 134
 normal daily routines 141
 and personality disorders 430
 see also leisure activities; sport and recreation
 experimental action level (du Toit) 26–8
 characteristics 26–7
 paediatric assessments 252
 treatment 27–8
 expert witnesses 208–10

- explorative action level (du Toit) 20–26
 characteristics 20–23
 paediatric assessments 252
 treatment 23–6
- expressive therapies
 group work 427–8
see also creative activities
- families and CBR programmes 140–141
 engagement problems 139–40
 expectations 140
 modifying daily routines and habits 141
 support groups 139
 teaching behaviour handling skills 141–2
- family counselling
 in post-traumatic brain injury 360
 and substance abuse 456
- FCE *see* functional capacity evaluation
- fine motor skills
 assessment 250
 development activities 265
- FLOM *see* Functional Levels Outcome Measure
- Fontaine, K.I. 220
- forensic psychiatry
 case study 113
 legislation 106–7
 models in OT 107–8
 occupational group therapy in 110–111
 OT assessment 108–9
 programmes in medium-secure wards 111
 programmes in open wards 111–12
 programmes in secure wards 111
 rehabilitation in community settings 112
 role of OT 109–12
 safety measures 112
- Fouché, L.O. 214, 216, 217, 221
- FSA-R *see* Functional Skills Assessment Rehabilitation
- functional capacity evaluation (FCE) 179
 preparation for 180–181
- Functional Levels Outcome Measure (FLOM) 153, 154, 154, 155, 155
- Functional Skills Assessment Rehabilitation (FSA-R) 109
- gardening, and CBR programmes 141
- goal-setting 456–7
- Golombok Rust Inventory of Sexual Satisfaction/Marital state 219
- graded exposure 379, 382
- gross motor skills, assessment 250
- group therapy with adolescents 287
 and assessments 282
- group therapy with adults
 with alcohol dependent clients 454–7
 and dialectical behaviour therapy 428–9
 with personality disorder clients 427–30
 selection of adults 428
 self-awareness groups 428
 social skills groups 429
 with substance abuse clients 454–7
 therapeutic factors 263–70
 types of groups 428–30
 values clarification groups 429–30
- group therapy with children 255–6, 263–74
 aims 264
 bullying 271–2
 case study 274
 content-process model 263, 264
 contraindications 265–7
 handling principles 269
 indications for use 265–7
 interpersonal learning 268
 phases in group development 270–273
 selection of children 266
 self-soothing behaviours 273
 sensory integration 314
 therapeutic factors 263–70
 treatment content 266, 349
 treatment environment 266
 treatment processes 267
 v. individual therapy 263–4
 withdrawal behaviours 272–3
- Guillain Barre Syndrome, case study 72–4
- HADS *see* Hospital Anxiety and Depression Scale
- head injuries *see* post-traumatic brain injury
- Headway Support Group 358
- Health and Social Care Act (2012) 106
- health care
 limited resources in 54–5
 management 55
- health care practice
 confidentiality 52–4
 standardised tests in 50–51
- health care practitioners
 day-to-day practice issues 50
 responsibilities of 45
- health care providers 47
- Health Professions Council of South Africa (HPCSA) 43
- Health Professions Council of the United Kingdom (HPC) 43
- health programmes, in CBR programmes 134–5
- health promotion 40
 and anxiety disorders 375
- hippocampus 339
- histrionic personalities 421
- HIV/AIDS
 antiretrovirals 88

- and caregivers 96–8
- classification 86
- contextual factors 86
- coping mechanisms 101–2
- death and dying issues 95–6
- disability issues and 95
- human rights and ethical context 98–101
- legal context 98–101
- management 92–6
- maternal mortality 89
- medication adherence 88, 93
- myths and misconceptions 88–9
- natural history 87
- occupational therapy 91–2
- palliative care 95
- post-exposure prophylaxis (PEP) 94
- practitioner perspective 96
- programmes for 90–91
- psychiatric sequelae of 89–90
- risk and harm reduction strategies 93–4
- routes of transmission 86–7
- spiritual and religious issues 95
- stages 87
- stigma and 90
- youth and 89
- HLA *see* human leukocyte antigen
- holism 102, 466
- home visits, CBR programmes 139–40
- Hospital Anxiety and Depression Scale (HADS) 439
- household abilities, corporate/medicolegal evaluations 195
- housing, and CBR programmes 137–8
- Howard, M. and Bleiberg, J. 358–60
- HPC *see* Health Professions Council of the United Kingdom
- HPCSA *see* Health Professions Council of South Africa
- human leukocyte antigen (HLA) 87
- human occupational approaches *see* Model of Human Occupation (MOHO) (Kielhofner)
- Human Rights Act (1998) 106
- humanistic intervention approaches, with adolescents 287
- hyperactivity 313
 - see also* sensory modulation disorder (SMD)
- hypomania 393, 394
 - case study 399, 400–401
 - intervention strategies 400–401
 - see also* mood disorders
- hysterical seizures 377
- ice therapy 312
- ILO *see* International Labour Organization
- imitative action level (du Toit) 29
 - paediatric assessments 252
- imitative behaviours, children 252, 268
- imitative motivation level, paediatric assessments 252
- imitative norm-compliant action level (du Toit) 29–31
 - characteristics 29–30
 - treatment 30–31
- immune reconstitution inflammatory syndrome (IRIS) 88
- impact assessments 348
- incident file 172
- incidentally constructive action level (du Toit) 16–20
 - characteristics 16–17
 - paediatric assessments 252
 - treatment 17–20
- indirect occupational therapy services 473–8
 - consultation 476–7
 - cooperation with team members 475
 - education 473–4
 - management 474–5
 - records and reports 475–6
 - research 477
- informed consent 51–2
 - in rehabilitative centres 48
 - vocational rehabilitation and 181
- in-service education, auxiliary staff 168
- instrumental ADL, with adolescents 284–5
- insurance work *see* corporate/medicolegal work
- intellectual developmental disorder 304–5
- interactive approaches, with adolescents 287
- interactive disorders 232
- interactive track (critical reasoning) 69, 71
 - example 74
- Interdisciplinary Council for Developmental and Learning Disorders' (ICDL) hypotheses 235
- Interest Checklist (Matsutsuya) 451
- International Labour Organization (ILO) 179, 183
- interpersonal skills
 - group therapy sessions 455
 - and sexual rehabilitation 218–19
- interview techniques
 - with adolescents 280–281
 - use of narrative 370
- intimacy
 - and effective communication 221
 - and schizophrenia 220
 - and sexuality 221
- intrapersonal skills groups 454–5
- introversion 423
- intuitive reasoning 69, 71
- IRIS *see* immune reconstitution inflammatory syndrome
- job analysis 183
- Johns Hopkins Eating Disorders Program 410
- judgement, and Sinclair Model 76, 79

- justice (ethics) 101
in anxiety disorders 378
- Kaplan, H.I. 220
- Kawa Model 62
- Kielhofner, G. 215
see also Model of Human Occupation (MOHO) (Kielhofner)
- King, Lorna Jean 437
- Klein-Bell Activity of Daily Living Scale 439
- Labour Relations Act of 66 (1955) 46
- language barriers 60
- language disorders 233
- 'learned helplessness' 254
- learning disabilities *see* developmental disorders
- legal issues
court testimonials 208–10
and forensic psychiatry 106–7
and functional capacity 195
sexual activity and mental health 216
- legal language, use in court 200
- legal work *see* corporate/medicolegal work
- leisure activities
with adolescents 282
and anxiety disorder 381
in forensic psychiatry 110, 111
with personality disorder clients 430
with substance dependant clients 456
- Leisure and Activity Configuration (Mosey) 439
- lethargy and anxiety disorders 381
- life events line 348
- life skills training
in forensic psychiatry 112
see also dialectical behaviour therapies (DBT); social skills training
- limbic system
child development 249
and trauma 339
- long-term non-progressors 87
- loss, stages (Kübler-Ross) 361
- macro-contextual influences 36, 38
- major depression 391
and alcohol dependency 452
functional consequences 392, 392
with melancholia 391
with psychosis 391
signs and symptoms 392, 392
see also bipolar disorder; depressive disorders; mood disorders
- managerialism 70
- MAOIs *see* monoamine oxidase inhibitors
- mapping techniques, service planning 128–31, 130
- masked depression 391
- medical model
and anxiety disorders 375
v. contextual influences 36
- medication
and hypomania 393, 400–401
and personality disorders 424–5
and schizophrenia 438
- medication regime adherence, hypomania 400–401
- medico-legal expert witnesses, role and duties of 197
- medicolegal work *see* corporate/medicolegal work
- 'Meet and Greet' sessions 129
- Mental Health Act (1983) 106
- Mental Health Act Managers 107
- mental health care
context 43–4
ethical perspective 45–6
global and national trends 149–50
within human and patient rights framework 44–5
institutionalisation 150–151
legal context within South Africa 149
legal perspective 46–9
- Mental Health Care Act 47
- Mental Health Care Act (2002) (South Africa) 132
- Mental Health Care Act 17 (2002) 46, 106
- Mental Health Care Act (MHCA) No. 17 of 2002 (South Africa) 148, 149
- mental health care users, outcome measure 153–5
- mental health problems
and employment 176–9
and national health programmes 132
stigmatization 36, 43, 61
- mental retardation, and self-injury 312–13
- metacognition 70, 71, 75
- meta-commentary 269–70
- mid-level workers (MLW), in OT 163
- Milwaukee Evaluation of Daily Living Skills (MEDLS) 439
- Minnesota model 450
- Model of Creative Ability (du Toit) *see* creative ability theory (du Toit)
- Model of Human Occupation (MOHO) (Kielhofner)
and anxiety disorders 376
and clinical reasoning 80
eating disorders and 411–12
and sexuality 215
- Model of Reflective Judgement (King and Kitchner) 75
- modelling
group play therapy 255
and personality disorders 426
- models of practice
acute psychiatry 116–22
used with anxiety disorders 375–6
used with schizophrenia 437–8
- Modified Interest Checklist (Kielhofner) 451
- MOHO *see* Model of Human Occupation

- monoamine oxidase inhibitors (MAOIs) 391
- mood disorders 258–9, 389–406
- assessment 393–5
 - bipolar disorder 393
 - case studies 399, 402–4
 - collateral sources and 395
 - creative activity groups 399
 - depressive disorders 390–391
 - group therapy 398–9
 - guide the use of occupation 396–7
 - life skills groups 398
 - observation 394–5
 - OT intervention 395–7
 - psycho-education groups 398–9
 - social and occupational mapping 395
 - support groups 399
- motivation, and volition 5
- motivation levels 6
- and action levels (du Toit) 6, 7
 - assessment and recording systems 12
 - paediatric assessments 252
 - see also* creative ability theory (du Toit)
- motor planning disorder 302
- motor skills 298, 301–2
- multidisciplinary teams
- care/treatment and rehabilitation 155
 - in forensic psychiatry 107, 250
- music and dancing, with adolescents 288
- narcissistic personalities 421
- OT interventions 426
 - see also* personality disorders
- narrative in assessment 370
- see also* clinical reasoning
- narrative reasoning 69, 71
- narrative therapy 348
- National Health Act 61 (2003) 45
- National Health Care Act (SA) (2007) 54
- national health programmes, community mental health services 132
- ‘natural’ occupations 34
- needs analysis (communities)
- community concerns 131–2
 - local service developments 128–9
 - service provider issues 132–3
- neglect 351
- neurocognitive disorders 468–71
- abstract concepts and ideas 469
 - awareness and orientation 470–471
 - concentration and attention 469
 - creating therapeutic environment 470
 - executive functioning 469
 - principles of presenting activities 468–9
- neurodevelopmental disorders 233
- neuro-physiological intervention approaches 287
- see also* medical model; sensory integration (SI)
- neurophysiology, and trauma 339–40
- neuro-plasticity 361
- neuropsychiatric disorders, associated with HIV 93
- neuro-sequential model of therapeutics 342
- non-maleficence (ethics) 100–101
- in anxiety disorders 377–8
 - determination 54
- non-verbal techniques 270
- norm awareness experimental action level (du Toit) 26–8
- characteristics 26–7
 - treatment 27–8
- norm compliance, stages of behaviour and skill 12
- nurturing 220–221
- nutrition, and health promotion 134–5
- observations
- adolescents 282
 - psychosocial disorders (children) 251, 252, 253
- obsessive compulsive disorder
- developmental pathway to 236
 - remedial therapy 375
- obsessive compulsive personality 421
- and medication 425
 - OT interventions 427
 - see also* obsessive compulsive disorder; personality disorders
- occupation
- as ‘end goal’ 398–8
 - in identity construction 39–40
 - and macro-contextual influences 36, 39
 - natural v. constructed 34
- occupational alienation 449
- occupational behaviour, macro-contextual influences 36
- Occupational Behaviour Model (Reed and Sanderson) 107
- ‘occupational being’ 394
- occupational deprivation 6, 49, 449
- occupational groups 454, 454
- see also* group therapy with adults
- occupational imbalance 449
- occupational injustice 6
- occupational justice 39
- occupational landscaping 398
- occupational performance 449–50, 451
- and developing creative ability 6–7
- Occupational Performance History Interview (OPHI) 370
- with substance abuse clients 451
- occupational risk factors 38
- environments 376
 - occupational deprivation 6
 - occupational injustice 6

- occupational science
 - characteristics 34–5
 - defined 34
 - individual v. communal systems approaches 39
 - and OT 35–40
 - scope 37–8
- Occupational Self-Assessment 370
- Occupational Spin-Off Model 39
- occupational therapists
 - checklist of core skills and interventions for 186–8
 - coping mechanisms for 101–2
 - in implementing HIV/AIDS programmes 90–91
 - labour legislation 49
 - limitations for 223
 - professional registration/licensing 43
 - role descriptions 35, 163, 237–43
 - supervisory responsibilities 164–5, 167–73
 - in workplace 186–8, 189
 - see also* auxiliary staff
- occupational therapy (OT)
 - and health promotion 40
 - and macro-contextual influences 36, 39
 - and occupational science 35–40
- occupational therapy assistants *see* auxiliary staff
- occupational therapy cycle 374, 374
- occupational therapy technicians *see* auxiliary staff
- on-the-job evaluation 183
- open wards 111–12
- open-ended questions 280
- opportunistic infections (OIs) 87
- oppositional defiant disorder, developmental
 - pathway to 237
- oppositional disorders 257
- oral stimulation programmes 313
- orientation groups 454
- orientation programmes, for auxiliary staff 168
- orphans and vulnerable children (OVC) 86
- otolithic discriminatory process 301

- paediatric mental disorders *see* children with
 - psychosocial disorders
- panic attacks 377
- paranoid personality 421
 - see also* personality disorders; schizophrenia
- Parham, D.L. and Fazio, L.S. 254
- parole 111
- Participatory Rapid Appraisal (PRA) 129, 130
- passive participation motivation level 26
 - paediatric assessments 252
- patient-directed phase of creative ability 6
- Patients Rights Charter 45
- PBL *see* problem-based learning
- peer influence
 - adolescents 287
 - see also* modelling
- PEP *see* post-exposure prophylaxis
- performance patterns, with adolescents 279
- performance skills, with adolescents 278
- personal contexts 70
- personality disorders 419–34
 - classification and definitions 421
 - client profiles 420
 - cluster A behaviours 421
 - cluster B behaviours 421
 - cluster C behaviours 421
 - etiology and development 421–2
 - gender distribution 421
 - general prognosis 420
 - incidence 420
 - models and theoretical frameworks 421–5
 - onset 419
 - OT aims and principles 425
 - OT assessment 422–3
 - OT interventions 425–33
 - OT outpatient follow-up programmes 431–2
- Person-Environment-Occupation Model (Law) 376
- Person-Environment-Occupational Performance Model
 - (Christiansen and Baum) 437
- physical abuse, children 351
- Pizzi, M. 217
- placements *see* selective placements
- plasticity 361
- play
 - and child development 255
 - concepts and definitions 254–5
 - as ‘language’ 255
 - observations 251
 - as therapy 254–5
 - see also* play activities
- play activities 255
 - with anxiety disorders 257
 - equipment and materials 256
 - group tasks 256
 - with psychotic disorders 261
 - with selective mutism 260
 - see also* leisure activities
- playfulness 254
- positive reinforcement 254
- positive tone (du Toit) 13
 - see also* tone motivation level (du Toit)
- post-exposure prophylaxis (PEP), and HIV/AIDS
 - workers 94
- post-traumatic brain injury 356–66
 - case study 364–5
 - client profiles 357
 - frames of reference 360
 - general management approaches 358–60
 - incidence 357

- intellectual/cognitive deficits 361
- OT intervention considerations 361–2
- and performance fatigue 362
- psychosocial problems 361
- selection of activities 363–6
- support groups 362–3
- treatment modalities 357–8
- post-traumatic stress disorder (PTSD) 339
 - risk factors 340
 - see also* trauma
- poverty, and HIV/AIDS 43, 86–7, 96
- ‘powerless’ and ‘damage’ groups 455
- PRA *see* Participatory Rapid Appraisal
- pragmatic reasoning 70, 71
 - see also* clinical reasoning
- praxis 237–8, 298, 302–3
- pre-destructive action level (du Toit), paediatric assessments 252
- Prelapse Programme (Kissling and Baum) 441
- Prevention and Treatment of Drug Dependency Act 20 (1992) 46
- Prevention of and Treatment for Substance Abuse Act 70 (2008) 46, 48–9
- Prevention of Drug Dependency Act (1992) 48
- pre-vocational skills training, rehabilitation programmes 184
- primary healthcare clinics, interface with CBR services 137
- problem-based learning (PBL) 72
- problem-solving activities
 - in forensic psychiatry 112
 - see also* dialectical behaviour therapies (DBT)
- procedural track (critical reasoning) 69, 71
 - example 74
- professional behaviour, ethical 44
- professional development
 - and reflective journals 70–75
 - self-evaluation of clinical reasoning 70, 71
- professional training
 - problem-based learning (PBL) 72
 - sexual rehabilitation 223
- projection 423
- projective exercises 288
- Promotion of Access to Information Act (Act No. 2 of 2000) 207
- protective workshops 143
- psychiatric conditions
 - and children 296
 - SI difficulties and dysfunctions in 303–6, 304
- psychiatric disorders 235–7
- psychiatric sequelae, of HIV/AIDS 89–90
- psycho-education 379, 441
- psychogeriatric disorders 467–78
- psychosocial disorders 251, 252, 253
- psychosocial rehabilitation 375, 391, 441
- psychotic behaviour 60
- psychotic disorders
 - in children 261
 - with depression 391
 - and play activities 261
 - see also* bipolar disorder; major depression; schizophrenia
- purposeless and unplanned action level (du Toit) 13–14
- questions and answers
 - adolescent assessment interviews 280–281
 - in child group therapy 270
- RAF Act (Act No. 56 of 1996) 197
- rating scales, self-evaluation of clinical reasoning 70, 71
- reassurance (interactive reasoning) 378
- recruitment and selection, auxiliary staff 167–8
- referrals, and auxiliary staff 171
- reflection and group therapy 269
- reflection in action 72
 - example 74, 80
- reflection on action 72
 - example 74
 - with vision 67
- reflective journals 70–75
 - and evaluation 70–71, 75
 - examples 72–4
 - formats 72
- reflective practitioners, key qualities 75
- regulatory disorders, of sensory processing 232
- rehabilitation assistants *see* auxiliary staff
- rehabilitation, care/treatment and
 - assessment 154
 - case study 156–7
 - imitative participation 160
 - institutionalisation 150–151
 - legal context within South Africa 149
 - models of practice 152
 - multidisciplinary team and meetings 155
 - passive participation 159–60
 - planning of activities 156–7
 - programmes 155, 157–61
 - self-differentiation 157–9
 - self-presentation 159
 - sensory-focused approach 158–9
 - theoretical framework to guide care 151–3
 - unplanned action 157
- Reilly, Mary 107
- relationships
 - ‘couple skills’ 221
 - see also* sexuality
- relaxation therapy 379, 430
 - with groups 455

- relevance of programmes 144
 - see also* evaluation methods
- report submission procedures 207
- report writing 204–5
 - content 205, 206
 - formatting 205–6
 - length 206
 - submission reports 207
 - time frames 206–7
 - writing style 205–6
 - see also* corporate/medicolegal work
- repression 423
- rest/sleep, with adolescents 285–6
- return-to-work reports 195
 - see also* corporate/medicolegal work
- revolving-door clients
 - and anxiety disorder 375
 - and personality disorder 420
- reward system 141
- 'river of life line' 348
- road traffic accidents *see* corporate/medicolegal work;
 - post-traumatic brain injury
- rocking behaviours 311, 312
- Role Checklist 451
- role play 379, 429
- Rosenberg Self-Esteem Inventory 451

- Sadock, B.J. 306
- schizoid personality 421
 - OT interventions 426
 - see also* personality disorders; schizophrenia
- schizophrenia 435–44
 - case study 443
 - causes 436
 - features and symptoms 436–7
 - handling during acute phases 440
 - hospital-based interventions 439
 - and intimacy 220
 - key treatment interventions 438
 - OT assessment 439
 - OT models for practice 437–8
 - OT programmes 440–441
 - rehabilitation in community settings 441–2
 - and sensory integration 438
- school assessments 283
- SCORE (scorable self-care evaluation) 439
- secure wards 111
- seizures, and sensory integration 313–14
- selective mutism 260–261
- selective placements 185
- selective serotonin reuptake inhibitors (SSRIs) 391
- self-awareness therapy groups 428, 454
- self-care contract 349
- self-concept
 - and humanistic intervention approaches 287
 - intervention activities 288
- self-differentiation motivation level 14
 - paediatric assessments 252
- self-harm *see* self-injurious behaviour; suicide
- self-injurious behaviour 312–13
 - and personality disorders 423
- self-presentation motivation level, paediatric
 - assessments 252
- self-respect, and sexuality 220
- self-stimulation behaviours 311–12
- semicircular canal discriminatory process 301
- sensitization and awareness training 189
- sensory discrimination 298, 300–301
- sensory integration (SI) 295–316
 - ASI clinical reasoning process 308–10
 - assessment 250, 307
 - case study 315–16
 - defined 296
 - difficulties and dysfunctions 303–6, 304
 - institutionalisation and 314
 - intervention 307, 310, 308–10
 - levels of 297, 297–303, 298
 - precautions 311
 - and schizophrenia 438
 - treatment 310–311, 314
- sensory integration theory 296
 - behaviours and techniques developed from 311
- sensory modulation 298, 299–300
- sensory modulation disorder (SMD) 328
- sensory modulation dysfunction (SMD) 300
- sensory perception 298, 300–301
- sensory processing
 - and ADHD 327, 328
 - learning differences in 242–3
 - regulatory disorders of 232
 - synchrony of 237
- sensory processing and integration deficit (SPID) 323, 326
- sensory processing disorders (SPD) 320, 321–2
- Sensory Profile 299, 307
- Sensory Profile Measure (SPM) 299
- sensory registration 298, 299
- sensory seeking 311–12
- sensory stimulation 471
- sensory systems 296–9
- service developments, undertaking needs analysis
 - 128–9
- sex therapy 213
- sexual abuse 351
 - and disclosure 221–2
 - indicators and signs 351
 - and therapeutic interventions 216, 351–2
 - and touch 217, 220
- sexual rehabilitation 214

- and assertiveness training 221
- importance for clients 214–16
- and inappropriate behaviours 222
- OT assessments 219
- OT awareness competencies 216–17
- OT knowledge competencies 217–19
- OT treatment areas (Fouché) 219–22
- and partners 223
- professional training 225
- research 222
- and the therapeutic relationship 218–19
- therapist supervision and support 223
- sexuality 212, 213–14
 - in adolescence 284
 - case study 224–5
 - cultural differences 217
 - definitions 213
 - and OT 212
 - and self-respect 220
 - treatable aspects 213–14, 219–22
- sheltered employment
 - workshops 143
 - see also* supported employment
- SI *see* sensory integration
- Sinani/KwaZulu-Natal Programme for Survivors
 - of Violence model 341
- Sinclair, K. 72
- Sinclair Matrix 75–80, 77–9
 - self-rating of clinical reasoning skills 70, 71
- Skill Acquisition Model (Benner) 75
- skills training
 - anxiety disorders 375, 379
 - see also* dialectical behaviour therapies (DBT); life skills training
- SMD *see* sensory modulation disorder; sensory modulation dysfunction
- Smith Roley, S.S. 303, 305
- social abilities 4, 8
 - see also* social skills training
- social incompetence 177
- social participation, with adolescents 285–6
- social services, and community-based services 136
- social skills groups 429
- social skills training 379
 - and alcohol dependency 455
 - and anxiety disorder 379
 - and group therapy 268
 - see also* life skills training
- social-emotional disorders 233
- society, macro-contextual influences on occupation 36, 39
- somato-dyspraxia 303
- somatoform disorders 369
 - see also* anxiety disorders
- South Africa, substance abuse problems 447
- South African Children's Act 38 (2005) 46
- South African Constitution Act 108 (1996) 44
- SPD *see* sensory processing disorders
- spectrograms 348
- SPID *see* sensory processing and integration deficit
- splitting 422
- SPM *see* Sensory Profile Measure
- sport and recreation
 - with adolescents 288
 - and CBR programmes 137
 - and personality disorders 430
 - see also* exercise and activities; leisure activities
- staff incident files 172
- Stages of Change model 450
 - case study 458, 460, 459
- standardised tests
 - in health care practice 50–51
 - see also* assessment tools
- STEP-SI Model 76, 80
- Stern, D. 249
- stigmatization
 - HIV-related 90
 - of mental illness 36, 43, 61
- strange behaviour 60
- stress
 - and compassion fatigue 353
 - and developmental disorders 235
 - see also* anxiety disorders
- stress management programmes 430
 - and alcohol dependency 455
- substance abuse 446–62
 - assessment 450–452
 - case study 458, 460, 459
 - classification and definitions 447–9
 - handling principles 453
 - and health promotion 135
 - models for practice 450
 - occupational performance approach 449–50
 - OT interventions 450–453
 - OT role in prevention programmes 457, 458
 - referrals 450
 - rehabilitation in community settings 134–5
 - see also* alcohol abuse
- substance dependence 448
- suicide
 - in adolescents 280, 350
 - and children 258, 259
- supervision of auxiliary staff 164–5
 - guidelines 169–73
- support groups
 - and caregivers 139
 - and CBR programmes 139
 - disabled people's organizations (DPOs) 136
 - for post-traumatic brain injury clients 357, 362–3

- supported employment 185
 sustainability of programmes 144
 systematic desensitization 379
 systems approach, individual v. communal models 38–9
- tacit knowledge 70, 75
 tactile defensiveness 300
 task concept 22
 task engagement 22
 taste and smell discrimination 301
 TBI clients *see* post-traumatic brain injury
 technical instructors *see* auxiliary staff
 teenagers *see* adolescence
 teeth grinding behaviours 312
 Test of Ideational Praxis (TIP) 302
 Test of Playfulness (ToP) 254
 The Food Gardens Foundation 141
 theory application, and Sinclair Model 76, 77
 therapeutic community models, with personality disorders 424
 therapeutic relationship, and sexual rehabilitation 218–19
 Therapeutic Spiral Model (TSM) 345–6, 349, 412–15
 examples 346
 therapeutic use of self, and clinical reasoning 76, 80
 therapist-directed phase of creative ability 6
 ‘timeline’ 348
 TIP *see* Test of Ideational Praxis
 tone motivation level (du Toit) 13
 paediatric assessments 252
 ToP *see* Test of Playfulness
 touch
 and sexual abuse 217, 220
see also self-stimulation behaviours
 Townsend, E. 39
 traditional (African) medicine 131
 training and education
 Adult Based Education and Training (ABET) 137
 auxiliary staff 163, 168, 173
 and CBR programmes 137
 formal vocational training 185
 as macro-contextual influence 36
see also education; educational sessions; professional training; vocational rehabilitation
 transitional phase of creative ability 6
 transitional work programmes (TWPs) 184
 trauma 337–54
 classification and types 339
 models for therapeutic intervention 341–6
 neurological impact 339–40
 OT assessments 348–9
 OT interventions 347–52
 play activities and games 346
 signs and symptoms 340–341
 victims as perpetrators 348
see also child abuse; post-traumatic brain injury
 ‘Trauma Bubbles’ 346
 trauma debriefing model 341–2
 Trauma Survivor’s Intra-psychic Role Atom (TSIRA) 346, 413, 414
 Treatment for Substance Abuse (Act 70 of 2008) 48
 ‘try again train’ 254
 TSIRA *see* Trauma Survivor’s Intra-psychic Role Atom
 TSM *see* Therapeutic Spiral Model
 12-step model of treatment 450
 TWPs *see* transitional work programmes
- unconstructive action level (du Toit) 14–16
 United Nations Declaration of Human Rights (1948) 44
- validation therapy 473
 value clarification groups 429–30
 with adolescents 288–9
 values
 and reflective practice 75
 and sexuality 217
 Varney-Blackburn, J. 312, 313
 VdTMoCA *see* Vona du Toit Model of Creative Ability
 veracity, in anxiety disorders 378
 vestibular stimulation 311, 312
 vibrators 312, 313
 victims
 as perpetrators 348
see also trauma
 visual discrimination 301
 visuo-dyspraxia 303
 visuo-praxis 302
 vocational counselling 183
 vocational rehabilitation 175–92
 and alcohol dependency 456
 assessment tools 181
 barriers 178
 and case management 184–5
 case study 189–91
 client assessment 180–183
 effect on disability benefits 179
 follow-up and closure 185
 and formal training/retraining 185
 and informed consent 181
 intervention and 184
 poor work performance 177–8
 referral for 180
 selective placements 185
 services and facilities 178–9
 settings 179–80
 social interactions and communications 177
 volition 5
 and schizophrenia 437
 Vona du Toit Model of Creative Ability (VdTMoCA)
 4, 152–3, 396

- White, M. 398
Wilcock, A.A. 37–8, 376, 449
Wilson, B. 358
work
 with adolescents 279–80, 283
 importance in OT 176
 job analysis 183
 see also employment; employment opportunities;
 work abilities
work abilities
 effect of mental illness on person 176
 and employment rates 175
 see also employment opportunities; vocational
 rehabilitation
work hardening programmes 184
work placements *see* selective placements
work samples (evaluation) 182
work simulation 183
work-based activities
 in forensic psychiatry 110, 112
 health benefits 175
 see also vocational rehabilitation
workplace
 occupational therapists in 189, 186–8
 professional understanding 197
World Medical Association Declaration on the Rights
 of the Patient (2005) 45
Yalom, I.D. 267, 289, 349, 427
Yerxa, E.J. 34, 35