

Index

Page numbers in *italics* refer to figures, and those in **bold** to tables and boxes.

ABC of resuscitation 490–2
 abdomen, quadrants 31
 abdominal distension, enterally-fed patients 296
 abdominal examination 30–3
 procedure guideline 32–3
 rationale 32
 techniques 31–2
 abdominal paracentesis 396–401
 complications 401
 equipment 398, 400
 indications 397
 preparatory investigations 397
 problem solving 401
 procedure guideline 399–400
 abducens nerve (VI) 656
 ABO blood groups 302
 haematopoietic stem cell transplantation 303
 incompatibilities 302, 322
 Abstral 371
 accessory muscles of respiration 619–20
 use of 227, 227, 625
 accessory nerve (XI) 656
 accommodation, suitability for discharge 42
 Accuhaler 708, 709
 aciclovir 714
 acid/base homeostasis 286
 acidosis 286
 actinomycin D, extravasation 771, 775
 Action for Blind People 128
 Action on Hearing Loss 128
 Actiq 371
 activated charcoal dressings 939
 active transport 255
 activities of daily living, assessment 14
 activity, assessment 13–14
 acupuncture 373–6, 374, 375
 complications 376
 equipment 375
 indications 374
 mechanisms of effects 373–4
 procedure guideline 376
 record keeping 375, 375
 safety aspects 374
 acute kidney injury 266
 acute lung injury, transfusion-related (TRALI) 321
 acute normovolaemic haemodilution (ANH) 306
 acute pain 361, 362
 assessment 363
 epidural analgesia 380, 380
 management 367, 368
 need for effective control 362–3
 opioid-dependent patients 363, 363
 see also post-operative pain
 Adapt ring convex inserts 193
 ADH *see* antidiuretic hormone
 adherence, medicines 687
 adhesive, tissue 955

adhesive island dressings 939
 adhesive skin closure strips 955
 administration of medicines *see* medicines
 administration
 administration sets 750, 750–2, 751
 blood *see* blood administration sets
 enteral feeding 279–80
 extension sets 751, 751
 gravity flow 752
 needleless connectors/injection caps 751, 751–2
 parenteral nutrition 300, 748, 750
 peripheral arterial 925
 reducing risk of infection 748
 solution 750
 adrenaline (epinephrine) 114
 blood pressure regulation 612
 CPR 497
 advance care planning (ACP) 403
 advance decisions to refuse treatment (ADRT) 404
 advanced life support (ALS) 488, 491, 492
 algorithm 496
 adventitious breath sounds 24
 adverse drug reactions (ADRs) 676, 686
 allergic reactions 684, 684, 685
 predisposing factors 686
 treatment of acute 685
 types A and B 686
 Yellow Card Scheme 680, 686
 Advisory Committee on the Safety of Blood, Tissue and Organs (SaBTO) 310
 aerosol containers, storage 682
 aerosol humidifiers 442
 aerosols, methods of production 708
 aesthetic evidence 2
 Age Concern 323
 ageing
 eye 342
 skin 333
 age-related macular degeneration 343
 aggression 118–21
 management 119–21, 120–1
 underlying causes 118–19, 119
 verbal 118
 agitation, at end of life 409
 airborne precautions 51
 airborne transmission 57
 air embolism 908–9
 prevention 904, 909
 air-in-line detectors 753, 766
 air leaks, chest drainage systems 464, 466
 airway
 anatomy 21, 21, 228, 229
 assessment 624
 basic life support 490
 mucociliary escalator 228–30
 obstruction, post-operative 830–1
 pre-operative assessment 794
 secretions *see* respiratory secretions
 stretch receptors 621
 suctioning, CPR 495

airway management 629
 CPAP 450
 CPR 491, 491, 494–5, 499
 oxygen therapy 439
 post-anaesthetic recovery 827, 828, 829–30
 airways, artificial
 laryngeal mask airway (LMA) 495, 495
 moving and positioning patients with 222–5
 problem solving 224–5
 procedure guidelines 222–3, 224
 obstruction 225
 oropharyngeal or Guedel 494, 494–5
 see also tracheostomy; ventilated patients
 Alaris GH syringe pump 754
 Alaris PCA pump 755
 alarm systems, community pendant 42
 albumin
 plasma 268, 535, 795, 811
 solutions, human (HAS) 308
 alcohol-based handrubs 59, 78
 dispensers 59
 procedure guideline 63, 63
 alcohol consumption 791
 alcohol solutions/swabs 741, 864
 aldosterone 255, 613, 641
 alginate wound dressings 939
 Allen test 920, 921
 modified 527, 528, 529
 allergic reactions/allergies
 blood transfusions 321–2
 classification 684
 drugs 684, 684, 685
 intravenous drug administration 779
 pre-operative assessment 791
 surgical wound site 853
 allodynia 361, 369
 allopurinol 685
 alteplase 873
 alternating pressure (AP) mattresses 952
 alveolar pressure 619, 619, 620
 Alzheimer's disease 123
 ambulatory infusion devices 755–6, 756
 American Society of Anesthesiologists (ASA)
 physical status classification 791, 791
 Ametop (topical amethocaine) 879
 amikacin 540
 amino acids 299
 aminoglycoside antibiotics 540
 amiodarone 497
 amoebic dysentery 572
 amphetamines 691
 ampoules 719–20, 720
 powder preparation, *procedure guideline* 723–4
 solution preparation, *procedure guideline* 722–3, 723
 amputation 246–9
 complications 248–9
 levels 246, 246
 positioning and management 246–9
 equipment 247, 247
 principles 246–7

- amputation (*continued*)
 - problem solving **248**
 - [procedure guideline](#) 247–8
- anabolic steroids **691, 692**
- anaemia 304, 624
- anaerobic threshold (AT) 795
- anaesthesia 813–16
 - care after *see* post-anaesthesia care unit
 - equipment 820, **822**
 - fasting before 804–5, **805**
 - history of development 814
 - infusion pumps 755
 - monitoring 820, **822**
 - pain management interventions 371
 - pharmacological agents 814
 - [procedure guideline](#) 816
 - see also* local anaesthesia; topical anaesthesia
- anaesthetic history 791
- anaesthetic machine **815, 820, 822**
- anaesthetic room 813–14
 - [procedure guideline](#) 816
 - Surgical Safety Checklist 814, **815**
- anaesthetist
 - handover in PACU 827
 - latex allergy and 808
 - patient monitoring 820, **822**
 - pre-operative assessment 794, 797
 - pre-operative fasting 805
- anal canal 581
- analgesia
 - during anaesthesia 814
 - breakthrough 370, 371
 - buccal or sublingual 368
 - at end of life **409**
 - epidural *see* epidural analgesia
 - inhalation *see* Entonox
 - intramuscular 368
 - intrathecal *see* intrathecal analgesia
 - intravenous 368
 - multimodal or balanced 366
 - oral 367–8
 - patient-controlled 368, **368**
 - sputum collection 574
 - subcutaneous 368
 - transdermal 368
 - see also* pain management
- analgesic ladder 366–7, **367**
- analgesics 368–71
 - adjuvant (co-analgesics) **367, 371**
 - mechanisms of action 361, **361**
 - methods of delivery 367–8
 - non-opioid 367, 368–9
 - opioid *see* opioid analgesics
- anaphylactic reactions, blood transfusions 323
- anger 118–21
 - management 119–21, **120–1**
 - underlying causes 118–19, **119**
 - warning signs **119**
- angiotensin II 613
- Anglicans, care after death **410**
- ankle foot orthosis (AFO) 233, **234**
- ankle movements, active 210, **210**
- anorexia, management **274**
- antecubital fossa
 - venous access 514, **514**
 - vesicant drug administration 769
- anthracyclines, extravasation 771, 773, **775**
- antibacterial eye preparations 714
- antibiotic(s)
 - appropriate use 539
 - associated diarrhoea 174, 571
 - blood cultures prior to 536
 - coated urinary catheters 149
 - diarrhoea treatment 174
 - end-of-life care 407
 - eye preparations 714
 - intrathecal administration 728
 - pain management **367**
 - sensitivity testing 511
 - specimen collection prior to 513
 - therapeutic monitoring 540–1
 - see also* antimicrobial agents
- anticholinergic agents **136**
- anticoagulants
 - arterial blood sampling and 528
 - chest drainage and 455, 457
 - epidural/intrathecal analgesia and 379, 387
 - PICC-related thrombosis 902
 - thromboprophylaxis 800, 854–5
 - see also* heparin; warfarin
- anticonvulsants, pain management **367**
- antidepressants 117, **117**
 - panic disorder/acute anxiety 115
- antidiuretic hormone (ADH) 254, 613, 641
- antibiotic stockings 800–4, **801**
 - contraindications **801**
 - measuring for 803, **804**
 - patients with arti cial airway 222
 - post-operative use 855
 - [procedure guideline](#) 802–4, **804**
 - spinal cord lesions 246
- antiemetic drugs 135, **136**
 - at end of life **409**
 - surgical patients 814
 - timing of administration 275
- antifungal agents 357, 714
- antihistamines, antiemetic **136**
- anti-in ammatory drugs, ophthalmic 714
- antimicrobial agents
 - assays, blood sampling for 540–1
 - in hand washing preparations 59
 - see also* antibiotic(s)
- antimicrobial wound dressings **939**
- antimotility drugs 174
- antipsychotic drugs 120, **136**
- antipyretics 640
- antiseptics
 - handrubs 59
 - VAD site cleaning 864, 880
 - see also* chlorhexidine
- antisiphonage valves, infusion pumps 753, 754
- antispasmodics **367**
- antiviral eye preparations 714
- anxiety 114–15
 - acute (panic attacks) 115, **115, 116**
 - at end of life 408
 - management **114–15**
 - peripheral cannulation 881, **885**
 - venepuncture 517–18, **522**
- aortic valve 487
- aperients 177
- aphasia 124, 125, **125–6**
- apheresis, donor 306
- apical heart rate, assessment 602, 603
- apical impulse, inspection 27, 29
- apneustic breathing **658**
- apnoea 626
 - epidural analgesia **384**
- Appeel adhesive remover **193**
- aprons, disposable 60, 79
 - [procedure guideline](#) 66, **66**
 - source isolation 85
- aqueous humour 341
- arachis oil enema **178, 181**
- arachnoiditis 547
- arachnoid mater 376, 377, 542
- arginine 280
- argyria 149
- arm *see* upper limb
- arnica 890
- arousal 653–5
 - assessment 655, 661
- arrhythmias 600–1
 - cardiac arrest 487
 - complicating CVC insertion **908**
 - complicating tracheal suctioning 479
- pulse assessment **604**
- pulse oximetry and 626
- sinus 600
- arterial blood gases (ABG) 531, 626, 629
 - blood sampling for 527–33
 - arterial cannula 528, 529, 532–3, 533, 919
 - arterial puncture 528–31, **529**
 - complications 533
 - contraindications 527–8
 - equipment 529
 - indications 527
 - patient preparation 528–9
 - post-procedure care 533
 - [procedure guidelines](#) 530–3, **533**
 - risk management 529
 - CPR 500
 - oxygen-treated patients 437
- arterial blood sampling 527–33
 - complications 533
 - contraindications 527–8
 - equipment 529
 - indications 527
 - patient preparation 528–9
 - post-procedure care 533
 - [procedure guidelines](#) 530–3, **533**
 - risk management 529
- arterial cannulas 918–25
 - blood pressure measurement 613
 - blood sampling from 528, 529, 919
 - [procedure guideline](#) 532–3, **533**
 - choice of artery 920
 - complications **924, 924–5**
 - indications 919
 - insertion
 - arterial assessment prior to 920, **921**
 - [procedure guideline](#) 921–2, **922**
 - ongoing care 923
 - problem solving **924**
 - removal, [procedure guideline](#) 923–4
 - safety issues **920, 920**
- arterial pressure
 - monitoring 613, 919–20
 - waveforms 919, **919**
- arterial puncture 528–31, **529**
 - competencies 529
 - inadvertent 524, 890, **908**
 - post-procedure care 531, 533
 - [procedure guideline](#) 530–1
 - vs arterial cannulation 528, 919
- arterial spasm **924**
- arterial blood gas sampling 532
- arterial puncture 528, 531
- intra-arterial drug administration 728
- arteries
 - anatomy 527, 863, 919
 - distinction from veins 515
 - pulse points 597–8, **599**
 - selection for access 527, 920
- arteriovenous stulas, blood pressure measurement 613
- arthropods 55
- arti cial eye *see* eye(s), arti cial
- art therapy 372
- ascites 396–401
 - abdominal paracentesis 396, 398
 - assessment 398
 - causes and pathogenesis 397
 - management 398–401
 - symptoms 397
- ascorbic acid (vitamin C) **644, 937**
- asepsis, surgical 816–17, 819–20
- aseptic non-touch technique (ANTT) 78, 78
 - changing wound dressings 851
- aseptic technique 78–80
 - examples **78**
 - [procedure guideline](#) 78–80
- aspiration
 - complicating enteral tube feeding 295

- during eating 277, 278
- general anaesthesia-related risks 804–5, **805**
- patients on CPAP **451**
- aspirin 367, **644**, **810**
- assessment, nursing 10–34
 - communication ability/needs **13**, 106
 - comprehensive **12**
 - definition 10
 - documentation 18, **18–19**
 - at end of life 408
 - focused **12**
 - interviews 11
 - methods 11, **19**
 - mini **12**
 - observation 19
 - ongoing **12**, 18
 - physical examination 19–34
 - pre-operative *see* pre-operative assessment
 - principles 10, **10**, **18**
 - process 13, **13–16**
 - psychological well-being 106, *106*
 - self- 13
 - structure 10–11, **19**
 - tools 12–13
 - types **12**
- Association of Anaesthetists of Great Britain and Ireland 797
- asthma, peak expiratory flow 630–1, 633–4
- asystole 487, 490, 497
- ataxic breathing **658**
- atelectasis 440, 447
- athletes, heart rate 600
- athlete's foot 334
- atmospheric pressure 432
- atrial brillation 601, *611*
 - blood pressure measurement 613
- atrial natriuretic peptide (ANP) 612
- atrioventricular (AV) block, first degree *611*
- atrioventricular (AV) bundle (bundle of His) 487, *601*, 604
- atrioventricular (AV) node 487, *601*, 604
- atrioventricular (AV) valves 487
- atropine 497
- attitude, towards patients 103
- auditory ossicles 99, 350
- augmentive or alternative communication (AAC) 125, **126**
- auscultation 20
 - abdomen 31, *31*, 33
 - blood pressure measurement 614
 - cardiovascular examination 28, *28*, 29
 - respiratory examination 24, 26, 29
- auscultatory gap 614, **614**, **617**
- autologous blood transfusion 306
- autolytic wound debridement 939
- automated external defibrillators (AEDs) 490, 492–3
- autonomic dysfunction 245
- autonomic dysreflexia 187, **244**, 245
- autonomic nervous system (ANS) 231
- AVPU scale 662
- awareness 655
 - assessment 655, 661
- axillary block **389**
- axillary temperature 637
- axillary vein 863, *864*
- Aylesbury spatula 551
- azotaemia, parenteral nutrition 302
- Babinski's response 658, 664
- back pain/backache
 - positioning during surgery and 819
 - post lumbar puncture **384**, 547
- bacteraemia 52, 535–6
- bacteria 52–4
 - antibiotic sensitivity 511
 - cell walls 52, *53*, *54*
 - commensal 52
 - identification 510
 - medically significant **54**
 - shapes and arrangements **53**
 - specimen handling **514**
 - wound colonization 941
- bacterial(-viral) filters
 - CPAP 448, *448*
 - Entonox equipment 393
 - epidural/intrathecal 381
- bacterial infections 52
 - serology 511
 - transfusion-transmitted 320, 321
- bacteriuria 566, 641
 - catheterized patients 566
 - significant 641
- bag and mask ventilation 491, *491*, 493–4, *494*, 499
- Baha'i faith **410**, 421
- Bair Hugger blankets **832**
- balance 350
- balloon catheters *see* Foley catheters
- barbiturates **691**, **692**
- bar codes 312
- baroreceptors 613, 620, *621*
- barrel chest 23
- barrier nursing **51**
 - reverse **51**
 - see also* protective isolation; source isolation
- basic life support (BLS) 488, 490–2
 - algorithm *490*
 - method (ABC) 490–2, *491*, *492*
- basilic vein
 - midline catheter insertion 890
 - peripheral cannulation 863, *863*, 876
 - PICC insertion 893–4, *894*
 - venepuncture *514*, 515
- basins, hand wash 59
- bathing
 - patients in isolation 82
 - pre-operative 812
 - see also* bedbathing
- bathrooms, cleaning 82, 83
- battery-operated infusion devices 756
- beard care 334
- bed
 - elevation of head of 223
 - linen *see* linen/laundry
 - moving and positioning in 213–17
 - lying down to sitting up 216–17, *217*
 - side-lying 215–16, *216*
 - sitting 214–15, *215*
 - supine 213–14
 - washing patient's hair in 334
 - [procedure guideline](#) 339–40
- bedbathing 336–9
 - [procedure guideline](#) 337–9
- bedpans 141, *141*
 - fluid output monitoring 262, 263–4
 - patients in isolation 80
 - [procedure guideline](#) 142–3
- bedrest 209–10, 855
 - see also* rest
- behaviour, towards patients 103
- beliefs, assessing patient's **16**
- benzodiazepines
 - aggressive patients 120
 - antiemetic effect **136**
 - drug interactions **686**
 - legal controls **691**, **692**
 - pain management **367**
 - panic disorder 115
- bereavement support 421
- Better Blood Transfusion initiatives 310
- bicarbonate ions (HCO₃) 622
- bilirubin
 - serum **535**, **811**
 - urine 643
- binary session 52–3
- biochemistry, blood 534, **535**
 - nutritional status 268
 - pre-operative **794–5**, **811**
- bio-electrical impedance analysis (BIA) 268
- biofeedback 179
- bioluminescence 149, 353, 869
- biohazard labels 513, 516
- biopsy, liver 583–5
- Biot's breathing 626
- bisacodyl **178**, 178–9, 184
- bisphosphonates **367**
- black and minority ethnic (BME) groups 104
 - see also* cultural beliefs/issues
- bladder
 - anatomy and physiology 139
 - cancer 170
 - neuropathic/neurogenic 170, 853
 - perforation, complicating paracentesis 401
 - post-operative distension **831**
- bladder irrigation 160–5
 - equipment 160–2, *162*
 - fluid 162
 - indications 160
 - problem solving **164**
 - [procedure guidelines](#) 162–3, 164
 - recording chart 165, *165*
- bleeding/haemorrhage
 - abdominal paracentesis 401
 - arterial blood sampling-related 533
 - arterial cannulation-related 925
 - colonoscopy 582
 - CVAD-related 909, 910
 - fluid homeostasis 255
 - gastroscopy 581
 - laparoscopic surgery 817
 - liver biopsy 585
 - lumbar puncture-related 547
 - post-operative 834–5
 - regional nerve blocks 389, **392**
 - removal of skin-tunnelled catheters 914, **914**
 - surgical drains **849–50**
 - venepuncture site 523
 - see also* blood loss
- blindness 127, 342
- blink reflex 658, 664
- blocking behaviours **107**, **108**
- blogs, internet 112
- Blom-Singer speaking valve 473
- blood
 - accidental spillages **523**
 - flow problems, venepuncture **523**
 - group and save 534, **794**
 - leucodepletion 321
 - spurting, venepuncture **523**
- blood administration sets 311, 750–1, *751*
 - changing 311, 748
- bloodborne infections
 - blood cultures 535–6
 - care after death 415
 - inoculation injuries 88
 - testing donated blood 304–6
 - transfusion-related 320–1
- blood collection tubes 517, **517**, 534
- blood components/products **307–9**
 - administration, [procedure guideline](#) 316–17
 - appropriate use 306
 - collection and delivery, [procedure guideline](#) 314
 - donation and testing 304–6
 - irradiation 319–20
 - labelling *315*
 - leucodepletion 321
 - non-medical written authorization 310
 - pre-transfusion checks 312, 314
 - request 311
 - [procedure guideline](#) 312–13
 - traceability 310
 - warming 311–12

- blood cultures 535–9
 - collection bottles **517**, 517, 536
 - competencies 536
 - CVAD-related infection 537
 - equipment 536
 - indications 536
 - methods of specimen collection 536
 - post-procedure care 539
 - [procedure guidelines](#) 537–9
 - risk management 536
 - skin preparation 537
 - volume of blood required 536–7
- blood donation 304–6
- blood glucose *see* glucose, blood
- blood glucose monitors 649
- blood groups 302
 - haematopoietic stem cell transplantation 303
 - incompatibility 302
 - testing 311, 534
- blood loss
 - cardiopulmonary arrest 487–8
 - cell salvage for transfusion 306
 - massive, management 311
 - see also* bleeding/haemorrhage; hypovolaemia
- blood pack labelling 315
- blood pressure (BP) 610–18
 - across cardiovascular system *612*
 - control 612–13
 - diastolic 610–11, *612*
 - dying patients 402
 - factors affecting *612*
 - fluid imbalances **257**
 - measurement 613–18
 - both arms 615
 - cautions 613
 - direct 613
 - documentation 618
 - equipment 614–15
 - indications 613
 - indirect 613–14
 - intra-arterial monitoring 613, 919–20
 - methods 613–14
 - neurological patients 659, 663
 - orthostatic BP 614
 - patient positioning 613, 615, *615*
 - post-operative 834
 - problem solving **617–18**
 - [procedure guideline](#) 616–17
 - pulse oximetry and 626
 - at thigh 614
 - see also* sphygmomanometers
 - normal 611
 - systolic 610, *612*
 - transfusion reactions **319**
 - see also* hypertension; hypotension
- blood products *see* blood components/products
- blood return, vascular access devices **770**, 771, 866–7, 867
 - see also* flashback
- Blood Safety and Quality Regulations 2005 306–10, 321
- blood sampling 514–41
 - antimicrobial drug assay 540–1
 - arterial 527–33
 - blood collection tubes 517, **517**
 - blood cultures 535–9
 - blood tests 534–5
 - central venous catheter 524–7
 - order of draw 517, 520
 - peripheral vein 514–24
 - pre-transfusion 313–14
- blood tests 534–5
 - pre-operative **794–5**, **810–11**
- blood transfusion 302–23
 - appropriate use 306
 - autologous 306
 - blood products used *see* blood components/products
 - blood sampling prior to, [procedure guideline](#) 313–14
 - blood typing 534
 - competencies 310
 - complications 319–23
 - consent 310
 - equipment 311–12
 - errors and their prevention 303, 303, 312
 - hospital policy 303
 - incompatible 302, 322
 - indications 304, **305**
 - infusion devices **759**
 - massive 311
 - non-medical written authorization 310
 - observations during/after 317, 319, 602, 613
 - patient preparation 312
 - pre-transfusion/bedside checks 303, 312, 322
 - problem solving **317–18**
 - [procedure guidelines](#) 312–17
 - rationale 303–4
 - reactions *see* transfusion reactions
 - refusal 310–11
 - safety and quality regulations in UK 306–10
- blood urea nitrogen **795**
- blood-warming devices 311–12
- BLS *see* basic life support
- body, care after death *see* death, care after
- body bag 415, 418
- body composition 254, 267
- body fluids
 - high risk 88
 - patients in isolation 80–2
- body image
 - assessment **16**
 - effect of CVADs 870
 - stoma patients 198
- body mass index (BMI) 267–8
 - from mid upper arm circumference (MUAC) 269, 270
- body temperature *see* temperature (body)
- bodyweight 267–8
 - fluid status assessment **257**
 - loss, percentage 267–8
 - measurement 268, 272
 - adults 269
 - equipment 269
 - problem solving **272**
 - [procedure guideline](#) 269–70, 271
 - sick children 268
 - nutritional assessment 267–8
- Bonanno catheter **836**
- bone conduction test **351**
- bones 208
- bougies 495, 496
- bovine spongiform encephalopathy (BSE) 55
- bowel
 - anatomy and physiology 139, 139–41
 - measuring fluid output 263–4
 - perforation, iatrogenic 401, 582
- bowel function/habit 177
 - assessment **14**, 177
 - factors affecting 177
 - moving/positioning patients and **220**
 - post-operative 853–4
 - see also* constipation; diarrhoea
- bowel obstruction 175–6, 407
- bowel preparation
 - colonoscopy 581, 582
 - stoma surgery 192
- bowel sounds 31, 33
- Boyle's Law 619
- BP *see* blood pressure
- brachial artery 527
 - blood pressure measurement 613, 615, 616–17
 - cannulation 920
 - pulse point 599
- brachial plexus 655
- brachial plexus block **389**
- brachial veins 894, 894
- brachiocephalic vein 863, 863
- bradycardia 600, **832**
- bradypnoea 625
- brain 652, 653
- brain herniation, lumbar puncture **546**, 547
- brainstem 653
- brain tumours 125
- breakthrough analgesia 370, 371
- breath, smell of 32
- breathing
 - abnormal patterns 658, **658**
 - agonal 489, 491
 - assessment 25, 624–6
 - basic life support 490–1
 - dying patients 402
 - ineffective post-operative 835
 - mechanism of 619, 619, 620
 - positioning to minimize work of 227–8, **228**, 229
 - see also* respiration
- breathing exercises
 - chest drain removal 463, 464
 - deep (DBE), post-operative patients 835
- breathlessness
 - at end of life 407, **409**
 - patient positioning 227–8, **228**, 229
 - see also* dyspnoea; respiratory compromise
- breath sounds 24
- Brief Pain Inventory (BPI) 364
- Bristol Stool Chart 140, 173, 177, 571
- British Committee for Standards in Haematology (BCSH) 303, 306, 311
- British Infertility Counselling Association 587
- British Oxygen Company (BOC) 393
- British Society for Allergy and Clinical Immunology (BSACI) 684
- British Thoracic Society (BTS)
 - chest drain guidelines 455, 466
 - oxygen saturation guidelines 597, 626
- bronchial breath sounds 24
- bronchial tree 228, 229
- bronchoalveolar lavage (BAL) 573–4
- bronchoscopy, exible fibreoptic 574
- Broviac catheters *see* skin-tunnelled catheters
- bruising, after venepuncture 518, 523
- bruits
 - abdominal 31, 31, 33
 - carotid 28, 29
- buccal analgesia 368
- buccal tablets **697**, 698
- Buddhism, care after death **410**
- Buddhist Hospice Trust **410**, 421
- bundle branches 601, 604
- bundle of His (AV bundle) 487, 601, 604
- bupivacaine 379–80, 389
- buprenorphine 368, 370
- burial
 - within 24 hours 414
 - cultural and religious practices **410–12**
- Burial Society of the United Synagogue **412**
- burns, diathermy 822, 823
- Butrans 370
- butterfly devices *see* winged infusion devices
- caecum 581
- calcium, plasma **535**, **811**
- calcium chloride 497
- calculus, dental 353
- cancer *see* malignant disease
- cancer pain 361, 362
 - epidural/intrathecal analgesia 379, 381
 - intrathecal drug delivery 378
 - management 366–7, 371
 - see also* chronic pain
- Cancer Research UK 587

- Candida albicans* 511
 candidiasis, oral 357, 712
 cannabinoids **136**
 cannabis 371, **692**
 capacity, mental see mental capacity
 capillaries, movement of water and solutes 254
 capillary blood glucose monitoring 647, 648–52
 see also glucose, blood, monitoring
 capillary reflow 25, 29, **257**
 capillary wound dressings **940**
 capsules 698, **698**
 opening 698
 storage 682
 captopril **244**
 carbohydrates 273, 299
 carbon dioxide (CO₂)
 control of respiration 620–1
 exchange 432–3, 433, 622
 excretion 434
 insufflation, laparoscopic surgery 817, **817**
 narco-sis 441
 transport 432, 618, 622, 625
 see also hypercapnia
 carbon dioxide partial pressure (PCO₂) 432, 433
 in blood (PaCO₂) 433
 changes during respiration 624
 control of respiration 620–1, 621
 carbon monoxide (CO) poisoning 626
 cardiac arrest 487–8
 arrhythmias causing 487
 early recognition/warning systems 492, 498
 in-hospital 488, 491
 management see cardiopulmonary resuscitation
 outside hospital 488
 post-resuscitation care 500–1, 502
 potentially reversible causes 487–8
 prevention 502
 cardiac arrest team 492
 cardiac arrhythmias see arrhythmias
 cardiac compressions see chest compressions
 cardiac dysfunction, in fluid overload 265
 cardiac massage see chest compressions
 cardiac output (CO) 599, 611
 factors increasing 600
 physical assessment 27, 29
 cardiac surgery, pleural effusion after **454**
 cardiac tamponade 488
 cardiopulmonary arrest see cardiac arrest
 cardiopulmonary exercise testing (CPET) 795–6, 796
 cardiopulmonary resuscitation (CPR) 484–502
 advanced life support (ALS) 488, 491, 492, 496
 assessment 489–90, 490
 basic life support (BLS) 488, 490–2, 491, 492
 complications 502
 contraindications 489
 cross-infection risks 491, 492, 502
 debridement 490
 documentation 496, 502
 do not attempt (DNACPR) 489
 drugs 496–8, 497
 education 498, 502
 equipment 492–5, 498
 guidelines 488–9, 492
 indications 489
 in-hospital algorithm 493
 post-procedure care 500–1, 502
 problem solving **501**
 [procedure guideline](#) 498–501
 standards and training 492
 see also cardiac arrest
 cardiovascular assessment **14**, 790
 cardiovascular examination 26–30
 [procedure guideline](#) 28–30
 rationale 28
 techniques 26–8
 cardiovascular function
 pulse monitoring 602
 unconscious patients 221, **224**
 cardiovascular instability, moving patients with 211, **220**
 care
 after death see death, care after
 evaluating 18, **19**
 implementing 17–18, **19**
 planning 17–18, **18**, **19**
 process of 10–18
 Care, Compassion, Competence, Communication, Courage and Commitment (the 6Cs) (2013) **2**
 care home
 assessment **41**
 discharge to 40
 Care Quality Commission (CQC)
 infection prevention and control 58, 60
 protected mealtimes 275
 carers, informal 38
 see also family
 Carers (Equal Opportunities) Act 2004 **38**
 caries, dental 353
 carotid bruits 28, 29
 carotid pulse, checking 491, 492
 case-control studies **3**
 cataracts **342**
 cathartics 177
 catheter-associated urinary tract infections (CAUTI) 160, 566
 catheter materials and 149
 catheter-related bloodstream infections (CRBSIs) 925
 catheter specimen of urine (CSU) 568–9
 cauda equina 542, 542
 cauda equina syndrome (signs) 236, 546
 CAUTI see catheter-associated urinary tract infections
 Cavilon barrier film **193**
 CDs see controlled drugs
 cell salvage, for transfusion 306
 cellulitis **81**, **849**
 cell wall, bacterial 52, 53, 54
 CE mark 60
 central nervous system (CNS) 231, 652–3
 assessment see neurological assessment/ observations
 pre-operative review 791
 central neurogenic hyperventilation **658**
 central venous access device (CVAD)-related infections 902
 blood culture samples 537, 538–9
 PICCs vs CVCs 895
 central venous access devices (CVADs) **862**, 893–915
 absent blood return **770**, 771, 866–7, 867
 accidental disconnection 865
 blood sampling 524–7
 for antimicrobial drug assay 540, 541
 for blood cultures 537, 538–9
 discard method 524, 525
 problem solving **527**
 [procedure guidelines](#) 525–6, 538–9
 push-pull (mixing) method 524
 reinfusion method 524
 syringe 526
 vacuum systems 525
 catheter tip positioning 867–8, 868
 blood sampling problems **527**
 choice of vein 863, 864
 complications 875, 908–9
 consent to insertion 869
 damage and repair 865
 decision-making tool 772–3
 discharge home with *in situ* 874–5, **875**, **875**
 dressings 865, 869
 changing, [procedure guideline](#) 870–1
 extravasation **769**
 flushing/maintaining patency 866, 869
 after discharge home 874–5
 kit **875**
 prior to blood sampling 525, 526
 [procedure guideline](#) 872
 implanted see implanted ports
 occlusion 866–7
 diagnostic blood sampling **527**
 intravenous drug administration 766
 unblocking, [procedure guideline](#) 872–4, 874
 urokinase instillation 873, **874**
 parenteral nutrition 300
 patient education 870, 875, 875
 central venous catheters (CVCs)
 blood sampling 524–7
 dressing change, [procedure guideline](#) 870–1
 maintaining patency 866–7
 occlusion, management 866–7, 867
 peripherally inserted see peripherally inserted central catheters
 skin-tunnelled see skin-tunnelled catheters
 tip, microbiological examination 910
 see also central venous access devices
 central venous catheters (CVCs), short-term percutaneous (non-tunnelled) **862**, 904–10
 choice of vein 904
 complications 907–8
 design 905, 905
 indications 904
 insertion 904–8
 assistance with 905
 problem solving **908**
 [procedure guideline](#) 906–7
 insertion site care 908
 removal 908–10
 [procedure guideline](#) 909–10
 securing 908, 908
 central venous pressure (CVP) **257**
 cephalic vein
 cannulation 863, 863, 876, 894, 894
 venepuncture 514, 515
 cerebellum 653, 654
 cerebral embolism **924**
 cerebrospinal fluid (CSF) 542
 abnormal appearances 543
 cytology 543
 diagnostic tests 543
 leakage, lumbar puncture 547
 pressure 543, 545
 protein 543
 sample collection 541–7
 cerebrum 652, 654
 cerumen see ear wax
 cervical broom 551
 cervical collar 237, 237, **245**
 cervical nerves 655
 cervical paravertebral block **389**
 cervical plexus 655
 cervical screening programme 551, 552
 cervical spinal instability
 early mobilization in bed 243
 hard collar 237, 237
 log rolling 237–8
 moving and turning methods 236
 pelvic twist to right 240, 241
 cervical uterine smear 550–7
 cervical broom 551
 endocervical brush 551–2, 555–6
 equipment 551, 551–2
 liquid-based cytology (LBC) 551, 554–5
 problem solving **556**
 [procedure guidelines](#) 552–6
 wooden spatula 551, 552–4
 cervix, uterine 550, 550
 chain of infection 56, **56**, **56**

- chair
 - lower limb amputees 248
 - patient positioning in 217–18
 - standing up from 218, 218–19
- challenging behaviour 118–21, 119
- chaperone 551
- chaplain, hospital 405
- charities, disease-specific national 112
- charrière (ch) 148
- chemoreceptors 613, 620, 621
- chemoreceptor trigger zone (CTZ) 134
- chemotherapy drugs *see* cytotoxic drugs
- chest
 - auscultation 24, 26
 - bony structures 22
 - deformities 22, 23
 - expansion, assessment 22, 23, 25, 26, 626
 - inspection 22, 25
 - palpation 22–4, 25–6, 27, 29
 - percussion 24, 24, 26
 - shape, assessment 626
- chest compressions, CPR 491–2, 492, 499
- chest drainage systems 456, 456–7, 457
 - maintenance 466
 - problem solving 464–5
- chest drains 452, 452–67
 - ambulatory bag 455, 460
 - priming, [procedure guideline](#) 461
 - clamping 465–6, 466–7
 - complications 467
 - contraindications 455
 - documentation 457, 467
 - equipment 456–7, 456–7
 - indications 455
 - insertion 455–7
 - competencies 456
 - consent 456
 - patient preparation 457
 - [procedure guideline](#) 458–9
 - triangle of safety 457, 457
 - insertion site
 - dressings 466
 - leakage around 465
 - monitoring 465–6
 - pain control 457, 458
 - patient education 467
 - problem solving 464–5
 - rationale 455
 - removal 467
 - [procedure guideline](#) 463–4
 - securing 455, 455, 459, 465, 466
 - stripping/milking 466
 - suction 460, 466
 - [procedure guideline](#) 461
 - tube size 456, 456
 - underwater seal bottle 455, 456, 456–7, 457
 - changing, [procedure guideline](#) 462, 462
 - monitoring 457, 459, 465
 - problem solving 464
- chest pain, pleural effusions 453
- chest X-rays (CXR)
 - after CPR 500
 - chest drainage 457
 - CVAD catheter tip position 868, 868
 - CVC tip position 907
 - nasogastric tube position 283, 284, 286
 - PICC tip position 899, 901
 - pre-operative 795
- Cheyne–Stokes breathing 626, 658
- children
 - deceased relatives 415
 - as informal carers 38
 - visiting patients in protective isolation 88
 - see also* paediatric patients
- chin lift manoeuvre 490, 490, 499
- Chiron barrier cream 193
- chlamydia, eye swabs 559
- chlorhexidine (gluconate)
 - denture care 354
 - impregnated dressings 865, 869
 - oral care 356, 360
 - skin preparation 537
 - for surgical scrub 59, 70
 - VAD site cleaning 864
- Christians, care after death 410
- Christian Scientists, care after death 411
- chronic obstructive pulmonary disease (COPD) 597, 623
- chronic pain 361, 362
 - acute pain superimposed on 363, 363
 - assessment 363
 - defined 362
 - epidural/intrathecal analgesia 379, 381, 387
 - intrathecal drug delivery (ITDD) 378
 - management 366–7, 369
 - see also* cancer pain
- Church of England
 - care after death 410
 - marriages at end of life 405
- Church of Jesus Christ of the Latter Day Saints, care after death 410
- chylothorax 454–5
- circulation, CPR 491–2
- circulatory overload *see* fluid overload
- cirrhosis of liver 397
- citalopram 117
- civil partnerships, at end of life 405
- CJD *see* Creutzfeldt–Jakob disease
- clarifying 101–2
- cleaning
 - isolation rooms 83, 87
 - meatal, catheterized male patients 160
 - skin *see* skin cleaning/preparation
 - VAD equipment 864
 - wounds 941, 956
- clients *see* patient(s)
- clinical experience and guidelines (E) 3
- clinical governance
 - cervical smear tests 551
 - endoscopy 580
 - medicines administration 687
 - oxygen therapy 435
- clinical supervision 102, 108, 114
- clippers, pre-operative hair removal 806
- clips, skin 955
 - removal 960
 - [procedure guideline](#) 961
- clonidine, epidural/intrathecal 380
- Clostridium difficile*
 - faecal specimens 571
 - prevention and control 52, 60
 - spores 53–4, 83
- clot formation
 - VAD occlusion 865, 865, 866–7
 - wound healing 936, 937
- clothing 336
 - protective *see* personal protective equipment
 - surgical patients 806
 - surgical team 817
- cloths, prepackaged 336
- cluster breathing 658
- coagulation tests 534, 794, 810
- coagulopathies
 - arterial puncture and 528, 533
 - chest drainage and 455, 457
 - epidural/intrathecal analgesia 379
 - lumbar puncture and 543
 - regional analgesia 389
- co-analgesics 367, 371
- cocaine 692
- coccygeal nerves 655
- co-codamol 369
- co-danthramer 178
- Code, NMC 2,
- codeine phosphate
 - diarrhoea 174
 - pain management 369
 - paracetamol combinations 368, 369
- cognitive ability, assessment 13
- cognitive impairment
 - moving and positioning 211–12
 - pain assessment 365
- cohorting 51, 80
- cohort studies 3
- cold packs, for extravasation 771, 774, 775
- cold storage, medicines 681
- cold therapies, pain management 373
- cold water bubble humidifiers 442, 442
- collagen
 - dressings 940
 - in wound healing 937, 937
- collagen vascular diseases, pleural effusions 454
- Colledge silver laryngectomy tube 473, 474
- colloid fluids 259
- collusion 113–14
- colon 141, 581
- colonic conduit 171, 190
- colonization 50, 941
- colonoscopy 581
- colonoscopy 581–2
 - indications 581
 - patient preparation 582
- colostomy 189–90
 - dietary management 198
 - end (permanent) 189, 189, 190
 - loop (temporary; defunctioning) 189–90, 190
 - plugs 191, 197
 - post-operative function 197
 - pouches 191, 192, 197
 - see also* stoma(s)
- Colostomy Association 199
- comatose patients *see* unconscious patients
- Combitube 495
- comfort, patient 331–421
 - at end of life 408
 - intravenous drug administration 749
 - measures alleviating pain 373
 - see also* end-of-life care; pain management; personal hygiene
- commensal organisms 52, 54
- Commission on Human Medicines (CHM) 680, 686
- commode 141, 141
 - [procedure guideline](#) 143–4
- common carotid artery, pulse point 599
- communication 97–128
 - acquired disorders 124–8
 - aids 101, 125, 126
 - anatomy and physiology 98–9
 - angry/aggressive patients 118–21
 - assessment of ability/needs 13, 106
 - augmentative or alternative (AAC) 125, 126
 - barriers to effective 102
 - competencies 105, 105
 - during CPAP 451
 - definitions 98, 103, 108
 - delirious patients 123
 - with diagnostic laboratory 513
 - discharge planning and 34–45
 - dying patients 405–6
 - effective 100–2
 - environmental aspects 105, 105–6
 - facilitative 111
 - informing patients 110–13
 - language and cultural issues 104
 - legal and professional issues 102–5
 - non-verbal 100–1
 - during nursing assessment 11
 - during oxygen therapy 440
 - patients with specific psychological needs 113–24
 - principles 106, 107–8

- professional responsibility for effective 103
 - skills 101–2
 - speech-impaired patients 101, 125–7
 - supportive *see* psychological support
 - theories of interpersonal 99–100
 - time issues 105, **107**
 - unconscious patients 221
 - verbal 101–2
 - websites and useful addresses 128
 - worried/distressed patients 108–9, **109–10**
 - community care
 - discharge planning 38
 - at end of life 42–5
 - personalized 38
 - voluntary sector 39
 - Community Care (Delayed Discharges) Act 2003 38
 - community nurses
 - discharge planning 34, **35**
 - end-of-life care 42–5
 - compartment syndrome 819
 - compassion 103
 - Compassion in Practice* (2012) 103
 - competence/competencies 2
 - abdominal paracentesis 398
 - arterial puncture 529
 - blood cultures 536
 - blood transfusion 310
 - chest drain insertion 456
 - communication 105, **105**
 - CPAP 448
 - CPR 492
 - CVC insertion 904–5
 - epidural analgesia **380**
 - infection prevention and control 58
 - infiltration/extravasation prevention 769–70
 - lumbar puncture 544
 - obtaining consent 799
 - oxygen therapy 435
 - patient education 798
 - peripheral cannulation 878
 - regional analgesia 390
 - respiratory secretion sampling 574
 - specimen collection 511, 558
 - suturing 954
 - tracheostomy care 468
 - urinary catheterization 147
 - VAD insertion/care 868, **868**
 - venepuncture 516
 - complementary therapies 134–5, 685, **793**
 - compliance aids 688, 700, 700
 - complications of treatment, assessment **16**
 - compression stockings, graduated elastic *see* antiembolic stockings
 - computed tomography (CT) 587, 901
 - concertina-type drainage system **836**, **837**
 - confidentiality, respect for 103
 - conformable catheters 149
 - confusion 661
 - conjunctivitis 81
 - consciousness 653–7
 - assessment 655–7
 - AVPU scale 662
 - cardiopulmonary arrest 489, **490**
 - Glasgow Coma Scale 659–62, **660**, **661**
 - NEWS system 597
 - post-CPR 500
 - [procedure guideline](#) 663
 - basis of 653–5
 - decreased
 - dying patients 402
 - epidural analgesia **384**
 - see also* unconscious patients
 - denied 221
 - consent 103–4
 - acupuncture 375
 - assessing capacity to give 103, 104–5, 799
 - blood transfusion 310–11
 - capacity to give 799
 - chest drain insertion 456
 - epidural/intrathecal analgesia 381
 - implied 104
 - moving and positioning 210
 - obtaining 103
 - to physical examination 21
 - PICC insertion 895, **896**
 - refusal of 104
 - semen collection 549
 - specimen collection 511
 - for surgery 798–9, 808
 - VAD insertion 868–9
 - validity of 103, 799
 - vesicant drug administration 770
 - written 103, 104, 799
 - constipation 175–9
 - assessment 176–7
 - causes 175, **176**
 - denied 175
 - digital removal of faeces 187–9
 - [procedure guideline](#) 188–9
 - at end of life **409**
 - enterally-fed patients 296
 - management 177–9, 184
 - opioid-induced 369
 - risk factors 177
 - Rome criteria 177
 - secondary 175
 - contact dermatitis, latex allergy **808**
 - contact lenses 343
 - care of 343–4
 - gas permeable 343
 - hard 343, 348, **348**
 - ophthalmic drug administration and 714
 - removal, [procedure guidelines](#) 348, 348–9, **349**
 - soft 343, 349, **349**
 - contact precautions **51**
 - contact transmission 57
 - context, as source of evidence (C) 3
 - continuous intravenous infusions *see* intravenous infusions, continuous
 - continuous low pressure (CLP) mattresses 952
 - continuous peripheral nerve blocks (CPNB) 388, 389, 390
 - complications 391, **392**
 - principles of care **391**
 - continuous positive airways pressure (CPAP) 446–52
 - competencies 448
 - complications 452
 - contraindications 447–8
 - equipment **446**, **448**, **448**
 - indications 447
 - masks/helmets **446**, **448**
 - monitoring 448–9, 451, **452**
 - problem solving **450–1**
 - [procedure guideline](#) 449–50
 - contractures 211
 - amputees 247, 248–9
 - neurological impairment 232
 - Control and Restraint 122
 - controlled drug register (record book) 693, **693**
 - archiving 693
 - legal requirements 691, **691**, **692**
 - [procedure guideline](#) 695–6, **696**
 - receipt of drugs 690
 - controlled drugs (CDs) 690–7
 - accountability and responsibility 690
 - administration **692**, **693**
 - [procedure guideline](#) 694–5, **695**
 - emergency supplies **691**
 - key holding and access 691
 - legal requirements 690, **691**, **692**
 - prescription **691**, **692**, **693**
 - receipt 690
 - record keeping 691
 - requisition 690, **691**, **692**
 - return and disposal of unused 693
 - safe practice guidance 694, **694**
 - schedules 690, **692**
 - stationery 693
 - stock checks and discrepancies 691–3
 - storage 691, **691**, **692**
 - supply under Patient Group Direction 690, 693
 - transport 693
- Controlled Drugs (Supervision of Management and Use) Regulations 2006 690
- controlled-release tablets 698
- conveys *see* penile sheaths
- cooling methods, hyperthermia 640
- cool storage, medicines 682
- co-ordination, testing 658, 664
- COPD *see* chronic obstructive pulmonary disease
- coping, assessment **15–16**
- cornea 341, **341**
- corneal (blink) reflex 658, 664
- coronary thrombosis 488
- coroners
 - permission for repatriation 414
 - referral to 414–15
- corrugated drains **836**, **837**
- corticosteroids (steroids)
 - antiemetic use **136**
 - epidural/intrathecal 380
 - extravasation injuries 771, **771**
 - eye drops 714
 - hyperglycaemia due to 647
 - inhaled 708, 711
 - intra-articular injection 728
 - pain management **367**
 - retention enemas 181
- covert administration of medicines 698–9
- CPAP *see* continuous positive airways pressure
- CPR *see* cardiopulmonary resuscitation
- crackles 24
- cranial nerves 653, **656**
- C-reactive protein (CRP) 268, **301**, **535**, **811**
- creams 702
 - storage 682
- creatinine, serum **257**, **535**, **795**, **811**
- cremation **410–12**, **414**
- Creutzfeldt-Jakob disease (CJD) 55–6
 - variant (vCJD) 55–6
 - transmission in blood 304–6, 321
- critical care outreach teams 596
- critical colonization 941
- critically ill patients
 - blood pressure measurement 613
 - CPAP 448
 - early warning systems 596
 - moving and positioning 209–10, 221
 - oral care 355, **355**
 - pulse monitoring 602
 - temperature monitoring 636
 - tracheostomy 468, 471
 - transferring 502
- critical thinking 20
- crockery, patients in isolation 80
- cross-infection **50**
- Cruse Bereavement Care 421
- cryoprecipitate **309**, **317**
- crystalloid fluids 259
- CSF *see* cerebrospinal fluid
- cuff, blood pressure 615, **615**, **616**
- cuff pressure manometer 469, **469**
- cultural beliefs/issues
 - assessment **16**
 - care after death **410–12**, **413–14**, **415**
 - communication 104
 - pain assessment and 364
 - personal hygiene 336
 - culture, microbiological 510–11

- curtains, source isolation rooms 83
- Cushing's re ex 659
- cutlery 80
- CVAD *see* central venous access devices
- CVC *see* central venous catheters
- cyanosis 624
- cyclizine 136, 739
- cystoscopy 582–3, 583
- cytomegalovirus (CMV) 320
- cytotoxic drugs
 - crushing tablets 297
 - extravasation 768, 775
 - intrathecal administration 728–9, 729
 - vesicant 768
- Dalton's law 432
- dantrol 178–9
- data, collecting 11
- daunorubicin, extravasation 775
- Da Vinci surgical robot 817, 818
- deafness 104, 127–8, 350–1
- death 413–21
 - care after (last offices) 413–21
 - contraindications 413
 - indications 413
 - legal issues 413–14
 - problem solving 419–20
 - [procedure guideline](#) 416–19
 - religious and cultural needs 410–12, 413–14, 415–16
- certification 414
- confirmation or verification 414
- education of family 421
- 'good' 403, 413
- immediate care 420
- infectious patients 415
- informing next of kin 404, 419
- informing other patients 416
- legal issues 404–5
- post-mortem requirements 414, 415
- radioactive patients 415, 419–20
- referral to coroner 414–15
- repatriation after 414
- sudden cardiac 488
- sudden or unexpected 404, 414, 419
- viewing the body 420, 421
- see also* dying patients; end-of-life care
- death rattle 407, 409
- debridement, wound 938, 938–9
- decannulation plug, tracheostomy 471, 472–3, 473
- decerebrate posturing 661
- decision making 17, 19
- decorticate posturing 661
- decubitus ulcers *see* pressure ulcers
- deep breathing exercises (DBE), post-operative 835
- deep vein thrombosis (DVT) 800, 800
 - prophylaxis *see* thromboprophylaxis
 - risk factors 800, 854
 - signs 801
 - spinal cord compression/injuries 246
 - see also* venous thromboembolism
- defaecation 175
 - anatomy and physiology 141
 - assisting, [procedure guidelines](#) 142–4
 - digital stimulation 187
 - positioning for 179, 180
- debrillation 488, 490, 492–3
 - placement of self-adhesive electrodes (pads) 493, 493
 - problem solving 501
 - procedure 500
 - safe practice 493
 - by untrained individuals 492–3
- debrillators 492–3, 828
- dehydration 256, 265–6
 - in diarrhoea 173–4
 - infusion-related 780, 780
 - pre-operative fasting and 805
 - signs and symptoms 257, 266
 - venepuncture in 518
- delayed-release capsules 698
- delirium 121–3
 - documentation 122
 - at end of life 122, 407
 - prevention and management 122, 123
 - risk factors 121
 - signs and symptoms 121
- deltoid muscle injections 740, 740, 741
- dementia 123–4
 - communication issues 104, 123, 124, 124
 - discharge planning 34
 - pain assessment 124, 365
 - personal care 333
- denial 113–14, 114
- dental decay 353
- dental loss/tape 355, 355, 358, 359
- dental status, pre-operative 813
- dentures 354
 - cleaning 354, 360
 - [procedure guideline](#) 359–60
 - removal 359
- deodorants, stoma 191, 193
- depilation *see* hair removal
- depression 116–17
 - co-morbid 116
 - diagnosis 117, 118
 - management 117, 117, 118
 - symptoms 116, 117
- Depression Alliance 128
- Depression UK 128
- Deprivation of Liberty Act 123–4
- dermatitis, incontinence-associated (IAD) 142
- dermatomes 376, 378
- dermis 332, 333, 936
- dexamethasone 136
- dexrazoxane 773, 775
- dextrocardia 607
- diabetes mellitus (DM) 646
 - blood glucose monitoring 648
 - continuous subcutaneous insulin infusion 733
 - diagnosis 646, 648
 - end-of-life care 407
 - foot care 334–5
 - foot ulcers 334, 335, 335
 - hyperglycaemia 646–7, 647
 - hypoglycaemia 647
 - patient education 652
 - tight glycaemic control 648
 - wound infections 941
- diabetic ketoacidosis 646, 647
- diabetic retinopathy 343
- diagnosis, nursing 17, 19
- diagnostic tests 510–87
 - indications 510
 - pre-operative 794–5, 794–6, 808, 810–11
 - request forms 513
- dialogue, with patients 103
- diamorphine 370
 - epidural/intrathecal 379
 - infusion devices 759
 - routes of administration 368
 - safer practice guidance 694, 694
 - supply under Patient Group Direction 693
- diaphragm 227, 228, 619, 620
- diarrhoea 173–5
 - acute 173
 - antibiotic-associated 174, 571
 - assessment 173
 - chronic 173
 - enterally-fed patients 295
 - faecal incontinence 174–5
 - faecal specimens 571, 572
 - infection prevention and control 51, 60, 573
 - management 174
 - source isolation 80, 81
- diastolic blood pressure 610–11, 612
 - measurement 614, 614, 617
- diathermy 821–3, 823, 825, 826
- diclofenac 369
- dicrotic notch 919, 919
- diencephalon 653
- diet
 - as cause of diarrhoea 174
 - in constipation management 179
 - history 268
 - immunocompromised patients 86
 - modification 273, 274
 - sodium-restricted, ascites 398
 - stoma patients 197, 198
 - see also* food; nutrition
- dietary supplements *see* nutritional supplements, oral
- diffusion 255
 - facilitated 255
 - of gases 432
- digestion 266
- digital rectal examination (DRE) 185–7
 - indications 177, 185
 - [procedure guideline](#) 186–7
- digital removal of faeces (DRF) 187–9
 - [procedure guideline](#) 188–9
- digital stimulation of defaecation 187
- digital veins, hand 876
- dignity, maintaining 103, 174, 212
- dimethylsulphoxide (DMSO) 771, 771, 775
- dioctyl sodium sulphosuccinate *see* docusate sodium
- dipstick tests, urine *see* urine dipstick (reagent) tests
- direct contact, transmission via 57
- discharge
 - to care or nursing home 40
 - complex 34–5, 36–7
 - continuous peripheral nerve blocks 390
 - delays 38, 40, 45
 - at end of life 42–5, 43–4, 404
 - equipment facilitating 41
 - to intermediate care 40
 - against medical advice 39, 39
 - neutropenic patients 86–7
 - NHS Continuing Healthcare 40, 42
 - from PACU 833, 833
 - patients on nutritional supplements 275
 - patients with additional needs 34, 42, 42
 - with *in situ* VAD 874–5, 875, 875
 - social services care on 40
 - from source isolation 83
 - specialist ongoing care after 41–2
 - supported 40
- discharge co-ordinators 34, 35
- discharge planning 10, 34–45
 - complex cases 34–5, 36–7
- defined 34
- informal carers and 38
- long-term epidural/intrathecal infusions 388
- post-operative 855
- process 38–9
- single assessment process 38
- spinal cord compression/injury 237
- stoma patients 198–9, 199
- ten steps 37
- voluntary services 39
- disorientation 663
- dispensing 681
- displacement values 722
- distressed patients 108–9, 109–10
- Distress Thermometer 106, 106
- diuretics, ascites 398
- diversity 104

- documentation 18
guidelines **18–19**
- docusate sodium (dioctyl sodium sulphosuccinate)
enema 181
laxative 178, **178**
- domestic stay, cleaning isolation rooms 83
- domperidone **136**
- do not attempt cardiopulmonary resuscitation (DNACPR) 489
- dopamine antagonists, antiemetic **136**
- dorsalis pedis artery 599, 920
- dorsal venous network of hand **863**, 876
- dorsogluteal intramuscular injection site 740, 740
- dosette boxes 688, 700, 700
- double checking, medicines 686–7
- double gloving 820
- doxorubicin
administration 769
extravasation 767, 771, 775
- 2-3-DPG (2,3-diphosphoglycerate) 433, 433
- drainage bags, urine *see* urine drainage bags
- drains, surgical 836–50
changing dressings, [procedure guideline](#) 838–9
closed **836**
changing vacuum bottle, [procedure guideline](#) 839–40
removal, [procedure guideline](#) 841–2
shortening, [procedure guideline](#) 845–6
discharge home with 42
emptying 838
leaking **265**, **847**
measuring fluid output 262, 838
open **836**
shortening, [procedure guideline](#) 843–4, 844
problem solving **846–50**
[procedure guidelines](#) 838–46
removal 838
problems **840**
[procedure guideline](#) 841–2
skin care **334**
types **836**, 836–7
see also chest drains; urinary catheters
- dressings 941–3
care after death 417
categories **939–40**
changing 943, 946
CVAD site 870–1, 874
negative pressure wound therapy 964–5
nephrostomy tubes 166–8
PICC site 901
post-operative 851
[procedure guidelines](#) 78–80, 945–6
surgical drain site 838–9
tracheostomy 475–6, 476
- chest drain insertion site 466
- choice by type of wound **944**
- continuous peripheral nerve blocks 390, **391**
- dry and wet 941
- epidural/intrathecal catheter site 381
- extravasation injuries 779
- gastrostomy site 289
- jejunostomy site 292
- nephrostomy tube site 166
- occlusive 941–3
- peripheral cannulas 869, 886
- poor application/techniques **939**
- pressure ulcers 954
- primary 941
- principles of use 941
- secondary 943
- short-term CVCs 908
- surgical wounds 825, 826, 851
- transparent 869
- VADs 864–5, 869
- Dressler's syndrome **454**
- drinking
assessment and recording tools 275
assistance with 272, 275–7
di culties **277**
see also eating; fluid intake
- drinks, disguising medication in 699
- drip chambers 750, 750
- drips *see* gravity infusion devices
- driving
after Entonox use 393
mydriatic therapy and 716
opioids and 371
- droplet precautions **51**
- droplet transmission 57
- drug allergies 684, **684**, **685**
- drug interactions 676, 685–6
pharmacodynamic **686**
pharmacokinetic **685**
- drug intoxication, cardiopulmonary arrest 488
- drugs *see* medicines
- dry mouth (xerostomia) 353
oxygen therapy **440**
patients on CPAP **451**
problem solving **360**
- dry powder inhalers (DPI) 708, 709, 709
- duodenum 140, 579
- dural puncture, inadvertent **383**, 388
- dura mater 376, 377, 542
- Durogesic *see* fentanyl
- Duthie Report, *The Safe and Secure Handling of Medicines: A Team Approach* (2005) 682, 687–8
- DVT *see* deep vein thrombosis
- dyes, intravenous 626
- dying patients
care for *see* end-of-life care
common symptoms and signs 402
discharge home 42–5, 43–4, 404
euthanasia and assisted suicide 405
last will and testament 405
marriages 405
next of kin 404
organ donation preferences 405
recognition of terminal phase 403
see also death; palliative care
- dysarthria 124–5, 231
principles of communication 126, **126**
- dyspareunia, stoma patients 198
- dysphagia 231, **277**, 277–8
at-risk patient groups **278**
clinical assessment 277
dietary modification 274
oral medications and 698, **702**
principles of care 277–8
- dysphasia 124, 231
neurological assessment 661–2, **665**
- dysphonia 125, 126
principles of communication **126–7**
- dyspnoea 626
pleural effusions **453**
see also breathlessness
- dyspraxia of speech 125
- dysuria, catheterized patients **161**
- ear
anatomy 350, 350
assessment 351
balance function 350
drug administration 717–19
irrigation 351–2, **352**
mechanism of hearing 99, 99, 350
piercings 335
swab sampling 558, 558
- ear care 335, 350–2
- ear drop administration 717–19
[procedure guideline](#) 718–19, 719
- eardrum *see* tympanic membrane
- early warning scoring (EWS) systems 834
see also National Early Warning Score; track and trigger systems
- ear wax (cerumen)
impaction **350**, **350**
removal (ear irrigation) 351–2, **352**
softeners 351
temperature measurement and 637, 638
- eating 272
assistance with 272, 275–7
di culties **277**
patients on CPAP **450**
documentation 275, 277
post-operative patients 854
see also food; meals
- ECG *see* electrocardiogram
- E. entera 371
- Einthoven's triangle 605
- ejaculation 547
- elastic compression stockings, graduated *see* antiembolic stockings
- elastomeric balloon infusion devices 756, 756
- elderly *see* older adults
- electrocardiogram (ECG) 601, 604–10
3-lead 606, 606
12-lead 604–10
electrode sites **605**, 605, 605–6, 607
equipment 606–7
Mason-Likar system 606, 606
problem solving **609–10**
[procedure guideline](#) 608–9
- abnormal tracings **611**
- ambulatory 606, 607
- calibration 607, 607
- CPR 499, 500
- CVAD catheter tip position 868, 868
- in dextrocardia 607
- documentation 610
- female patients 607
- filters 607
- heart rate measurement 602
- indications 606
- normal 604, 604–5, 610, 611
- paper 607
- PICC tip positioning 898, 899, 901
- pre-operative 795
- electroejaculation 548
- electrolytes 254
body fluids 254
homeostatic mechanisms 254–5
influencing heart rate 599
membrane transport 254, **255**
monitoring, parenteral nutrition **301**
parenteral nutrition solutions 299
renal handling 640–1, 641
serum **257**, **795**, **811**
- electronic identification systems, for transfusion 312
- electronic palliative care co-ordination systems 404
- electronic prescribing (e-prescribing) systems 677, 677
- electrosurgery *see* diathermy
- elemental feeds 280
- elimination 133–201
assessment **14**
assisting patient with 141–4
[procedure guidelines](#) 142–4
dying patients 402
faecal *see* faecal elimination
moving patients and **220**
normal 134–44
urinary *see* urinary elimination
- elixirs 698
- embolism/embolus
distal, arterial cannulation **924**, 925
see also air embolism; pulmonary embolism; venous thromboembolism

- EMLA cream 879
- emollients 336
- emotional support *see* psychological support
- empathy 102, **107**, **109**
- empirical evidence/knowledge 2
- empyema, pleural 454
- enablement packages, supported discharges 40
- endocervical brush 551–2, 555–6
- endocrine system, assessment 791
- end-of-life care (EoLC) 402–21
 - advance care planning 403
 - artificial hydration 405
 - communication issues 405–6
 - definitions 402
 - delirium management 122
 - discharge home 42–5, 43–4, 404
 - discharge to nursing home 404
 - legal and ethical issues 404–5
 - next of kin 404
 - NHS strategy and principles 402
 - non-pharmacological support 407
 - physical 408
 - preferred priorities 403
 - principles 406–7
 - prognostication 406
 - psychosocial 408
 - spiritual and religious 408
 - support 421
 - symptom control 407–8, **409**
 - see also* dying patients; palliative care
- End of Life Care Strategy* (2008) 42, 402, 404, 413
- endogenous infections 57, 86
- endoscope 580
- endoscopic investigations 579–83
- endoscopists, nurse 580
- endotracheal intubation
 - CPR 491, 495, 499
 - equipment 495, 496
 - post-anaesthetic recovery 828
- endotracheal suctioning
 - CPR 495, 495
 - specimen collection 573, 574, **574**
 - via tracheostomy *see* tracheostomy, suctioning
- endotracheal tubes (ETT) 495, 496
 - introducers 495, 496
 - suction catheters 495, 495
 - vacuum-assisted aspirates 573, 574
- enemas 179–83, **181**, 706
 - contraindications 179–81
 - evacuant 181, 182
 - indications 179
 - problem solving **183**
 - [procedure guideline](#) 181–3
 - retention 181, 182
- energy
 - requirements, calculation 268, **269**
 - sources, parenteral nutrition 299
 - supplements 273–4
- Enhanced Recovery Partnership Programme 796, **797**
- enteral feeding pumps 279
 - alarms **295**
- enteral feeding tubes 279
 - blocked **289**, 296, **297**
 - care 288–93
 - checking position 294
 - complications 293–4
 - cracked/split **299**
 - displaced/buried bumper **289**, 293
 - drug administration 286, 293, 296–8
 - problem solving **297**
 - [procedure guideline](#) 296–7
 - failure **289**
 - insertion 280–7
 - contraindications 281
 - indications 280
 - patient preparation 281
 - problem solving 284
 - [procedure guidelines](#) 281–3
 - removal 287–8
 - unblocking 298–9, **299**
 - see also* nasogastric feeding tubes
- enteral feeds 280
- enteral route of drug administration 697, **697**
- enteral tube feeding 279–99
 - administration 294–6
 - problem solving **295**
 - [procedure guideline](#) 294
 - administration systems 279–80, **280**
 - blood glucose monitoring 648
 - bolus **280**
 - complications 295–6
 - continuous **280**
 - definition 279
 - equipment 279–80
 - home 41–2, 298
 - indications 267, 279
 - intermittent **280**
 - monitoring 295
 - nasal care 335
 - post-operative 854
 - psychosocial impact 281
 - rationale 279
 - termination 298
- enteric-coated tablets **697**, 698, 699, 700
- enteric precautions **51**
- Entonox (nitrous oxide and oxygen) 371, 391–6
 - advantages 392
 - cautions 393
 - complications 396, **396**
 - contraindications 392
 - demand apparatus 393–4, 394
 - duration and frequency of use 394
 - equipment 393, 393
 - indications 392
 - mechanism of action 391–2
 - patient assessment 393
 - prescribing 393
 - problem solving **395–6**
 - [procedure guideline](#) 394–5
- environment (healthcare)
 - delirium and 122
 - at end of life 407
 - in respiratory compromise 228
 - supporting communication **105**, 105–6
 - venepuncture 518
- epidermis 332, 332, 936
- epidural abscess **384**, 388
- epidural analgesia 368, 376–88
 - assessing sensory blockade 385, 388
 - [procedure guideline](#) 381–2
 - assessment of pain 387
 - bolus injections (top-up) 379
 - complications 388
 - continuous infusion 379
 - discharge planning 388
 - volume of infusion 385
 - contraindications 379
 - drug-related side-effects 381, 385–6, **386–7**
 - drugs used 379–80, 381
 - equipment 380–1, 755, 755
 - indications 378–9
 - monitoring **384–5**, 386
 - patient-controlled (PCEA) 379
 - patient preparation 381
 - problem solving **383–5**
 - [procedure guidelines](#) 381–3
 - safety checks 387, **388**
 - training/competency 380, **380**
- epidural catheters 380
 - bacterial filters 381
 - exit site dressings 381
 - [procedure guideline](#) 382
 - migration 388
 - removal
 - anticoagulated patients 387
 - [procedure guideline](#) 383
 - siting 381, **381**
- epidural haematoma **384**, 388
- epidural pumps 755, 755
- epidural space 376, 377
- epinephrine *see* adrenaline
- epirubicin
 - administration 769
 - extravasation 767, 771, 775
- Episil 357
- epithelialization, wound 937
- epithelializing wounds **944**
- e-prescribing systems 677, **677**
- equality 104
- Equality Act 2010 104
- erectile dysfunction 198
- erythrocytes *see* red blood cells
- Escherichia coli* 52, 82, 510
- Essence of Care* benchmarks 273
- ethical evidence 2
- ethyl chloride spray 879
- eukaryotes 52
- eupnoea 625
- European Medicines Agency (EMA) 677
- European Union Tissues and Cells Directives (EUTCD) 549
- eustachian tube 350
- euthanasia 405
- evaluating care 18, **19**
- evidence
 - grading 3
 - hierarchy **3**
 - sources 3
 - types 2
- evidence-based nursing (EBN) 2–3
- evidence-based practice (EBP) 2–3
- examination *see* physical assessment/examination
- exercise
 - assessment **13–14**
 - constipation management 179
 - pain management 773
- exercise testing, cardiopulmonary 795–6, 796
- exhalation *see* expiration
- exogenous infections 57, 86
- experience, clinical (E) 3
- expert opinion 3
- expiration 227, 619, 619, 620
- expiratory reserve volume (ERV) 622, **623**
- extension sets 751, 751
- external acoustic canal 350, 350
 - temperature measurement 637, 638, 638
- external ear 350
- external jugular vein 864, 904
- extracellular fluid (ECF) 254
- extravasation **766**, 767–79
 - causes **769**
 - consequences 768, 768, 779
 - documentation 776, 779, **779**
 - flush-out technique 774, 779
 - [procedure guideline](#) 776–8
 - grading scale **779**
 - incidence 768
 - informing patient 776, 779
 - kits 771
 - management 771, 771–9
 - monitoring for/early recognition 769, **770**
 - patients at risk 768, **769**
 - prevention **768**, 768–70, **769**
 - [procedure guidelines](#) 774–8
 - signs and symptoms **770**
- exudate, wound *see* wound exudate
- eye(s)
 - ageing changes 342

- anatomy and physiology 340–2, 341, 342
 arti cial (prosthetic) 344
 insertion, [procedure guideline](#) 347
 removal, [procedure guideline](#) 347
 assessment 343
 inspection 25, 29, 32
 opening, Glasgow Coma Scale 661, **661**, 663
 systemic drug administration 713–14
 topical drug administration 712–16
 eyebrows 341
 eye care 340–9
 during CPAP **451**
 uids 343
 indications 342–3
 light source 344
 patient position 344
 principles 343
 eye drops
 containers and droppers 713
 instillation 713, 713, 715–16
 storage 682
 eye irrigation 343
 [procedure guideline](#) 345–6, 346
 eyelashes 341
 eyelids 341
 eye medications, topical 712–14
 instillation techniques 713, 713
 [procedure guideline](#) 715–16
 types 714
 eye ointments
 instillation 713, 713, 715–16
 storage 682
 eye patches 716
 eye protection (goggles) 60, **89**
 [procedure guideline](#) 68–9, 69
 source isolation 85
 eye swabbing 343
 [procedure guidelines](#) 344–5, 559
 eye swabs 343
- facemasks *see* masks
 face shields 60, **89**
 [procedure guideline](#) 68–9, 69
 facial artery, pulse point 599
 facial nerve (VII) **656**
 faecal elicip 715–16
 altered 173–201
 anatomy and physiology - 93, -93–41
 assisting normal 141–2
 equipment 141, - 41
 [procedure guidelines](#) 142–4
 see also defaecation
 faecal incontinence 174–5
 skin care 142
 specimen collection 572
 faecal–oral transmission 57
 faecal (stool) softeners **177**, 178, **178**
 faecal specimens 571–3
 containers 512
 indications 571
 [procedure guideline](#) 572
 storage and transportation 572
 faeces (stools) 141
 assessment - 40, 173, 177, 571
 collection devices, in diarrhoea 174, 175
 digital removal 187–9
 [procedure guideline](#) 188–9
 measuring uid output 263–4
 patients in isolation 80
 specimen containers 512
 see also defaecation
 fainting (syncope)
 acupuncture-associated 376
 cardiac **245**
 during positional changes **220**
 urinary catheterization **158**
 venepuncture-associated 524
 falls 212–13, **220**
- family
 bereavement support 421
 deceased patients 413–14, 415, **419**, 421
 delirious patients 123
 dementia patients 123
 discharge planning and 38
 dying patients 408
 participation in care after death 415, 418
 patients in isolation 84, 86, 87, 88
 as translators/interpreters 104
 viewing the body **420**, 421
 see also visitors
 family history 790
 fasting
 pre-operative 804–5, **805**
 prior to gastroscopy 580
 fat
 body 267
 measurement 268
 dietary supplements 274
 emulsions 299
 enteral feeds 280
 parenteral nutrition solutions 299
 fatigue 211
 febrile non-haemolytic transfusion reactions
 318, 323
 feeding, assisted 272, 275–7
 [procedure guideline](#) 276
 see also eating
 feet *see* foot
 female patients
 cervical uterine smear 550–7
 cystoscopy 583
 ECG electrode placement 607
 intermittent self-catheterization, [procedure guideline](#) 157
 midstream specimen of urine 567–8, 642
 pre-operative care 806–7, 812
 respiratory volumes and capacities **623**
 urinary catheterization 150–1, **158**
 [procedure guideline](#) 153–4
 urinary catheters 148, 149
 X-ray precautions 585
 female urethra 583
 femoral artery
 bleeding 533
 blood sampling 527
 cannulation 529, 920
 pulse point 599
 femoral nerve block **389**
 femoral vein 863–4, 864, 904
 fentanyl (Durogesic) 370
 buccal tablet 371
 epidural/intrathecal 379, 381
 intravenous 368
 oral transmucosal (OTFC) 371
 transdermal 368, 370, **370**
- fetor 32
 fever 636, 640
 see also pyrexia
 bre, dietary 179
 breoptic endoscopic evaluation of swallowing (FEES) 278
 brillation, heart 601
 brin
 infusion device occlusion **766**
 VAD occlusion 865, 866–7
 brinolytic agents *see* thrombolytic agents
 broblasts 937, 937
- lters
 bacterial *see* bacterial(-viral) lters
 stoma appliances 191
 nger pricking, blood glucose monitoring 648, 650
 re hazards, oxygen therapy 435, 436, 440
 rst impression 20
 rst-pass metabolism 704
 stulas, catheterized patients **161**
- agellae 52, 54
 ail chest, traumatic 23
 aps, surgical 961, 962
 observation chart 962
 are reaction 767, **770**
 ashback (of blood)
 arterial cannulation 922
 CVC insertion 907, **908**
 peripheral venous cannulation 878, 882, **884**, **885**
 atus (wind), stoma patients 198
 oor cleaning, source isolation rooms 83
 ossing, dental 355, 358, 359
 owmeters, oxygen 436, 439
 Flowtron machine/boots 800, **801**, 822, **822**
 uid(s)
 compartments 254
 composition of body 254
 gastrointestinal tract 267
 requirements, calculation 269, **269**
 see also body uids; infusion uids; water
 uid administration sets 750, 750–1
 uid balance 254–66
 abnormalities 265–6
 assessment 256, **257**, **258**
 chart 260
 charting 256–66
 acute kidney injury 266
 bladder irrigation 162, 164, 165, **165**
 indications 259
 nephrostomy tubes 167
 problem solving **265**
 [procedure guidelines](#) 259–64
 physiology 254–6
 post-operative management **835**, 835–6
 uid de cit *see* dehydration
 uid intake (input)
 constipation 179
 monitoring/measuring 259
 problem solving **265**
 [procedure guideline](#) 259–60
 pre-operative 805, **805**
 routes and sources **256**
 stoma patients 198
 uid output (losses)
 insensible **265**
 monitoring/measuring 259, 261–5
 bowels 263–4
 catheterized patients 261
 gastric outlets, nasogastric tubes, gastrostomy 263
 non-catheterized patients 261–2
 problem solving **265**
 [procedure guidelines](#) 261–4
 stoma sites 264
 surgical drains 262, 838
 routes **256**
 third space 265–6
 uid (circulatory) overload 265
 bladder irrigation 162, **164**
 intravenous infusions 779–80, **780**
 parenteral nutrition 300
 post-operative **831**
 signs and symptoms **257**, 265, **780**
 transfusion-associated 304, 323
 see also overinfusion
 uid replacement
 colloids vs crystalloids 259
 diarrhoea 174
 excessive *see* uid overload
 hypovolaemia 488
 infusion devices **759**
 NICE algorithm 258, 259
 post-operative 835–6
 subcutaneous infusion 733, 734–6
 see also intravenous uids; intravenous infusions
 umazenil **694**, 697

- uoride 356
- ushung
 - CVADs *see under* central venous access devices
 - CVCs 905, 907
 - enteral feeding tubes 294, 296, 297, 298
 - implanted ports 916, 917, 918, 918
 - peripheral cannulas 882, 884, 886
 - di culties 886
 - PICCs 901
 - VADs *see under* vascular access devices
 - ush-out technique, extravasation injury 774, 779
 - [procedure guideline](#) 776–8
- foam sticks, oral care 354, 355, 360
- foam wound dressings 940
- Foley (balloon) catheters 147, 147, 147
 - balloon de ation problems 161
 - balloon lling 147
 - balloon size 147
 - see also* urinary catheterization
- food
 - benchmarks 273
 - charts 268, 275, 277
 - digestion and absorption 266–7
 - disguising medication in 698–9
 - drug interactions 685–6
 - hygiene 58, 86, 87
 - ingestion 266
 - oral medication and 697
 - provision in hospital setting 272–3, 273, 274
 - stoma patients 198
 - see also* diet; meals; nutrition
- foot
 - care 334–5
 - diabetic 334–5
 - examination 27
 - splints/orthoses 233, 234
 - venous access 514
- foot ulcers, diabetic 334, 335, 335
- footwear
 - preventing sharps injuries 89
 - supportive 219
 - surgical team 817
- forced expired volume in 1 second (FEV₁) 630
- forced vital capacity (FVC) 630
- fractures, moving and positioning patients with 211
- frail patients, discharge 42
- Francis Report (2013) 103, 854, 855
- Free Church, care after death 410
- fremitus, tactile 24, 24, 26
- FreshAire 191, 193
- fresh frozen plasma (FFP) 308
 - administration, [procedure guideline](#) 317
 - solvent detergent treated (SD-FFP) 309
- frontal lobe 652, 654
- frontotemporal dementia 123
- full blood count (FBC) 534, 534, 794, 810
- Functional Health Patterns, Gordon's 10, 11, 11, 12
- functional residual capacity (FRC) 622, 623
 - benefits of CPAP 447
- funeral arrangements 404
- funeral directors 420
- fungaemia 535–6
- fungal infections 54–5
 - feet 334
 - oral 357
 - skin scrapings 562
- fungi 54–5, 510–11
- funnel chest 23
- Fybogel 178
- gag reflex 658, 664
- gargling medication 697
- gas and air *see* Entonox
- gaseous exchange 432–3, 433, 622
- gastric distension, during CPR 502
- gastric outlets, measuring uid output 263
- gastrocolic reflex 141
- gastroenteritis 173
- gastrointestinal assessment 14, 790
- gastrointestinal (GI) disorders
 - dysphagia 278
 - pleural effusions 454
- gastrointestinal (GI) endoscopy 579–82
- gastrointestinal infections 173
 - faecal sampling 571–3
 - infection control precautions 51
 - modes of transmission 57
 - symptoms 57
- gastrointestinal (GI) tract
 - anatomy and physiology 30, 30, 139, 139–41
 - lower 579, 581
 - passage of food 266–7
 - perforation, iatrogenic 581, 582
 - post-operative function 853–4
- gastro-resistant capsules 698
- gastroscopy 579, 579–81
 - complications 581
 - indications 580
- gastrostomy 279, 288–94
 - accidental tube removal 294
 - balloon, checking volume, [procedure guideline](#) 291–2
 - buttons 279
 - complications 293–4
 - measuring uid output 263
 - post-operative care 293
 - tube care 288–93
 - problem solving 289
 - [procedure guidelines](#) 288–91
 - see also* percutaneous endoscopically placed gastrostomy (PEG) tubes; radiologically inserted gastrostomy (RIG) tubes
- gauges, needle 720, 878
- GCS *see* Glasgow Coma Scale
- GelClair 357
- Gel-X capsules 193
- general anaesthesia *see* anaesthesia
- generalized anxiety disorder 115
- general practitioner (GP), end-of-life care 42, 404
- general sales list (GSL) medicines 677
- gene therapy, specimens 513
- genitourinary assessment 14
- genitourinary tract 139
- gentamicin 540
- gingivitis 353
- Glasgow Coma Scale (GCS) 659–62, 660
 - post-CPR 500
 - prior to lumbar puncture 544
 - problem solving 665
 - [procedure guideline](#) 663
 - scoring 661, 661–2
- glasses *see* spectacles
- glaucoma 341, 343
- globe (of eye) 341
- glomerular ltration 640
- glomerular ltration rate (GFR) 644
- glossopharyngeal nerve (IX) 656
- gloves, disposable 60
 - dispensers 60
 - disposal of used 64, 65, 72, 74
 - intravenous drug administration 749
 - latex 60, 807
 - non-sterile 60
 - aseptic technique 78, 79
 - [procedure guideline](#) 64–5, 64–5
 - operating theatre sta 820
 - source isolation 85
 - sterile 60
 - aseptic technique 79
 - [procedure guidelines](#) 71–7
- venepuncture 516
- gloving, double 820
- glucagon 646
- glucose
 - administration, in hypoglycaemia 647
 - parenteral nutrition solutions 299
 - in urine 643, 647
- glucose, blood 646–52
 - diagnosis of diabetes 646, 648
 - monitoring 647–52
 - conditions affecting accuracy 648
 - equipment 649
 - general principles 648
 - indications 648
 - methods 648
 - parenteral nutrition 301, 648
 - problem solving 652
 - [procedure guideline](#) 649–51, 651
 - self- (SMBG) 648
 - training and quality control 648–9
 - normal target ranges 646, 646
 - regulation 646
 - see also* hyperglycaemia; hypoglycaemia
- glucose meters, blood 649
- glucose polymers 273
- glutamine 280
- gluteus muscle injections 740, 740, 741
- glycerine and lemon swabs, dry mouth 356
- glycerol (glycerine) suppositories 178, 184
- glyceryl trinitrate (GTN)
 - to aid venous access 516, 877
 - autonomic dysreflexia 244
 - transdermal delivery 704
- glycopeptide antibiotics 540
- glycosylated haemoglobin (HbA1c) 794
- goggles *see* eye protection
- Gordon's Functional Health Patterns 10, 11, 11, 12
- governance, clinical *see* clinical governance
- gowns 60
 - donning, [procedure guideline](#) 73–7
 - operating theatre sta 820
 - surgical patients 806
- graduated elastic compression stockings *see* antiembolic stockings
- graft-versus-host disease (GVHD), transfusion-associated (TA-GVHD) 319–20
- Gram-negative bacteria 52, 53, 510
- Gram-positive bacteria 52, 53, 510
- Gram staining 510
- granulating wounds 944
- granulation tissue 937
- granulocyte macrophage-colony stimulating factor (GM-CSF) 773
- grapefruit juice 685
- Graseby syringe drivers 734
- gravity drip rate controllers 753
- gravity infusion devices 752–3
 - advantages and disadvantages 753
 - factors affecting flow rates 752–3
 - flow rate calculations 752
- groin swabs 562
- Groshong catheter 912, 912
- growth hormones 691
- Guedel airway 494, 494–5
- guidelines, clinical 3
- gum elastic bougie 495
- haematocrit 794
- haematology blood tests 534, 534
 - pre-operative 794, 808, 810
- haematomas
 - arterial puncture-related 533
 - epidural 384, 388
 - peripheral cannulation-related 889–90
 - surgical site 852
 - venepuncture-related 524
- haematopoietic stem cell transplantation 303
- haemodilution, acute normovolaemic (ANH) 306

- haemodynamic instability, post-operative 834–5
 haemoglobin (Hb)
 concentration 304, **534**, **794**, **810**
 glycosylated (HbA1c) **794**
 malnourished patients 268
 oxygen transport 433, 433, 622
 haemolytic disease of the fetus and newborn (HDFN) 302
 haemolytic transfusion reactions
 acute 322
 delayed 323
 haemopneumothorax 454
 haemorrhage *see* bleeding/haemorrhage
 haemostasis, wound 936, 937
 haemothorax 454
 haemovigilance 310
 hair care 334
 hairdryers 334
 hair removal
 surgical site 806, **806**
 VAD site 880–1
 before wound suture 956
 hair washing, bed-bound patient 334
 [procedure guideline](#) 339–40
 hand(s)
 assessing arterial supply 920, 921
 cuts and abrasions 61, 70
 drying 70
 ischaemia, arterial cannulation 925
 venous access 514, 515, 863, 876
 hand-held devices, monitoring vital signs 596
 hand hygiene
 aseptic technique 78, 79, 80
 assessment of compliance 60
 equipment 59
 immunocompromised patients 86
 [procedure guidelines](#) 61–3
 protective isolation 88
 source isolation 85
 see also hand washing; surgical scrub
 handrubs 59
 dispensers 59
 [procedure guideline](#) 63, 63
 hand washing
 areas commonly missed 62
 equipment and facilities 59
 [procedure guideline](#) 61–2, 62
 see also surgical scrub
 HCAI *see* healthcare-associated infections
 headache, post-dural puncture **383**, 388, 547
 head and neck cancer, dysphagia **278**
 head lice 334
 head lymph nodes, examination 23, 25
 head tilt/chin lift manoeuvre 490, 490, 499
 healing, wound *see* wound healing
 health and safety, occupational
 angry patients **120**, **121**
 bloodborne viruses 88
 operating theatre 823
 specimen handling 512–13
 venepuncture 516
 see also inoculation injuries; personal protective equipment
 Health and Safety at Work, etc. Act 1974 58
 Health and Safety at Work Regulations 119
 Health and Safety Executive (HSE) 415
 Health and Social Care Act 2008 58
 Health and Social Care Information Centre 105
 healthcare assistants (HCA) **18**, 333
 healthcare-associated infections (HCAI)
 defined **50**
 legislation and regulation 58
 patient education 60–1
 prevalence 52
 prevention *see* infection prevention and control
 urinary tract 566
 health management, assessment **16**
 health perception, assessment **16**
 hearing
 listening vs 100
 mechanism 99, 99, 350
 testing **351**, 664
 hearing aids 127
 cleaning 338, 351
 surgical patients 813
 hearing impairment 104, 127–8, 350–1
 heart 484–7
 anatomy 26, 27, 484–7
 conduction system 487, 601, 604
 electrical activity 604, 604–5
 heart murmurs
 auscultation 28, 29
 palpation 27
 heart rate (HR) 598–600
 factors affecting 599, 600
 fluid imbalances **257**
 methods of measuring 602
 normal ranges **599**
 see also pulse(s)
 heart rhythm 600–1
 see also arrhythmias
 heart sounds 28, 29
 heat, gains and losses 634
 heat and moisture exchanger (HME) 442, 442
 tracheostomy patients 474
 heat therapies
 aiding venous access 516, 518, 520, 877
 for extravasation 774, 775
 pain management 373
 heaves, chest 27
 height measurement 272
 adults 269
 equipment 269
 problem solving **272**
 [procedure guideline](#) 269–70, 271
 sick children 268
 helminths 55
 hemi-aesthesia 231
 hemiparesis 231
 HEPA (high-efficiency particulate air) filters 86
 heparin
 epidural/intrathecal catheter removal 387
 flushing implanted ports 916
 'lock' 866
 low molecular weight (LMWH) 387
 maintaining VAD patency 866, 869
 hepatitis B, transfusion-related 320
 hepatitis C, transfusion-related 320
 herbal medicines 680, 685
 herpes zoster 82
 Hickman lines *see* skin-tunnelled catheters
 high dependency unit (HDU), CPAP 448, 452
 high-efficiency particulate air (HEPA) filters 86
 high-flow oxygen therapy (HFOT) 444, 444–6
High Quality Care for All (Darzi 2008) 110
 Hindu Council UK 421
 Hindus
 care after death **411**
 washing and personal hygiene **336**
 hirudoid 890
 histamine 936
 histology 511
 history taking, pre-operative 790–1
 HIV *see* human immunodeficiency virus
 HLA (human leucocyte antigens) 303
 Hollister barrier rings **193**
 home
 assessment **16**, 42
 end-of-life care 42–5, 43–4, 404
 enteral feeding 41–2, 298
 oxygen therapy 437–8, 440
 parenteral nutrition 300
 specialist ongoing care at 41–2
 suitability for discharge to 42
 see also discharge
 Home Oxygen Order forms **35**, 41
 honesty 111
 honey **940**
 hospital-acquired infections *see* healthcare-associated infections
 Hospital Chaplaincies Council **410**, 421
 hospital readmission rates 39
 host, susceptible **56**
 hot packs *see* heat therapies
 housing, suitability for discharge 42
 5-HT3 antagonists **136**
 5-HT4 receptor agonists **178**, 179
 Human Fertilisation and Embryology Acts 548–9
 Human Fertilisation and Embryology Authority (HFEA) 548, 549, 587
 human immunodeficiency virus (HIV) 88, 89
 post-exposure prophylaxis **89**
 transmission in blood products 320
 human leucocyte antigens (HLA) 303
 human papillomavirus (HPV) testing 551
 human T cell leukaemia/lymphoma virus type 1 (HTLV-1) 320
 humidification 230, 441–4
 complications 444
 CPAP 448
 equipment 442, 442
 oxygen therapy 440
 problem solving **443**
 [procedure guideline](#) 443
 rationale 441
 tracheostomy/laryngectomy patients 474
 humidifiers 442
 aerosol 442
 blockage **443**
 cold water bubble 442, 442
 water chamber 438, 442, 448
 humidity 441
 humour, using 372
 hyaluronidase
 extravasation injuries 771, 771, 775, 777
 subcutaneous infusions 733, 734
 hydration
 artificial, at end of life 405
 assessment **14–15**, 333
 see also fluid intake
 hydrocolloid wound dressings **940**
 hydrocortisone cream 771, 775
 hydrophobic wound dressings **940**
 Hydroframe **193**
 hydrogel-coated catheters 148–9
 hydrogel wound dressings **940**
 hydromorphone 371
 hydrostatic pressure 254
 hygiene
 bedbathing *see* bedbathing
 food 58, 86, 87
 personal *see* personal hygiene
 see also cleaning
 Hygiene Code of Practice (2010) 58, **59**
 hyperalgesia 361
 hyperbaric respiratory therapy 447
 hypercalcaemia **535**, **811**
 hypercapnia 434, 441, 622–3
 hyperglycaemia 646–7, 647
 parenteral nutrition 302, 647
 hypergranulation, gastrostomy/jejunostomy stoma site 293
 hyperkalaemia 488, **535**, **811**
 transfusion-associated 323
 hyperlipidaemia, blood glucose monitoring and 648
 hypernatraemia **535**, **811**
 hyperpyrexia **636**
 hypertension 611–12
 autonomic dysreflexia **244**, 245
 management 618
 post-operative **831–2**

- hypertension (*continued*)
 primary 611
 secondary 611
 hyperthermia 636, **636**, 640
 post-operative **832**
see also pyrexia
 hyperthyroidism 636
 hypertonia 232
 hypertonic contraction 780, **780**
 hyperventilation 115, 626
 central neurogenic **658**
 hypervolaemia 265
see also uid overload
 hyphae, fungal 54
 hypocalcaemia **535**, **811**
 hypodermis 936
 hypodermoclysis (subcutaneous uid
 administration) 733
procedure guideline 734–6
 hypoglossal nerve (XII) **656**
 hypoglycaemia 302, 647
 hypokalaemia 488, **535**, **811**
 hyponatraemia **535**, **811**
 hypophosphataemia 302
 hypotension 611
 epidural/intrathecal analgesia-related **384**,
 385, **386**
 management 618
 orthostatic *see* orthostatic hypotension
 post-operative **831**, 834–5
 hypothalamus, thermoregulation 634
 hypothermia 634–6
 cardiopulmonary arrest 488
 management 640
 transfusion-associated 323
 unplanned perioperative 635–6, 829, **832**
 hypothyroidism 636
 hypotonic contraction 780, **780**
 hypoventilation 626, **831**
 hypovolaemia 221, 265–6
 arterial cannulation-related 925
 cardiopulmonary arrest 487–8
 uid therapy algorithm 258
 post-operative **831**
see also blood loss; dehydration
 hypovolaemic shock
 post-operative 834–5
 pulse monitoring 602
 hypoxia 432, 622
 anaemic 622
 cardiopulmonary arrest 487
 histotoxic 622
 hypoxaemic 622
 ischaemic 622
 spinal cord compression/injuries **245**
 tracheal suctioning 479
 hypoxic drive 441, **831**
- IBCT error *see* incorrect blood component
 transfused error
- ibuprofen 369
- idarubicin, extravasation 771, 775
- identi cation, patient
 administration of medicines 683–4
 after death 418
 blood transfusions 312, **317–18**
 surgery 799, **800**, 813
- ileal conduit 171, 190
 post-operative function 197–8
 urine sampling from 569–70
see also urinary diversion; urostomy
- ileostomy 190
 dietary restrictions 198
 permanent (end) 190, 190
 post-operative function 197
 pouches 191, 192, **197**
 temporary (loop) 190
see also stoma(s)
- ileostomy and internal pouch support group
 199
- ileum 140
- ileus, paralytic 175–6, 853–4
- illness memoirs 112
- imaging *see* radiological investigations
- immobility
 complications 209–10, 221
 post-operative patients 854–5
 unconscious patients 221
see also moving and positioning
- immune-modulating enteral feeds 280
- immune modulation, transfusion-related
 321
- immunocompromised patients
 blood transfusion 319–20
 diet 86
 discharge advice 86–7
 fungal infections 55
 intramuscular injections 741
 protective isolation 81, 86–8
 scabies 55
 temperature monitoring 636–7
 wound infections 941
- implanted devices
 deceased patients 414
 magnetic resonance imaging and 586
- implanted ports **862**, 915, 915–18
 accessing 915–18
 problem solving **918**
procedure guideline 916–18, 918
 complications 918
 ushing 866, 916, 917, 918, 918
 indications 915
 insertion methods 915
 non-coring needles 916, 916
 ongoing care 918
 removal 918
 types and designs 916, 916
 urokinase instillation **874**
- inattention, sensory/motor **235**
- incidents
 medication 687
 reporting 687
- incongruence 100
- incontinence
 falls risk 212
 skin care 142, 333
see also faecal incontinence; urinary
 incontinence
- incontinence-associated dermatitis (IAD)
 142
- incorrect blood component transfused (IBCT)
 error 319, 321, 322
 prevention 312, 316, 322
- Independent Mental Capacity Advocacy
 Service 34, 123
- independent prescribing 679, 680
- indirect contact, transmission via 57
- induction anaesthetics 814
- infection(s) 52–7
 abdominal paracentesis-related 401
 arterial cannulas 924–5
 bloodborne *see* bloodborne infections
 causes 52–6
 chain of 56, **56**, 56
 continuous peripheral nerve blocks **392**
 CPR-related risks 491, 492, 502
 CVAD-related *see* central venous access
 device (CVAD)-related infections
 endogenous 57, 86
 exogenous 57, 86
 gastrostomy/jejunostomy site 293
 healthcare-associated *see* healthcare-
 associated infections
 indicators and e cts 57
 lumbar puncture-related 547
 lumbar puncture site 543
- mechanisms 56
 modes of transmission 57
 noti able 415
 pulse monitoring 602
 pyrexia 636
 source isolation *see* source isolation
 sources 57
 symptoms 57
 temperature monitoring 637
 tracheostomy patients **484**
 transfusion-transmitted 320–1
 venepuncture site 524
 wound *see* wound infections
see also sepsis
- infection prevention and control 49–92
 aseptic technique 78–80
 assessment and recording tools 60
 blood components for transfusion 304–6
 competencies 58
 contraindications 58
 CPR 491
 deceased patients 414, 415
 de nitions 50, **50–1**
 diarrhoea 173
 equipment 58–60
 evidence-based approaches 57–8
 high-impact interventions 60
 indications 58
 inoculation injuries 88–9
 intravenous drug administration 748
 legislation and regulation 58, **59**
 operating theatre 816–17, 819–20
 patient education 60–1
procedure guidelines 61–77, 78–80, 83–6,
 87–8, 92
 protective isolation 86–8
 rationale 57–8
 source isolation 80–6
 specimen handling 512–13
 tracheal suctioning 476–7
 vascular access devices 864–5
 waste management 89–92
- infection prevention and control team (IPCT)
 58
- infectious agents 52–6, **56**
 de ned **50**
 identi cation 510–11
 mechanisms of infection 56
 modes of transmission 57
see also bacteria; fungi; parasites; prions;
 viruses
- infectious diseases
 deceased patients with 415
 isolation of patients with *see* source
 isolation
- pleural e usions **454**
see also speci c diseases
- inferior vena cava (IVC) 864
- infertility, male factor 548
- Infertility Network UK 587
- in ltration (drugs/solutions into tissues) **766**,
 767
 management 774
 prevention 768–9
- in ammation, wound **938**, 941
- in ammatory phase, wound healing 936–7,
 937
- in uenza, pandemic 85
- information
 assessing ability to comprehend **13**
 con dentiality 103
 giving 110–13
 at end of life 406
 pre-operative 797–8, **798**
 principles 111, **111–12**
see also communication; patient
 education
 sharing

- discharge planning 38
- sources 112
- written, producing 112
- infraclavicular block **389**
- infusion(s) 719–67
 - de ned 719
 - parenteral 722
 - routes **719**, 728
 - see also* intravenous infusions; subcutaneous infusions
- infusion containers/bags
 - changing 748, 758–9
 - height 752
- infusion devices 752–6
 - ambulatory 755–6
 - blood transfusion 311
 - gravity 752–3
 - improving safety 750
 - MHRA classification 757, **759**
 - occlusion by brin **766**
 - paediatric patients 757
 - problem solving **766–7**
 - selection criteria **750**, 756–7, 760
 - specialist 755–6
 - subcutaneous infusions 734
 - user errors and safe use **749**, 749–50
 - winged *see* winged infusion devices
 - see also* infusion pumps
- infusion fluids
 - effects on flow rate 752
 - visual inspection 748, 758
 - see also* intravenous fluids
- infusion pumps 753–5
 - accuracy of delivery 753
 - air-in-line detectors 753, **766**
 - antisiphonage 753
 - discharge home with 42
 - epidural analgesia 755, 755
 - improving safety 750
 - MHRA categories 757, **759**
 - occlusion response and pressure 753
 - parenteral nutrition 300
 - problem solving **766–7**
 - safety software 753–4
 - specialist 755–6
 - syringe *see* syringe pumps
 - user errors and safe use 749–50
 - volumetric 754, 754
- inhalation *see* inspiration
- inhalational anaesthetics 814, 820
- inhalational analgesia *see* Entonox
- inhalation route of drug administration 708–12
 - complications 712
 - equipment 708–9
 - methods of aerosol production 708
 - patient education 709–10
 - multidose preparations 722, 724–6
 - reducing pain of 722, **722**
 - routes **719**, 728
 - single-dose preparations 722, 723–4
 - subcutaneous 731–3
- inner ear 350, 350
- innominate (brachiocephalic) veins 863, **863**
- inoculation injuries 57, 88–9
 - complications 89
 - management **89**
 - prevention **89**, 749
 - safety needles for preventing 721, 721
 - during venepuncture 516, **523**
- INR *see* International Normalized Ratio
- insects
 - infestations 55
 - vector transmission 57
- inspection, visual 20
 - abdomen 31, 32–3
 - cardiovascular examination 26–7, 29
 - pressure areas 952
 - respiratory examination 22, 25
 - VAD insertion sites 864
 - veins 515
- inspiration 227, 228, 619, 619, 620
- inspiratory capacity (IC) 622, **623**
- inspiratory reserve volume (IRV) 622, **623**
- Institute for Healthcare Improvement 781
- insulin
 - continuous subcutaneous infusion 733
 - deficiency 646, 647
 - glucose regulation 646
 - intensive treatment 648
 - subcutaneous injection 731, 733
 - syringes 720
- integrity, personal 970
- Intensive Care Society (ICS)
 - tracheostomy guidelines 471, 481
 - transferring critically ill patients 502
- intercostal muscles 619, 620
- intercostal nerves 655
- interdental cleaning 355, 355, 358, 359
- intermediate care 40
- intermittent pneumatic compression devices 800, 819
 - intraoperative use 820, 822, 822
- intermittent self-catheterization (ISC) 155–7
 - continent urinary stoma 171, 171–2
 - [procedure guideline](#) 172
 - equipment 155–6
 - indications 155
 - [procedure guidelines](#) 156–7
- internal jugular vein 27, 27, 863, 864
- catheterization 904
 - [procedure guideline](#) 906–7
 - ultrasound localization 894
- International Association for the Study of Pain (IASP) 360, 362
- International Liaison Committee on Resuscitation (ILCOR) 489
- International Normalized Ratio (INR) **534**, **810**
- internet blogs 112
- interpreters 104
- interscalene block **389**
- interstitial space 254
- interviews, assessment 11
- intestinal failure 300
- intestinal obstruction *see* bowel obstruction
- intoxications, cardiopulmonary arrest 488
- intra-arterial drug administration 728
 - accidental 925
- intra-articular drug administration 728
- intracellular fluid (ICF) 254
- intracranial pressure (ICP), raised
 - risks of lumbar puncture 543, **546**, 547
 - tracheal suctioning 479
 - vital signs 659
- intracytoplasmic sperm injection (ICSI) 549
- intra dermal injections 729–31
 - needle size 720, 729
 - [procedure guideline](#) 729–31, 731
- intramuscular (IM) injections 739–42
 - needles 720–1, 741
 - opioid analgesics 368
 - [procedure guideline](#) 741–2
 - sites 739–41, 740
 - technique 741
 - volume 739–40
 - Z-track technique 741
- intraoperative care 813–33
- anaesthesia 813–16
 - de ned 813–14
- infection control and asepsis 816–17, 819–20
 - moving and positioning 817–19, 819, 820
 - objectives 814
 - operating theatre 816–26
 - post-anaesthetic care unit 826–33
 - Surgical Safety Checklist 814, **815**, 816
- intraoperative cell salvage (ICS) 306
- intraosseous drug administration 743–7
 - complications 747
 - needle insertion, [procedure guideline](#) 743–6, 745
 - needle removal, [procedure guideline](#) 746
 - needle selection 743, **743**, 745
- intraperitoneal drug administration, ascites 398
- intrapleural drains *see* chest drains
- intrapleural pressure 453, 619, 619
- intrathecal analgesia 376–88
 - assessing sensory blockade 385, 388
 - [procedure guideline](#) 381–2
 - bolus injections (top-up) 379
 - complications 388
 - continuous infusion 379, 388
 - contraindications 379
 - drug-related side-effects 381, 385–6, **386–7**
 - drugs used 379–80, 381
 - equipment 380–1
 - indications 378–9
 - monitoring **384–5**, 386
 - patient preparation 381
 - problem solving **383–5**
 - [procedure guidelines](#) 381–3
 - safety checks 387, **388**
 - training/competency 380
- intrathecal catheters 380
 - bacterial filters *see* bacterial filters, epidural/intrathecal
 - exit site dressings 381
 - [procedure guideline](#) 382
 - granuloma **385**
 - removal
 - anticoagulated patients 387
 - [procedure guideline](#) 383
 - siting 381, **381**
- intrathecal central nerve blocks *see* spinal blocks
- intrathecal drug administration 543, 728–9
 - chronic pain 378, 388
 - indications 728
 - safety 544, 728–9, **729**
- intrathecal (subarachnoid) space 376, 377, 377
- intravascular space 254
- intravenous access *see* venous access
- intravenous bolus injections 748
 - extravasation management 773–4
 - [procedure guideline](#) 763–5
- intravenous cannulation *see under* peripheral cannulas
- intravenous drug administration 747–81
 - asepsis/prevention of infection 748
 - complications 767–81
 - drug compatibilities 748

- intravenous drug administration (*continued*)
 equipment 750–6
 errors 749
 methods 747–8
 nurse's responsibilities 747
 pain management 368
 with parenteral nutrition 300
 patient comfort 749
 problem solving **765–7**
[procedure guidelines](#) 757–9, 760–5
 safe practice 748–9, **749**
see also intravenous infusions; intravenous injections
- intravenous fluids
 administration sets 750, 750
 colloids vs crystalloids 259
 flow rates and factors influencing 752–3
 infusion devices 752–4
 osmolarity 256
 post-operative 836
 reducing risk of infection 748
 visual inspection 748, 758
see also fluid replacement; infusion fluids
- intravenous infusions 747–81
 blood pressure measurement and 616
 competencies 868, **868**
 complications 767–81
 continuous 747
 changing administration sets 748
 flow rate calculations 752
 to keep vein open (KVO) 866
 pain management 368
[procedure guideline](#) 757–9
 drug compatibilities 748
 drug injections into 748
 equipment 750–6
 errors and safe practice **749**, 749–50
 flow control complications 749–50, **750**
 groups at risk **749**
 flow rates
 calculations 752
 factors affecting 752–3
 slowing/stopping **765–6**
 intermittent 747
 changing administration sets 748
 flow rate calculations 752
[procedure guideline](#) 760–2
 maintaining VAD patency 865–6
 monitoring 767
 opioid analgesics 368
 post-anaesthesia care 830
 problem solving **765–7**
 reducing risk of infection 748
 vesicant drug administration 769
- intravenous injections 747–67
 complications 767–81
 direct intermittent 747–8
[procedure guideline](#) 763–5
- intravenous push 748
[procedure guideline](#) 763–5
- intraventricular drug administration 728, 728
- introducers 495, 496
- investigations *see* diagnostic tests
- iron overload 323
- irritant contact dermatitis, latex allergy **808**
- irritation, surgical drain exit site **849**
- ischaemia, arterial catheter-related 925
- Islam
 care after death **411**
 washing and personal hygiene **336**
- Isogel 177
- isolation **51**
see also protective isolation; source isolation
- isothermic point 441
- isotonic fluid expansion 779–80, **780**
see also fluid overload
- ispaghula husk 177–8
- Jackson silver tracheostomy tube 471–2, 472
- Jainism 421
- jargon 104, **111**, 112
- jaw thrust 493
- Jehovah's Witnesses 421
 blood transfusion 310–11
 care after death **412**
- jejunostomy 279, 288–94
 accidental tube removal 294
 complications 293–4
 post-operative care 293
 tube care 288, 293
[procedure guideline](#) 292
- jejunum 140
- jewellery
 deceased patients 418
 hand hygiene and 61, 69
 removal for X-rays 586
 surgical patients 812
- joints 208, 209
 protection, neurological patients 231–2
 restricted range of movement 211, 232
 surgical replacement **78**
 trauma, moving unconscious patients **224**
- Judaism, care after death **412**
- jugular venous pressure (JVP), measurement 27, 27, 29
- Kapitex Tracheotwist fenestrated tracheostomy tube 471, 471
- keep vein open (KVO) 866
 alerts **766**
- kidneys 138–9
 blood pressure regulation 613
 fluid balance regulation 254–5
 physical examination 33
 urine formation 640–1, **641**
- knee-jerk reflex 664
- knee joint 209
- knowledge
 propositional and non-propositional 3
Knowledge and Skills Framework, communication 105, **105**
- Korotko sounds 614, **614**, **614**
 auscultatory gap 614, **614**, **617**
 in children 613
 inaudible or weak **618**
- Kussmaul breathing 626
- kyphoscoliosis, thoracic 23
- labelling
 blood pack 315
 blood samples for grouping 311, 314
 semen specimens 549
 specimens 513–14
- laboratory specimen collection *see* specimen collection
- laboratory tests, pre-operative **794–5**
- labour, epidural analgesia 379
- lacrimal apparatus 341, 342
- lactation, Entonox use 392
- lactulose 178, **178**
- lancets 649
- language
 anatomy and physiology 125
 disorders 124
 technical 104, **111**
 written information 112
- language barriers/dialects 104
 blood transfusion **318**
 neurological assessment 662, **665**
- laparoscopic surgery 817, **817**
 equipment 823, 823–4, **824**
- large intestine 139, 141
- laryngeal mask airway (LMA) 495, 495
- laryngeal spasm, post-operative **831**
- laryngectomy 467–84
 de ned 467
 dysphagia **278**
 emergencies 484, **486**
 equipment 469, 473
 humidification 474
 stoma 468
 stoma button 473, 474
 tubes 471, 473, 474
see also tracheostomy
- laryngectomy box 469
- laryngoscope 495, **496**
 light not working **501**
- larynx 467, **468**
- Lasting Power of Attorney 122
- last offices *see* death, care after
- lateral position, surgical patients 825
- lateral surface transfer, unstable spinal cord compression 236
- latex 807
 allergy 749, **808**
 pre-operative actions 807–8, **808**
 risk factors 807–8
 gloves 60, 807
 urinary catheters 148
- laundry *see* linen/laundry
- laxatives **177**, 177–9, **178**
 abuse 177
 bulking agents **177**, 177–8, **178**
 opioid-treated patients 369
 osmotic agents **177**, **178**, **178**
 stimulant **177**, **178**, 178–9
 stool softeners **177**, **178**, **178**
- laying out 413
see also death, care after
- L-dopa **644**
- lean body mass 267
- learning disabilities
 communication issues 104
 discharge planning 34
 hearing problems 350–1
 information giving 112
 pain assessment 364, 365
- Leeds Assessment of Neuropathic Symptoms and Signs (LANSS) 365
- left ventricular movements, palpation 27
- leg *see* lower limb
- lemon and glycerine swabs, dry mouth 356
- leucoagglutination 321
- leucocyte esterase reagent strips 644
- leucocytes *see* white blood cells
- leucopheresis 306
- levomepromazine **136**, 739
- Lewy body dementia 123
- lice 55, 334
- lidocaine 150–1, 879–80
- lifts, chest 27
- ligaments 208, 209
- lighting
 eye care 344
 operating theatre 823, **823**
 pulse oximetry and 626
- light microscopy *see* microscopy
- limbs
 assessment, neurological 657–8, 663–4
 elevation, extravasation injuries 774
 positioning
 during surgery 819, **819**
 unconscious patients 223, **223**
see also lower limb; upper limb
- Limone 191, **193**
- linctuses 698
- linear model of communication 99
- linen/laundry
 foul, infected or infested 91
[procedure guideline](#) 92
 infected patients 82–3
 soiled, management 91–2
- lipidaemia, in diabetes 646, 647

- lips 352, 352
- liquid-based cytology (LBC), cervical smears 551, 554–5
- liquid medications
 - for injection 721
 - preparation, [procedure guideline](#) 722–3
 - oral administration 697, 698, 700
- liquid paraffin 178, 178
- listening 100, 100, 107
- lithotomy position 819, 819
- liver 583–4
 - dysfunction, parenteral nutrition 300–2
 - examination 31–2, 33
- liver biopsy 583–5
 - complications 585
 - equipment 584, 584
 - methods 584
- liver function tests 301, 534, 795
- Liverpool Care Pathway (LCP) 406
- Lloyd Davies position 819, 819
- local anaesthesia 371
 - abdominal paracentesis 398
 - arterial cannulation 922
 - arterial puncture 529, 531
 - chest drain insertion 459
 - CVC insertion 906
 - extravasation injury management 777
 - liver biopsy 585
 - peripheral cannulation 879–80
 - PICC insertion 895, 898, 900
 - removal of skin-tunnelled catheters 913
 - suturing 956
 - see also* topical anaesthesia
- local anaesthetic nerve blocks 388–91
- local anaesthetics 371
 - epidural/intrathecal 368, 379–80, 381
 - side-effects 384, 385–6, 386–7
 - history of introduction 814
 - hyaluronidase interaction 771
 - mechanism of action 389
 - ophthalmic use 714
 - peripheral nerve/spinal blocks 389
 - systemic toxicity 390, 391
 - topical use *see* topical anaesthesia
- local authorities 40, 404
- log rolling 236, 239
 - cervical spinal instability 237–8
 - thoracolumbar spinal instability 242–3
- London Holistic Needs Assessment tool 106
- long-chain triglycerides (LCT) 274
- long lines (midclavicular catheters) 893
- loop of Henle 641, 641
- loperamide 174, 197
- lotions 702
- lower limb
 - amputation 246, 247, 248
 - see also* amputation
 - blood pressure measurement 614
 - examination 27, 29
 - see also* foot
- lower motor neurons (LMNs) 235
- low molecular weight heparin (LMWH) 387, 902
- lozenges 698
- LSD (lysergic acid diethylamide) 692
- Luer-Lok fittings 497, 865
- Luer-Lok syringes 720, 720
 - subcutaneous infusions 734, 737
- Luer-Slip syringes 720, 720
- lumbar nerves 655
- lumbar plexus 655
- lumbar plexus block 389
- lumbar puncture 541–7
 - anatomy 542, 542
 - complications 547
 - contraindications 543
 - drug administration 543, 728
 - indications 543
- method 544
- needles 544, 721, 721
- problem solving 546
- [procedure guideline](#) 544–6, 546
- lung(s)
 - anatomy 21, 21–2
 - auscultation 26, 29
 - collapse 453, 455
 - compliance (elasticity) 447
 - expansion therapy, CPAP 447, 448
 - gaseous exchange 432–3, 433, 622
 - irritant receptors 621
 - ventilation 432, 618–19, 619
 - ventilation/perfusion matching 225
 - volumes and capacities 622, 622, 623
- lying down
 - to sitting up, [procedure guideline](#) 216–17, 217
 - see also* side-lying position; supine position
- lymph nodes
 - head and neck, examination 22, 23, 25
 - supraclavicular, inspection 32
- lymphocytes
 - in CSF 543
 - total count 268
- Macmillan Cancer Support 587
- macrogols 178
- macrophages 936–7, 937
- macula lutea 341
- macular degeneration, age-related 343
- magnesium salts, laxative 178
- magnesium sulphate 497
- magnetic resonance imaging (MRI) 586–7
- major incidents, blood transfusions 317
- malaria 320
- male patients
 - catheterized, meatal cleaning 160
 - cystoscopy 583
 - facial shaving 339
 - intermittent self-catheterization, [procedure guideline](#) 156
 - midstream specimen of urine 566–7
 - respiratory volumes and capacities 623
 - semen collection 547–50
 - urinary catheterization 150–1, 158
 - [procedure guideline](#) 151–3
 - urinary incontinence 144–6
- male urethra 582–3
- malignant disease
 - ascites 397
 - hypercalcaemia 535
 - pleural effusions 454, 454–5
- malignant hyperpyrexia 832
- malnutrition
 - assessment 267–8
 - biochemical investigations 268
 - clinical features 268
 - screening tools 268–72
- Malnutrition Universal Screening Tool (MUST) 272
- malodour *see* odour
- Management of Health and Safety at Work Regulations (MHSWR) 119
- manual handling
 - defined 208
 - devices, pressure area care 954
 - operating theatre 820
 - risk assessment 210, 210
 - sources of guidance 210–11
 - see also* moving and positioning; transfers
- manuka honey 940
- marriages, at end of life 405
- masks
 - CPAP 446, 448
 - disposable
 - infection prevention and control 60
 - [procedure guideline](#) 67, 68
- Entonox 393
- operating theatre staff 817
- oxygen *see* oxygen masks
- pocket, with oxygen port 493, 493
- ventilation, CPR 491, 491
- mass peristalsis 141
- masturbation, semen collection 548, 550
- mattresses, pressure-relieving *see* pressure-relieving devices/mattresses
- maturation phase, wound healing 937, 938
- maxillofacial injuries 392
- McGill forceps 495, 495
- McGill Pain Questionnaire (MPQ) 364
- McKinley T34 syringe pump 734
- [procedure guideline](#) 736–9
- meals 272
 - oral drug administration and 697
 - patients in isolation 80
 - see also* eating; feeding; food
- mealtimes, protected 275
- mean arterial pressure (MAP) 612
- measles 82
- meatus, urinary *see* urethral meatus
- mechanical ventilation 221, 447
- tracheostomy 467, 468
- see also* ventilated patients
- median cubital vein
 - cannulation 894, 894
 - venepuncture 514, 514
- Medical Certificate of Cause of Death (MCCD) 404, 414
- medical devices
 - deceased patients 414, 415, 417
 - defined 676
 - incorporating or for administering medicines 676
 - moving and positioning aspects 211
 - see also* implanted devices
- Medical Devices Agency (MDA) *see* Medicines and Healthcare products Regulatory Agency
- medical emergency team (MET) scoring 596
- MedicAlert Foundation 199
- medical examiners (ME) 414–15
- medical history 790
- medication 684–5
 - discharge considerations 42
 - at end of life 407
 - history, pre-operative 791
 - see also* medicines; medicines administration
- medication errors 682, 685
 - controlled drugs 694
 - dose calculations 687
 - intrathecal chemotherapy 728–9
 - intravenous drugs 749
 - key actions for preventing 687
 - reporting 687
 - types 683
- medication incidents 687
- medicinal products, defined 676
- medicine pots 699, 699
- medicines 675–781
 - adherence 687
 - adverse reactions *see* adverse drug reactions
 - affecting urinalysis results 644
 - containers 682
 - contraindications 676
 - controlled *see* controlled drugs
 - defined 676
 - dispensing 681
 - disposal of unwanted 91
 - dose calculations 685, 686
 - indications 676
 - infiltration (into tissues) 766, 767
 - legal categories 677
 - label 680, 681
 - patient's own 681

- medicines (*continued*)
 perioperative guidelines 792–3
 prescribing *see* prescribing
 reconciliation 680–1, 688
 safe and secure handling 682, **682**
 security 681
 side-effects *see* adverse drug reactions
 stability 681–2
 stock control 682
 storage 681–2
 supply 680–2
 trail, activities in **682**
 unlicensed 680, **681**
 Medicines Act 1968 677, 690
 medicines administration 682–781
 accountability for 682
 confirming allergy status 684
 controlled drugs **692**, 693, 694–5
 covert 698–9
 delegation 687
 errors *see* medication errors
 intraosseous 743–7
 intravenous *see* intravenous drug administration
 key actions to improve safety **687**
 nasal 716–17
 ophthalmic 712–16
 oral 697–702
 otic 717–19
 parenteral 697, **697**, 719
 patient identification 683–4
 pulmonary 708–12
 record of 686
 rectal 705–6
 in relation to meals 275
 'rights' 682, **683**
 routes 697, **697**
 self-administration 687–90, **688**, **689**
 single or double checking 686–7
 topical 702–4
 transdermal 704–5
 vaginal 706–8
 verbal orders 680
 via enteral feeding tubes 286, 293, 296–8
see also medication
 medicines administration record (MAR) 42
 Medicines and Healthcare products Regulatory Agency (MHRA) 677, 781
 blood glucose testing 648–9
 blood transfusion safety 310
 chest drain insertion 455, 456
 classification of infusion devices 757, **759**
 definition of medicines management 676
 heat patches or packs 373
 intrathecal chemotherapy guidance 729
 safe use of infusion devices 749, **749**
 sphygmomanometers 614–15
 thermometers 637, 638
 unlicensed and off-label medicines 680, **681**
 Yellow Card Scheme 680, 686
 medicines management 675–781
 defined 676
 legislation and regulation 676–80
 medium-chain triglycerides (MCT) 274, 280
 medulla oblongata 653, 654
 respiratory centres 620
 Meigs' syndrome **454**
 membranes, cellular
 structure 256
 transport and movement across 254, **255**
 men *see* male patients
 Menghini needle 584
 meninges, spinal 376, 377, 542
 meningitis
 complicating spinal analgesia **385**, 388
 intrathecal antibiotics 728
 source isolation 82, 85
 meningococcal disease 82
 menstruation, surgical patients 807
 mental capacity 34, 103, 104–5
 delirium 122
 dementia 123–4
 to give consent 799
 Mental Capacity Act 2005 34, 103, 104–5, 404, 799
 mercaptopurine **685**
 mercury
 sphygmomanometers 614
 thermometers 638
 metabolic disorders, cardiopulmonary arrest 488
 metabolism, assessment **12**
 metacarpal veins
 cannulation 863, 863, 876
 venepuncture 514, 515
 metered dose inhalers (MDIs) 708, 708–9
 procedure guideline 710–11
 methadone 370
 methaemoglobinaemia 626
 methicillin-resistant *Staphylococcus aureus*
see methicillin-resistant *Staphylococcus aureus*
 methylnaltrexone bromide **178**, 179
 methicillin-resistant *Staphylococcus aureus* (MRSA)
 carrier screening 557
 infection prevention and control 52, 57–8
 source isolation 82
 vancomycin therapy 540
 metoclopramide **136**
 MHRA *see* Medicines and Healthcare products Regulatory Agency
 microbiological culture 510–11
 microbiological specimen collection 513–14
 antimicrobial drug assays 540–1
 blood 535–9
 competencies 511
 CVC tips 910
 equipment 511, 512
 faeces 571–3
 pleural fluid 578–9
 respiratory secretions 573–8
 swabs 557–65
 urine 565–71
see also specimen collection
 microbiological tests 510–11, 534
 microbore infusion sets 752
 microepididymal sperm aspiration (MESA) 548
 Microlax enema **178**
 micro-organisms 52–6
 storage and transportation 514, **514**
see also bacteria; fungi; parasites; viruses
 microscopy 510, 511
 urine 643–4
 midazolam
 endoscopic investigations 580
 safety guidance 694, **694**
 midclavicular catheters 893
 middle ear 350, 350
 midline catheters **862**, 890–3
 care *in situ* 893
 choice of vein 890
 complications 893
 indications 890–1
 insertion 891–2
 problem solving **892**
 procedure guideline 891–2
 materials 891
 removal 893
 midstream specimen of urine (MSU) 566, 642
 female patients 567–8, 642
 male patients 566–7
 procedure guidelines 566–8
 mid upper arm circumference (MUAC) 269, 270, 271
 Milpar **178**
 minerals
 dietary requirements 269
 parenteral nutrition 299, **301**
 serum levels 268
 supplements 275
 mini-jets 497, 497
 minimally invasive surgery 817, 817
 Mini Mental State Examination 365
 mini-Wright peak flow meter 631
 minute volume (MV) **623**
 miotics 714, 714
 Misuse of Drugs Act 1971 690
 Misuse of Drugs and Misuse of Drugs (Safe Custody) (Amendment) Regulations 2007 690
 Misuse of Drugs (Safe Custody) Regulations 1973 690
 Misuse of Drugs Regulations 2001 690
 mitomycin C, extravasation 771, 775
 Mitrofano pouch 171, 171
 mixtures of medicines 682, 698
 mobility
 assessment **14**
 nutritional status and 268
 restricted, chest drains **465**
see also immobility; movement(s)
 mobilization
 patients on bedrest 210
 post-operative 855
 spinal cord compression/injuries 243
see also moving and positioning; transfers
 modified-release tablets 297, 698, 699
 monitored dosage systems 700, 700
 monoamine oxidase inhibitors (MAOI) 117, 117, 685–6
 monocytes, in CSF 543
 monoparesis 231
 mood
 low 116–17, **118**
 in undernutrition 268
 moral obligations, nurses 2
More Care, Less Pathway; A Review of the Liverpool Care Pathway (2013) 406
 Morgan lens 343
 Mormon Church, care after death **410**
 morphine 369–70
 conversion to fentanyl patch **370**
 routes of delivery 367, 368
 safer practice guidance 694, **694**
 side-effects 369
 supply under Patient Group Direction 693
 Morton, William 814
 mortuary
 transfer to 418–19, 420
 viewing body after removal to **420**
 motor blockade, epidural/intrathecal analgesia 386, **387**
 motor co-ordination, testing 658, 664
 motor function assessment 657
 motor inattention **235**
 motor response, Glasgow Coma Scale **661**, 662, 663
 mouth
 anatomy 352, 352–3
 assessment *see* oral assessment
 dry *see* dry mouth
 inspection 25, 29, 32, 354
 irrigation 355
 temperature measurement 637
 mouth care 352–60
 contraindicated agents 356
 CPAP patients 451, **451**
 deceased patients 418
 equipment 355, 355
 indications 353, 354–5
 pharmacological agents 356–7
 principles **353**, 353–4

National Early Warning Score (NEWS) 596, 597
 AVPU scale 662
 cardiac arrest prevention 492, 498
 CPAP therapy **450**
 oxygen therapy 437, 440
National End of Life Care Programme 402
National Framework for NHS Continuing Healthcare 40
National Institute for Health and Care Excellence (NICE)
 cervical smears 551, 552
 depression management 117, **118**
 diabetes care 652
 diabetic foot care 334–5
 end-of-life care 403
 intravenous

- needles (*continued*)
 sizes (gauges) 720, 878
 spinal 544, 721, 721
 venepuncture 516–17, **518**
- needlestick injuries *see* inoculation injuries
- needs, patient 17
- negative pressure rooms, source isolation 80
- negative pressure technique, unblocking
 occluded catheter 873, 874
- negative pressure ventilators 447
- negative pressure wound therapy (NPWT) 941, 962–5, 963
 contraindications 963
 indications 963
[procedure guideline](#) 964–5
- Negus silver tracheostomy tube 472, 472
- Nelaton catheters **147**, 147, 155–6
- neonates
 intravenous infusions 757, **759**
 oxygen toxicity 441
 platelet transfusion **305**
 thermoregulation 634
- nephrostomy tubes **166**, 166–70
 dressing and bag change 166–8
[procedure guideline](#) 167–8
 problem solving **168**
 removal 166
[procedure guideline](#) 169–70
- nerve injuries
 complicating venous access 524, 890
 continuous peripheral nerve blocks **392**
- nerve stimulators 828
- nervous system 231, 652–3
- neurokinin-1 antagonists **136**
- neurological assessment/observations **13**, 652–65
 assessment and recording tools 659–62
 charts 665
 equipment 659
 frequency 659, **659**
 functions assessed 653–8
 indications 659
 pre-operative 791
 problem solving **665**
[procedure guideline](#) 662–5
 spinal cord compression/injuries 237
 vital signs 658–9, 663
see also Glasgow Coma Scale
- neurological disorders
 clinical presentation 231
 dysphagia **278**
 moving and positioning 230–46, **232**
 abnormal tone and movement patterns 231–5, 234
 environmental aspects 233
 equipment 232–3
 joint protection 231–2
 principles 232
 problem solving **235**, **244–5**
[procedure guidelines](#) 233–4, 237–8, 240, 242–3
 rehabilitation role 233
 soft tissue changes and contractures 232
 spinal cord compression/injury 235–46
 spinal analgesia 379
- neuromuscular blockade, persistent **831**
- neuropathic pain 361
 assessment 365
 management 369, 371
- Neuro tips 659, 664
- neutropenia 86
- neutrophils *see* polymorphonuclear leucocytes
- never events, medication related 682, **683**
- NEWS *see* National Early Warning Score
- NEX measurement
 nasogastric drainage tube 137
 nasogastric feeding tube 281, 282, 282
- next of kin (NOK) 404, **419**
see also family
- NHS Cancer Screening Programme 587
- NHS Commissioning Board Special Health Authority 687
- NHS Connected programme 105
- NHS Constitution 103
- NHS Continuing Healthcare 40, 42
- NHS Information Centre 587
- NHS patient information toolkit 128
- NICE *see* National Institute for Health and Care Excellence
- Nightingale, Florence 333, 407
- nitrites, urinary 644
- nitrofurazone-impregnated urinary catheters 149
- nitrogen
 dietary requirements, calculation 269
 partial pressure 432
 sources, parenteral nutrition solutions 299
- nitrous oxide and oxygen *see* Entonox
- nociceptive pain 361
- nociceptors 361
- Nodor S drops 191, **193**
- Non-conformists, care after death **410**
- non-invasive ventilation (NIV) 446–7, 448, 449
- non-steroidal anti-inflammatory drugs (NSAIDs) **367**, 369
 COX-2-specific 369
- non-verbal communication 100–1
- noradrenaline 612
- Norgine Risk Assessment Tool (NRAT) 177
- Normacol 177
- normal saline *see* sodium chloride, 0.9% solution
- norovirus 57, 82, 173
- Norwegian scabies 55
- nose
 artificial (Swedish) 442, 442
 care 335
 drug administration 716–17
 inspection 25, 32
 MRSA screening 557
 swab sampling 559–60, 560
- nosocomial infections *see* healthcare-associated infections
- notifiable infections 415
- NPSA *see* National Patient Safety Agency
- NSAIDs *see* non-steroidal anti-inflammatory drugs
- numerical rating scales (NRS), pain
 assessment 364
- nurse endoscopists 580
- nurse–patient relationship
 effective communication 100–2
 nursing assessment 11
 pain management 372
 personal hygiene care 333
- nurse prescribing 677–80, **680**
 independent 679, 680
 supplementary 679–80
see also prescribing
- Nursing and Midwifery (NMC) Code 2
- nursing assessment *see* assessment, nursing
- nursing care *see* care
- nursing diagnosis 17, **19**
- nursing home
 assessment **41**
 discharge to 40, 404
- nursing interventions, formulation 17–18
- nursing models 10–11
- nutrients, digestion and absorption 266–7
- nutrition 254, 266–302
 anatomy and physiology 266–7
 benchmarks **273**
 Francis Report (2013) 103, 854, **855**
 post-operative 854
 provision in hospital setting 272–3, **273**, **274**
 requirements, calculation 268–9, **269**
see also diet; eating; food; malnutrition
- nutritional care, characteristics of good **274**
- nutritional deficiencies, specific 268
- nutritional status 266–72
 assessment **15**, 267–72
 biochemical investigations 268
 clinical examination 268
 equipment 269
 methods 267–8
 tools 269–72
 body composition and 267
 defined 266
- nutritional supplements, oral 273–5
 discharge from hospital on 275
 record keeping 275
- nutritional support 266, 272–302
 discharge home with 41–2
 indications 267
 oral 272–7
 post-operative 854
see also enteral tube feeding; parenteral nutrition
- obesity 268, 817–19
 surgical wound complications **852**, **853**
- observation 19
- observations 595–665
 12-lead electrocardiogram 604–10
 blood glucose 646–52
 blood pressure 610–18
 definitions 596
 equipment 597
 neurological 652–65
 peak flow 630–4
 post-anaesthetic care 828–9, **829**, 829–30
 post-operative 834, **834**
 professional issues 596–7
 pulse (heart rate) 597–604
 recording and documenting 596
 respiration and pulse oximetry 618–30
 temperature 634–40
 urinalysis 640–6
- occipital lobe 652, 654
- occupational health and safety *see* health and safety, occupational
- occupational history 791
- Octaplas **309**
- oculocephalic reflex 658
- oculomotor nerve (III) **656**
- odour
 stomas 191, 198
 urine 641, **643**
- oedema
 in fluid overload 265
 nutritional assessment 268
 patient positioning and 211
 physiological basis 254
- oesophagogastrroduodenoscopy (OGD) *see* gastroscopy
- oesophagus 579
- oestradiol, transdermal 704
- Office of the Chief Rabbi **412**
- off-label medicines 680, **681**
- ointments 702
- older adults
 communication difficulties 104
 delirium 122
 dementia 123
 discharge planning 38, 40
 eye changes 342, **342**, **343**
 falls prevention 212–13
 mouth care 355
 oral assessment 356
 pain assessment 363–4, 365
 peripheral venous cannulation 876, 878
 skin changes 333
 subcutaneous fluid administration 733

- temperature regulation 634
- transfusion thresholds 304
- venepuncture 518
- olfactory nerve (I) **656**
- oliguria, post-operative **833**, 853
- olive oil, ear wax softening 351
- omega-3 fatty acids 280
- Ommaya reservoir 728, 728
- one-handed technique, peripheral cannulation 878
- one-step technique, peripheral cannulation 878
- onychomycosis 334
- operating department practitioners (ODPs) 816, 825
 - handover in PACU, [procedure guideline](#) 827
- operating lights 823, 823
- operating room (OR) *see* operating theatre
- operating table 820, 822
 - patient positioning 817–19, 819, 820, 824, 825
 - transfers to/from 820, 821, 824
- operating theatre 816–26
 - control of infection and asepsis 816–17, 819–20
 - equipment 822–4
 - pre-operative checklist 808, 809–10
 - pre-surgery (skin incision) actions 816
 - [procedure guideline](#) 824–6, 825–6
 - team 816, 816, 817
 - transfer to PACU from 827
 - WHO Surgical Safety Checklist 814, **815**, 816
 - see also* intraoperative care; post-anaesthesia care unit
- ophthalmic drug administration 712–16
- opioid analgesics 367, 369–72
 - acute pain in patients dependent on 363, **363**
 - buccal or sublingual 368, 370
 - chronic non-cancer pain 369
 - driving and 371
 - drug interactions **686**
 - at end of life 407
 - epidural/intrathecal 368, 379, 381
 - side-effects **384**, 385, **386–7**
 - intramuscular injections 368
 - intravenous 368
 - legal aspects **691**, **692**
 - mild to moderate pain 367, 369
 - moderate to severe pain 367, 369–71
 - oral 367–8
 - oral transmucosal 368, 370–1
 - in renal failure 370, 371–2
 - safer practice guidance 694, **694**
 - side-effects 369, 696–7
 - subcutaneous 368
 - transdermal patches 368, 370
- opioid receptor antagonists, peripheral **178**, 179
- opportunistic infections 52, 54
- optic nerve (II) 341–2, 342, **656**
- Opti-ow circuit, high-flow 444
- OR *see* operating theatre
- Orabase paste **193**
- oral assessment 353–4, **354**, 356
 - nursing assessment **14**
 - [procedure guidelines](#) 357, 358, 359
- Oral Assessment Guide (OAG) 356
- oral cavity *see* mouth
- oral drug administration **697**, 697–702
 - covert 698–9
 - defined 697–8
 - drug formulations 698
 - equipment 699–700
 - pre-operative **805**
 - problem solving **702**
 - [procedure guideline](#) 701–2
 - swallowing difficulties 698, **702**
- oral health
 - defined 353
 - factors maintaining **353**
- Oral Health Assessment Tool (OHAT) 356
- oral hygiene *see* mouth care
- oral infections 357
- oral irrigation 355
- oral mucosa coating agents 356–7
- oral mucositis
 - assessment 356
 - management 357, **360**
- oral syringes 700, 700
- oral temperature 637
- orbit (eye socket) 340–1
- Orem's model of nursing 10
- organ donation 415, **420**
 - cultural and religious beliefs **410–12**
 - discussion with patient 405
- organ of Corti 99, 350
- orientation, evaluation of 661, 663
- oropharyngeal airway 494, 494–5
- orthopnea 626
- orthoses 232–3
- orthostatic blood pressure, measurement 614
- orthostatic hypotension 611, 614
 - management 618
 - spinal cord lesions **244**, 245
- oscillometric sphygmomanometers, automated 613, 614–15
- osmolality 254–6, **257**
 - enteral feeds 280
- osmosis 254, **255**
- osmotic pressure 254
- ossicles, auditory 99, 350
- osteoporosis 211
- Ostobon deodorant powder 191
- Ostoseal protective powder **193**
- Ostosorb gel **193**
- otic drug administration 717–19
- Our Health, Our Care, Our Say* (2006) 110
- outcomes, patient 17, 17, 17–18
- overinfusion 749–50, 779–80
 - complications **750**
 - monitoring **780**
 - prevention 780
 - see also* fluid overload
- oxycodone 370
 - naloxone combination 370
 - routes of delivery 367–8
- oxygen
 - consumption 434
 - control of respiration 621
 - exchange 432–3, 433, 622
 - toxicity 441
 - transport 432, 433, 618, 622, 625
 - uptake 432–3, 622
 - utilization 433–4
 - wound healing and 937
 - see also* hypoxia
- oxygen analyser 438
- oxygenation
 - cellular 432
 - inadequate, oxygen therapy **439**
 - tissue 432–4
- oxygen condensers (concentrators) 438
- oxygen cylinders 436, 437, 438, **452**
- oxygen masks 436–7
 - application 439
 - defined performance/high-flow (Venturi-type) **436**, 437, 437
 - non-rebreathing 437, 437
 - problem solving **440**
 - simple semi-rigid plastic 436, 436–7, **437**
 - tracheostomy 437, 474, 474
- oxygen partial pressure (PO₂) 432–3
 - in blood (PaO₂) 433, 433–4
 - changes during respiration 624
 - control of respiration 621
- oxygen saturation and 433–4
- oxygen saturation (SaO₂) 433, 626
 - documentation 629
 - oxygen therapy and **452**
 - PaO₂ and 433–4
 - pulse oximetry (SpO₂) 449, 626, 627
 - reduced, after moving patients **224**, **227**, **230**
- oxygen therapy 434–41, 629
 - competencies 435
 - complications 441
 - CPR 493–4
 - delivery systems 436–7
 - discharge planning **35**, 41
 - documentation 440, 629
 - domiciliary 437–8, 440
 - endoscopic procedures 580, 581–2
 - equipment 436, 436–7, 437
 - governance 435
 - high-flow (HFOT) 444, 444–6
 - hyperbaric 447
 - indications 434–5
 - monitoring 437, **438**, 440
 - moving and positioning 226, 228
 - nasal care 335
 - nebulizer therapy with 712
 - patient education 438, 440
 - peak flow measurements and 633
 - post-anaesthetic recovery 827, 830
 - post-operative 835
 - precautions 435
 - prescription **435**, 435–6
 - problem solving **439–40**, **446**
 - [procedure guidelines](#) 438–9, 444–5
 - risk management 435
 - safe use **452**
 - T-piece circuit 437, 438
 - tracheostomy patients 474
 - weaning from 440
- oxygen uptake, maximum (VO_{2max}) 795
- oxyhaemoglobin dissociation curve 433, 433
- pacing, in respiratory compromise 228
- paclitaxel, extravasation 767
- PACU *see* post-anaesthesia care unit
- paediatric patients
 - blood glucose ranges **646**
 - blood pressure measurement 613
 - enteral feeds 280
 - infusion devices 757
 - intrathecal chemotherapy **729**
 - nutritional assessment 268
 - nutritional requirements 269
 - oral drug administration **697**
 - platelet transfusion **305**
 - semen collection 549
 - tracheal suctioning **574**
 - urinary catheters 148
 - venepuncture 518
 - see also* children; neonates
- pain 360–96
 - acupuncture-associated 376
 - acute *see* acute pain
 - anatomy and physiology 360–1, **361**
 - cancer *see* cancer pain
 - categories 361–2
 - chest drains 457, **465**
 - chronic *see* chronic pain
 - defined 360
 - at end of life **409**
 - extravasation **770**
 - factors affecting sensitivity to **363**
 - gastrostomy/jejunostomy tube-related 293
 - injection-related, reducing 722, **722**
 - intensity, assessment 363
 - liver biopsy 585
 - location 363
 - lumbar puncture **546**
 - modulation 361

- pain (*continued*)
 moving/positioning patients in 211, **220**
 neuropathic 361, 365, 369
 nociceptive 361
 perception 361
 peripheral cannulation 889
 phantom limb 247, 249
 post-operative *see* post-operative pain
 sensation, testing 664
 spinal cord compression/injuries 237, **244**
 stump **248**
 transduction 361
 transmission 361
 venepuncture **522**
- pain assessment **13**, 363–6
 acute pain 363
 chronic/cancer pain 363
 cultural factors 364
 dementia 124
 epidural analgesia 387
 pre-existing pain 363
[procedure guideline](#) 365–6, 366
 tools **364**, 364–5
 vulnerable and older adults 363–4, 365
- painful stimuli
 application of 657, 663
 response to, Glasgow Coma Scale **661**, 662
- pain management 366–96
 acute pain 367, 368
 anaesthetic interventions 371
 chest drainage 457, 458
 chronic and cancer pain 366–7
 drug delivery methods 367–8
 methods 367–8
 need for effective 362–3
 non-pharmacological methods 372–6
 opioid-dependent patients 363, **363**
 pharmacological methods 368–72
 post-anaesthesia care unit 829, **832**
 post-operative 368, 854
 spinal cord compression/injury 237
see also analgesia; analgesics
- palate 352, 353
- palliative care
 de ned 402
 discharge home 42–5, 43–4, 404
 electronic co-ordination systems 404
 evidence-based approaches 402–3
 subcutaneous infusions 733
see also dying patients; end-of-life care
- palpation 20
 abdomen 31–2, 33
 cardiovascular system 27, 29
 chest 22–4, 23, 25–6, 27, 29
 head and neck lymph nodes 22, 23, 25
 veins 515, **521**
- panic attacks 115
 principles of support **116**
 rebreathing technique 115, **116**, 116
- paper towels 59, 62, 70
 dispensers 59
 disposal of used 59, 62, 70
- pap smear *see* cervical uterine smear
- paracentesis, abdominal *see* abdominal paracentesis
- paracetamol 368–9
- paraphimosis, catheterized patients **158**
- paraphrasing 101
- parasites 55, 320
- parasympathetic nervous system 599
- paravertebral block **389**
- parenteral drug administration 697, **697**, 719
- parenteral infusions 722
- parenteral nutrition (PN) 299–302
 administration of medicines 300
 administration sets 750
 blood glucose monitoring 648
 changing administration sets 300, 748
 choice of regimen 300
 complications 300–2, 647
 contraindications 299
 de ned 299
 home 300
 indications 267, 299
 infusion devices **759**
 methods of administration 300
 monitoring 300, **301**
 post-operative 854
 termination 300
- parenteral transmission 57
- parietal lobe 652, 654
- partially sighted patients, communication with 127
- partial withdrawal occlusion (PWO) **527**, 866–7, 867
- Passy Muir speaking valve 472, 473
- pastes 702
- pastilles 698
- patella hammer 659
- paternalistic model 111
- pathogen **50**
- pathogenicity 52, 56
- patient(s)
 comfort 331–421
 identification *see* identification, patient
 information giving *see* information, giving
 involvement in discharge planning 38
 own medications 681
 problems/needs 17
 relationships, assessment **16**
 relationship with *see* nurse–patient relationship
 self-administration of medicines 687–90, **688**, **689**
 self-assessment 13
 as source of evidence (P) 3
 tampering with infusion devices 752–3
- patient-at-risk team (PART) score 596
- patient-controlled analgesia (PCA) 368
 patients not suitable for **368**
 pumps 755, 755
- patient-controlled epidural analgesia (PCEA) 379
- patient education
 abdominal paracentesis 398
 assisted feeding 277
 cardiac arrest prevention 502
 chest drainage 467
 continuous peripheral nerve blocks 390, **391**
 CPAP 449, 451
 diabetes mellitus 652
 enteral tube feeding 293, 298
 extravasation injuries 779
 fluid balance monitoring **265**
 immunocompromised patients 86
 infection prevention and control 60–1
 inhalational drug administration 709–10
 methods **798**
 moving and positioning 212
 nasogastric tube feeding 287
 opioids and driving 371
 oxygen therapy 438, 440
 pain management 372
 peak flow measurement 631, 634
 pressure ulcers 954
 protective isolation 87
 semen collection 549
 source isolation 84
 stomas 194–5
 subcutaneous injections 733
 surgical patients 797–8, **798**, 855
 tracheostomy care 474–5
 VADs 869–70, 875, 875
see also information, giving
- Patient Group Directions (PGDs) 677–80, **678**
 controlled drugs 690, 693
 owchart 678–9
- patient hygiene *see* personal hygiene
- patient safety incidents
 controlled drugs 694
 reporting 687
see also risk management
- Patients on Intravenous and Nasogastric Nutrition Therapy (PINNT) 323
- peak flow (peak expiratory flow, PEF) 630–4
 cautions 631
 factors affecting 630
 indications 630–1
 normal values 630
 problem solving **633**
[procedure guideline](#) 632–3, 633
 timing of readings 631
- peak flow meters 631
- PEEP *see* positive end expiratory pressure
- peer support groups 112
- PEG tubes *see* percutaneous endoscopically placed gastrostomy (PEG) tubes
- pelvic twist
 cervical spinal instability 240, 241
 contraindications 236
- penicillin **685**
- penile sheaths 144–6, 145
 problem solving **146**
[procedure guideline](#) 145–6
 sizing and fitting 145
- penis
 pain on erection, catheterized patients **161**
 swab sampling 560–1
- Penrose drains **836**, 837
- pen torch 659
- peptide feeds 280
- perception, assessing patient's self **16**
- perceptual ability, assessment **13**
- percussion 20, **21**
 abdomen 31, 33
 chest 24, 26
- percutaneous dilational tracheostomy (PDT) 468
- percutaneous endoscopically placed gastrostomy (PEG) tubes 279
 blockage **289**
 care 288
 problem solving **289**
[procedure guideline](#) 288–9
 failure **289**
- percutaneous epididymal sperm aspiration (PESA) 548
- perianal care/hygiene 334
- pericardial friction rub 29
- perineal care/hygiene 334
- perioperative care 789–855
see also intraoperative care; post-operative care; pre-operative care
- peripheral cannulas **862**, 875–90
 assessment tools 879
 choice of vein 863, 863, 875–6
 complications 889–90
 decision-making tool 772–3
 discharge home with *in situ* 874–5
 displaced, intravenous infusions **766**
 documentation 887–9, 889
 dressings 869, 886
 extravasation of vesicants 768, **769**
 management 771, 771–4
 prevention 769
[procedure guidelines](#) 774–8
 flow rates 878, **878**
 flushing 882, 884, 886
 di culties **886**
 improving venous access 876–7
 indications 876
 insertion (cannulation) 877–8
 competencies 878

- complications 889–90
- infection prevention and control **78**
- local anaesthesia 879–80
- methods 877–8
- problem solving **885–6**
- [procedure guideline](#) 881–4, **883–4**
- psychological preparation 881
- materials 878–9
- occlusion **766**
- over the needle 879
- parenteral nutrition 300
- ported 879, **879**
- removal and dwell times 886–9
- safety non-ported 879, **879**
- siting 769, **876**
- sizing 878, **878**
- subcutaneous infusions 734
- taping/securing 882, **884**, **886**, **886**
- types 879
- winged *see* winged infusion devices
- peripherally inserted central catheters (PICCs) **862**, **893–904**
- care *in situ* 901
- choice of vein 893–4, **894**
- complications 902
- consent 895, **896**
- contraindications 895
- discharge home with *in situ* 874–5, **875**
- documentation 901–2, **904**
- dressings 901
- indications 895
- insertion 895
 - complications 902
 - local anaesthesia 895
 - problem solving **901**
 - [procedure guideline](#) 897–900, **900**
- insertion site care 901
- length measurement 895, **895**, **898**
- parenteral nutrition 300
- pros and cons 895
- removal 902–4
 - [procedure guideline](#) 902–3, **903**
- securing 899, **900**, **901**, **901**
- tip positioning 867, **899**, **901**
- types 895, **897**
- urokinase instillation **874**
- peripheral motor/sensory neuropathies 231
- peripheral nerve blocks 388–91
 - continuous *see* continuous peripheral nerve blocks
 - single shot 389
- peripheral nerves 653
 - injuries *see* nerve injuries
- peripheral nervous system (PNS) 231, **653**
- peripheral perfusion, pulse oximetry and **626**
- peripheral resistance 612
- peripheral vascular access devices **862**, **875–93**
 - see also* midline catheters; peripheral cannulas
- peristalsis 140–1
- peritoneal cavity 396
- peritoneal port-catheter 398
- peritoneovenous shunts 398
- peritoneum 396, **396**, **397**
- peritonitis 293, **401**
 - liver biopsy 585
- personal care 333
 - after death *see* death, care after
 - provision after discharge 40
 - see also* personal hygiene
- personal evidence 2
- personal hygiene 332–40
 - assessment **14**
 - bedbathing *see* bedbathing
 - cultural and religious factors 336, **336**
 - de ned 332
 - ear care 335, **350–2**
 - equipment 335–6
 - eye care 340–9
 - hair care 334
 - mouth care 352–60
 - nails and feet 334–5
 - nose care 335
 - nurse's role 333
 - oxygen therapy and **440**
 - perineal/perianal care 334
 - privacy 333
- personal protective equipment (PPE)
 - care after death 416
 - cleaning isolation rooms 83
 - infection prevention and control 59–60
 - intravenous drug administration 749
 - [procedure guidelines](#) 64–77
 - protective isolation 87
 - source isolation 80, **84**, **85**
 - specimen collection/handling 513
 - see also* aprons, disposable; eye protection; gloves
- pessaries, [procedure guideline](#) 706–7
- pets, neutropenic patients 87
- PGD *see* Patient Group Directions
- pH
 - blood, control of respiration 620–1, **621**
 - nasogastric drainage tube position 138
 - nasogastric feeding tube position 283, **284**, **284**, **285**, **287**, **287**
 - scale **286**
- phantom limb pain 247, **249**
- pharmacists
 - covert drug administration and 699
 - responsibilities for controlled drugs 691, **691**
 - responsibility for dispensing 681
- pharmacodynamics 676
- pharmacokinetics 676
- pharmacology 676
- pharmacovigilance 686
- pharmacy-only medicines (P) 677
- phenazopyridine (pyridium) **644**
- phlebitis 890
 - infusion flow rate and 752
 - VIP scale 879, **880**
- phosphate enemas **178**, **181**
- physical abilities, assessment **14**
- physical activity *see* exercise
- physical assessment/examination 19–34
 - abdominal 29–33
 - cardiovascular system 26–30
 - de nition 19–20
 - documentation 34
 - equipment 21
 - methods 20
 - patient consent 21
 - patient preparation 21
 - pre-operative 794
 - [procedure guidelines](#) 25–6, **28–9**, **32–3**
 - respiratory system 21–6
- physiotherapy
 - immobile patients 210, **855**
 - soft tissue and joint restrictions 211
 - sputum collection 574
 - unconscious patients 221
- pia mater 376, **377**, **542**
- PICC *see* peripherally inserted central catheters
- Picker Report (2008) 38
- pigeon chest 23
- pili 52, **54**
- pinch-o syndrome **527**, **865**
- pinna 350
- Plain English Campaign 112, **128**
- planning
 - care 17–18, **18**, **19**
 - discharge *see* discharge planning
- plantar reflexes 658
- plaque, dental 353
- plasma (and serum) 254
- collection tubes **517**
- fresh frozen (FFP) *see* fresh frozen plasma
- osmolality 254, **257**
- oxygen transport 433
- plasma proteins 268
- Plasmodium falciparum* 320
- plastic surgery 961–2, **962**
 - extravasation injuries 774
- platelet count 304, **534**, **794**, **810**
- platelets
 - for transfusion **308**
 - wound healing 936, **937**
- platelet transfusions
 - administration sets 311, **750–1**
 - indications 304, **305**
 - [procedure guideline](#) 317
- pleura 22, **452–3**, **453**
- pleural effusions 454
 - chest drains 453, **465–6**, **467**
 - exudative 454, **454**
 - malignant **454**, **454–5**
 - signs and symptoms **453**
 - specimen collection 578
 - transudative 454, **454**
- pleural fluid sampling 578–9
- pleural space (cavity) 453, **453**
- PleurX drain 398
- plugholes, hand basin 59, **61**, **70**
- pneumatic compression devices, intermittent
 - see* intermittent pneumatic compression devices
- Pneumocystis jirovecii* 55
- pneumonia
 - pleural effusion associated with **453**
 - pleural fluid sampling 578
 - ventilator-associated (VAP) 355
 - see also* respiratory tract infections
- pneumoperitoneum 293–4
 - laparoscopic surgery 817, **817**
- pneumothorax 454
 - chest drains 453, **455**, **465–6**, **466–7**
 - complicating acupuncture 376
 - complicating CVC insertion **908**, **909**
 - complicating liver biopsy 585
 - signs and symptoms **453**
 - spontaneous 454
 - tension **453**, **454**, **488**
- poikilothermia 245
- poisoning, cardiopulmonary arrest 488
- polydipsia 646
- polyethylene glycol 178
- polymorphonuclear leucocytes (neutrophils)
 - CSF 543
 - wound healing 936–7, **937**
- polypectomy syndrome 582
- polytetrafluoroethylene (PTFE)-coated catheters 148
- polyurethane enteral feeding tubes 279
- polyuria 646
- polyvinyl chloride (PVC)
 - enteral feeding tubes 279
 - urinary catheters 148
- pons 620, **653**
- popliteal artery, pulse point 599
- popliteal nerve block **389**
- portal of entry **56**
- portal of exit **56**
- ported cannulas 879, **879**
- Portex tracheostomy tubes
 - Blue-Line Suctionaid 471, **472**
 - cu ed 470, **470**
 - Tracheotwist 306: **471**
- ports *see* implanted ports
- positioning *see* moving and positioning
- positive end expiratory pressure (PEEP) 448, **452**
- positive pressure ventilation, protective
 - isolation rooms 86

- positive pressure ventilators 447
- post-anaesthesia care unit (PACU) 826–33
 - complications 829
 - discharge from 833, **833**
 - equipment 827–8
 - handover, [procedure guideline](#) 827
 - problem solving **830–3**
 - [procedure guideline](#) 829–30
 - sta 828–9
 - transfer to 827
- post-anaesthetic care 827
- post-anaesthetic recovery room 826, 828
- post-dural puncture headache (PDPH) **383**, 388, 547
- post-mortem examination 414, 415, **419**
 - cultural and religious issues **410–12**
- post-operative care 833–55
 - bowel function 853–4
 - discharge planning 855
 - uid balance 835–6
 - haemodynamic instability 834–5
 - immobility 854–5
 - ineffective breathing pattern 835
 - nutrition 854
 - observations 602, 834, **834**
 - pain management 854
 - prevention of complications 833–4
 - stoma patients 197–8
 - surgical drains 836–50
 - surgical wounds 851–3
 - temperature monitoring 636
 - urinary output and catheters 853
 - see also* post-anaesthesia care unit; wound management
- post-operative cell salvage 306
- post-operative complications 833
- post-operative nausea and vomiting (PONV) 134, 829, **832**
- post-operative pain
 - epidural analgesia 379, 387
 - management 368, 854
 - post-anaesthesia care unit 829, **831**, **832**
 - see also* acute pain
- postural hypotension *see* orthostatic hypotension
- posture 208
 - defaecation 179, 180
 - in neurological impairment 232
- pulse rate and 599
- potassium
 - in bodily fluids 254
 - membrane transport 254
 - serum **257**, **535**, **811**
- povidone-iodine, hand hygiene 59
- powders, reconstitution for injection 721–2
 - [procedure guidelines](#) 723–6
- Power of Attorney, Lasting 122
- PPE *see* personal protective equipment
- prealbumin 268
- precordial thump 490, 498
- precordium, inspection 27, 29
- prednisolone enema 181
- Preferred Priorities for Care* (PPC) 403
- pregnancy
 - computed tomography 587
 - Entonox use 392
 - testing, pre-operative **795**, 806–7
 - X-ray precautions 585
- premature babies, oxygen toxicity 441
- pre-medication 813
- pre-operative assessment (POA) 790–7
 - ASA physical status classification 791, **791**
 - clinics 796
 - further referrals 796
 - history taking 790–1
 - investigations **794–5**, 794–6
 - personnel undertaking 796–7, **797**
 - physical examination 794
- pre-operative autologous (blood) donation (PAD) 306
- pre-operative care 790–813
 - consent to surgery 798–9, 808
 - fasting 804–5, **805**
 - latex sensitivity and allergy 807–8, **808**
 - marking skin 806
 - namebands 799, **800**
 - patient information and education 797–8, **798**
 - patient safety measures **799**
 - physical preparation 799–808
 - pregnancy testing 806–7
 - [procedure guideline](#) 811–13
 - skin preparation 805–6
 - stoma surgery 192–5
 - tampon users 807
 - test results 808, **810–11**
 - theatre checklist 808, **809–10**
 - thromboembolism prophylaxis 800–4
 - see also* pre-operative assessment
- presbyopia **342**
- prescribing 677–80
 - electronic (e-prescribing) systems 677, **677**
 - independent 679, 680
 - nurse *see* nurse prescribing
 - supplementary 679–80
 - unlicensed and off-label medicines 680, **681**
 - verbal orders 680
- prescription-only medicines (POM) 677
- prescriptions 677
 - controlled drugs **691**, **692**, 693
 - dispensing 681
 - oxygen therapy **435**, 435–6
 - verbal orders without 680
- pressure area care 952–4
 - moving and positioning 211, 952–4
 - spinal cord lesions 245
 - unconscious patients **225**
 - see also* skin care
- pressure cushions 217
- pressure necrosis, gastrostomy/jejunostomy
 - stoma site 293
- pressure-relieving devices/mattresses 952
 - care after death 416
 - end-of-life care 408, **409**
- pressure ulcers 946–54
 - antibiotic stockings and **801**
 - classification 946, 947–8
 - definition 946
 - management 952, 954
 - patient/carer education 954
 - prevention 951, 952–4
 - risk assessment 211, 946–52, 949–50
 - undernourished patients 268
- primary health care team (PHCT), discharge
 - planning 38, 42
- prion diseases 55–6, **320**, 320–1
- prions 55–6
- privacy 212, 333
- probenecid **685**
- probiotics 174
- problems
 - patient 17
- prognosis, at end of life 406
- prokaryotes 52
- prokinetic agents **178**, 179
- proliferative phase, wound healing 937, 937
- prone position
 - amputees 249, 249
 - surgery 825
- proprioception, testing 664
- prostatic surgery, bladder irrigation after 160
- prostheses
 - eye *see* eye(s), artificial
 - surgical patients 813
- protected mealtimes 275
- protective isolation 86–8
 - definition 51
- entering room, [procedure guideline](#) 88
- preparing room, [procedure guideline](#) 87
- room requirements 86
- protein
 - CSF 543
 - dietary
 - in enteral feeds 280
 - requirements, calculation 269, **269**
 - supplements 274–5
 - plasma 268
- protozoa 55
- prucalopride **178**, 179
- pruritus, opioid-induced 385, **387**
- pseudomembranous colitis 174
- psychological interventions, pain management 372
- psychological support 97–128
 - anxiety 114–15
 - assessment of needs 106, **106**
 - communication issues 100–2
 - depression 116–18
 - environmental aspects **105**, 105–6
 - legal and professional issues 102–5
 - panic attacks 115, **116**
 - patients in denial 113–14, **114**
 - peripheral cannulation 881
 - principles 106, **107–8**
 - stoma providing end-of-life care 421
 - stoma patients 194
 - time available 105
 - worried/distressed patients 108–9, **109–10**
- psychological well-being, assessment 106, **106**
- psychosocial aspects
 - end-of-life care 408
 - nasogastric feeding tubes 281
 - pain assessment 365
- pulmonary drug administration 708–12
- pulmonary embolism (PE) 800, **800**
 - cardiopulmonary arrest 488
 - prophylaxis *see* thromboprophylaxis
 - signs **801**
- pulmonary oedema 265, 467
- pulse(s) 597–604
 - amplitude 601
 - bounding 27
 - definition 597–8
 - documentation 604
 - fluid imbalances **257**
 - gross irregularity 601–2
 - indications for monitoring 602
 - methods of measuring 602
 - neurological patients 659, 663
 - palpation 27, 29
 - paradoxical 601–2
 - points 597–8, 599
 - post-operative patients 834
 - problem solving **603–4**
 - [procedure guideline](#) 602–3, **603**
 - rate 598–600, **599**
 - rhythm 600–1
 - see also* heart rate
- pulseless electrical activity (PEA) 487–8, 490
 - drug therapy 497
 - pulse assessment 602
- pulse oximeter 627
- pulse oximetry 626–30
 - cautions 626
 - complications 630
 - during CPAP 449
 - indications 623
 - post-operative 834, 835
 - post-procedure actions 629
 - problem solving **629**
 - [procedure guideline](#) 627–8, **628**
 - pulse rate measurement 602

- pulse pressure 612
 - pupils, examination 657, **657**, 663
 - pure tone audiometry (PTA) **351**
 - purgatives 177
 - Purkinje fibres 601, 604
 - purulent discharge, surgical drain exit site **849**
 - pus, specimen collection 557, 565
 - P wave 604, 604–5
 - pyelonephritis 167
 - pyrexia 636
 - blood cultures 536
 - grades **636**
 - management 640
 - transfusion reactions **318**, **319**, 321–2, 637
 - QRS complex 604, 605
 - questioning 101
 - questions
 - closed 101, **101**, **107**
 - nursing assessment 11, **13–16**
 - open 11, **101**, **107**
 - Quincke lumbar puncture needles 544, 721
 - radial artery
 - Allen test *see* Allen test
 - blood pressure monitoring 613
 - cannulation 528, 920
 - complications 925
 - pulse 597–8, 599
 - pulse assessment 603, 603
 - puncture for blood sampling 527, 528–31
 - [procedure guideline](#) 530–1
 - radiation protection 586
 - radicular pain, spinal cord compression 236, 237
 - radioactive contamination
 - deceased patients 415, **419–20**
 - waste disposal **90**
 - radiofrequency identification tags (RFIDs) 312
 - radiological investigations 585–7
 - pre-operative 795
 - see also* chest X-rays; ultrasound
 - radiologically inserted gastrostomy (RIG) tubes
 - 279
 - care 288–93
 - [procedure guideline](#) 290
 - T-fastener removal, [procedure guideline](#) 290–1, 291
 - radiotherapy, tracheostomy patients 471
 - randomized controlled trials (RCTs) 3
 - rapport, establishing **107**
 - Rastafarianism 421
 - reablement packages, supported discharges 40
 - reagent sticks, urine *see* urine dipstick (reagent) tests
 - rebreathing technique, panic attacks 115, 116
 - reconstructive surgery 961–2
 - records *see* documentation
 - recovery position 491, 491
 - rectal bleeding, after colonoscopy 582
 - rectal drug administration 705–6
 - see also* enemas; suppositories
 - rectal examination *see* digital rectal examination
 - rectal irrigation 179
 - rectal swabs, [procedure guideline](#) 561–2
 - rectal temperature 637
 - rectal tube, measuring fluid output 264
 - rectum 581
 - rectus femoris injections 740, 740–1
 - red blood cells
 - count (RBC) **534**, **810**
 - in CSF 543
 - frozen **307**
 - in optimal additive solutions (SAGM) **307**
 - oxygen transport 433
 - salvage 306
 - washed **307**
 - red blood cell transfusion
 - administration rate 316
 - indications 304
 - Redivac drainage system **836**, 837
 - reflecting back 101
 - reflexes 658
 - testing 664
 - refrigerators, storage of medicines 681
 - refusal of treatment/care 104
 - advance decisions 404
 - blood transfusion 310–11
 - by person lacking capacity 105, 123
 - respect for 110–11
 - regional analgesia nerve blocks 388–91
 - complications 390
 - drugs used 389
 - equipment 390
 - examples **389**
 - methods of administration 389
 - monitoring 390
 - patient education 390
 - rationale 389
 - training/competencies 390
 - Regulan 177
 - relatives *see* family
 - relaxation techniques, pain management 372, 372
 - religious beliefs/practices
 - assessment **16**
 - blood transfusion and 310–11
 - care after death **410–12**, 413–14, 415–16
 - end-of-life care and 408
 - marriages at end of life 405
 - personal hygiene 336, **336**
 - renal clearance 644
 - renal failure
 - biochemical tests **535**, **811**
 - opioid analgesia 370, 371–2
 - renin-angiotensin system 613
 - repatriation, deceased patients 414
 - reproductive health, assessment **16**
 - request forms, diagnostic test 513
 - research evidence (R) **2**, **3**
 - reservoir of infection **56**
 - residential care home, discharge to 40
 - residual volume (RV) 622, **623**
 - respiration 618–30
 - control 620–1, 621
 - defined 618
 - depth 625–6
 - external 432, 618, 622, 624
 - internal (cellular) 432, 618, 622, 624
 - rhythm 625–6
 - see also* breathing
 - respirators 60
 - testing 60
 - [procedure guideline](#) 67, 68
 - respiratory assessment 434, 618–30
 - equipment 627
 - indications 623
 - methods 624–6
 - neurological patients **658**, 658–9, 663
 - nursing assessment **13–14**
 - physical *see* respiratory examination
 - post-operative 835
 - post-procedure actions 629
 - pre-operative 790
 - prior to moving unconscious patients 221
 - problem solving **629**
 - [procedure guideline](#) 627–8
 - respiratory care 431–502
 - respiratory centres 620
 - respiratory compromise 225–30
 - management 629
 - positioning 225–30, 627
 - maximizing drainage of secretions 228–30, **230**
 - maximizing ventilation/perfusion
 - matching 225–7
 - minimizing work of breathing 227–8, **228**, 229
 - problem solving **227**, **230**
 - [procedure guidelines](#) 226–7, 230
 - signs 624–6
- respiratory depression
 - after gastroscopy 581
 - epidural/intrathecal analgesia **384**, 385, **386**
 - post-operative **831**, 835
- respiratory disease, chronic
 - domiciliary oxygen therapy 437–8
 - dysphagia **278**
 - inhalational drug administration 709
 - non-invasive ventilation 446–7
- respiratory distress
 - signs of 625, 626
 - see also* respiratory compromise
- respiratory examination 21–6
 - [procedure guideline](#) 25–6
 - rationale 24
 - techniques 22–4
- respiratory failure 434
 - causes **435**
 - type 1 (hypoxaemic) 434, 444
 - type 2 (hypercapnic) 434
- respiratory function
 - post-operative 835
 - spinal cord compression **245**
 - unconscious patients 221, **224**
- respiratory muscles 227, 618, 619–20, 620
 - accessory *see* accessory muscles of respiration
- respiratory observations *see* respiratory assessment
- respiratory rate 625–6
 - assessment 628
 - fluid imbalance **257**
 - transfusion reactions **319**
- respiratory secretions
 - effects of low humidity 441
 - at end of life 407, **409**
 - infection control precautions **51**
 - positioning to maximize drainage 228–30, **230**
 - sampling 573–8
 - equipment 574, **574**, 574
 - indications 573
 - invasive techniques 573–4
 - methods 573–4
 - [procedure guidelines](#) 574–8
- tracheostomy patients
 - excessive **483**
 - suctioning 476–99
 - transmission of infection 57
 - see also* sputum
- respiratory syncytial virus (RSV) 82
- respiratory system
 - anatomy 21, 21–2, 22, 432
 - conducting zone 618
 - humidification function 441
 - physiology 432–4, 618–20
 - pre-operative review 790
 - respiratory zone 618
- respiratory therapy 432–84
 - chest drains 452–67
 - CPAP 446–52
 - humidification 441–4
 - hyperbaric 447
 - oxygen therapy *see* oxygen therapy
 - tracheostomy *see* tracheostomy
- respiratory tract infections
 - infection prevention and control **51**
 - sputum/secretion sampling 573–8
 - tracheostomy patients **484**
- respiratory volumes and capacities 622, 622, **623**

- rest
 - assessment 15
 - pain management 373
 - see also* bedrest
- restlessness, terminal 122, **409**
- restraint, physical **121**, 122
- resuscitation committee 492
- Resuscitation Council UK (RCUK) 488, 489, 492
- resuscitation training officer (RTO) 492
- reticular activating system (RAS) 653–5, 657
- retina 341
- retinol binding protein 268
- retrolental fibroplasia 441
- reverse barrier nursing **51**
- rewarming methods, hypothermia 640
- rhesus (Rh) blood group system 302
- rhesus (Rh) incompatibility 302
- rhonchi 24
- ribcage 22
- rifampicin **644**
- right atrium (RA), CVAD tip position 867–8
- rigor mortis 416
- rigors **319**, 636
- RIG tubes *see* radiologically inserted gastrostomy tubes
- risk assessment
 - falls prevention 212–13
 - infection prevention and control 58
 - manual handling 210, **210**
 - post-operative nausea and vomiting 134
 - pressure ulcers 211, 946–52, *949–50*
- risk management 2
 - arterial blood sampling 529
 - blood cultures 536
 - colonoscopy 581
 - endoscopy 580
 - lumbar puncture 544
 - medicines administration 687
 - oxygen therapy 435
 - specimen collection 511
 - tracheostomy care 468
 - venepuncture 516
 - X-rays 586
- RNIB See It Right 128
- Roberts catheters 148, *148*
- Robinson's drain **836**, *837*
- robotic surgery 817, *818*
- rofecoxib 369
- role, patient's, assessment **16**
- roller clamps 750, *751*, *752*
- Roman Catholics, care after death **410**
- Rome Criteria, constipation 177
- Roper's Activities of Daily Living 10
- rotavirus *82*
- routes of drug administration 697, **697**
- Royal College of Psychiatrists 128
- Royal College of Speech and Language Therapists 128
- rubella *82*
- Rusch speaking valve 472, *473*
- Ryle's tube **836**
- SABRE reporting system 310, 321
- sacral nerves *655*
- sacral plexus *655*
- The Safe and Secure Handling of Medicines: A Team Approach* (Duthie Report, 2005) 682, 687–8
- SAGE and THYME model 109, **109–10**
- St John's wort, drug interactions 685
- salicylates **644**
- saline, normal *see* sodium chloride, 0.9% solution
- saliva 353
 - antimicrobial drug monitoring 540
 - artificial 353, 356
- Salmonella* infections *82*, 174
- Saltair No-roma 191
- Saltair solution **193**
- satiety, early **274**
- Savene *see* dexrazoxane
- Saving Lives* toolkit 60
- SBAR (Situation-Background-Assessment-Recommendation) tool 596, *598*
- scabies 55, *82*
- scales, weighing 269–70
- scar formation 937
- scarlet fever *82*
- scavenging system, anaesthetic gases 820
- sciatica, positioning during surgery and 819
- sciatic nerve block **389**
- sclera 341, *341*
- scooping method, resheathing needles 723, *723*
- scotoma 342
- Scotts catheter **147**
- scrubbing up *see* surgical scrub
- scrub nurse 816, 825
 - handover in PACU, *procedure guideline* 827
- seating
 - in neurological impairment 233
 - see also* chair; sitting position
- seating cushion, lower limb amputees 247
- SecurAcanth 865, *869*, 901
 - removal 903, *903*
- sedation
 - aggressive patients 120, **121**
 - chest drain insertion 457, 458
 - complicating epidural/intrathecal analgesia **384**, **385**, **386**
 - conscious, for endoscopy 580, 581
 - critically ill patients 221
 - in delirium 122
- segmentation, intestinal 140–1
- Seldinger chest drain *456*
- Seldinger technique, modified, PICC insertion 895
 - procedure guideline* 897–900, *900*
- selective serotonin reuptake inhibitors (SSRIs) 117, **117**
- self-administration of medicines 687–90, **688**
 - patient assessment form **689**
 - procedure guideline* 688–9
- self-assessment, patient 13
- self concept, assessment **16**
- self-esteem, assessment **16**
- self-inflating resuscitation bag 493–4, *494*
- self-monitoring of blood glucose (SMBG) 648
- semen 547
 - collection 547–50
 - methods 548
 - patient preparation 549
 - procedure guideline* 550
 - rationale 547–8
 - cryopreservation 548
- semi-circular canals 350, *350*
- semi-lunar valves 487
- semi-permeable films, wound management **940**
- senna **178**, *178–9*
- sensory function, assessment 658, 664
- sensory inattention **235**
- sensory loss, patient positioning 211, 231
- sepsis
 - blood cultures 536
 - contraindicating spinal analgesia 379
 - CVAD-related *see* central venous access device (CVAD)-related infections
 - pulse monitoring 602
 - transfusion-associated 321
 - see also* infection(s)
- septicaemia 902
- Serious Adverse Blood Reactions and Events (SABRE) reporting system 310, 321
- serious adverse event, transfusion-related 310
- serious adverse reaction, transfusion-related 310
- Serious Hazards of Transfusion (SHOT) scheme 303, *303*, 321
- serological testing 511
- seromas, surgical site **853**
- serotonin-norepinephrine reuptake inhibitors (SNRI) 117, **117**
- sertraline 117
- serum *see* plasma
- severe acute respiratory syndrome (SARS) *82*, 491
- Sexual Dysfunction Association 199
- sexual function, stoma patients 198
- sexuality, assessment **16**
- shampooing, hair 334, 339–40
- sharps bins (containers) 59, 89, **89**
- sharps disposal **89**, **90**, **91**, 516
- sharps injuries *see* inoculation injuries
- shaving
 - deceased patients 417
 - facial, male patients 339
 - peripheral cannulation site 880–1
- Shaw silver laryngectomy tube 473, *474*
- Shigella* infections *82*
- Shiley laryngectomy tube 473, *474*
- Shiley tracheostomy tubes
 - cut 470, 470–1
 - cut 470, 471
 - fenestrated cut 470, 471
 - fenestrated cut 470, 471
- shingles *82*
- shivering 636
 - post-operative 829, **832**
- shock
 - blood pressure measurement 613
 - complicating paracentesis **401**
 - venepuncture in 518
- shoes *see* footwear
- shopping, prior to discharge 42
- SHOT (Serious Hazards of Transfusion) scheme 303, *303*, 321
- showering, pre-operative 812
- side-effects
 - drug *see* adverse drug reactions
 - treatment, assessment **16**
- side-lying position 215–16, *216*
 - lumbar puncture 545, *546*
 - minimizing work of breathing **228**, *229*
 - neurological patients 234, *234*
 - patient with artificial airway 224
 - procedure guideline* 215–16
 - sitting up from, *procedure guideline* 216–17, *217*
 - unconscious patients 224
 - unilateral lung disease 226
 - ventilation/perfusion matching 225, 226, *226*
- sight 342
- Sikh Educational and Cultural Association **412**
- Sikhs
 - care after death **412**, 415
 - washing and personal hygiene **336**
- silastic laryngectomy tube 473, *474*
- silicone catheters 148
- silicone elastomer-coated catheters 148
- silicone enteral feeding tubes 279
- silver alloy-coated catheters 149
- silver laryngectomy tubes 473, *474*
- silver toxicity 149
- silver tracheostomy tubes 471–2, *472*
- Simpson, James 814
- Single Assessment Process (SAP) 38
- single checking, medicines 686–7
- single-occupancy rooms
 - dying patients 403
 - protective isolation 86, 87–8
 - source isolation 80, 83–5

- sinoatrial (SA) node 487, 600, 601, 604
sinus arrhythmia 600
sinus rhythm 600
sip feeds 273
siphonage 753
sitting position
 lower limb amputees 247, 248
 lumbar puncture 545
 minimizing work of breathing **228**, 229
 problem solving **220**
 in respiratory compromise 227
 respiratory examination 25
 on side of bed, from lying down 216–17, 217
 standing from 218, 218–19
 ventilation/perfusion matching 225, 226, 226
sitting up in bed 214–15, 215
 [procedure guideline](#) 214–15
Situation-Background-Assessment-Recommendation (SBAR) tool 596, 598
situs invs 607
skin 332–3
 ageing 333
 anatomy 332, 332–3, 719, 936
 assessment **15**, 333
 damaged, hand hygiene and 61, 70
 frail and papery **334**
 functions 332
 inspection 25, 29, 31, 32, 33, 952
 marking for surgery 806
 redness **334**
 scrapings 562
 swab sampling 562
 temperature 634, 634
skin barrier products
 incontinence 142
 stoma care **193**
 wound management **940**
skin care 333
 assessment 211
 diarrhoea 174
 incontinence 142, 333
 soap/emollients 335–6
 specific considerations **334**
 stoma site 191, **193**
 when using splints 235
 see also pressure area care
skin cleaning/preparation
 blood cultures 537
 intramuscular injections 741, 742
 lumbar puncture 544
 peripheral cannulation **880**, 880–1, 882
 pre-operative 805–6, **806**
 stoma site 191
 subcutaneous injections 731, 732
 surgical site 820
 VAD insertion site 864
 venepuncture 516, 520, 521
skin clips see clips, skin
skin closure strips, adhesive **955**
skin colour, assessment 624
skinfold thickness 268
skin grafts 961–2
skin preparation see skin cleaning/preparation
skin reactions
 subcutaneous drug infusions 739
 topical medications 704
skin-tunnelled (central venous) catheters **862**, 911, 911–15
 discharge home with *in situ* 874–5, **875**
 dressings 914
 indications 911
 insertion methods 911
 removal
 methods 911–12
 problem solving **914**
 [procedure guideline](#) 912–14
 tip position 911, 911
 types and design 912, 912
 urokinase instillation **874**
skin turgor **257**
sleep, assessment **15**
sliding sheets 213
slipper bedpan 141
 [procedure guideline](#) 142–3
sloughy wounds **944**
small intestine 139, 140–1
 absorption of nutrients 266–7
smell see odour
smoking
 assessment **14**, 791
 cessation advice 434, 629, 791
 oxygen therapy and 440
Snellen chart 659
soap 335–6
 dispensers 59
 for hand washing 59, 61
 for surgical scrub 70
social history 791
social services 38, 40, 42
SOCRATES pain assessment framework 364
sodium
 in bodily fluids 254
 dietary restriction, ascites 398
 membrane transport 254
 serum **257**, **535**, **811**
 tubular reabsorption 640–1, 641
sodium bicarbonate
 CPR 497
 mouthrinse 356
sodium chloride, 0.9% solution (normal saline)
 bladder irrigation 162
 extravasation injury management 777–8
 flush, intravenous injections 748
 humidification 474
 maintaining VAD patency 866
 mouthrinses 356
 nasopharyngeal sampling 576
 subcutaneous infusion 733
 tracheostomy suctioning 477, 478
 wound cleaning 941, 956
sodium/potassium pump 254, **255**
soft tissue changes
 limiting movement 211
 neurological patients 232
SOLER acronym 100
solute
 in bodily fluids 254
 transport and movement 254, **255**
solution administration sets 750
 changing 748
sore mouth, dietary modification **274**
source isolation 80–6
 attending to patient in 80–3
 cleaning room 83
 defined **51**
 discharge from 83
 entering room, [procedure guideline](#) 84–5
 facilities required 80
 leaving room, [procedure guideline](#) 85
 prioritization tool 81–2
 [procedure guidelines](#) 83–6
 rationale 80
 room preparation, [procedure guideline](#) 83–4
 transporting patients, [procedure guideline](#) 86
spacer devices 708–9, 709
 [procedure guideline](#) 710
spasticity 231, 232
Speakability 128
speaking valves 472, 473
special medicines 680
specimen collection 510–79
 blood see blood sampling
 cervical uterine smear 550–7
 communication 513
 competencies 511
 consent 511
 CSF 541–7
 documentation 511
 equipment 511, 512
 faeces 571–3
 good practice **510**, 513
 pleural fluid 578–9
 respiratory secretions 573–8
 risk management 511
 semen 547–50
 swabs 557–65
 timing 513
 urine 565–71
specimens
 containers 511, 512, 513
 hazardous 513
 labelling 513–14
 methods of examination 510–11
 request forms 513
 safe handling 512–13
 selection 513
 storage 514
 transportation 511, 514, **514**
spectacles
 cleaning 338, 343
 eye protection for staff wearing 60
 surgical patients 813
speculum, vaginal 551, 553
speech 125
 communication using 101
 evaluation, Glasgow Coma Scale **661**, 661–2
 production 98, 98
speech and language therapists (SLT) 125, 126, 278
speech impairments 124–5
 communicating with people with 101, 126–7
speech perception test **351**
speed shock 780–1
spermatozoa 547
sphygmomanometers 613, 614–15
 aneroid 614
 automated oscillometric 613, 614–15
 cuffs 615, **615**, 616
 manual 614, 615
 [procedure guideline](#) 616–17
 mercury 614
 post-anaesthetic recovery 828
spillages
 blood **523**
 source isolation rooms 82
spinal anaesthesia/analgesia 376, 543
 see also epidural analgesia; intrathecal analgesia
spinal blocks (intrathecal central nerve blocks)
 377–8, 388–91, **389**
spinal brace 237
spinal cord 235
 anatomy 376, 377, 653, 655
 lumbar puncture 542, 542
 pain processing 361
spinal cord compression (SCC) 235–46
 clinical presentation 236
 metastatic (MSCC) 236
 moving and positioning 235–46
 complications 245–6
 equipment 237
 problem solving **244–5**
 [procedure guidelines](#) 237–43
 pain management 237, **244**
 primary/benign 236
 principles of care 236–7
 stable 236
 unstable 236
spinal cord injuries (SCI) 235–46
 assessment and recording tools 237
 bowel management 187, 188
 complete 236

- spinal cord injuries (SCI) (*continued*)
 incomplete 236
 moving and positioning 235–46
 complications 245–6
 equipment 237
 problem solving **244–5**
[procedure guidelines](#) 237–43
 traumatic 235–6
 spinal cord tumours 236
 spinal instability 236
 braces and hard collars 237, 237
 moving and positioning 214, 236–46, 239
 complications 245–6
 equipment 237
 problem solving **244–5**
[procedure guidelines](#) 237–43
 spinal cord compression with 236
 spinal needles 544, 721, 721
 spinal nerves 376, 377, 378, 653
 anterior (ventral) root 376, 378
 dermatomes 378
 external anatomy 655
 posterior (dorsal) root 376, 378
 spinal shock 235, 245
 spine
 degenerative conditions 236
 stable 211, 236
 unstable *see* spinal instability
 spiritual beliefs, assessment **16**
 spiritual care 408, 415–16
 spirogram 622
 spirometers 631
 spironolactone 398
 spleen, examination 33
 splints
 neurological patients 232–3, 234
 skin care 235
 unconscious patients 223, 223
 spores
 bacterial 52–4
 fungal 54
 spring coil piston infusion devices 756
 Sprotte needle 721
 sputum 573
 aspiration via endotracheal tube 573, 574
 sampling 573, 574, 629
[procedure guideline](#) 574–5
 sputum pot 512
 stadiometer 269, 270
 Standard Operating Procedures (SOPs) 682
 standard precautions 50, **50**, 58
 handling specimens 512–13
see also universal precautions
Standards for Medicines Management (NMC)
 676, 682, 686
 standard wire gauge (swg) 878
 standing position
 assistance with moving to 218, 218–19
 minimizing work of breathing **228**, 229
Staphylococcus aureus 57–8
 meticillin-resistant *see* meticillin-resistant
Staphylococcus aureus
 vancomycin-resistant 540
 Starling's law of the heart 613
 Statlocks 864–5, 908, 908
 stem cell transplantation, haemopoietic 303
 sterculia 177–8
 sterile field, operating theatre 819, 820, 826
 sternal rub, neurological assessment 657
 steroids *see* corticosteroids
 stethoscope 20, 21, 21
 blood pressure measurement 615
 heart rate assessment 602, 603
 post-anaesthetic recovery 828
 stitches *see* sutures
 stockings, antiembolic *see* antiembolic
 stockings
 Stockley's Drug Interactions 781
 stoma(s)
 body image 198
 complications 199
 deceased patients 417
 deodorants 191, **193**
 diet 197, 198
 measuring uid output 264
 observational index 199, 200–1
 plug systems 191
 post-operative function 197–8
 preventing odour 191, 198
 sexual function and 198
 siting 192–3
[procedure guideline](#) 193–4
 types 189–90
see also colostomy; gastrostomy; ileostomy;
 urostomy
 stoma appliances 191
 bag change, [procedure guideline](#) 195
 obtaining supplies 199
 one- and two-piece systems 191
 post-operative period 197
 pouches 191, 192
 selection 191, 192, **197**
 size 191
 stoma bridges or rods 190, 190
 removal, [procedure guideline](#) 196, 196
 stoma button, laryngectomy 473, 474
 stoma care 189–201
 discharge planning 198–9, 199
 education 194–5
 equipment 191–3, **193**
 indications 191
 post-operative 197–8
 pre-operative 192–5
[procedure guidelines](#) 195–6
 products **193**
 solutions 191
 stomach 579
 Stomahesive products **193**
 stools *see* faeces
 stool softeners **177**, 178, **178**
 stopcocks 752
 storage
 controlled drugs 691, **691**, **692**
 medicines 681–2
Streptococcus pyogenes 82
 stress, assessment **15–16**
 stroke 232, 601
see also aphasia
 Stroke Association 128
 stroke volume (SV) 599, 611
 stump
 pain **248**
 wound breakdown **248**, 249
 stump boards 247, 247, 248
 subarachnoid analgesia *see* intrathecal
 analgesia
 subarachnoid space 376, 377, 377, 542
 subclavian vein 863, 864
 catheterization 904
 subcutaneous analgesia 368
 subcutaneous infusions 733–9
 complications 739
 equipment 734
 uids (hypodermoclysis) 733
[procedure guideline](#) 734–6
 medications 733–4
 problem solving **739**
[procedure guideline](#) 736–9
 syringe pump volumes **739**
 monitoring 739
 sites 734
 subcutaneous (SC) injections 731–3
 complications 733
 needles 720–1, 731
[procedure guideline](#) 732–3
 sites 731, 731
 subcutaneous layer 332, 333, 936
 subdural space 377, 542
 Subjective Global Assessment (SGA) 268, 272
 patient-generated (PG-SGA) 268, 272
 sublingual analgesia 368
 sublingual tablets **697**, 698
 suction
 chest drainage systems 460, 461, 466
 endotracheal *see* endotracheal suctioning
 equipment, CPR 495, 495, **501**
 post-anaesthetic recovery 828, 830
 tracheostomy patients 469
 suction catheters
 CPR 495, 495
 tracheostomy 477, 477, 478
 suction drains, surgical **836**, 837
 changing vacuum bottle, [procedure](#)
[guideline](#) 839–40
 vacuum failure **850**
 suction unit, operating theatre 820, 822
 sudden cardiac death 488
 suicidal ideation **118**
 suicide, assisted 405
 summarizing 102
 super cial temporal artery, pulse point 599
 superior vena cava (SVC) 863, 864
 CVAD catheter tip position 867–8
 thrombosis 902
 supine position
 abdominal examination 32
 cardiovascular examination 28
 neurological patients 233, 234
 patient with arti cial airway 222–3
[procedure guideline](#) 213–14
 sitting up from 216–17, 217
 unconscious patients 222–3, 223
 supplementary prescribing 679–80
 supportive care *see* psychological support
 suppositories 183–5, 706
 indications 183
 methods of administration 183–4
[procedure guideline](#) 184–5
 types available 184
 supraclavicular lymph nodes, inspection 32
 supraorbital pressure, neurological assessment
 657
 suprapubic catheterization 155
 SurePath 554
 surgery
 autologous blood donation/cell salvage 306
 consent for 798–9
 death within 24 hours of **419**
 extravasation injuries 774
 hypothermia risk 635–6
 minimally invasive 817, 817
 plastic 961–2, 962
 poor technique **939**
see also intraoperative care; post-operative
 care; pre-operative care
 surgical drains *see* drains, surgical
 surgical history 791
 surgical pre-assessment *see* pre-operative
 assessment
 Surgical Safety Checklist, WHO 799, 814, **815**,
 816, 825
 surgical scrub 59, 819–20, 820
[procedure guideline](#) 69–70
 surgical site
 hair removal **806**, **806**
 post-anaesthesia care 830
 pre-operative marking 806
 skin cleaning 820
 wound complications **852–3**
 surgical site infections (SSI) **852**
 surgical team 816, 816, 817
 surgical wounds 851–3, 954–61
 closure methods 851
 complications 851, **852–3**

- dressings 825, 826, 851
see also drains, surgical
- Surviving Sepsis Campaign 536
- sustained-release tablets 698
- sutures
 continuous **955**
 interrupted **955**
 removal 960
 [procedure guideline](#) 960
 securing chest drains 455, 455, 459, **465**, 466
 securing PICCs 901
 subcuticular **955**
- suturing 954–60, **955**
 common errors **956**
 competencies 954
 indications 954
 [procedure guideline](#) 956–9, 958–9
 VADs 865
- swabs 512, 557–65
 documentation 565
 ear 558, 558
 eye *see* eye swabbing
 indications 557
 nose 559–60, 560
 penis 560–1
 principles 557
 [procedure guidelines](#) 558–65
 rectum 561–2
 skin 562
 storage and transportation 565
 throat 563, 563
 vaginal 564
 wound 564–5, 941
- swallowing 266, 266, 278
 assessment 278
- swallowing difficulties 277–8
 oral medications 698, **702**
see also dysphagia
- swallow reflex 658
- Swedish nose 442, 442
- swelling
 extravasation site **770**
 patient positioning and 211
- sympathetic nervous system 114, 599
- syncope *see* fainting
- syphilis serology 543
- syringe pumps/drivers 754, 754
 advantages and disadvantages 754
- ambulatory 756
- anaesthesia 755
- occlusion response 753
- patient-controlled analgesia (PCA) 755, 755
- siphonage 753
- subcutaneous drug infusion 734, 739
 problem solving **739**
 [procedure guideline](#) 736–9
 volumes **739**
- user errors 749
- syringes
 blood sampling from CVADs 526
 CVAD rupture 865
 for injections 720, 721
 intrathecal drug therapy 720
 nasopharyngeal sampling 575–6, 576
 oral drug administration 700, 700
 pre-filled 497, 497, 720
 subcutaneous drug infusions 734, 737
 VAD occlusion 866–7
- syrups 698
- systematic reviews 3
- systemic vascular resistance (SVR) 611, 612
- systolic blood pressure 610, 612
 measurement 614, **614**, 614, 617
- tablet crushers 699, 699–700
- tablets 698, 698
 administration via enteral feeding tube 297
- crushing or breaking **697**, 699–700
 storage 682
- tablet splitters 699, 699
- tachycardia 600
 post-operative **832**, 835
 transfusion reactions **319**, 321–2
- tachypnoea 625
- tamponade, cardiac 488
- tampons 807
- tape measure 269
- tapentadol 370
- tapeworms 572
- taps, for hand washing 59, 61
- Targinact 370
- tears 341
 articular 714
- TED stockings *see* antiembolic stockings
- teeth 352, 352
 decay 353
 methods of cleaning 355, 355
- Tenon coated catheters 148
- temazepam **691**
- temperature (ambient)
 inspired gases 441
 sensation, testing 664
 storage of medicines 681–2
 wound healing and **939**, 941
- temperature (body) 634–40
 circadian variations 634, 637
 core 634, 634, 637
 defined 634
 factors affecting 634
 measurement **15**, 636–40
 equipment 638
 fluid imbalances **257**
 indications 636–7
 methods 637
 problem solving **639**
 [procedure guideline](#) 638–9
 neurological patients 659, 663
 regulation 634, 635
 skin 634, 634
 venepuncture and 518
see also fever; hyperthermia; hypothermia; pyrexia
- temporal lobe 652, 654
- tension pneumothorax **453**, 454, 488
- terminal care 402
see also end-of-life care
- testicular sperm extraction (TESE) 548
- tetraplegia 245, **245**
- T-fasteners, removal 290–1, 291
- theatre, operating *see* operating theatre
- theatre gowns 806
- therapeutic drug monitoring **685**
- therapeutic relationships, trusting 372
- thermometers 638
- thermoregulation 634, 635
 spinal cord lesions 245
- thigh, blood pressure measurement 614
- Thinprep 554
- thoracic nerves 655
- thoracocentesis 578–9
- thoracolumbar spinal instability
 early mobilization in bed 243
 log rolling 236, 242–3
- thorax *see* chest
- threadworms 561
- thrills 27
- throat swabs 563, 563
- thrombocytopenia 304
- thromboembolic deterrent stockings *see* antiembolic stockings
- thrombolytic agents, VAD occlusion 866–7, 867, 873, **874**
- thromboprophylaxis
 patient information leaflet 802
- surgical patients 800–4, 854–5
see also antiembolic stockings
- thrombosis
 cardiopulmonary arrest 488
 PICC-related 902
 VAD occlusion 865, 865, 866–7
see also deep vein thrombosis; venous thromboembolism
- thyroid disorders 636
- thyroid function tests **795**
- tidal volume (TV) 622, **623**
- Tieman-tipped catheters 148, 148
- TILE mnemonic 210
- Tilley's forceps 469
- TIME principles, wound management **938**, 938–41
- tissue(s)
 extravasation of vesicants into *see* extravasation
 factors affecting wound healing **938**, 938–9
 infiltration of solutions/medications into **766**, 767
 oxygenation 432–4
- tissue adhesive **955**
- T lymphocytes, inactivation in blood products 319–20
- toileting, assessment **14**
- toilets, patients in isolation 80, 83
- tone *see* muscle tone
- tongue 352, 352
- tongue depressor 659
- tooth *see* teeth
- toothbrushes 354, 355
- toothbrushing 357–8
 aids 354, 354
 patients unable to tolerate **360**
- toothpaste 356
- topical anaesthesia
 eye drops 713
 gastroscopy 580
 implanted port access 916, 917
 peripheral cannulation 879
 urinary catheterization 150–1
 venepuncture 517
see also local anaesthesia
- topical drug administration 697, **697**, 702–4
 complications 704
 dosage forms 702
 eye 712–16
 [procedure guideline](#) 703
- topical negative pressure therapy (TNP) *see* negative pressure wound therapy
- total body water 254, 267
- total lung capacity (TLC) 622, **623**
- total parenteral nutrition (TPN) *see* parenteral nutrition
- touch perception, testing 664
- tourniquets 516
 peripheral cannulation 876, 881–2
 venepuncture 515–16, 519–20, 523
- towels, paper *see* paper towels
- toxicity, cardiopulmonary arrest 488
- toxic shock syndrome (TSS) 807
- T-piece circuit 437, 438
- trace elements, parenteral nutrition 299, **301**
- trachea 229, 467, 468
 palpation 25
- tracheal dilators 469, 469
- tracheal suctioning *see* endotracheal suctioning
- tracheostomy 467–84
 competencies 468
 contraindications 468
 documentation of care 484
 dressing change 475–6
 [procedure guideline](#) 475–6, 476
 dysphagia **278**
 emergencies 222, 484, **484**, 485

- tracheostomy (*continued*)
 equipment 469–73
 humidification 474
 indications 467–8
 location 467
 moving and positioning 222–5
 problem solving 224–5
 procedure guidelines 222–3, 224
 multidisciplinary support 473
 oxygen masks 437, 474, 474
 patient education 474–5
 percutaneous 468
 permanent 468, 468
 problem solving 483–4
 risk management 468
 suctioning 476–9
 complications 479
 equipment 477, 477
 indications 476
 infection risk 476–7
 method 477
 procedure guideline 478–9
 surgical 468
 temporary 468, 468
see also laryngectomy
 tracheostomy box 469
 tracheostomy tubes 469–72
 changing 481–3
 risk 481
 problem solving 483–4
 procedure guideline 481–3
 changing inner cannula 479–80
 procedure guideline 480
 cleaning reusable 483
 connected 470, 470–1, 471
 cuffs 471
 cuff pressure manometer 469, 469
 decannulation (removal) 471
 decannulation plug (cap) 471, 472–3, 473
 dislodgement 483
 fenestrated 471, 471
 metal 471–2, 472
 occlusion 483
 speaking valves 472, 473
 Trachphone 474, 475
 track and trigger systems 596
 cardiac arrest prevention 492, 498
 oxygen therapy 437
 tramadol 369, 691
 transactional model of communication 99, 99
 transcellular space 254
 transcutaneous electrical nerve stimulation (TENS) 373, 373
 transdermal analgesia 368
 transdermal drug administration 704–5
 procedure guideline 704–5
 transdermal patches 704, 704–5
 disposal of used 705
 transdermal systems, conventional 704
 transfers
 to operating theatre 808
 to PACU 827
 post-cardiac arrest 501, 502
 spinal instability 236
 to/from operating table 820, 821, 824
see also manual handling; moving and positioning; transportation
 transfusion-associated circulatory overload (TACO) 304, 323
 transfusion-associated graft-versus-host disease (TA-GVHD) 319–20
 transfusion reactions 319, 321–3
 delayed 323
 febrile non-haemolytic 318, 323
 initial management 322
 major 322–3
 minor 321–2
 monitoring for 318–19
 pyrexia 318, 319, 321–2, 637
 transfusion-related acute lung injury (TRALI) 321
 transfusion-related immunomodulation 321
 transjugular liver biopsy 584
 translation services 104
 transmissible spongiform encephalopathies (TSEs) 55–6, 320–1
 transmission-based precautions 51
see also source isolation
 transmission of infectious agents, modes 57
 transportation
 controlled drugs 693
 infected patients, procedure guideline 86
 specimens 511, 514, 514, 565
 trapezium squeeze, neurological assessment 657
 trauma
 epidural analgesia 379
 spinal cord injuries 235–6
 tremor, mapping 25, 32
 Trendelenburg position
 CVC insertion 904, 905, 905, 906
 CVC removal 910
 intraoperative care 819
 tricuspid valve 487
 tricyclic antidepressants (TCAs) 117, 117
 pain management 367
 trigeminal nerve (V) 656
 Trocar chest drainage tubes 456
 trochlear nerve (IV) 656
 Tru-Cut needle 584
 tuberculosis (TB)
 CPR 491
 pleural fluid sampling 578
 source isolation 80, 82, 85
 sputum sampling 573
 tubular reabsorption 640–1, 641
 tubular secretion 641, 641
 tunica adventitia 515, 862, 863
 tunica intima 515, 862, 863
 tunica media 515, 862, 863
 tuning fork test 351
 Tuohy needle 380
 Turbohaler 708, 709
 T wave 604, 605
 twiddler's syndrome 918
 two-handed technique, peripheral cannulation 878
 tympanic membrane 99, 99, 350
 tympanic membrane thermometers 637, 638, 638
 problem solving 639
 procedure guideline 638–9
 tympanometry 351
 typhoid fever 82
 tyramine-containing foods 685–6
 ulna length, height estimation from 269, 270, 271
 ulnar artery cannulation 920
 ultrasound
 arterial assessment 920
 chest drain insertion 455
 CVC insertion 904, 906, 907
 liver biopsy guidance 584
 vein localization 893, 893, 894, 898
 umbilicus, position 31, 31
 unconscious patients
 blood transfusion 317, 318
 mouth care 355, 355
 moving and positioning 221–5, 223
 factors to consider 221
 problem solving 224–5
 procedure guidelines 222–3, 224
 observations 659
 oropharyngeal airway insertion 494, 495
 physiological changes 221
see also consciousness
 underinfusion 780
 complications 750
 monitoring 780
 undertakers 420
 Union of Liberal and Progressive Synagogues 412
 universal precautions 50
 handling specimens 512–13
 tracheal suctioning 476–7
see also standard precautions
 unlicensed medicines 680, 681
 unmyelinated nerve fibres 376
 upper limb
 amputation 246, 248
 superficial veins 514, 514–15, 894
 venous access 514–15, 863, 863, 876
see also hand(s)
 upper motor neurons (UMNs) 235
 urea, plasma (or serum) 257, 535, 811
 ureterostomy, cutaneous 171
 ureters 139
 urethra 139, 582–3
 difficulty in visualizing orifice 158
 mucosal trauma/irritation, catheterized patients 157, 161
 urethral catheterization *see* urinary catheterization
 urethral meatus
 cleaning, catheterized male patients 160
 crusting, catheterized patients 161
 urinals/urine bottles
 measuring urine output 262
 patients in isolation 80
 urinalysis 565, 640–6
 dipstick tests *see* urine dipstick (reagent) tests
 drugs affecting results 644
 indications 642–3
 methods 643–4
 pre-operative 795
 procedure guideline 644–5, 645
 timed 644
 urinary catheterization 147–60
 anaesthetic lubricating gel 150–1
 aseptic technique 78
 bedbathing 338
 competencies 147
 complications 160, 161
 drainage bags *see* urine drainage bags
 equipment 147–50
 indications 147
 intermittent self- *see* intermittent self-catheterization
 measuring urine output 261
 post-operative 853
 problem solving 157–8
 procedure guidelines 151–4, 156–7, 158–9
 suprapubic 155
 urinary catheters 147–9
 antibiotic-impregnated 149
 -associated infections *see* catheter-associated urinary tract infections
 bags *see* urine drainage bags
 balloon size 147
 encrustations and blockages 161
 intermittent self-catheterization 155–6
 leakage around 161, 164
 length 148
 materials 148–9
 removal, procedure guideline 159
 selection 147
 size 148
 three-way (for irrigation) 147, 147, 160–2
 tip design 148, 148
 types 147, 147

- with urometers 261
- valves 150
- urinary diversions, surgical 170–2
 - continent 170, 171, 171–2
 - [procedure guideline](#) 171–2
 - self-catheterization 171, 171–2
 - incontinent 170, 171, 171
 - indications 170
- urinary drainage bags *see* urine drainage bags
- urinary elimination 138–9, 141–72
 - altered 144–72
 - anatomy and physiology 138–9, 139
 - assisting normal 141–2
 - equipment 141, 141
 - [procedure guidelines](#) 142–4
 - moving/positioning patients and 220
- urinary stulas, catheterized patients 161
- urinary incontinence 144–6
 - penile sheaths 144–6
 - skin care 142
 - see also* incontinence
- urinary retention
 - catheterized patients 161
 - epidural/intrathecal analgesia 385, 386
 - post-operative 853
- urinary tract 138–9, 139
- urinary tract infections (UTIs) 641
 - catheter-associated *see* catheter-associated
 - urinary tract infections
 - complicating cystoscopy 583
 - dipstick tests 644
 - nephrostomy tube patients 167
 - predisposing factors 641, 642
 - symptoms 57
 - urine sampling 565–71
- urinary tract obstruction 166
- urine
 - colour 641, 643
 - debris 643
 - elimination 138–9
 - formation 640–1, 641
 - leakage around catheter 161, 164
 - light microscopy 643–4
 - observations 643, 643
 - odour 641, 643
 - osmolality 257
 - patients in isolation 80
 - specimen container 512
- urine bottles *see* urinals/urine bottles
- urine dipstick (reagent) tests 643, 644, 646
 - factors affecting results 643, 644
 - [procedure guideline](#) 644–5, 645
- urine drainage bags 149, 149–50
 - changing 149
 - emptying, [procedure guideline](#) 158
 - leg straps 150
 - nephrostomy tube, changing, [procedure guideline](#) 166–8
 - sizes and types 149–50, 150
 - with urometers 149, 150
- urine output
 - impaired
 - catheterized patients 158, 161
 - nephrostomy tubes 168
 - post-operative 833, 853
 - monitoring
 - bladder irrigation 165, 165
 - catheterized patients 149, 150, 261
 - nephrostomy tubes 166
 - non-catheterized patients 261–2
 - [procedure guidelines](#) 261–2
 - normal 256, 257
 - post-operative 853
- urine pot 512
- urine specimens 565–71, 642
 - 24-hour collection 570
 - catheter (CSU) 568–9
 - equipment 512, 566
- ileal conduit 569–70
 - indications 566
 - midstream (MSU) 566–8, 642
 - [procedure guidelines](#) 566–70
 - storage and transportation 570–1
 - timed collection 644
- urine testing *see* urinalysis
- urobilinogen 643
- urokinase 867, 869, 873, 874
- urometers 149, 150, 261
- urostomy 170, 171, 171, 190
 - uid intake 198
 - post-operative function 197–8
 - pouches 191, 192, 197
 - urine sampling from 569–70
 - see also* stoma(s); urinary diversion
- Urostomy Association 199
- urticaria 321, 770
- vaccines, storage 682
- vacuum-assisted aspirates
 - nasopharyngeal sampling 577, 577–8
 - via endotracheal tube 573, 574
- vacuum blood collection systems
 - blood cultures 517, 536
 - sampling via CVADs 525
 - venepuncture 517, 517
- VADs *see* vascular access devices
- vaginal drug administration 706–8
 - [procedure guideline](#) 706–8
- vaginal speculum 551, 553
- vaginal swabs
 - high 553, 556, 564
 - low 564
 - [procedure guideline](#) 564
- vagus nerve (X) 656
- Valsalva manoeuvre
 - chest drain removal 463, 464, 467
 - CVC insertion 904, 905
- valuables, surgical patients 812
- values, assessing patient's 16
- valves, venous 515, 862
- vancomycin 540
- vaporizer 820
- vascular access devices (VADs) 861–925
 - absent blood return 770, 771, 866–7, 867
 - accidental disconnection 865
 - assessment tools 869, 870
 - blood culture specimen collection 536
 - catheter tip positioning 867–8, 868
 - cleaning insertion site 864
 - competencies 868, 868
 - complications 875, 876
 - consent to 868–9
 - damage and repair 865
 - decision-making tool 772–3
 - discharge home with *in situ* 874–5
 - dressings 864–5, 869
 - changing, [procedure guideline](#) 870–1
 - equipment 869
 - extension sets 751, 751
 - flushing (intermittent) 866, 866
 - patients at home 874–5
 - [procedure guideline](#) 872
 - implanted *see* implanted ports
 - indications for use 864
 - infection prevention 864–5
 - infusion flow rates 752
 - maintaining a closed system 865
 - maintaining patency 865–7, 869
 - methods 866–7
 - [procedure guideline](#) 872
 - needleless connectors/injection caps 751, 751–2
 - occlusion 865–7
 - clot formation 865, 865, 866–7
 - management 866–7
- partial withdrawal (PWO) 527, 866–7, 867
- precipitate formation 865, 865, 866
- total 866
- unblocking, [procedure guideline](#) 872–4, 874
- patient education 869–70, 875, 875
- principles of care 864–8
- securement devices 864–5, 869
- skin care 334
- types 862
- see also* central venous access devices; peripheral cannulas; *specific types of devices*
- vascular dementia 123
- vasospasm *see* arterial spasm; venous spasm
- vasovagal attack *see* fainting
- vastus lateralis injections 740, 741
- VAT score 869, 870
- vector transmission 57
- veins
 - anatomy 514, 514–15, 862–4
 - difficulty locating a suitable 885
 - are reaction to infusions 767, 770
 - injuries, intravenous infusions 766
 - manual stabilization 520, 521, 877, 877
 - missed 523, 885
 - palpation 515, 521
 - selection
 - central cannulation 863–4, 864, 904
 - implanted ports 915
 - midline catheters 890, 893–4, 894
 - peripheral cannulation 863, 863, 875–6
 - PICCs 893–4, 894
 - venepuncture 514, 514–15, 518
 - vesicant drug administration 769
 - tapping 516, 520, 876–7
 - ultrasound localization 893, 893, 894, 898
 - visual inspection 515
 - visualization devices 877, 877
- venepuncture 514–24
 - aseptic technique 516
 - choice of vein 514, 514–15, 518
 - competencies 516
 - complications 523–4
 - defined 514
 - equipment 516–17, 517, 518
 - haemostasis after 522, 523
 - improving venous access 515–16
 - indications 515
 - post-procedure care 522, 523
 - problem solving 522–3
 - [procedure guideline](#) 519–22, 521
 - risk management 516
 - safety of practitioner 516
 - skin preparation 516, 520, 521
 - specific patient preparation* 518
- venous access
 - blood transfusion 311
 - computed tomography 587
 - CPR 496, 500
 - decision-making tool 772–3
 - epidural/intrathecal analgesia 381
 - limited, problem solving 523
 - methods for improving 515–16, 876–7
 - parenteral nutrition 300
 - see also* central venous access devices; peripheral cannulas; vascular access devices; venepuncture
- Venous Assessment Tool (VAT) 869, 870
- venous return 613
- venous spasm
 - blood transfusion 318
 - intravenous infusions 752, 765
 - PICC removal 902
 - venepuncture 518, 523
- venous thromboembolism (VTE) 800, 800
- prophylaxis *see* thromboprophylaxis
- risk factors 800, 854

- venous thromboembolism (VTE) (*continued*)
 - unconscious patients 221
 - see also* deep vein thrombosis; pulmonary embolism
- ventilated patients
 - moving and positioning 221, 222–5
 - problem solving **224–5**
 - [procedure guidelines](#) 222–3, 224
- oral care 355, **355**
- ventilation/perfusion matching 225–6, 226
- ventilation
 - bag and mask 491, 491, 493–4, 494, 499
 - mechanical *see* mechanical ventilation
 - mouth-to-facemask 491, 491, 493, 493
 - mouth-to-mouth 491
 - non-invasive (NIV) 446–7, 448, 449
 - pulmonary 432, 618–19, 619
- ventilation/perfusion (V/Q) ratio 225
- benefits of CPAP 447
- positioning to maximize 225–7, 226
- problem solving **227**
- [procedure guidelines](#) 226–7
- ventilator-associated pneumonia (VAP) 355
- ventilators
 - negative pressure 447
 - non-invasive 447
 - PACU 828
 - positive pressure 447
- venting needle method of powder preparation 724–5, 725
- ventricular fibrillation (VF) 487, 601
 - defibrillation 488, 490
 - drug therapy 497
 - ECG tracing 611
- ventricular tachycardia (VT)
 - defibrillation 488, 490
 - drug therapy 497
 - ECG tracing 611
 - pulseless 487
- ventrogluteal intramuscular injection site 740, 740
- Venturi-type oxygen masks 437, 437
- verbal communication 101–2
- verbal descriptor scales (VDS), pain 364
- verbal orders, drug administration 680
- verbal response, Glasgow Coma Scale **661**, 661–2
- vesicant drugs **768**
 - antidotes 771–3
 - aspiration from tissues 773–4
 - competencies 769–70
 - defined 767
 - extravasation 767–81
 - see also* extravasation
 - informed consent 770
 - methods of administration 769
 - sequencing 769, **769**
 - tissue damage mechanisms 767
 - VAD decision tool 772–3
- vesicular breath sounds 24
- Vessel Health Preservation (VHP) system 869
- vestibular apparatus 350
- vestibule, oral 352, 352
- vestibulocochlear nerve (VIII) **656**
- vials (mainly multidose) 720, 720
 - equilibrium method of powder preparation 726
 - minimizing coring 724, 725
 - venting needle method of powder preparation 724–5, 725
- video fluoroscopy, swallowing assessment 278
- Vim-Silverman needle 584
- vinca alkaloids 767, **768**
- violence 118–21
 - see also* aggression; anger
- viral haemorrhagic fever 82
- viral infections 54
 - diagnostic tests 511, 513
 - transfusion-transmitted 320
 - see also* specific infections
- Virchow's triad 902
- virulence 56
- viruses 54
 - bloodborne, occupational exposure 88
 - identification 511
 - life cycle 54, 55
 - specimen handling **514**
- vision 342
- visitors
 - protective isolation 86, 87, 88
 - see also* family
- visual acuity testing 658, 664
- visual fields 342
 - testing 658
- visual impairment 127, 342
- Visual Infusion Phlebitis Scale (VIP) 879, 880
- visual pathways 342, 342
- vital capacity (VC) 622, **623**
- vital signs
 - defined 596
 - hand-held monitoring devices 596
 - neurological assessment 658–9, 663
 - see also* blood pressure; pulse; respiratory assessment; temperature (body)
- vitamin C (ascorbic acid) **644**, 937
- vitamin K 275, **686**
- vitamins
 - dietary requirements 269
 - parenteral nutrition 299, **301**
 - serum levels 268
 - supplements 275
- vitreous humour 341
- vocal cords (folds) 98, 98
- voice
 - impairment 125, 126–7
 - production 98, 98
- volumetric infusion pumps 754, 754
 - ambulatory 756
 - parenteral nutrition 300
- voluntary services, community care 39
- vomiting 134–8
 - causes 134, **134**
 - infection prevention and control **51**, 135
 - nasogastric drainage tube insertion 135–8
 - [procedure guideline](#) 137–8
 - pathophysiology 134, 134
 - patient care, [procedure guideline](#) 135
 - see also* nausea and vomiting
- vomiting centre 134, 134
- vulnerable adults
 - care after death 413
 - covert drug administration 698–9
 - pain assessment 363–4, 365
 - see also* learning disabilities
- walking, assisting patients with 219–20
- walking aids 219, 220
- warfarin 455, **534**, **686**
- warming blankets, operating theatre 825, 826
- warming methods, hypothermia 640
- washbowls 336
- washcloths, prepackaged 336
- waste
 - colour coding system **90**
 - containers (receptacles) 89, **90–1**
 - defined 89
- waste management 89–92
 - equipment 59
 - regulations 58, 89
 - soiled linen 91–2
 - source isolation rooms 83, 84
- water
 - drinking, immunocompromised patients 86
 - eye irrigation 343, 345
 - filling catheter balloons 147
 - hand washing 61, 70
 - intestinal absorption 141, 267
 - oral care 356
 - quality 58
 - total body 254, 267
 - transport and movement 254, **255**
 - tubular reabsorption 641, 641
 - wound cleaning 941
 - see also* fluid(s)
- water bath blood warmers 311–12
- water humidification chamber 438, 442, 448
- Waterlow pressure ulcer risk assessment 950
- WaterPik 355
- water vapour 432
- weakness, patient positioning 211, 234
- wedding rings 61, 812
- weighing
 - adults 269–72
 - problem solving **272**
 - [procedure guideline](#) 269–70, 271
 - scales 269–70
 - sick children 268
- weight, body *see* bodyweight
- weight bearing, restrictions on 219
- weight loss, percentage 267–8
- wheelchairs
 - lower limb amputees 247, 247
 - patient positioning 217–18
- whoop 24
- whispered voice test **351**
- WhisperFlo device 448
- whistle-tipped catheters 148, 148
- Whitacre needle 721
- white blood cells
 - count (WBC) **534**, **794**, **810**
 - for transfusion **307**
- WHO *see* World Health Organization
- will and testament, last 405
- wind, stoma patients 198
- winged infusion devices 879
 - blood culture samples 536, 537–8
 - subcutaneous infusions 734
 - venepuncture 516–17, **518**
- women *see* female patients
- wooden spatulas, cervical smears 551, 551, 552–4
- work of breathing, positioning to minimize 227–8, **228**, 229
- World Health Organization (WHO) 781
 - adverse drug reactions 686
 - analgesic ladder 366–7, 367
 - cervical uterine smear 551
 - oral assessment scale 356
 - Surgical Safety Checklist 799, 814, **815**, 816, 825
- worms, parasitic 55
- worried patients 108–9, **109–10**
- wound(s) 936–46
 - acute 936
 - assessment 942–3, 943–4
 - breakdown, amputees **248**, 249
 - chronic 936, 937
 - classification 936, **944**
 - cleansing 941, 956
 - closure methods **955**
 - colonization 941
 - contraction 937
 - debridement **938**, 938–9
 - deceased patients 417
 - defined 936
 - dehiscence **852**
 - edge non-advancement **938**, 941
 - haematoma **852**
 - inflammation and infection **938**, 941
 - moisture balance **938**, 941

- moving/positioning patients with 211, **220**
- open **334**
- re-epithelialization 937
- surgical *see* surgical wounds
- suturing 954–60
- swabs 564–5, 941
- wound bed preparation (WBP) 938–41
 - TIME principles **938**, 938–41
- wound drains *see* drains, surgical
- wound dressings *see* dressings
- wound exudate 941
 - chronic excessive **939**, 941
 - specimen collection 557
- wound healing 936–7
 - bacterial burden and 941
 - factors delaying 938, **939**
 - haemostasis 936, 937
 - inflammatory phase 936–7, 937
 - maturation phase 937, 938
 - phases 936–7
- by primary intention 936
 - proliferative phase 937, 937
 - by secondary intention 936
 - by tertiary intention 936
 - tissue factors affecting **938**, 938–9
 - undernourished patients 268
- wound infections **938**, 941
 - amputees 249
 - nephrostomy tube site 166, **168**
 - prioritizing isolation 81
 - suitable dressings **944**
 - surgical site **852**
- wound management 935–65
 - choice of dressings **944**
 - negative pressure therapy 962–5
 - plastic surgery 961–2, 962
 - pressure ulcers 952, 954
 - [procedure guideline](#) 945–6
 - TIME principles **938**, 938–41
 - useful websites 965
- Wright peak flow meter 631
- wristbands (namebands)
 - blood transfusions 312, **318**
 - surgical patients 799, **800**, 813
 - see also* identification, patient
- wrong blood in tube (WBIT) 311
- xerostomia *see* dry mouth
- X-rays 585–6
 - see also* chest X-rays
- Yankauer sucker 495, 495
- Yates drains **836**, 837
- Yellow Card Scheme 680, 686
- zopiclone **691**, **692**
- Zoroastrianism 421
- Z-track technique, intramuscular injections
 - 741









