

Index

Page numbers in *italics* refer to figures, and those in **bold** to tables and boxes.

- ABC of resuscitation 413–14
abdominal distension, enterally-fed patients 277
abducens nerve (VI) **556**
ABO blood groups 279
 haematopoietic stem cell transplantation 280
 incompatibilities 279–80, 296
Abstral 345
accessory muscles of respiration 519–20
 use of 222, **222**, 524–5
accessory nerve (XI) **556**
accommodation, suitability for discharge 29
Accuhaler 609, 610
aciclovir 615
Action for Blind People 126
Action on Hearing Loss 126
Actiq 345
activated charcoal dressings **750**
active transport **249**
activities of daily living, assessment **14**
activity, assessment **14**
acute kidney injury 260
acute lung injury, transfusion-related (TRALI) 295
acute normovolaemic haemodilution (ANH) 283
acute pain 336
 assessment 337
 management 341, 342
 need for effective control 336–7
 opioid-dependent patients 337, **337**
 see also post-operative pain
Adapt ring convex inserts **184**
ADH *see* antidiuretic hormone
adherence, medication 588
adhesive, tissue **766**
adhesive island dressings **750**
adhesive skin closure strips **766**
administration of medicines *see* medicines administration
administration sets 648, 648–9, 649
 blood *see* blood administration sets
 enteral feeding 274, **274**
 extension sets 649, 649
 gravity flow 650
 needleless connectors/injection caps 649, 649–50
 reducing risk of infection 644–5
adrenaline (epinephrine) 107, 419, 512
advance care planning (ACP) 350
advance decisions to refuse treatment (ADRT) 350
advanced life support (ALS) 411, 414, 419
adverse drug reactions (ADRs) 576, 586–7
 allergic reactions **584**, 584–5, **585**
 predisposing factors 586–7
 treatment of acute **585**
 types A and B 586
 Yellow Card Scheme 580, 587
Advisory Committee on the Safety of Blood, Tissue and Organs (SaBTO) 284
aerosol containers, storage 582
aerosol dosage forms 609
aerosol humidifiers 389
aesthetic evidence 2
Age Concern 304
ageing
 eye 316, **317**
 skin 307
age-related macular degeneration **317**
aggression 112–14
 management 113–14, **113–14**
 underlying causes 112, 112–13
 verbal 112
agitation, at end of life 115, **355**
airborne precautions **39**
airborne transmission 44
air-in-line detectors 651, **663**
airway
 anatomy 223–5, 224
 assessment 523–4
 basic life support 413
 mucociliary escalator 223–5
 obstruction, post-operative **716–17**
 pre-operative assessment 680
 secretions *see* respiratory secretions
 stretch receptors 521
 suctioning, CPR 417–18
airway management 529
 CPR 413, 414, 416–18, 422
 oxygen therapy **386**
 post-anaesthetic recovery 713, 715–16
airways, artificial
 laryngeal mask airway (LMA) 418, 418
 moving and positioning patients with 216–20
 problem solving **219**
 procedure guidelines 217–19
 obstruction **219**
 oropharyngeal or Guedel 416–17, 417
 see also tracheostomy; ventilated patients
alarm systems, community pendant 29
albumin
 plasma 262, **452**, **681**, **697**
 solutions, human (HAS) **286**
alcohol-based handrubs 48, 67
 dispensers 48
 procedure guideline 51–2, 52
alcohol consumption 677
alcohol solutions/swabs, injection site preparation 641
aldosterone 249, 513, 541
alginate wound dressings **750**
allergic reactions/allergies
 blood transfusions 296
 classification **584**
 drugs **584**, 584–5, **585**
 intravenous drug administration 664
 latex *see nder* latex
 pre-operative assessment 677
 surgical wound site **736**
allodynia 335, 343
allopurinol **586**
alternating pressure (AP)
 mattresses 763
alveolar pressure 519, 519, 520
Alzheimer's disease 116
American Society of Anesthesiologists (ASA) physical status classification 677, **677**
amikacin 455
aminoglycoside antibiotics 455–6
amiodarone 419
amoebic dysentery 476
amphetamines **591**
ampoules 621, 621
 powder preparation, *procedure guideline* 624–5
 solution preparation, *procedure guideline* 623–4, 624
amputation 238–41
 complications 241
 levels 238, 238
 positioning and management 238–41
 equipment 239, 239
 principles 239
 problem solving **240**
 procedure guideline 240
anabolic steroids **591**, **592**
anaemia 280–1, 524
anaerobic threshold (AT) 681
anaesthesia 700–2
 care after *see* post-anaesthesia care unit
 equipment 706, 708
 fasting before 690–1, **691**
 history of development 700
 infusion pumps 653
 monitoring 706, 708
 pain management interventions 345
 pharmacological agents 700
 procedure guideline 702
 see also local anaesthesia; topical anaesthesia
anaesthetic history 677
anaesthetic machine 701, 706, 708
anaesthetic room 700
 procedure guideline 702
 Surgical Safety Checklist 700, 701
anaesthetist
 handover in PACU 713
 latex allergy and 694
 patient monitoring 706, 708
 pre-operative assessment 680, 683
anal canal 481

- analgesia
 during anaesthesia 700
 breakthrough 344, 345
 buccal or sublingual 342
 at end of life **355**
 epidural 342
 inhalation (Entonox) 345
 intramuscular 342
 intravenous 342
 multimodal or balanced 340
 oral 342
 patient-controlled 342, **342**
 sputum collection 477
 subcutaneous 342
 transdermal 342
see also pain management
- analgesic ladder 340–1, 341
- analgesics 342–5
 adjuvant (co-analgesics) **341**, 345
 mechanisms of action 335, 335
 methods of delivery 342
 non-opioid 341, 342–3
 opioid *see* opioid analgesics
- anaphylactic reactions, blood transfusions 296
- anger 112–14
 management 113–14, **113–14**
 underlying causes 112, 112–13
 warning signs **113**
- angiotensin II 513
- Anglicans, care after death **357**
- ankle foot orthosis (AFO) 229, 229
- ankle movements, active 204, 204
- anorexia, management **268**
- antecubital fossa, venous access 440–1, 441
- antibacterial eye preparations 615
- antibiotic(s)
 appropriate use 455
 -associated diarrhoea 164–5, 475
 -coated urinary catheters 144
 diarrhoea treatment 164
 end-of-life care 353
 eye preparations 615
 intrathecal administration 629
 pain management **341**
 sensitivity testing 437
 specimen collection prior to 439, 453
 therapeutic monitoring 455–7
see also antimicrobial drugs
- anticholinergic agents **129**, **130–1**
- anticoagulants 687, 737–8
- anticonvulsants, pain management **341**
- antidepressants 110, **111**
 panic disorder/acute anxiety 108
- antidiuretic hormone (ADH) 248, 513, 541
- antiembolic stockings 686–90, 687
 contraindications **687**
 measuring for 689, 690
 patients with artificial airway 217
 post-operative use 738
procedure guideline 688–90, 690
 spinal cord lesions 238
- antiemetic drugs 129, **129**, **130–1**
 at end of life **355**
 surgical patients 700
 timing of administration 269
- antifungal agents 331, 615
- antihistamines, antiemetic **129**, **130**
- anti-inflammatory drugs, ophthalmic 615
- antimicrobial drugs
 assay, blood sampling for 455–7
procedure guideline 456–7
 in hand washing preparations 48
see also antibiotic(s)
- antimicrobial wound dressings **750**
- antimotility drugs 164
- antipsychotic drugs 113, **129**
- antipyretics 540
- antisiphonage valves, infusion pumps 651–2
- antispasmodics **341**
- antiviral eye preparations 615
- anxiety 107–8
 acute (panic attacks) **108**, 108–9, **109**
 at end of life 354
 management **107–8**
 venepuncture 443, **449**
- aortic valve 407
- aperients 168
- aphasia 118, **119**
- apheresis, donor 283
- apical heart beat 502, 503
- apneustic breathing **558**
- apnoea 526
- Appeel adhesive remover **184**
- aprons, disposable 48, 68
procedure guideline 55, 55
 source isolation 74
- aqueous humour 315
- arachis oil enema **169**, 172
- argyria 144
- arm *see* upper limb
- arnica 664
- arousal 553
 assessment 555, 559–61
- arrhythmias 500–1
 cardiac arrest 410
 complicating tracheal suctioning 406
 pulse assessment **504**
 pulse oximetry and 526
 sinus 500
- arterial blood gases (ABG) 526, 529
 CPR 423
 oxygen-treated patients 384
- arterial pressure monitoring 513
- arteries
 distinction from veins 441
 inadvertent puncture 450
 pulse points 497–8, 499
- arthropods 43
- artificial eye *see* eye(s), artificial
- art therapy 346
- ascorbic acid (vitamin C) **544**, 747
- asepsis, surgical 703, 705–6
- aseptic non-touch technique (ANTT) 67, 67
 changing wound dressings 734
 aseptic technique 67–9
 examples **67**
procedure guideline 67–9
- aspiration
 anaesthesia-related risks 690–1, **691**
 complicating enteral feeding 276
 during eating 271, 272
- aspirin 341, **544**, **696**
- assessment, inpatient 10–19
 communication ability/needs **13**, 98
 comprehensive **12**
 definition 10
 documentation 18, **19–20**
 at end of life 354
 focused **12**
 interviews 11–12
 methods 11–12, **20**
 mini **12**
 observation 20
 ongoing **12**, 18
 pre-operative *see* pre-operative assessment
 principles 10, **10**
 process 13, **13–17**
 psychological well-being 98, 100
 self- 13
 structure 10–11, **20**
 tools 13
 types **12**
- Association of Anaesthetists of Great Britain and Ireland 683
- asthma, peak expiratory flow 530–1, 533–4
- asystole 410, 412
- ataxic breathing **558**
- atelectasis 387
- athletes, heart rate 500
- athlete's foot 308
- atmospheric pressure 378
- atrial fibrillation 501, 511
 blood pressure measurement 513
- atrial natriuretic peptide (ANP) 512
- atrioventricular (AV) block, first degree 511
- atrioventricular (AV) bundle (bundle of His) 407, 501, 504
- atrioventricular (AV) node 407, 501, 504
- atrioventricular (AV) valves 407
- atropine 419
- attitude, towards patients 95
- auditory ossicles 91, 324
- augmentive or alternative communication (AAC) 119, **119**
- auscultatory gap 514, **514**, **518**
- autologous blood transfusion 283
- autolytic wound debridement 749
- automated external defibrillators (AEDs) 413, 415
- autonomic dysfunction 237–8
- autonomic dysreflexia 178, **236**, 237–8
- autonomic nervous system (ANS) 226
- AVPU scale 562
- awareness 553
 assessment 555, 561
- axillary temperature 537
- Babinski's response 558, 564
- back pain/backache, positioning during surgery and 705
- bacteraemia 40, 451–2
- bacteria 40–2
 antibiotic sensitivity 437
 cell walls 40, 41, 42
 commensal 40
 identification 436–7
 medically significant **42**
 shapes and arrangements **41**
 specimen handling **440**
 wound colonization 749
- bacterial infections 40
 serology 437
 transfusion-transmitted 295
- bacteriuria 470, 542
 catheterized patients 470
 significant 542
- bag and mask ventilation 413, 414, 416, 416, 422
- Baha'i faith **357**, 375
- Bair Hugger blankets **718**
- balance 324
- balloon catheters *see* Foley catheters
- barbiturates **591**, **592**
- bar codes 289
- baroreceptors 513, 520, 521
- barrier nursing **40**
 reverse **40**
see also protective isolation; source isolation
- basic life support (BLS) 411, 413–14
 algorithm 412
 method (ABC) 413, 413–14, 414
- basilic vein 441, 441
- basins, hand wash 47–8
- bathing
 patients in isolation 72
 pre-operative 698
see also bedbathing
- bathrooms, cleaning 72
- beard care 308
- bed
 elevation of head of 217
 linen *see* linen/laundry

- moving and positioning in 207–12
 lying down to sitting up 211, 211 12
 side-lying 209–10, 210
 sitting 208–9, 209
 supine 207–8
 washing patient's hair in 308
 procedure guideline 313–14
- bedbathing 310–13
 procedure guideline 311–13
- bedpans 137, 137
- fluid output monitoring 256, 257–8
 patients in isolation 69
 procedure guideline 137–8
- bedrest 203–4, 738
see also rest
- behaviour, towards patients 95
- beliefs, assessing patient's 17
- benzodiazepines
 aggressive patients 113
 antiemetic effect 129, 130
 drug interactions 586
 legal controls 591, 592
 pain management 341
 panic disorder 108
- bereavement support 367
- Better Blood Transfusion initiatives 284
- bicarbonate ions (HCO₃-) 522
- bilirubin
 serum 452, 697
 urine 543
- binary fission 40–1
- biochemistry, blood 451, 452
 nutritional status 262–3
 pre-operative 680–1, 697
- bio-electrical impedance analysis (BIA) 262
- biofeedback 170
- biofilms 144, 327
- biohazard labels 439, 443
- biopsy, liver 483–5
- Biot's breathing 526
- bisacodyl 168, 170, 175
- bisphosphonates 341
- black and minority ethnic (BME) groups 96
see also cultural beliefs/issues
- bladder
 anatomy and physiology 134
 neuropathic/neurogenic 736
 perforation, complicating
 irrigation 159
 post-operative distension 717
- bladder irrigation 155–60
 equipment 155, 156
 fluid 155
 indications 155
 problem solving 158–9
 procedure guidelines 156–7, 159
 recording chart 158, 160
- bleeding/haemorrhage
 colonoscopy 482
 fluid homeostasis 249
 gastroscopy 481
 laparoscopic surgery 703
 liver biopsy 485
 post-operative 721
 surgical drains 732–3
 venepuncture site 450
see also blood loss
- blindness 120–1, 316
- blink reflex 558, 564
- blocking behaviours 99, 101
- blogs, internet 105
- Blom-Singer speaking valve 399
- blood
 accidental spillage 449
 flow problems, venepuncture 449
 group and save 451, 680
 spurting, venepuncture 449
- blood administration sets 288, 649, 649
 changing 288, 644
- bloodborne infections
 blood cultures 451–2
 care after death 361
 inoculation injuries 77
 testing donated blood 283
 transfusion-related 295
- blood collection tubes 443, 444, 450
- blood components/products 285–7
 administration, procedure guideline 290–2
 appropriate use 283–4
 collection and delivery, procedure
 guideline 289–90
 donation and testing 281–3
 labelling 293
 pre-transfusion checks 289, 290, 297
 traceability 284
 warming 288
- blood cultures 451–5
 collection bottles 443, 444, 453
 competencies 453
 equipment 453
 indications 453
 methods of specimen collection 453
 post-procedure care 455
 procedure guideline 454–5
 risk management 453
 skin preparation 454
 volume of blood required 453
- blood donation 281–3
- blood glucose *see* glucose, blood
- blood glucose monitors 549
- blood groups 279
 haematopoietic stem cell transplantation 280
 incompatibility 279–80
 testing 288, 451
- blood loss
 cardiopulmonary arrest 410
 cell salvage for transfusion 283
 massive, management 288
see also bleeding/haemorrhage;
 hypovolaemia
- blood pack labelling 293
- blood pressure (BP) 510–18
 across cardiovascular system 512
 control 512–13
 diastolic 510–11, 512
 dying patients 348
 factors affecting 512
 fluid imbalances 251
 intra-arterial monitoring 513
 measurement 513–18
 both arms 515
 cautions 513
 direct 513
 documentation 518
 equipment 514–15
 indications 513
 indirect 513–14
 methods 513–14
 neurological patients 559, 563
 orthostatic BP 514
 patient positioning 513, 515, 515
 post-operative 721
 problem solving 517–18
 procedure guideline 516–17
 pulse oximetry and 526
 at thigh 514
see also sphygmomanometers
 normal 511
 systolic 510, 512
 transfusion reactions 294
see also hypertension; hypotension
- blood products *see* blood components/products
- Blood Safety and Quality Regulations
 2005 284, 295
- blood sampling 440–57
 antimicrobial drug assay 455–7
 blood collection tubes 443, 444
 blood cultures 451–5
 blood tests 450–1
 order of draw 443, 447
 peripheral vein 440–50
- blood tests 450–1
 pre-operative 680–1, 696–7
- blood transfusion 279–97
 appropriate use 283–4
 autologous 283
 blood products used *see* blood components/
 products
 blood typing 451
 competencies 284
 complications 295–7
 consent 284–8
 equipment 288
 errors and their prevention 280, 281, 289
 hospital policy 280
 incompatible 279–80, 296
 indications 280–1, 282
 infusion devices 654
 massive 288
 observations during/after 291, 294, 502, 513
 patient preparation 289
 pre-transfusion/bedside checks 280, 289, 297
 problem solving 292
 procedure guidelines 289–92
 rationale 280–1
 reactions *see* transfusion reactions
 refusal 284–8
 safety and quality regulations in UK 284
- blood urea nitrogen 681
- blood-warming devices 288
- BLS *see* basic life support
- body, care after death *see* death, care after
- body bag 361, 363
- body composition 248, 261
- body fluids
 high risk 77
 patients in isolation 69–72
- body image
 assessment 16–17
 stoma patients 188
- body mass index (BMI) 261–2
- body temperature *see* temperature (body)
- bodyweight 261–2
 fluid status assessment 251
 measurement 262, 266
 adults 263
 equipment 263
 problem solving 266
 procedure guideline 264, 265
 sick children 262
 nutritional assessment 261–2
- Bonanno catheter 723
- bone conduction test 325
- bones 202
- bougies 418, 419
- bovine spongiform encephalopathy (BSE) 43
- bowel
 anatomy and physiology 134–5, 135
 measuring fluid output 257–8
 obstruction 166, 353
 perforation, iatrogenic 482
- bowel function/habit 168
 assessment 14–15, 167–8
 factors affecting 166–7
 moving/positioning patients and 214
 post-operative 736–7
see also constipation; diarrhoea
- bowel preparation
 colonoscopy 481, 482
 stoma surgery 184
- Boyle's Law 519

- BP *see* blood pressure
- brachial artery
blood pressure measurement 513, 515, 516–17
pulse point 499
- brachial plexus 555
- bradycardia 500, **718**
- bradypnoea 525
- brain 552, 553
- brainstem 553
- brain tumours 118
- breakthrough analgesia 344, 345
- breathing
abnormal patterns 558, **558**
agonal 411, 413
assessment 524–6
basic life support 413
dying patients 348
ineffective post-operative 721
mechanism of 519, 519, 520
positioning to minimize work of 222–3, **223**, 224
see also respiration
- breathing exercises, deep (DBE) 721
- breathlessness
at end of life 354, **355**
patient positioning 222–3, **223**, 224
see also dyspnoea; respiratory compromise
- Brief Pain Inventory (BPI) 339
- Bristol Stool Chart 136, 164, 168, 476
- British Committee for Standards in Haematology (BCSH) 280, 283–4, 288
- British Infertility Counselling Association 494
- British Society for Allergy and Clinical Immunology (BSACI) 584–5
- British Thoracic Society (BTS) 497, 526
- bronchial tree 223, 224
- bruising, after venepuncture 445, 450
- buccal analgesia 342
- buccal tablets **598**, 599
- Buddhism, care after death **357**
- Buddhist Hospice Trust **357**, 375
- bundle branches 501, 504
- bundle of His (AV bundle) 407, 501, 504
- buprenorphine 342, 344–5
- burial
within 24 hours 360
cultural and religious practices **357–9**
- Burial Society of the United Synagogue **359**
- burns, diathermy 708, 709
- Butrans 344
- butterfly devices *see* winged infusion devices
- caecum 481
- calcium, plasma **452**, **697**
- calcium chloride 419
- calculus, dental 327
- cancer pain 336
management 340–1, 345
see also chronic pain
- Cancer Research UK 494
- Candida albicans* 437
- candidiasis, oral 331, 613
- cannabinoids **129**, **130**
- cannabis 345, **592**
- capacity, mental *see* mental capacity
- capillaries, movement of water and solutes 248
- capillary blood glucose monitoring 547, 548–52
see also glucose, blood, monitoring
- capillary refill **251**
- capillary wound dressings **750**
- capsules 599, 599
opening 599
storage 582
- captopril **236**
- carbohydrates, oral supplements 268
- carbon dioxide (CO₂)
control of respiration 520–1
exchange 378–9, 379, 522
excretion 380
insufflation, laparoscopic surgery 703, 703
narcois 387
transport 378, 518, 522, 525
see also hypercapnia
- carbon dioxide partial pressure (PCO₂)
378, 379
in blood (PaCO₂) 379
changes during respiration 524
control of respiration 520–1, 521
- carbon monoxide (CO) poisoning 526
- cardiac arrest 410–11
arrhythmias causing 410
early recognition/warning systems 415, 421
in-hospital 411, 413
management *see* cardiopulmonary resuscitation
outside hospital 411
post-resuscitation care 423–4, 425
potentially reversible causes 410–11
prevention 425
team 415
- cardiac arrhythmias *see* arrhythmias
- cardiac compressions *see* chest compressions
- cardiac dysfunction, in fluid overload 259
- cardiac massage *see* chest compressions
- cardiac output (CO) 499, 500, 511
- cardiac syncope **237**
- cardiac tamponade 410
- cardiopulmonary arrest *see* cardiac arrest
- cardiopulmonary exercise testing (CPET) 681–2, 682
- cardiopulmonary resuscitation (CPR)
407–25
advanced life support (ALS) 411, 414, 419
assessment 412, 412
basic life support (BLS) 411, 413, 413–14, 414
complications 425
contraindications 411
cross-infection risks 413, 414–15, 425
defibrillation 412–13
documentation 418, 425
do not attempt (DNACPR) 411–12
drugs 419–20, 420
education 421, 425
equipment 415–18, 421
guidelines 411, 414
indications 411
in-hospital algorithm 415
post-procedure care 423–4, 425
problem solving **424**
procedure guideline 421–4
standards and training 415
see also cardiac arrest
- cardiovascular assessment **14**, 676
- cardiovascular function
pulse monitoring 502
unconscious patients 216, **219**
- cardiovascular instability, moving patients
with 206, **214**
- care
after death *see* death, care after
delegation of 784
evaluating 19, **20**
implementing 18, **20**
planning 18, **19**, **20**
process of 10–19
Care, Compassion, Compe ence, Comm nica ion, Co rage and Commi men (the 6Cs) (2013) 2
- care home
assessment **28**
discharge to 27–8
- Care Quality Commission (CQC)
infection prevention and control 46, 49
protected mealtimes 269
- carers, informal 23–6
see also family
- Carers (Equal Opportunities) Act 2004 25
- caries, dental 327
- carotid artery, common 499
- carotid pulse, checking 413, 414
- cataracts **317**
- cathartics 168
- catheter-associated urinary tract infections (CAUTI) 153, 470
catheter materials and 144
catheter specimen of urine (CSU) 472–3
CAUTI *see* catheter-associated urinary tract infections
- Cavilon barrier film **184**
- CDs *see* controlled drugs
- cell salvage, for transfusion 283
- cellulitis 70, **732**
- cell wall, bacterial 40, 41, 42
- CE mark 48
- central nervous system (CNS) 226, 552–3
assessment *see* neurological assessment/ observations
pre-operative review 677
- central neurogenic hyperventilation **558**
- central venous access devices (CVADs)
blood sampling from 453, 456
occlusion **662**
- central venous pressure (CVP) **251**
- cephalic vein 441, 441
- cerebellum 553, 554
- cerebrum 552, 554
- cerumen *see* ear wax
- cervical collar 232, 232, **237**
- cervical nerves 555
- cervical plexus 555
- cervical spinal instability
hard collar 232, 232
log rolling 232–3
moving and turning methods 231
- chain of infection 44, 44, **45**
- chair
lower limb amputees 240
patient positioning in 212
standing up from 212–13, 213
- challenging behaviour 112, 112–14
- chaplain, hospital 351
- charities, disease-specific national 105
- charrière (ch) 143
- chemoreceptors 513, 520, 521
- chemoreceptor trigger zone (CTZ) 128
- chest
expansion, assessment 526
shape, assessment 526
- chest compressions, CPR 413–14, 414, 422
- chest X-rays (CXR)
after CPR 423
pre-operative 681
- Cheyne–Stokes breathing 526, **558**
- children
deceased relatives 361
as informal carers 26
visiting patients in protective isolation 77
see also paediatric patients
- chin lift manoeuvre 413, 413, 422
- Chiron barrier cream **184**
- chlamydia, eye swabs 463
- chlorhexidine (gluconate)
denture care 328
oral care 330, **334**
skin preparation 454
for surgical scrub 48, 59
- Christians, care after death **357**
- Christian Scientists, care after death **358**

- chronic obstructive pulmonary disease (COPD) 497, 523
- chronic pain 336
acute pain superimposed on 337, **337**
assessment 337
defined 336
management 340–1, 343
see also cancer pain
- Church of England
care after death **357**
marriages at end of life 351
- Church of Jesus Christ of the Latter Day Saints, care after death **358**
- circulation, CPR 413–14
- circulatory overload *see* fluid overload
- citalopram 110
- civil partnerships, at end of life 351
- CJD *see* Creutzfeldt-Jakob disease
- clarifying 93
- cleaning
isolation rooms 72, 76
skin *see* skin cleaning/preparation
wounds 752, 765
- clients *see* patient(s)
- clinical experience and guidelines (E) 3
- clinical governance
endoscopy 480
medicines administration 587–8
oxygen therapy 381
- clinical supervision 94, **100**, 107
- clippers, pre-operative hair removal **692**
- clips, skin **766**
removal 771
procedure guideline 772
- Clos ridi m di cile*
faecal specimens 475
prevention and control 38, 49
spores 41–2, 72
- clot formation, wound healing 747, 747
- clothing 310
protective *see* personal protective equipment
surgical patients 692
surgical team 703
- cloths, prepackaged 310
- cluster breathing **558**
- coagulation tests **451**, **680**, **696**
- co-analgesics **341**, 345
- cocaine **592**
- coccygeal nerves 555
- co-codamol 343
- co-danthramer **169**
- Code, NMC 2, 783–5
- codeine phosphate
diarrhoea 164
pain management 341, 343
paracetamol combinations 342–3
- cognitive ability, assessment **13–14**
- cognitive impairment
moving and positioning 206
pain assessment 339
see also dementia; learning disabilities
- cohorting **39**, 69
- cold storage, medicines 582
- cold therapies, pain management 348
- cold water bubble humidifiers 389, 389
- collagen
dressings **750**
in wound healing 747, 747–8
- Colledge silver laryngectomy tube 399, 400
- colloid fluids 253
- collusion 106–7
- colon 135, 481
- colonic conduit 182
- colonization **38**
critical 749
wound 749
- colonoscope 481
- colonoscopy 481–2
indications 481
patient preparation 482
- colostomy 180–1
dietary management 188–9
end (permanent) 180, 181, 181
loop (temporary; defunctioning) 180–1, 181
plugs 184, 188
post-operative function 188
pouches 182, 183, 183, **188**
see also stoma(s)
- Colostomy Association 199
- comatose patients *see* unconscious patients
- Combitube 418
- comfort, patient 305–68
at end of life 354
intravenous drug administration 645
measures alleviating pain 347
see also end-of-life care; pain management; personal hygiene
- commensal organisms 40, 42
- Commission on Human Medicines (CHM) 580, 587
- commode 137, 137
procedure guideline 138–9
- common carotid artery 499
- communication 89–123
acquired disorders 118–21
aids 93, 119, **119**
anatomy and physiology 90–1
angry/aggressive patients 112–14
assessment of ability/needs **13**, 98
augmentive or alternative (AAC) 119, **119**
barriers to effective 94–5
competencies **97**, 97–8
definitions 90, 95, 101
delirious patients **116**
depressed patient **111**
with diagnostic laboratory 439
discharge planning 21
dying patients 352
effective 92–5
environmental aspects 98, **98**
facilitative 103
informing patients 103–6
language and cultural issues 96
legal and professional issues 95–8
non-verbal 92–3
during nursing assessment 11
during oxygen therapy **387**
patients with specific psychological needs 106–18
principles 98, **98–100**
professional responsibility for effective 95
skills 93–4
speech-impaired patients 93, 119–20
supportive *see* psychological support
theories of interpersonal 91–2
time issues 98, **98**
unconscious patients 215
verbal 93–4
websites and useful addresses 126
worried/distressed patients **101–2**, 101–3
- community care
discharge planning 26–7
at end of life 29–32
personalized 26
voluntary sector 26
- Community Care (Delayed Discharges) Act 2003 26
- community nurses
discharge planning **22–3**
end-of-life care 29–32
- compartment syndrome 705
- compassion 95
Compassion in Practice (2012) 95
- competence/competencies 2
blood cultures 453
blood transfusion 284
communication **97**, 97–8
CPR 415
infection prevention and control 47
obtaining consent 685
oxygen therapy 381
patient education 684
respiratory secretion sampling 477
specimen collection 437, 461
suturing 765
tracheostomy care 394
urinary catheterization 142
venepuncture 442
- complaints, dealing with 784
- complementary therapies 129, 586, 679
- compliance aids 589, 601, 601
- complications of treatment, assessment **17**
- compression stockings, graduated elastic *see* antiembolic stockings
- computed tomography (CT) 487
- concertina-type drainage system **723**, 723 4
- confidentiality, respect for 95, 783
- conformable catheters 144
- confusion 561
- conjunctivitis 70
- consciousness 553–5
assessment 553–5
AVPU scale 562
cardiopulmonary arrest 412, 412
Glasgow Coma Scale 559–62, 560, **561**
NEWS system 497
post-CPR 424
procedure guideline 562–3
basis of 553
defined 215
dying patients 348
see also unconscious patients
- consent 95–6, 783
assessing capacity to give 96, 97, 685
blood transfusion 284–8
capacity to give 685
implied 96
moving and positioning 205
obtaining 96
refusal of 96
semen collection 459
specimen collection 437
for surgery 685, 694
validity of 96, 685
written 96, 685
- constipation 166–70
assessment 166–8
causes 166, 167
defined 166
digital removal of faeces 178
procedure guideline 179–80
at end of life **355**
enterally-fed patients 277
management 168–70, 175
opioid-induced 344
risk factors 166–7
Rome criteria 168
secondary 166
- contact dermatitis, latex allergy **694**
- contact lenses 317, 318
gas permeable 318
hard 318, 322, 322
ophthalmic drug administration and 615
removal, *procedure guidelines* 322, 322–3, 323
soft 318, 323, 323
- contact precautions **39**
- contact transmission 44
- context, as source of evidence (C) 3
- continuous intravenous infusions *see* intravenous infusions, continuous

- continuous low pressure (CLP) mattresses 763
 contractures 205
 amputees 239, 241
 neurological impairment 227
 Control and Restraint 115
 controlled drug register (record book) 593, 594
 archiving 594
 legal requirements **591, 592**, 593
 procedure guideline 596, 597
 receipt of drugs 593
 controlled drugs (CDs) 590–7
 accountability and responsibility 591
 administration **592**, 594
 procedure guideline 595–7, 597
 emergency supplies **591**
 key holding and access 593
 legal requirements 590–1, **591, 592**
 prescription **591, 592**, 594
 receipt 593
 record keeping 593
 requisition **591, 592**, 593
 return and disposal of unused 594
 safe practice guidance **594**, 594–5
 schedules 591, **592**
 stationery 594
 stock checks and discrepancies 593
 storage **591, 592**, 593
 supply under Patient Group Direction 590, 594
 transport 594
 Controlled Drugs (Supervision of Management and Use) Regulations 2006 591
 controlled-release tablets 598–9
 conveens *see* penile sheaths
 cooling methods, hyperthermia 540
 cool storage, medicines 582
 co-ordination, testing 557–8, 564
 COPD *see* chronic obstructive pulmonary disease
 coping, assessment **16**
 cornea 315, 315
 corneal (blink) reflex 558, 564
 coronary thrombosis 410
 coroners 360–1
 corrugated drains **723**, 723
 corticosteroids (steroids)
 antiemetic use **129, 130–1**
 eye drops 615
 hyperglycaemia due to 547
 inhaled 610, 612
 intra-articular injection 629
 pain management **341**
 retention enemas 172
 covert administration of medicines 599–600
 CPR *see* cardiopulmonary resuscitation
 cranial nerves 553, **556**
 C-reactive protein (CRP) 262, **452, 697**
 creams 603
 storage 582
 creatinine, serum **251, 452, 681, 697**
 cremation **357–9**, 360–1
 Creutzfeldt–Jakob disease (CJD) 43–4
 variant (vCJD) 43, 44, 283
 critical care outreach teams 496
 critically ill patients
 blood pressure measurement 513
 early warning systems 496
 moving and positioning 204, 215
 oral care 329, **329**
 pulse monitoring 502
 temperature monitoring 537
 transferring 425
 crockery, patients in isolation 69
 cross-infection **38**
 Cruse Bereavement Care 375
 cryoprecipitate **287**, 291
 crystalloid fluids 253
 cues, responding to 93, **99, 104**
 cuff, blood pressure **515, 516**
 cuff pressure manometer 395, 395
 cultural beliefs/issues
 assessment **17**
 care after death **357–9**, 360, 361
 communication 96
 pain assessment and 338
 personal hygiene 310
 culture, microbiological 436–7
 curtains, source isolation rooms 72
 Cushing's reflex 559
 cutlery 69
 CVAD *see* central venous access devices
 cyanosis 524
 cyclizine **129**, 639
 cycloplegics 615
 cystoscopy 482–3, 483
 Dalton's law 378
 dantron 170
 data collection, inpatient assessment 11
 Da Vinci surgical robot 703, 704
 deafness 96, 121, 324–5
 death 356–67
 care after (last offices) 356–67
 contraindications 360
 indications 360
 legal issues 360
 problem solving **365–6**
 procedure guideline 362–5
 religious and cultural needs **357–9**, 360, 362
 certification 360
 confirmation or verification 360
 education of family 367
 'good' 349, 356
 immediate care 367
 infectious patients 361
 informing next of kin 350–1, **365**
 informing other patients 362
 legal and ethical issues 350–2
 post-mortem requirements 360, 361
 radioactive patients 361, **366**
 referral to coroner 361
 repatriation after 360–1
 sudden cardiac 411
 sudden or unexpected 351, 360, **365**
 viewing the body **366**, 367
see also dying patients; end-of-life care
 death rattle 353, **355**
 debridement, wound **748**, 749
 decannulation plug, tracheostomy 397, 399, 399
 decerebrate posturing **561**
 decision making 17, **20**
 decorticate posturing **561**
 decubitus ulcers *see* pressure ulcers
 deep breathing exercises (DBE) 721
 deep vein thrombosis (DVT) 686, 686
 prophylaxis *see* thromboprophylaxis
 risk factors 686, 737
 signs **687**
 spinal cord compression/injuries 238
see also venous thromboembolism
 defaecation 166
 anatomy and physiology 135
 assisting, procedure guidelines 137–9
 digital stimulation 176
 positioning for 170, 171
 defibrillation 411, 412–13, 415–16
 placement of electrodes (pads) 415–16, 416
 problem solving **424**
 procedure 423
 safe practice 416
 by untrained individuals 415
 defibrillators 415–16, 714
 dehydration 249–50, 259–60
 in diarrhoea 165
 infusion-related 665, **665**
 pre-operative fasting and 691
 signs and symptoms **251**, 260
 venepuncture in 445
 delayed-release capsules 599
 delegation of care 784
 delirium 114–16
 documentation 116
 at end of life 115, 353
 prevention and management 115–16, **116**
 risk factors 114–15
 signs and symptoms 114
 deltoid muscle injections 640, 640, 641
 dementia 116–18
 communication issues 96–7, 116–17, **117–18**
 discharge planning 21
 pain assessment 117, 339
 personal care 307
 denial 106–7, **107**
 dental decay 327
 dental floss/tape 329, 329, 332, 333
 dental status, pre-operative 699
 dentures 328
 cleaning 328, 334
 procedure guideline 333–4
 removal 333
 deodorants, stoma 184, **184**
 depilation *see* hair removal
 depression 109–11
 co-morbid 109
 diagnosis 109–10, **111**
 management 110, **111**
 symptoms 109, **110**
 Depression Alliance 126
 Depression UK 126
 Deprivation of Liberty Act 117
 dermatitis, incontinence-associated (IAD) 137
 dermis 306, 307, 746
 dexamethasone **129**
 dextrocardia 507
 diabetes mellitus (DM) 546
 blood glucose monitoring 548
 continuous subcutaneous insulin
 infusion 634
 diagnosis 546, 548
 end-of-life care 353
 foot care 308–9
 foot ulcers 308, 309, **309**
 hyperglycaemia 546–7, 547
 hypoglycaemia 547
 patient education 552
 tight glycaemic control 548
 wound infections 751
 diabetic ketoacidosis 546, 547
 diabetic retinopathy **317**
 diagnosis, nursing 17–18, **20**
 diagnostic tests 435–88
 indications 436
 pre-operative **680–1**, 680–2, 694, **696–7**
 request forms 439
 dialogue, with patients 95
 diamorphine 344
 infusion devices **654**
 routes of administration 342
 safer practice guidance 594, **594**
 supply under Patient Group Direction 594
 diaphragm 222, 223, 519, 520
 diarrhoea 163–6
 acute 163
 antibiotic-associated 164–5, 475
 assessment 164
 chronic 163–4
 enterally-fed patients 276
 faecal incontinence 166
 faecal specimens 475, 476
 infection prevention and control **39**, 49, 477

- management 164–5
source isolation 69, 70
- diastolic blood pressure 510–11, 512
measurement **514**, 514, 517
- diathermy 707–9, 709, 711, 712
- diclofenac 343
- diencephalon 553
- diet
as cause of diarrhoea 165
in constipation management 170
history 262
immunocompromised patients 75–6
modification 267, **268**
stoma patients 188–9
see also food; nutrition
- dietary supplements *see* nutritional supplements, oral
- diffusion **249**
facilitated **249**
of gases 378
- digestion 260
- digital rectal examination (DRE) 176–8
indications 168, 176
procedure guideline 177–8
- digital removal of faeces (DRF) 178–80
procedure guideline 179–80
- digital stimulation of defaecation 176
- dignity, maintaining 95, 165, 206
- dihydrocodeine 341
- dioctyl sodium sulphosuccinate *see* docusate sodium
- dipstick tests, urine *see* urine dipstick (reagent) tests
- direct contact, transmission via 44
- discharge
to care or nursing home 27–8
complex **22–3**, **24** 5
delays 26, 32
at end of life 29–32, **30** 1, 350
equipment facilitating 28
to intermediate care 26–7
against medical advice **26**, **26**
neutropenic patients 76
NHS Continuing Healthcare 27, 29–30
from PACU 719, **719**
patients on nutritional supplements 269
patients with additional needs 21, 29, **29**
social services care on 27
from source isolation 72
specialist ongoing care after 28–9
supported 26–7
- discharge co-ordinators 21, **22**
- discharge planning 10, 21–32
complex cases **22–3**, **24** 5
defined 21
informal carers and 23–6
post-operative 738
process 26
single assessment process 23
spinal cord compression/injury 232
stoma patients 189, 190
ten steps 23
voluntary services 26
- disorientation 562
- dispensing 581
- displacement values 622
- distressed patients **101–2**, 101–3
- Distress Thermometer 98, 100
- diversity 96–7
- documentation 19
guidelines **19–20**
NMC Code 784
- docusate sodium (dioctyl sodium sulphosuccinate)
enema 172
laxative 169, **169**
- domestic staff, cleaning isolation rooms 72
- domperidone **129**
- do not attempt cardiopulmonary resuscitation (DNACPR) 411–12
- dopamine antagonists, antiemetic **129**, **130**
- dorsalis pedis artery 499
- dorsogluteal intramuscular injections 640, 640–1
- dosette boxes 589, 601, 601
- double checking, medicines 587
- double gloving 706
- 2-3-DPG (2,3-diphosphoglycerate) 379, 379
- drainage bags, urine *see* urine drainage bags
- drains, surgical 722–33
closed **723**
removal, **procedure guideline** 727–9
vacuum bottle change, **procedure guideline** 726–7
- discharge home with 29
- dressing change, **procedure guideline** 724–6
- emptying 724
- leaking **259**, **730**
- measuring fluid output 256–7, 724
- open **723**
- problem solving **730–3**
procedure guidelines 724–9
- removal 724
problems **733**
procedure guideline 727–9
- skin care **308**
- types 722, **723**
see also urinary catheters
- dressings 752
care after death 363
categories **750–1**
changing 752, 757
negative pressure wound therapy 775–6
nephrostomy tubes 161–2
post-operative 734
procedure guidelines 67–9, 755–7
surgical drain site 724–6
tracheostomy 401–2, 402
- dry and wet 752
- nephrostomy tube site 161
- occlusive 752
- peripheral cannulas 647
- poor application/techniques **749**
- pressure ulcers 765
- primary 752
- principles of use 752
- secondary 752
- selection **755**
- surgical wounds 711, 712, 734, 734
- drinking
assessment and recording tools 269
assistance with 266, 269–71
difficulties **271**
see also eating; fluid intake
- drinks, disguising medication in 599–600
- drip chambers 648, 648
- drips *see* gravity infusion devices
- driving 345, 617
- droplet precautions **39**
- droplet transmission 44
- drug allergies **584**, 584–5, **585**
- drug interactions 576, 585–6
pharmacodynamic **586**
pharmacokinetic **586**
- drug intoxication, cardiopulmonary arrest 410–11
- drugs *see* medicines
- dry mouth (xerostomia) 327
oxygen therapy **386**
problem solving **334**
- dry powder inhalers (DPI) 609, 610, 610
- duodenum 134, 479
- Durogesic *see* fentanyl
- Duthie Report, *The Safe and Secure Handling of Medicines: A Team Approach* (2005) 582, 588
- DVT *see* deep vein thrombosis
- dyes, intravenous 526
- dying patients
care for *see* end-of-life care
common symptoms and signs 348
discharge home 29–32, **30** 1, 350
euthanasia and assisted suicide 351–2
last will and testament 351
marriages 351
next of kin 350–1
organ donation preferences 351
recognition of terminal phase 349
see also death; palliative care
- dysarthria 118, 226
principles of communication 119, **120**
- dyspareunia, stoma patients 189
- dysphagia 226, **271**, 271–3
at-risk patient groups **272**
clinical assessment 271
dietary modification **268**
oral medications and 599, **603**
principles of care 272
- dysphasia 118, 226
neurological assessment 561, **565**
- dysphonia 118, 120
principles of communication **120**
- dyspnoea 526
see also breathlessness
- dyspraxia of speech 118
- dysuria, catheterized patients **154**
- ear
anatomy 324, 324
assessment 325
balance function 324
drug administration 618–20
irrigation 325–6, **326**
mechanism of hearing 91, 91, 324
piercings 309
swab sampling 46–462, 462
- ear care 309, 324–6
- ear drops 618–20
procedure guideline 619–20, 620
- eardrum *see* tympanic membrane
- early warning scoring (EWS) systems 720
see also National Early Warning Score; track and trigger systems
- ear wax (cerumen)
impaction 324, **324**
removal (ear irrigation) 325–6, **326**
softeners 325
temperature measurement and 538
- eating 266
assistance with 266, 269–71
procedure guideline 270
- difficulties **271**
- documentation 269, 271
- post-operative patients 737
see also food; meals
- ECG *see* electrocardiogram
- Effentora 345
- Einthoven's triangle 505
- ejaculation 457
- elastic compression stockings, graduated *see* antiembolic stockings
- elderly *see* older adults
- electrocardiogram (ECG) 501, 504–10
3-lead 506, 506
12-lead 504–10
electrode sites **505**, 505, 505–6, 507
equipment 506–7
Mason–Likar system 506, 506
problem solving **509–10**
procedure guideline 508–9

- electrocardiogram (ECG) (*con in ed*)
 abnormal tracings 511
 ambulatory 506, 507
 calibration 506–7, 507
 CPR 422, 423
 in dextrocardia 507
 documentation 510
 female patients 507
 filters 507
 indications 506
 normal 504, 504, 510, 511
 paper 507
 pre-operative 681
 pulse measurement 502
 electroejaculation 458
 electrolytes 248
 body fluids 248
 homeostatic mechanisms 248–9
 influencing heart rate 499
 membrane transport 248, **249**
 renal handling 541, 541
 serum **251, 681, 697**
 electronic identification systems, for
 transfusion 289
 electronic palliative care co-ordination
 systems 350
 electronic prescribing (e-prescribing)
 systems 577, **577**
 electrosurgery *see* diathermy
 elimination 127–95
 assessment **14–15**
 assisting patient with 135–9
 procedure guidelines 137–9
 dying patients 348
 faecal *see* faecal elimination
 moving patients and **214**
 normal 128–9
 urinary *see* urinary elimination
 elixirs 599
 emollients 309–10
 emotional support *see* psychological support
 empathy 94, **99, 102**
 empirical evidence/knowledge 2
 enablement packages, supported
 discharges 26–7
 endocrine system, assessment 677
 end-of-life care (EoLC) 348–67
 advance care planning 350
 artificial hydration 352
 communication issues 352
 definitions 348
 delirium management 115
 discharge home 29–32, *30 1*, 350
 discharge to nursing home 350
 legal and ethical issues 350–2
 next of kin 350–1
 NHS strategy and principles 348–9
 non-pharmacological support 353–4
 pharmacological support 353
 physical 354
 preferred priorities 349–50
 principles 352–3
 prognostication 352
 psychosocial 354
 spiritual and religious 354–6
 staff support 367
 symptom control 353–4, **355**
 see also dying patients; palliative care
End of Life Care Strategy (2008) 29, 348, 350, 356
 endogenous infections 45, 75
 endoscope 480
 endoscopic investigations 479–83
 endoscopists, nurse 480
 endotracheal intubation
 CPR 413, 418, 422–3
 equipment 418, **418, 419**
 post-anaesthetic recovery 714
 levels 3, **3**
 sources 3
 types 2
 using best available 784
 evidence-based nursing (EBN) 2–3
 evidence-based practice (EBP) 2–3
 exercise
 assessment **14**
 constipation management 170
 pain management 347
 exercise testing, cardiopulmonary 681–2,
 682
 exhalation *see* expiration
 exogenous infections 45, 75
 experience, clinical (E) 3
 expert opinion 3
 expiration 222, 519, 519, 520
 expiratory reserve volume (ERV) 522, **523**
 extension sets 649, 649
 external acoustic canal 324, 324
 temperature measurement 538, 538
 external ear 324
 extracellular fluid (ECF) 248
 extravasation **662–3**
 exudate, wound *see* wound exudate
 eye(s)
 ageing changes 316, **317**
 anatomy and physiology 315, 315–16, 316
 artificial (prosthetic) 318
 insertion, *procedure guideline* 321
 removal, *procedure guideline* 321
 assessment 317
 opening, Glasgow Coma Scale 559–61, **561**,
 563
 systemic drug administration 614
 topical drug administration 613–17
 eyebrows 315
 eye care 315–23
 fluids 317
 indications 316–17
 light source 318
 patient position 318
 principles 317
 eye drops
 containers and droppers 614
 instillation 613–14, 614
 procedure guideline 616–17
 storage 582
 eye irrigation 317–18
 procedure guideline 319–20, 320
 eyelashes 315
 eyelids 315
 eye medications, topical 613–17
 instillation techniques 613–14, 614
 procedure guideline 616–17
 types 614–15
 eye ointments
 instillation 613–14, 614
 procedure guideline 616–17
 storage 582
 eye patches 617
 eye protection (goggles) 48, **78**
 procedure guideline 57–8, 58
 source isolation 74
 eye swabbing 317
 procedure guidelines 318–19, 462–3
 eye swabs 317

 facemasks *see* masks
 face shields 48, **78**
 procedure guideline 57–8, 58
 facial artery 499
 facial nerve (VII) **556**
 faecal elimination 134–9
 altered 163–80
 anatomy and physiology 134–5, 135
 assisting 135–9

- equipment 136–7, 137
- procedure guidelines 137–9
- see also defaecation
- faecal incontinence 166
- skin care 137
- specimen collection 476
- faecal–oral transmission 45
- faecal (stool) softeners **168**, 169, **169**
- faecal specimens 475–7
 - containers 438
 - indications 475
 - procedure guideline 476
 - storage and transportation 477
- faeces (stools) 135
 - assessment 136, 164, 168, 475–6
 - collection devices, in diarrhoea 165, 165
 - digital removal 178–80
 - procedure guideline 179–80
 - measuring fluid output 257–8
 - patients in isolation 69
 - specimen containers 438
 - see also defaecation
- fainting (syncope)
 - cardiac **237**
 - during positional changes **215**
 - urinary catheterization **150**
 - venepuncture-associated 450
- falls 206–7, **215**
- family
 - bereavement support 367
 - deceased patients 360, 361, **365**, 367
 - delirious patients 116
 - dementia patients 117
 - discharge planning and **22–3**, 23–6
 - dying patients 356
 - participation in care after death 361, 364
 - patients in isolation 73, 75, 76, 77
 - as translators/interpreters 96
 - viewing the body **366**, 367
- family history 676
- fasting
 - pre-operative 690–1, **691**
 - prior to gastroscopy 480
- fat
 - body 261
 - measurement 262
 - enteral feeds 274
 - oral supplements 268
- fatigue 206
- febrile non-haemolytic transfusion
 - reactions **292**, 296–7
- feeding, assisted 266, 269–71
 - procedure guideline 270
- feet see foot
- female patients
 - cystoscopy 483
 - ECG electrodes 507
 - midstream specimen of urine 471–2, 542
 - pre-operative care 692–3, 698
 - respiratory volumes and capacities **523**
 - urinary catheterization 146, **151**
 - procedure guideline 148–50
 - urinary catheters 143, 144
 - X-ray precautions 485
- female urethra 483
- femoral artery 499
- fentanyl (Durogesic) 344
 - buccal tablet 345
 - intravenous 342
 - oral transmucosal (OTFC) 345
 - transdermal 342, 344, **344**
- fever 536, 540
 - see also pyrexia
- fibre, dietary 170
- fibroreptic endoscopic evaluation of swallowing (FEES) 272–3
- fibrillation, heart 501
- fibroblasts 747, 747
- finger pricking, blood glucose monitoring 548, 550
- fire hazards, oxygen therapy 381, 382, 387
- first-pass metabolism 605
- flatus, catheterized patients **154**
- flagellae 40, 42
- flaps, surgical 773
 - observation chart 773
- flatus (wind), stoma patients 189
- floor cleaning, source isolation rooms 72
- flossing, dental 329, 332, 333
- flowmeters, oxygen 382, 385
- Flowtron machine/boots 687, 687, 706, 708
- fluid(s)
 - compartments 248
 - composition of body 248
 - gastrointestinal tract 261
 - requirements, calculation 263, **263**
 - see also body fluids; infusion fluids; water
- fluid administration sets 648, 648–9
- fluid balance 248–60
 - abnormalities 259–60
 - assessment 250, **251**, 252
 - chart 254
 - charting 250–60
 - acute kidney injury 260
 - bladder irrigation 158, 160
 - indications 253
 - nephrostomy tubes 161
 - problem solving **259**
 - procedure guidelines 254–8
 - physiology 248–50
 - post-operative management 722, **722**
- fluid deficit see dehydration
- fluid intake (input)
 - constipation 170
 - monitoring/measuring 253
 - problem solving **259**
 - procedure guideline 254–5
 - pre-operative 691, **691**
 - routes and sources **250**
 - stoma patients 188, 189
- fluid output (losses)
 - insensible **259**
 - monitoring/measuring 253, 255–9
 - bowels 257–8
 - catheterized patients 255
 - gastric outlets, nasogastric tubes, gastrostomy 257
 - non-catheterized patients 255–6
 - problem solving **259**
 - procedure guidelines 255–8
 - stoma sites 258
 - surgical drains 256–7, 724
 - routes **250**
 - third space 259–60
- fluid (circulatory) overload 259
 - bladder irrigation 155
 - intravenous infusions 664–5, **665**
 - post-operative **717**
 - signs and symptoms **251**, 259, **665**
 - transfusion-associated 281, 296
 - see also overinfusion
- fluid therapy
 - colloids vs crystalloids 253
 - diarrhoea 165
 - excessive see fluid overload
 - hypovolaemia 410
 - infusion devices **654**
 - NICE algorithm 252, 253
 - post-operative 722
 - subcutaneous infusion 633, 634–6
 - see also intravenous fluids; intravenous infusions
- flumazenil **594**, 597
- fluoride 330
- flushing
 - enteral feeding tubes 275, 277, 278, 279
 - peripheral cannulas 647
- foam sticks, oral care 329, **334**
- foam wound dressings **750**
- Foley (balloon) catheters **142**, 143, 143
 - balloon deflation problems **154**
 - balloon filling 143
 - balloon size 143
 - see also urinary catheterization
- food
 - benchmarks **267**
 - charts 262, 269, 271
 - digestion and absorption 260–1
 - disguising medication in 599–600
 - drug interactions 586
 - hygiene 46–7, 75, 76
 - ingestion 260
 - oral medication and **598**
 - provision in hospital setting 266–7, **267**, **268**
 - stoma patients 188–9
 - see also diet; meals; nutrition
- foot
 - care 308–9
 - diabetic 308–9
 - splints/orthoses 229, 229
 - venepuncture 440
- foot ulcers, diabetic 308, 309, **309**
- footwear
 - preventing sharps injuries **78**
 - supportive 213
 - surgical team 703
- forced expired volume in 1 second (FEV1) 530
- forced vital capacity (FVC) 530
- fractures, moving and positioning patients
 - with 205
- frail patients, discharge 29
- Francis Report (2013) 95, 737, **738**
- Free Church, care after death **357**
- FreshAire 184, **184**
- fresh frozen plasma (FFP) **286**
 - administration, procedure guideline 291
 - solvent detergent treated (SD-FFP) **287**
- frontal lobe 552, 554
- frontotemporal dementia 116
- full blood count (FBC) 450, **451**, **680**, **696**
- Functional Health Patterns, Gordon's 10, 11, **11–12**
- functional residual capacity (FRC) 522, **523**
- funeral arrangements 351
- funeral directors **366**
- fungaemia 451
- fungal infections 42–3
 - feet 308
 - oral 331
 - skin scrapings 466
- fungi 42–3, 437
- Fybogel **168**
- gag reflex 558, 564
- gargling medication **598**
- gaseous exchange 378–9, 379, 522
- gastric distension, during CPR 425
- gastric outlets, measuring fluid output 257
- gastrocolic reflex 135
- gastroenteritis 163
- gastrointestinal assessment **14–15**, 676
- gastrointestinal (GI) endoscopy 479–82
- gastrointestinal infections 163
 - faecal sampling 475–7
 - infection control precautions **39**
 - modes of transmission 45
 - symptoms 45
- gastrointestinal (GI) tract
 - anatomy and physiology 134–5, 135, 479, 481
 - passage of food 260–1
 - perforation, iatrogenic 481, 482
 - post-operative function 736–7

- gastro-resistant capsules 599
gastroscopy 479, 479–81
 complications 481
 indications 479–80
gastrostomy 273
 buttons 273
 measuring fluid output 257
 percutaneous endoscopically placed (PEG) 273
 radiologically inserted (RIG) 273
gauges, needle 622
GCS *see* Glasgow Coma Scale
GelClair 331
Gel-X capsules **184**
general anaesthesia *see* anaesthesia
generalized anxiety disorder 108
general practitioners (GP), end-of-life care 30, 350
general sales list (GSL) medicines 577
gene therapy, specimens 439
genitourinary assessment **15**
genitourinary tract 134
gentamicin 455–6
gingivitis 327
Glasgow Coma Scale (GCS) 559–62, 560
 post-CPR 424
 problem solving **565**
 procedure guideline 562–3
 scoring 559–62, **561**
glasses *see* spectacles
glaucoma 315, **317**
globe (of eye) 315
glomerular filtration 540–1
glomerular filtration rate (GFR) 544
glossopharyngeal nerve (IX) **556**
gloves, disposable 48
 dispensers 48
 disposal of used 53, 54, 61, 63
 latex 48, 693
 non-sterile 48
 aseptic technique 67, 68
 procedure guideline 52–4, 53 4
 operating theatre staff 706
 source isolation 74
 sterile 48
 aseptic technique 68
 procedure guidelines 60–6
 venepuncture 443
gloving, double 706
glucagon 546
glucose
 administration, in hypoglycaemia 547
 in urine 543, 547
 glucose, blood 546–52
 diagnosis of diabetes 546, 548
 monitoring 547–52
 conditions affecting accuracy 548
 equipment 549
 general principles 548
 indications 548
 methods 548
 parenteral nutrition 548
 problem solving **552**
 procedure guideline 549–51, 551
 self- (SMBG) 548
 training and quality control 548–9
 normal target ranges 546, **546**
 regulation 546
 see also hyperglycaemia
 glucose meters, blood 549
 glucose polymers 268
 gluteus muscle injections 640, 640–1
 glycerine and lemon swabs, dry mouth 330
 glycerol (glycerine) suppositories 169, 175
 glyceryl trinitrate (GTN)
 to aid venous access 442
 autonomic dysreflexia **236**
 transdermal delivery 605
 glycopeptide antibiotics 456
 glycosylated haemoglobin (HbA1c) **680**
 goggles *see* eye protection
 Gordon's Functional Health Patterns 10, 11, **11–12**
 governance, clinical *see* clinical governance
 gowns 48
 donning, *procedure guideline* 62–6
 operating theatre staff 706
 surgical patients 692
 graduated elastic compression stockings *see*
 antiembolic stockings
 Gram-negative bacteria 40, 41, 436
 Gram-positive bacteria 40, 41, 436
 Gram staining 436
 granulating wounds **755**
 granulation tissue 747–8
 grapefruit juice **586**
 Graseby syringe drivers 634
 gravity drip rate controllers 651
 gravity infusion devices 650–1
 advantages and disadvantages 651
 factors affecting flow rates 650–1
 flow rate calculations 650
 groin swabs 466
 growth hormones **591**
 Guedel airway 416–17, 417
 guidelines, clinical 3
 gum elastic bougie 418
 haematocrit **680**
 haematology blood tests 450, **451**
 pre-operative **680**, 694, **696**
 haematomas
 peripheral cannula-related 664
 surgical site **735**
 venepuncture-related 450
 haematopoietic stem cell transplantation 280
 haemodilution, acute normovolaemic
 (ANH) 283
 haemodynamic instability, post-operative 721
 haemoglobin (Hb)
 concentration 280–1, **451**, **680**, **696**
 glycosylated (HbA1c) **680**
 malnourished patients 262
 oxygen transport 379, 379, 522
 haemolytic disease of the fetus and newborn
 (HDFN) 280
 haemolytic transfusion reactions
 acute 296
 delayed 297
 haemorrhage *see* bleeding/haemorrhage
 haemostasis, wound 746–7, 747
 haemovigilance 284
 hair care 308
 hairdryers 308
 hair removal
 surgical site 692, **692**
 before wound suture 767
 hair washing, bed-bound patient 308
 procedure guideline 313–14
 hand(s)
 cuts and abrasions 50, 59
 drying 59
 venepuncture 441, 441
 hand-held devices, monitoring vital signs 496
 hand hygiene
 aseptic technique 67, 68, 69
 assessment of compliance 49
 equipment 47–8
 immunocompromised patients 75
 procedure guidelines 49–52
 protective isolation 77
 source isolation 74
 see also hand washing; surgical scrub
 handrubs 48
 dispensers 48
 procedure guideline 51–2, 52
 hand washing
 areas commonly missed 51
 equipment and facilities 47–8
 procedure guideline 49–51, 51
 see also surgical scrub
 HCAI *see* healthcare-associated infections
 head lice 308
 head tilt/chin lift manoeuvre 413, 413, 422
 healing, wound *see* wound healing
 health and safety, occupational
 angry patients **113**, **114**
 bloodborne viruses 77
 operating theatre 709
 specimen handling 439
 venepuncture 443
 see also inoculation injuries; personal
 protective equipment
 Health and Safety at Work, etc. Act 1974 46
 Health and Safety at Work Regulations 113
 Health and Safety Executive (HSE) 361
 Health and Social Care Act 2008 46
 Health and Social Care Information Centre 97
 healthcare assistants (HCA) **19**, 307
 healthcare-associated infections (HCAI)
 defined **38**
 legislation and regulation 46–7
 patient education 49
 prevalence 40
 prevention *see* infection prevention and
 control
 urinary tract 470
 health management, assessment **17**
 health perception, assessment **17**
 hearing
 mechanism 91, 91, 324
 testing **325**, 564
 hearing aids 121
 cleaning 312, 325
 surgical patients 699
 hearing impairment 96, 121, 324–5
 heart 407
 anatomy 407
 conduction system 407, 501, 504
 electrical activity 504, 504
 heart rate (HR) 498–500
 factors affecting 499, 500
 fluid imbalances **251**
 methods of measuring 502
 normal ranges **499**
 see also pulse
 heart rhythm 500–1
 see also arrhythmias
 heat, gains and losses 534
 heat and moisture exchanger (HME) 388, 389
 tracheostomy patients 400
 heat therapies
 aiding venous access 442, 445, 446
 pain management 347
 height measurement 266
 adults 263
 equipment 263
 problem solving **266**
 procedure guideline 264, 265
 sick children 262
 helminths 43
 hemi-aesthesia 226
 hemiparesis 226
 HEPA (high-efficiency particulate air) filters 75
 herbal medicines 580, 586
 herpes zoster 71
 high-efficiency particulate air (HEPA) filters 75
 high-flow oxygen therapy (HFOT) 391, 391–3
 High Q ali Care for All (2008) 103
 Hindu Council UK 375
 Hindus
 care after death **358**
 washing and personal hygiene **310**

- hirudoid 664
 histamine 747
 histology 437
 history taking, pre-operative 676–7
 HIV *see* human immunodeficiency virus
 HLA (human leucocyte antigens) 280
 Hollister barrier rings **184**
 home
 assessment **16**, 29
 end-of-life care 29–32, 30 *1*, 350
 enteral feeding 29, 279
 oxygen therapy 385, 387
 specialist ongoing care at 28–9
 suitability for discharge to 29
 see also discharge
 Home Oxygen Order forms **22**, 28
 honesty **104**, 784–5
 honey **750**
 hospital-acquired infections *see* healthcare-associated infections
 Hospital Chaplaincies Council **357**, 375
 hospital readmission rates 26
 host, susceptible **45**
 hot packs *see* heat therapies
 housing, suitability for discharge 29
 5-HT₃ antagonists **129**, **130**
 5-HT₄ receptor agonists **169**, 170
 Human Fertilisation and Embryology Acts 458–9
 Human Fertilisation and Embryology Authority (HFEA) 458, 459, 494
 human immunodeficiency virus (HIV) 77, 78, **78**
 human leucocyte antigens (HLA) 280
 humidification 225, 388–91
 complications 391
 equipment 388–9, 389
 oxygen therapy 387
 problem solving **390**
 procedure guideline 390
 rationale 388
 tracheostomy/laryngectomy patients 400
 humidifiers 388–9
 aerosol 389
 blockage **390**
 cold water bubble 389, 389
 water chamber 384, 389
 humidity 388
 humour, using 346
 hyaluronidase, subcutaneous infusions 633, 634
 hydration
 artificial, at end of life 352
 assessment **15**, 307
 see also fluid intake
 hydrocolloid wound dressings **750**
 hydrofibre wound dressings **751**
 Hydroframe **184**
 hydrogel-coated catheters 144
 hydrogel wound dressings **751**
 hydromorphone 345
 hydrostatic pressure 248
 hygiene
 bedbathing *see* bedbathing
 food 46–7, 75, 76
 personal *see* personal hygiene
 see also cleaning
 Hygiene Code of Practice (2010) 46, **47**
 hyperalgesia 335
 hypercalcaemia **452**, **697**
 hypercapnia 381, 387, 522–3
 hyperglycaemia 546–7, 547
 hyperkalaemia 410, **452**, **697**
 transfusion-associated 297
 hyperlipidaemia, blood glucose monitoring and 548
 hypernatraemia **452**, **697**
 hyperpyrexia **536**
 hypertension 511–12
 autonomic dysreflexia **236**, 238
 management 518
 post-operative **717–18**
 primary 511
 secondary 511
 hyperthermia 536, **536**, 540
 post-operative **718**
 see also pyrexia
 hyperthyroidism 537
 hypertonia 227
 hypertonic contraction 665, **665**
 hyperventilation 108, 526
 central neurogenic **558**
 hypervolaemia 259
 see also fluid overload
 hyphae, fungal 42
 hypocalcaemia **452**, **697**
 hypodermis 746
 hypodermoclysis (subcutaneous fluid administration) 633
 procedure guideline 634–6
 hypoglossal nerve (XII) **556**
 hypoglycaemia 547
 hypokalaemia 410, **452**, **697**
 hyponatraemia **452**, **697**
 hypotension 511
 management 518
 orthostatic *see* orthostatic hypotension
 post-operative **717**, 721
 hypothalamus, thermoregulation 534
 hypothermia 535–6
 cardiopulmonary arrest 410
 management 540
 transfusion-associated 297
 unplanned perioperative 536, 715, **718**
 hypothyroidism 537
 hypotonic contraction 665, **665**
 hypoventilation 526, **717**
 hypovolaemia 216, 259–60
 cardiopulmonary arrest 410
 fluid therapy algorithm 252
 post-operative **717**
 see also blood loss; dehydration
 hypovolaemic shock
 post-operative 721
 pulse monitoring 502
 hypoxia 378, 522
 anaemic 522
 cardiopulmonary arrest 410
 histotoxic 522
 hypoxaemic 522
 ischaemic 522
 spinal cord compression/injuries **237**
 tracheal suctioning 406
 hypoxic drive 387, **717**
 IBCT error *see* incorrect blood component transfused error
 ibuprofen 343
 identification, patient
 administration of medicines 584
 after death 364
 blood transfusions 289, **292**
 surgery 685–6, **686**, 699
 ileal conduit 182
 post-operative function 188
 urine sampling from 473–4
 see also urostomy
 ileostomy 181
 dietary restrictions 188–9
 permanent (end) 181, 182
 post-operative function 188
 pouches 182, **183**, **188**
 temporary (loop) 181
 see also stoma(s)
 ileostomy and internal pouch support group 199
 ileum 134
 ileus, paralytic 166, 736–7
 illness memoirs 105
 imaging *see* radiological investigations
 immobility
 complications 204, 216
 post-operative patients 737–8
 unconscious patients 215–16
 see also moving and positioning
 immune-modulating enteral feeds 274
 immune modulation, transfusion-related 295
 immunocompromised patients
 diet 75–6
 discharge advice 76
 fungal infections 43
 intramuscular injections 641
 protective isolation 70, 75–7
 scabies 43
 temperature monitoring 537
 wound infections 751
 impartiality 784–5
 implanted devices
 deceased patients 360
 magnetic resonance imaging and 486
 inattention, sensory/motor **230**
 incongruence 92
 incontinence
 falls risk 206
 skin care 137, 307
 see also faecal incontinence; urinary incontinence
 incontinence-associated dermatitis (IAD) 137
 incorrect blood component transfused (IBCT) error 295, 296
 prevention 290, 291, 297
 indemnity insurance 785
 Independent Mental Capacity Advocacy Service 21, 117
 independent prescribing 579, 580
 indirect contact, transmission via 44
 individuals, treating people as 783
 induction anaesthetics 700
 infection(s) 38–45
 bloodborne *see* bloodborne infections
 causes 40–4
 chain of 44, **44**, **45**
 CPR-related risks 413, 414–15, 425
 endogenous 45, 75
 exogenous 45, 75
 healthcare-associated *see* healthcare-associated infections
 indicators and effects 45
 mechanisms 44
 modes of transmission 44–5
 notifiable 361
 pulse monitoring 502
 pyrexia 536
 source isolation *see* source isolation
 sources 45
 symptoms 45
 temperature monitoring 537
 tracheostomy patients **406**
 transfusion-transmitted 295
 venepuncture site 450
 wound *see* wound infections
 see also sepsis
 infection prevention and control 37–83
 aseptic technique 67–9
 assessment and recording tools 49
 blood components for transfusion 283
 competencies 47
 contraindications 46
 CPR 413
 deceased patients 361
 definitions 38, **38–40**

- infection prevention and control (*con in ed*)
 diarrhoea 164
 equipment 47–9
 evidence-based approaches 46
 high-impact interventions 49
 indications 46
 inoculation injuries 77–8
 intravenous drug administration 644–5
 legislation and regulation 46–7, **47**
 operating theatre 703, 705–6
 patient education 49
 procedure guidelines 49–66, 67–9, 72–5, 76–7, 81
 protective isolation 75–7
 rationale 46
 source isolation 69–75
 specimen handling 439
 tracheal suctioning 403
 waste management 78–81
- infection prevention and control team (IPCT) 46
- infectious agents 40–4, **45**
 defined **38**
 identification 436–7
 mechanisms of infection 44
 modes of transmission 44–5
see also bacteria; fungi; viruses
- infectious diseases
 deceased patients with 361
 isolation of patients with *see* source isolation
- infertility, male factor 458
- Infertility Network UK 494
- infiltration (drugs/solutions into tissues) **662–3**, 664
- inflammation
 surgical drain exit site **732**
 wound **748**, 749–51
- inflammatory phase, wound healing 747, 747
- influenza, pandemic 74
- information
 assessing ability to comprehend **13**
 confidentiality 95, 783
 giving 103–6
 at end of life 352
 pre-operative 684, **684**
 principles 103–4, **104**
see also communication; patient education
 sharing 23, 784
 sources 105
 written, producing 105
- infusion(s) 620–64
 defined 620
 parenteral 623
 routes **620**, 629
see also intravenous infusions; subcutaneous infusions
- infusion containers/bags
 changing 644–5, 656–7
 height 650
- infusion devices 650–3
 blood transfusion 288
 gravity 650–1
 improving safety 646
 MHRA classification **654**, 655
 occlusion by fibrin **662**
 paediatric patients 655
 problem solving **662–3**
 selection criteria **646**, 653, 654
 specialist 653
 subcutaneous infusions 634
 user errors and safe use **645**, 645–6
 winged *see* winged infusion devices
see also infusion pumps
- infusion fluids
 effects on flow rate 650
 visual inspection 645, 655
see also intravenous fluids
- infusion pumps 651–2
 accuracy of delivery 651
 air-in-line detectors 651, **662**
 antisiphonage 651–2
 discharge home with 29
 improving safety 646
 MHRA categories **654**, 655
 occlusion response and pressure 651
 problem solving **662–3**
 safety software 652
 specialist 653
 syringe *see* syringe pumps
 user errors and safe use 645–6
 volumetric 652, 652
- inhalation *see* inspiration
- inhalational anaesthetics 700, 706
- inhalational analgesia (Entonox) 345
- inhalation route of drug administration 609–13
 aerosol production 609
 complications 613
 equipment 609–10
 patient education 610–11
 procedure guidelines 611–13
- inhalers
 difficulties in using 610
 procedure guideline 611–12
 types 609, 609–10, 610
- injection caps, needle-free 649, 649–50
- injection pens 621
- injections 620–64
 administration, procedure guideline 628–9
 defined 620
 equipment 621–2
 intra-arterial 629
 intra-articular 629
 intradermal 629–31
 intramuscular *see* intramuscular injections
 intrathecal 629
 intravenous *see* intravenous injections
 medication preparation 622–3
 calculations 622
 procedure guidelines 623–7
 multidose preparations 622, 625–7
 reducing pain of 623, **623**
 routes **620**, 629
 single-dose preparations 622, 624–5
 subcutaneous 631–3
- inner ear 324, 324
- inoculation injuries 44, 77–8
 complications 78
 management **78**
 prevention **78**, 645
 safety needles for preventing 622, 622
 during venepuncture 443, **449**
- INR *see* International Normalized Ratio
- insects
 infestations 43
 vector transmission 45
- inspection, visual
 pressure areas 757–63
 veins 441–2
- inspiration 222, 223, 519, 519, 520
- inspiratory capacity (IC) 522, **523**
- inspiratory reserve volume (IRV) 522, **523**
- Institute for Healthcare Improvement 674
- insulin
 continuous subcutaneous infusion 634
 deficiency 546, 547
 glucose regulation 546
 intensive treatment 548
 subcutaneous injection 631, 633
 syringes 621
- insurance, indemnity 785
- integrity, personal 784–5
- Intensive Care Society (ICS) 397, 425
- intercostal muscles 519, 520
- intercostal nerves 555
- interdental cleaning 329, 329–30, 332, 333
- intermediate care 26–7
- intermittent pneumatic compression
 devices 687, 705
 intraoperative use 706, 708
- International Association for the Study of Pain (IASP) 334, 336
- International Normalized Ratio (INR) **451**, **696**
- internet blogs 105
- interpreters 96
- interstitial space 248
- interviews, assessment **11**, 11–12, **11–12**
- intestine *see* bowel
- intoxications, cardiopulmonary arrest 410–11
- intra-arterial drug administration 629
- intra-articular drug administration 629
- intracellular fluid (ICF) 248
- intracranial pressure (ICP), raised 406, 559
- intracytoplasmic sperm injection (ICSI) 459
- intradermal injections 629–31
 needle size 622, 629
 procedure guideline 629–31, 631
- intramuscular (IM) injections 639–43
 needles 622, 641
 opioid analgesics 342
 procedure guideline 642–3
 sites 639–41, 640
 technique 641
 volume 639–40
 Z-track technique 641
- intraoperative care 700–19
 anaesthesia 700–2
 defined 700
 infection control and asepsis 703, 705–6
 moving and positioning 703–5, 705, 706
 objectives 700
 operating theatre 702–12
 post-anaesthetic care unit 712–19
 Surgical Safety Checklist 700, **701**, 702
- intraoperative cell salvage (ICS) 283
- intrapleural pressure 519, 519
- intrathecal drug administration 629
- intravascular space 248
- intravenous access *see* venous access
- intravenous bolus injections 644
 procedure guideline 659–61
- intravenous cannulation, peripheral **67**
see also peripheral cannulas
- intravenous drug administration 643–66
 asepsis/prevention of infection 644–5
 complications 664–6
 drug compatibilities 645
 equipment 646–53
 errors 645
 methods 643–4
 nurse's responsibilities 643
 pain management 342
 patient comfort 645
 problem solving **662–3**
 procedure guidelines 655–61
 safe practice 645, **645**
see also intravenous infusions; intravenous injections
- intravenous fluids
 administration sets 648, 648–9
 colloids vs crystalloids 253
 flow rates and factors influencing 650–1
 infusion devices 650–3
 osmolarity 250
 post-operative 722
 reducing risk of infection 644–5
 visual inspection 645, 655
see also fluid therapy; infusion fluids
- intravenous infusions 643–66
 blood pressure measurement and 516
 complications 664–6
 continuous 643–4

- changing administration sets 644–5
- flow rate calculations 650
- pain management 342
- [procedure guideline](#) 655–7
- drug compatibilities 645
- drug injections into 644
- equipment 646–53
- errors and safe practice **645**, 645–6
- flow control complications 646, **646**
- groups at risk **646**
- flow rates
 - calculations 650
 - factors affecting 650–1
 - slowing/stopping **662–3**
- intermittent 644
 - changing administration sets 644–5
 - flow rate calculations 650
 - [procedure guideline](#) 657–9
- monitoring 664
- opioid analgesics 342
- post-anaesthesia care 716
- problem solving **662–3**
- reducing risk of infection 644–5
- intravenous injections 643–66
 - complications 664–6
 - direct intermittent 644
 - [procedure guideline](#) 659–61
- intravenous push 644
 - [procedure guideline](#) 659–61
- introducers 418, 419
- investigations *see* diagnostic tests
- iron overload 297
- irritant contact dermatitis, latex allergy **694**
- Islam
 - care after death **358**
 - washing and personal hygiene **310**
- Isogel 169
- isolation **39**
 - see also* protective isolation; source isolation
- isothermic point 388
- isotonic fluid expansion 664–5, **665**
 - see also* fluid overload
- ispaghula husk 169

- Jackson silver tracheostomy tube 398, 398
- Jainism 375
- jargon 96, **104**, 105
- jaw thrust 416
- Jehovah's Witnesses 375
 - blood transfusion 288
 - care after death **359**
- jejunostomy 273
- jejunum 134
- jewellery
 - deceased patients 364
 - hand hygiene and 49, 58
 - removal for X-rays 486
 - surgical patients 698
- joints 202, 203
 - protection, neurological patients 227
 - restricted range of movement 205, 227
 - surgical replacement **67**
 - trauma, moving unconscious patients **219**
- Judaism, care after death **359**
- Kapitex Tracheotwist fenestrated tracheostomy tube 397, 397
- keep vein open (KVO), alerts **663**
- kidneys 134
 - blood pressure regulation 513
 - fluid balance regulation 248–9
 - urine formation 540–1, 541
- knee-jerk reflex 564
- knee joint 203
- knowledge
 - propositional and non-propositional 3
 - updating 784
- Kno ledge and Skills Framework*, communication 97, **97**
- Korotkoff sounds 514, **514**, 514
 - auscultatory gap 514, **514**, **518**
 - in children 513
 - inaudible or weak **518**
- Kussmaul breathing 526

- labelling
 - blood pack 293
 - specimens 440, 459
- laboratory specimen collection *see* specimen collection
- laboratory tests, pre-operative **680–1**
- lacrimal apparatus 315–16, 316
- lactulose 169, **169**
- lancets 549
- language
 - anatomy and physiology 118
 - disorders 118
 - technical 96, **104**
 - written information 105
- language barriers/difficulties 96
 - blood transfusion **292**
 - neurological assessment 561, **565**
- laparoscopic surgery 703, 703
 - equipment 709, 709–10, 710
- large intestine 135, 135
- laryngeal mask airway (LMA) 418, 418
- laryngeal spasm, post-operative **717**
- laryngectomy 393–407
 - defined 393
 - dysphagia **272**
 - emergencies 406–7, 409
 - equipment 395, 399
 - humidification 400
 - stoma 394
 - stoma button 399, 400
 - tubes 397, 399, 400
 - see also* tracheostomy
- laryngectomy box 395
- laryngoscope 418, 419
 - light not working **424**
- larynx 393, 394
- Lasting Power of Attorney 96, 115
- last offices *see* death, care after
- lateral position, surgical patients 711
- lateral surface transfer, unstable spinal cord compression 231
- latex 693
 - allergy 645, **694**
 - pre-operative actions 693–4, **694**
 - risk factors 693–4
 - gloves 48, 693
 - urinary catheters 144
- laundry *see* linen/laundry
- laxatives **168–9**, 168–70
 - abuse 168
 - bulking agents **168**, 169
 - opioid-treated patients 344
 - osmotic agents **168**, **169**, 169–70
 - stimulant **168**, 170
 - stool softeners **168**, 169, **169**
- laying out 356
 - see also* death, care after
- L-dopa **544**
- lean body mass 261
- learning disabilities
 - communication issues 97
 - discharge planning 21
 - hearing problems 324–5
 - information giving 105
 - pain assessment 338, 339
- Leeds Assessment of Neuropathic Symptoms and Signs (LANSS) 339
- leg *see* lower limb
- lemon and glycerine swabs, dry
 - mouth 330
- leucocyte esterase reagent strips 544
- leucocytes *see* white blood cells
- leucopheresis 283
- levomepromazine **129**, 639
- Lewy body dementia 116
- lice 43, 308
- lidocaine 146
- ligaments 202, 203
- lighting
 - eye care 318
 - operating theatre 709, 709
 - pulse oximetry and 526
- light microscopy *see* microscopy
- limbs
 - neurological assessment 557–8, 563–4
 - positioning
 - during surgery 705, 705
 - unconscious patients 217, 218
 - see also* lower limb; upper limb
- Limone 184, **184**
- linctuses 599
- linear model of communication 91
- linen/laundry
 - foul, infested or infested 81
 - [procedure guideline](#) 81
 - infected patients 72
 - soiled, management 81
- lipidaemia, in diabetes 546, 547
- lips 326, 326
- liquid medications
 - for injection 622
 - preparation, [procedure guideline](#) 623–4
 - for oral administration **598**, 599, 601
- liquid paraffin 169, **169**
- listening 92, **92**, **99**
- lithotomy position 705, 705
- liver 484
- liver biopsy 483–5
 - complications 485
 - equipment 484, 484–5
 - methods 484
- liver function tests 451, **681**
- Liverpool Care Pathway (LCP) 352–3
- Lloyd Davies position 705, 705
- local anaesthesia 345
 - liver biopsy 485
 - suturing 766, 767
 - see also* topical anaesthesia
- local anaesthetics 345
 - epidural/intrathecal 342
 - history of introduction 700
 - ophthalmic use 615
- local authorities 27, 350
- log rolling 231, 234
 - cervical spinal instability 232–3
 - thoracolumbar spinal instability 235–6
- London Holistic Needs Assessment tool 100
- long-chain triglycerides (LCT) 268
- loop of Henle 541, 541
- loperamide 164, 188
- lotions 603
- lower limb
 - amputation 238, 239, 240
 - see also* amputation
 - blood pressure measurement 514
 - see also* foot
- lower motor neurons (LMNs) 230
- lozenges 59
- LSD (lysergic acid diethylamide) **592**
- Luer-Lok fittings 420
- Luer-Lok syringes 621, 621
 - subcutaneous infusions 634, 637
- Luer-Slip syringes 621, 621
- lumbar nerves 555
- lumbar plexus 555

- lung(s)
 gaseous exchange 378–9, 379, 522
 irritant receptors 521
 ventilation 378, 518–19, 519
 ventilation/perfusion matching 220
 volumes and capacities 522, 522, **523**
- lying down
 to sitting up, [procedure guideline](#) 211, 211 12
see also side-lying position; supine position
- lymphocyte count, total 263
- Macmillan Cancer Support 494
- macrogols 169
- macrophages 747, 747
- macula lutea 315
- macular degeneration, age-related **317**
- magnesium salts, laxative 169–70
- magnesium sulphate 420
- magnetic resonance imaging (MRI) 486–7
- male patients
 catheterized, meatal cleaning 153
 cystoscopy 483
 facial shaving 313
 midstream specimen of urine 470–1
 penile sheaths 140–2
 respiratory volumes and capacities **523**
 semen collection 457–60
 urinary catheterization 146, **151**
[procedure guideline](#) 146–8
- male urethra 483
- malignant disease, hypercalcaemia of **452**
- malignant hyperpyrexia **718**
- malnutrition
 assessment 261–2
 biochemical investigations 262–3
 clinical features 262
 screening tools 262–6
- Malnutrition Universal Screening Tool (MUST) 266
- malodour *see* odour
- Management of Health and Safety at Work Regulations (MHSWR) 113
- manual handling
 defined 202
 devices, pressure area care 763
 operating theatre 706
 risk assessment **204**, 204–5
 sources of guidance 205
see also moving and positioning; transfers
- manuka honey **750**
- marriages, at end of life 351
- masks
 disposable
 infection prevention and control 48–9
 operating theatre staff 703
[procedure guideline](#) 56–7, 57 8
 oxygen *see* oxygen masks
 pocket, with oxygen port 416, 416
 ventilation, CPR 413, 414
- mass peristalsis 135
- masturbation, semen collection 458, 460
- mattresses, pressure-relieving *see* pressure-relieving devices/mattresses
- maturation phase, wound healing 748, 748
- McGill forceps 418, 418
- McGill Pain Questionnaire (MPQ) 339
- McKinley T34 syringe pump 634, 639
[procedure guideline](#) 636–9
- meals 266
 oral drug administration and **598**
 patients in isolation 69
see also eating; feeding; food
- mealtimes, protected 269
- mean arterial pressure (MAP) 512
- measles 71
- median cubital vein 441, 441
- Medical Certificate of Cause of Death (MCCD) 350, 360
- medical devices
 deceased patients 360, 361, 364
 defined 576
 incorporating or for administering medicines 576
 moving and positioning aspects 206
see also implanted devices
- medical emergency team (MET) scoring 496
- Medic-Alert Foundation 199
- medical examiners (ME) 360–1
- medical history 676
- medication 585
 discharge considerations 29
 at end of life 353
 history, pre-operative 677
see also medicines; medicines administration
- medication errors 583–4, **584**, 585
 controlled drugs 594–5
 intravenous drugs 645
 key actions for preventing **588**
 reporting 588
- medication incidents 587–8
- medicinal products, defined 576
- medicine pots 600, 600
- medicines 575–667
 adherence 588
 adverse reactions *see* adverse drug reactions
 affecting urinalysis results **544**
 containers 582
 contraindications 576
 controlled *see* controlled drugs
 defined 576
 dispensing 581
 disposal of unwanted **80**
 dose calculations 585, 587
 indications 576
 infiltration (into tissues) **662–3**, 664
 legal categories 577
 off label 580, **581**
 patient's own 581
 perioperative guidelines 678 9
 prescribing *see* prescribing
 reconciliation 581, 589
 safe and secure handling 582, **582**
 security 582
 side-effects *see* adverse drug reactions
 stability 582
 stock control 582
 storage 582
 supply 581–2
 trail, activities in **582**
 unlicensed 580, **581**
- Medicines Act 1968 577, 590
- medicines administration 583–667
 accountability for 582
 confirming allergy status 584–5
 controlled drugs **592**, 594, 595–7
 covert 599–600
 delegation 587
 errors *see* medication errors
 intravenous *see* intravenous drug administration
 key actions to improve safety **588**
 nasal 617–18
 ophthalmic 613–17
 oral 598–603
 otic 618–20
 parenteral 597, **598**, 620
 patient identification 584
 pulmonary 609–13
 record of 587
 rectal 606–7
 in relation to meals 269
 'rights' 582, **583**
 routes 597, **598**
- self-administration **588**, 588–90, **590**
 single or double checking 587
 topical 603–4
 transdermal 604–6
 vaginal 607–9
 verbal orders 580–1
 via enteral feeding tubes 277–9
see also medication
- medicines administration record (MAR) 29
- Medicines and Healthcare products Regulatory Agency (MHRA) 577, 674
 blood glucose testing 548–9
 blood transfusion safety 284
 classification of infusion devices **654**, 655
 definition of medicines management 576
 heat patches or packs 347
 safe use of infusion devices 645, 646
 sphygmomanometers 514–15
 thermometers 537, 538
 unlicensed and off-label medicines 580, **581**
 Yellow Card Scheme 580, 587
- medicines management 575–667
 defined 576
 legislation and regulation 576–81
- medium-chain triglycerides (MCT) 268, 274
- medulla oblongata 520, 553, 554
- membranes, cellular
 structure 250
 transport and movement across 248, **249**
- men *see* male patients
- Menghini needle 484
- meningitis 71, 74, 629
- meningococcal disease 71
- menstruation, surgical patients 693
- mental capacity 21, 96, 97
 delirium 115
 dementia 117
 to give consent 685
- Mental Capacity Act 2005 21, 96, 97, 350, 685
- mercaptapurine **586**
- mercury
 sphygmomanometers 514
 thermometers 538
- metabolic disorders, cardiopulmonary
 arrest 410
- metacarpal veins 441, 441
- metered dose inhalers (MDIs) 609, 609–10
[procedure guideline](#) 611–12
- methadone 344
- methaemoglobinaemia 526
- methylaltraxone bromide **169**, 170
- meticillin-resistant *S aph lococc a re s* (MRSA)
 carrier screening 460–1
 infection prevention and control 38, 46
 source isolation 71
 vancomycin therapy 456
- metoclopramide **129**
- MHRA *see* Medicines and Healthcare products Regulatory Agency
- microbiological culture 436–7
- microbiological specimen collection 440
 antimicrobial drug assays 455–7
 blood 451–5
 competencies 437
 equipment 437–8, 438
 faeces 475–7
 respiratory secretions 477–9
 swabs 460–9
 urine 470–5
see also specimen collection
- microbiological tests 436–7, 451
- microbore infusion sets 65
- microepididymal sperm aspiration (MESA) 458
- MicroLax enema **169**
- micro-organisms 40–3
 storage and transportation 440, **440**
see also bacteria; fungi; viruses

- microscopy 436, 437
urine 543–4
- midazolam
endoscopic investigations 480
safety guidance 595, **595**
- middle ear 324, 324
- midstream specimen of urine (MSU) 470, 542
female patients 471–2, 542
male patients 470–1
procedure guidelines 470–2
- mid upper arm circumference (MUAC) 263, 264, 265
- Milpar **169**
- minerals
dietary requirements 263
serum levels 263
supplements 269
- mini-jets 420, 420
- minimally invasive surgery 703, 703
- Mini Mental State Examination 339
- mini-Wright peak flow meter 531
- minute volume (MV) **523**
- miotics 615, 615
- Misuse of Drugs Act 1971 590–1
- Misuse of Drugs and Misuse of Drugs (Safe Custody) (Amendment) Regulations 2007 591
- Misuse of Drugs (Safe Custody) Regulations 1973 591
- Misuse of Drugs Regulations 2001 591
- mixtures of medicines 582, 599
- mobility
assessment **14**
nutritional status and 262
see also immobility; movement(s)
- mobilization
patients on bedrest 204
post-operative 738
see also moving and positioning; transfers
- modified-release tablets 278, 599, 600
- monitored dosage systems 601, 601
- monoamine oxidase inhibitors (MAOI) 110, **111**, 586
- monoparesis 226
- mood
low 109, **111**
in undernutrition 262
- moral obligations, nurses 2
- More Care, Less Pain: A Review of the Liverpool Care Pathway* (2013) 353
- Morgan lens 318
- Mormon Church, care after death **358**
- morphine 343–4
conversion to fentanyl patch **344**
routes of delivery 342
safer practice guidance 594, **594**, **595**
side-effects 344
supply under Patient Group Direction 594
- Morton, William 700
- mortuary
transfer to 365, 367
viewing body after removal to **366**
- motor co-ordination, testing 557–8, 564
- motor function assessment 557
- motor inattention **230**
- motor response, Glasgow Coma Scale **561**, 561–2, 563
- mouth
anatomy 326, 326–7
assessment *see* oral assessment
dry *see* dry mouth
inspection 328
irrigation 329–30
temperature measurement 537
- mouth care 326–34
contraindicated agents 330
deceased patients 364
- equipment 329, 329
indications 327, 328–9
pharmacological agents 330–1
principles **327**, 327–8
problem solving **334**
procedure guidelines 331–4, 332, 333
unconscious patients 329, **329**
xerostomia 327
- mouth coating agents 331
- mouthrinses 330
- mouth-to-facemask ventilation 413, 414, 416, 416
- mouth-to-mouth ventilation 413
- mouthwashes 330
- movement(s)
abnormal patterns 226–7, 558
active, immobile patients 204, 204
passive, unconscious patients 216
physical benefits **226**
pulse oximetry and 526
see also mobility
- Movicol **169**
- moving and positioning 201–44
amputees 238–41
assessment prior to 205–6
in bed 207–12
blood pressure measurement 513, 515, 515
in chair/wheelchair 212
documentation 206
eye care 318
falls prevention 206–7
indications 202
infusion flow rates and 650
intravenous infusions **662**
in neurological impairment 226–30
operating table 703–5, 705, 706, 707, 710, 711
patient explanation/instruction 206
patient with artificial airway 216–20
post-cardiac arrest 424
pressure ulcer prevention 205, 763, 764
principles 202–4
privacy and dignity 206
problem solving **214–15**
rationale 202
in respiratory compromise *see* respiratory compromise, positioning
risk assessment **204**, 204–5, 206–7
sitting to standing 212–13, 213
spinal cord compression/injuries 230–8
sputum collection 478
unconscious patients 215–16
walking assistance 214
see also posture
- MRSA *see* methicillin-resistant *Staphylococcus aureus*
- MSU *see* midstream specimen of urine
- mucociliary escalator 223–5
- mucositis, oral *see* oral mucositis
- Mugard 331
- multidisciplinary approach
discharge planning 21, **22**
home nutritional support 279
moving and positioning 206
tracheostomy care 399–400
- multidose vials *see* vials
- mumps 71
- muscle(s), skeletal 620
atrophy, unconscious patients 216
co-ordination testing 557–8, 564
function 202, 203
trauma, moving unconscious patients **219**
venous return 513
- muscle relaxants 700
- muscle strength
assessment 557, 563
unconscious patients 216
- muscle tone
altered 206, 226–7
patient positioning 226–30
problem solving **230**
procedure guideline 228–9, 229
defined 226
testing 557, 563
- musculoskeletal system 202, 203
pre-operative assessment 677
- music, for pain management 346
- Muslim Council of Great Britain **358**
- Muslims
care after death **358**
washing and personal hygiene **310**
- mycelium 42
- mycobacteria 42
- mycoses 43
- mydriatics 615, 615, 617
- myocardial infarction (MI) 501
- myofibroblasts 747–8
- N-acetylcysteine 478
- nails
artificial 50
care 50, 59, 308, 312
nail varnish/polish 50, 59, 526
nalidixic acid **544**
naloxone **594**, 597, **717**
oxycodone combination 344
- namebands *see* wristbands
- NANDA-I (2008) 17–18
- naproxen 343
- nasal cannulas, oxygen via 382, 382–3
application 386
high-flow oxygen therapy 391
oxygen flow rates 383, **383**
problem solving **386**
- nasal drops, **procedure guideline** 617–18
- nasal drug administration 617–18
- nasogastric (NG) drainage tubes 131–4, **723**
checking position 132
insertion 131–3
CPR 425
procedure guideline 131–3
measuring fluid output 257
removal, **procedure guideline** 133–4
- nasogastric feeding tubes 273
see also enteral feeding tubes
- nasojejunal feeding tubes 273
- National Confidential Enquiry into Patient Outcome and Death (NCEPOD) 720, 722
- National Council of Hindu Temples **358**
- National Early Warning Score (NEWS) 496, 497
AVPU scale 562
cardiac arrest prevention 415, 421
oxygen therapy 384, 387
- National End of Life Care Programme 348–9
- National Framework for NHS Continuing Healthcare*
- National Institute for Health and Care Excellence (NICE)
depression management 110, **111**
diabetes care 308–9, 552
end-of-life care 349
intravenous fluid therapy 252, 253, 722
medicines adherence 588
pre-operative preparation 692–3
smoking cessation advice 677
surgical wound dressings 734
venous thromboembolism 686–7
- National Patient Safety Agency (NPSA)
blood transfusion practice 284
midazolam guidance 595, **595**
opiate guidance **594**, 594–5, **595**
patient identification advice 289, 686
protected mealtimes 269
surgical safety 685, 692

- National Prescribing Centre (NPC) 581
National Serice Framework for Older People 23, 27
 National Tracheostomy Safety Project 407, 408, 409
 Naturcare 184
 nausea and vomiting 128–31
 antiemetic agents 129, **129**, **130–1**
 assessment **15**, 128
 dietary modification **268**
 at end of life **355**
 enterally-fed patients 276
 management 128–31
 oral drug administration and **603**
 pathophysiology 128, 128
 post-operative (PONV) 128, 715, **718**
 see also vomiting
 nebulization 478, 609
 nebulizers 223, 609, 394
 cleaning before reuse 613
 humidifier 389, 400
 procedure guideline 612–13
 neck, anatomy 393, 394
 necrotic wounds **755**
 needle biopsy guns, liver biopsy 484–5
 needleless connectors/injection caps 649, 649–50
 needle phobia 443
 needles
 disposal of used 443
 for drug injections 622, 622
 liver biopsy 484, 484
 safety 622, 622
 scooping method of resheathing 623, 624
 sizes (gauges) 622
 venepuncture 443, **444**
 needlestick injuries *see* inoculation injuries
 needs, patient 17
 negative pressure rooms, source isolation 69
 negative pressure wound therapy (NPWT) 751, 773–6, 774
 indications 774
 procedure guideline 775–6
 Negus silver tracheostomy tube 398, 398
 Nelaton catheters **142**, 143
 neonates
 intravenous infusions **654**, 655
 oxygen toxicity 388
 platelet transfusion **282**
 thermoregulation 534
 nephrostomy tubes 160, 160–3
 dressing and bag change 161–2
 procedure guideline 161–2
 problem solving **163**
 removal 161
 nerve injuries 450, 705
 nerve stimulators 714
 nervous system 226, 552–3
 neurokinin-1 antagonists **129**, **130**
 neurological assessment/observations **13**, 552–65
 assessment and recording tools 559–62
 charts 565
 equipment 559
 frequency 559, **559**
 functions assessed 553–9
 indications 559
 pre-operative 677
 problem solving **565**
 procedure guideline 562–4
 spinal cord compression/injuries 232
 vital signs 558–9, 563
 see also Glasgow Coma Scale
 neurological disorders
 clinical presentation 226
 dysphagia **272**
 moving and positioning 226–30, **227**
 abnormal tone and movement
 patterns 226–30, 229
 environmental aspects 228
 equipment 228
 joint protection 227
 principles 227
 problem solving **230**, **236–7**
 procedure guidelines 228–9, 232–6
 rehabilitation role 228
 soft tissue changes and
 contractures 227
 neuromuscular blockade, persistent **717**
 neuropathic pain 335
 assessment 339
 management 343, 345
 Neuro tips 559, 564
 neutropenia 75
 neutrophils (polymorphonuclear leucocytes) 747, 747
 never events, medication related 583, **584**
 NEWS *see* National Early Warning Score
 NEX measurement, nasogastric tube
 length 132
 next of kin (NOK) 350–1, **365**
 see also family
 NHS Cancer Screening Programme 494
 NHS Commissioning Board Special Health Authority 588
 NHS Connected programme 97
 NHS Constitution 95
 NHS Continuing Healthcare 27, 29–30
 NHS Information Centre 494
 NHS patient information toolkit 126
 NICE *see* National Institute for Health and Care Excellence
 Nightingale, Florence 307, 354
 nitrites, urinary 544
 nitrofurazone-impregnated urinary catheters 144
 nitrogen
 dietary requirements, calculation 263
 partial pressure 378
 nitrous oxide and oxygen (Entonox) 345
 nociceptive pain 335
 nociceptors 335
 Nodor S drops 184, **184**
 Non-conformists, care after death **357**
 non-steroidal anti-inflammatory drugs (NSAIDs) **341**, 343
 COX-2-specific 343
 non-verbal communication 92–3
 noradrenaline 512
 Norgine Risk Assessment Tool (NRAT) 166–7
 Normacol 169
 normal saline *see* sodium chloride, 0.9% solution
 norovirus 45, 71, 163
 Norwegian scabies 43
 nose
 artificial (Swedish) 388, 389
 care 309
 drug administration 617–18
 MRSA screening 460–1
 swab sampling 463–4, 464
 nosocomial infections *see* healthcare-associated infections
 notifiable infections 361
 NPSA *see* National Patient Safety Agency
 NSAIDs *see* non-steroidal anti-inflammatory drugs
 numerical rating scales (NRS), pain
 assessment 338
 nurse endoscopists 480
 nurse–patient relationship
 effective communication 92–5
 NMC Code 783
 nursing assessment 11
 pain management 346
 personal hygiene care 307
 nurse prescribing 577–80, **580**
 controlled drugs 594
 independent 579, 580
 supplementary 579–80
 see also prescribing
 Nursing and Midwifery Council (NMC) Code 2, 783–5
 nursing assessment, inpatient *see* assessment, inpatient
 nursing care *see* care
 nursing diagnosis 17–18, **20**
 nursing home
 assessment **28**
 discharge to 27–8, 350
 nursing interventions, formulation 18
 nursing models 10–11
 nutrients
 calculation of requirements 263, **263**
 digestion and absorption 260–1
 specific deficiencies 262
 nutrition 248, 260–79
 anatomy and physiology 260–1
 benchmarks **267**
 Francis Report (2013) 95, 737, **738**
 post-operative 737
 provision in hospital setting 266–7, **267**, **268**
 see also diet; eating; food; malnutrition
 nutritional care, characteristics of good **268**
 nutritional status 260–6
 assessment **15**, 261–6
 biochemical investigations 262–3
 clinical examination 262
 equipment 263
 methods 261–2
 tools 263–6
 body composition and 261
 defined 260
 nutritional supplements, oral 267–9
 discharge from hospital on 269
 record keeping 269
 nutritional support 260, 266–79
 discharge home with 29
 indications 261
 oral 266–71
 post-operative 737
 see also enteral tube feeding; parenteral nutrition
 obesity 262, 705
 surgical wound complications **735**, **736**
 observation 20
 observations 495–566
 12-lead electrocardiogram 504–10
 blood glucose 546–52
 blood pressure 510–18
 definitions 496
 equipment 497
 neurological 552–65
 peak flow 530–4
 post-anaesthetic care 714, **715**, 715–16
 post-operative **720**, 720–1
 professional issues 496–7
 pulse (heart rate) 497–504
 recording and documenting 496
 respiration and pulse oximetry 518–30
 temperature 534–40
 urinalysis 540–6
 occipital lobe 552, 554
 occupational health and safety *see* health and safety, occupational
 occupational history 677
 Octaplas **287**
 oculocephalic reflex 558
 oculomotor nerve (III) **556**

- odour
stomas 182, 184, 189
urine 542, **543**
- oedema
in fluid overload 259
nutritional assessment 262
patient positioning and 205
physiological basis 248
- oesophagogastroduodenoscopy (OGD) *see*
gastroscopy
- oesophagus 479
- oestradiol, transdermal 605
- Office of the Chief Rabbi **359**
- off-label medicines 580, **581**
- ointments 603
- older adults
communication difficulties 96–7
delirium 115
dementia 116
discharge planning 23, 27
eye changes 316, **317**
falls prevention 206–7
mouth care 328–9
oral assessment 330
pain assessment 337–8, 339
skin changes 307
subcutaneous fluid therapy 633
temperature regulation 534
transfusion thresholds 281
venepuncture 445
- olfactory nerve (I) **556**
- oliguria, post-operative **719**, 736
- olive oil, ear wax softening 325
- onychomycosis 308
- operating department practitioners (ODPs) 702, 711
handover in PACU, [procedure guideline](#) 713
- operating lights 709, 709
- operating room (OR) *see* operating theatre
- operating table 706–7, 708
patient positioning 703–5, 705, 706, 710, 711
transfers to/from 706, 707, 710
- operating theatre 702–12
control of infection and asepsis 703, 705–6
equipment 706–10
pre-operative checklist 694, 695 6
pre-surgery (skin incision) actions 702–3
[procedure guideline](#) 710–12, 711 12
team 702, 702, 703
transfer to PACU from 713
WHO Surgical Safety Checklist 700, **701**, 702
see also intraoperative care; post-anaesthesia care unit
- ophthalmic drug administration 613–17
- opioid analgesics 341–2, 343–6
acute pain in patients dependent on 337, **337**
buccal or sublingual 342, 344
chronic non-cancer pain 343
driving and 345
drug interactions **586**
at end of life 353
epidural/intrathecal 342
intramuscular injections 342
intravenous 342
legal aspects **591**, **592**
mild to moderate pain 341, 343
moderate to severe pain 341, 343–5
oral 342
oral transmucosal 342, 345
in renal failure 344, 346
safer practice guidance **594**, 594–5, **595**
side-effects 344, 597
subcutaneous 342
transdermal patches 342, 344–5
- opioid receptor antagonists, peripheral **169**, 170
- opportunistic infections 40, 42
- optic nerve (II) 316, 316, **556**
- Optiflow circuit, high-flow 391
- OR *see* operating theatre
- Orabase paste **184**
- oral assessment 327–8, **328**, 330
nursing assessment **15**
[procedure guidelines](#) 331, 332, 333
- Oral Assessment Guide (OAG) 330
- oral cavity *see* mouth
- oral drug administration **598**, 598–603
covert 599–600
defined 598
drug formulations 598–9
equipment 600–1
pre-operative **691**
problem solving **603**
[procedure guideline](#) 601–2
swallowing difficulties 599, **603**
- oral health 327
factors maintaining **327**
- Oral Health Assessment Tool (OHAT) 330
- oral hygiene *see* mouth care
- oral infections 331
- oral irrigation 329–30
- oral mucosa coating agents 331
- oral mucositis
assessment 330
management 331, **334**
- oral syringes 601, 601
- oral temperature 537
- orbit (eye socket) 315
- Orem's model of nursing 10
- organ donation 361, **366**
cultural and religious beliefs **357–9**
discussion with patient 351
- organ of Corti 91, 324
- orientation, evaluation of 561, 562
- oropharyngeal airway 416–17, 417
- orthopnoea 526
- orthoses 228
- orthostatic blood pressure, measurement 514
- orthostatic hypotension 511, 514
management 518
spinal cord lesions **236**, 238
- oscillometric sphygmomanometers,
automated 513, 514–15
- osmolality 248–50, **251**
enteral feeds 274
- osmosis 248, **249**
- osmotic pressure 248
- ossicles, auditory 91, 324
- osteoporosis 205
- Ostobon deodorant powder 184
- Ostoseal protective powder **184**
- Ostosorb gel **184**
- otic drug administration 618–20
- O r Heal h, O r Care, O r Sa* (2006) 103
- outcomes, patient 18, **18**
- overinfusion 646, 664–5
complications **646**
monitoring **665**
prevention 665
see also fluid overload
- oxycodone 341, 344
naloxone combination 344
routes of delivery 342
- oxygen
consumption 380
control of respiration 521
exchange 378–9, 379, 522
toxicity 388
transport 378, 379, 518, 522, 525
uptake 378–9, 522
utilization 379–80
wound healing and 747
see also hypoxia
- oxygen analyser 384
- oxygenation
cellular 378
inadequate, oxygen therapy **386**
tissue 378–80
- oxygen condensers (concentrators) 385
- oxygen cylinders 382, 385
- oxygen masks 383–4
application 386
fixed performance/high-flow (Venturi-type) **382**, 383–4, 384
non-rebreathing 383, 383
problem solving **386**
simple semi-rigid plastic 382, 383, **383**
tracheostomy 384, 400, 400
- oxygen partial pressure (PO₂) 378–9, 524
in blood (PaO₂) 379, 379–80
control of respiration 521
oxygen saturation and 379–80
- oxygen saturation (SaO₂) 379, 526
documentation 529
PaO₂ and 379–80
pulse oximetry (SpO₂) 526, 527
reduced, after moving patients **219**, **222**, **225**
- oxygen therapy 380–8, 529
competencies 381
complications 387–8
CPR 416
delivery systems 382
discharge planning **22**, 28
documentation 387, 529
domiciliary 385, 387
endoscopic procedures 480, 481
equipment 382, 382–4, 383
governance 381
high-flow (HFOT) 391, 391–3
indications 381
monitoring 384, **384**, 387
moving and positioning 221, 223
nasal care 309
nebulizer therapy with 613
patient education 385, 387
peak flow measurements and 533
post-anaesthetic recovery 713, 716
post-operative 722
precautions 381
prescription 382, **382**
problem solving **386–7**, **393**
[procedure guidelines](#) 385–6, 391–2
risk management 382
T-piece circuit 384, 384
tracheostomy patients 400
weaning from 387
- oxygen uptake, maximum (VO₂max) 681
- oxyhaemoglobin dissociation
curve 379, 379
- pacing, in respiratory compromise 223
- PACU *see* post-anaesthesia care unit
- paediatric patients
blood glucose ranges **546**
blood pressure measurement 513
enteral feeds 274
infusion devices 655
nutritional assessment 262
nutritional requirements 263
oral drug administration **598**
platelet transfusion **282**
semen collection 459
urinary catheters 143
venepuncture 445
see also children; neonates
- pain 334–48
acute *see* acute pain
anatomy and physiology 334–5, 335
cancer *see* cancer pain
categories 335–6
chronic *see* chronic pain

- pain (*con in ed*)
 defined 334
 at end of life **355**
 factors affecting sensitivity to **337**
 injection-related, reducing 623, **623**
 intensity, assessment 337
 liver biopsy 485
 location 337
 modulation 335
 moving/positioning patients in 205, **214**
 neuropathic 335, 339, 343
 nociceptive 335
 perception 335
 phantom limb 239, 241
 post-operative *see* post-operative pain
 sensation, testing 564
 spinal cord compression/injuries 232, **237**
 stump **240**
 transduction 335
 transmission 335
 venepuncture **449**
- pain assessment **14**, 337–40
 acute pain 337
 chronic/cancer pain 337
 cultural factors 338
 dementia 117
 pre-existing pain 337
procedure guideline 339–40, 340
 tools **338**, 338–9
 vulnerable and older adults 337–8, 339
- painful stimuli
 application of 555–7, 563
 response to, Glasgow Coma Scale **561**, 562
- pain management 340–8
 acute pain 341, 342–3
 anaesthetic interventions 345
 chronic and cancer pain 340–1
 drug delivery methods 342
 methods 341–2
 need for effective 336–7
 non-pharmacological methods 346–8
 opioid-dependent patients 337, **337**
 pharmacological methods 342–6
 post-anaesthesia care unit 715, **718**
 post-operative 342–3, 737
 spinal cord compression/injury 232
see also analgesia; analgesics
- palate 326, 327
- palliative care
 defined 348
 discharge home 29–32, 30 1, 350
 electronic co-ordination systems 350
 evidence-based approaches 348–9
 subcutaneous infusions 633
see also dying patients; end-of-life care
- palpation, veins 442, 448
- panic attacks **108**, 108–9
 principles of support **109**
 rebreathing technique 108–9, **109**, 109
- paper towels 48, 50, 59
 dispensers 48
 disposal of used 48, 50, 59
- paracetamol 342–3
- paraphimosis, catheterized patients **151**
- paraphrasing 93
- parasites 43
- parasympathetic nervous system 499
- parenteral drug administration 597, **598**, 620
- parenteral infusions 623
- parenteral nutrition (PN)
 administration sets 648–9
 blood glucose monitoring 548
 complications 547
 indications 261
 infusion devices **654**
 post-operative 737
 parenteral transmission 44
- parietal lobe 552, 554
- partially sighted patients, communication with 120–1
- Passy Muir speaking valve 398, 399
- pastes 603
- pastilles 599
- patella hammer 559
- paternalistic model 103
- pathogen **38**
- pathogenicity 40, 44
- patient(s)
 collaboration with 783
 comfort 305–68
 discharge planning role 23–5
 identification, patient information giving *see* information, giving
 own medications 581
 problems/needs 17
 relationships, assessment **16**
 relationship with *see* nurse–patient relationship
 self-administration of medicines **588**, 588–90, **590**
 self-assessment 13
 as source of evidence (P) 3
 tampering with infusion devices 651
- patient-at-risk team (PART) score 496
- patient-controlled analgesia (PCA) 342
 patients not suitable for **342**
 pumps 653, 653
- patient education
 assisted feeding 271
 cardiac arrest prevention 425
 diabetes mellitus 552
 enteral tube feeding 279
 fluid balance monitoring **259**
 immunocompromised patients 75
 infection prevention and control 49
 inhalational drug administration 610–11
 methods **684**
 moving and positioning 206
 opioids and driving 345
 oxygen therapy 385, 387
 pain management 346
 peak flow measurement 531, 534
 pressure ulcers 763–5
 protective isolation 76
 semen collection 459
 source isolation 73
 stomas 185
 subcutaneous injections 633
 surgical patients 684, **684**, 738
 tracheostomy care 401
see also information, giving
- Patient Group Directions (PGDs) 577, **578**
 controlled drugs 590, 594
 flowchart 578 9
- patient hygiene *see* personal hygiene
- patient safety incidents
 controlled drugs 594–5
 reporting 588
see also medication errors; risk management
- Patients on Intravenous and Nasogastric Nutrition Therapy (PINNT) 304
- peak flow (peak expiratory flow, PEF) 530–4
 cautions 531
 factors affecting 530
 indications 530–1
 normal values 530
 problem solving **533**
procedure guideline 532–3, 533
 timing of readings 531
- peak flow meters 531
- peer support groups 105
- pelvic twist, contraindications 231
- penicillin **586**
- penile sheaths 140, 140–2
 problem solving **142**
procedure guideline 140–1
 sizing and fitting 140
- penis
 pain on erection, catheterized patients **154**
 swab sampling 464–5
- Penrose drains **723**, 723
- pen torch 559
- peptide feeds 274
- perception, assessing patient's self **16–17**
- perceptual ability, assessment **13–14**
- percutaneous dilational tracheostomy (PDT) 394
- percutaneous endoscopically placed gastrostomy (PEG) tubes 273
- percutaneous epididymal sperm aspiration (PESA) 458
- perianal care/hygiene 307–8
 in diarrhoea 165
- perineal care/hygiene 307–8
- periodontitis 327
- perioperative care 675–739
see also intraoperative care; post-operative care; pre-operative care
- peripheral cannulas 646–8
 complications 664
 displaced, intravenous infusions **662–3**
 insertion (cannulation) **67**
 occlusion **662**
 removal 647–8
 securing 647, 647
 subcutaneous infusions 634
 winged *see* winged infusion devices
- peripheral motor/sensory neuropathies 226
- peripheral nerves 553
 injuries 450, 705
- peripheral nervous system (PNS) 226, 553
- peripheral perfusion, pulse oximetry and 526
- peripheral resistance 512
- peristalsis 135
- peritonitis, liver biopsy 485
- personal care 307
 after death *see* death, care after
 provision after discharge 27
see also personal hygiene
- personal evidence 2
- personal hygiene 306–14
 assessment **14**
 bedbathing *see* bedbathing
 cultural and religious factors 310, **310**
 defined 306
 ear care 309, 324–6
 equipment 309–10
 eye care 315–23
 hair care 308
 mouth care 326–34
 nails and feet 308–9
 nose care 309
 nurse's role 307
 oxygen therapy and **387**
 perineal/perianal care 307–8
 privacy 307
 skin care 307
- personal protective equipment (PPE)
 care after death 363
 cleaning isolation rooms 72
 infection prevention and control 48–9
 intravenous drug administration 645
procedure guidelines 52–66
 protective isolation 76
 source isolation 69, 73, 74
 specimen collection/handling 439
see also aprons, disposable; eye protection; gloves
- pessaries, vaginal, *procedure guideline* 607–8
- pets, neutropenic patients 76
- PGD *see* Patient Group Directions

- pH
 blood, control of respiration 520–1, 521
 nasogastric drainage tube position 132
 phantom limb pain 239, 241
 pharmacists
 covert drug administration and 600
 responsibilities for controlled drugs **591**, 593
 responsibility for dispensing 581
 pharmacodynamics 576
 pharmacokinetics 576
 pharmacology 576
 pharmacovigilance 587
 pharmacy-only medicines (P) 577
 phenazopyridine (pyridium) **544**
 phlebitis 664
 infusion flow rate and 650
 VIP scale 647, 648
 phosphate enemas **169**, 172
 physical abilities, assessment **14**
 physical activity *see* exercise
 physical examination, pre-operative 680
 physiotherapy
 immobile patients 204, 738
 soft tissue and joint restrictions 205
 sputum collection 478
 unconscious patients 216
 Picker Report (2008) 25
 pili 40, 42
 pinna 324
 Plain English Campaign 105, 126
 planning
 care **18**, **19**, **20**
 discharge *see* discharge planning
 plantar reflexes 558
 plaque, dental 327
 plasma (and serum) 248
 collection tubes **444**
 fresh frozen (FFP) *see* fresh frozen plasma
 osmolality 248, **251**
 oxygen transport 379
 plasma proteins 262
 plastic surgery 772–3, 773
 platelet count 281, **451**, **680**, **696**
 platelets
 for transfusion **286**
 wound healing 746–7, 747
 platelet transfusions
 administration sets 288, 649
 indications 281, **282**
 procedure guideline 291
 plugholes, hand basin 47–8, 50, 59
 pneumatic compression devices, intermittent
see intermittent pneumatic compression devices
Pne moc s is jiro ecii 43
 pneumonia
 ventilator-associated (VAP) 329
see also respiratory tract infections
 pneumothorax
 complicating liver biopsy 485
 tension 411
 poikilothermia 238
 poisoning, cardiopulmonary arrest 410–11
 polydipsia 546
 polyethylene glycol 169
 polymorphonuclear leucocytes
 (neutrophils) 747, 747
 polypectomy syndrome 482
 polytetrafluoroethylene (PTFE)-coated
 catheters 144
 polyurethane enteral feeding tubes 273
 polyuria 546
 polyvinyl chloride (PVC)
 enteral feeding tubes 273
 urinary catheters 144
 pons 520, 553
 popliteal artery 499
 portal of entry **45**
 portal of exit **45**
 Portex tracheostomy tubes
 Blue-Line Suctionaid 397, 397
 cuffed 395–6, 396
 Tracheotwist 306: 397
 positioning *see* moving and positioning
 positive pressure ventilation, protective
 isolation rooms 75
 post-anaesthesia care unit (PACU) 712–19
 complications 715
 discharge from 719, **719**
 equipment 713–14
 handover, procedure guideline 713
 problem solving **716–19**
 procedure guideline 715–16
 staff 714
 transfer to 713
 post-anaesthetic care 713
 post-anaesthetic recovery room 712, 714
 post-mortem examination 360, 361, **365**
 cultural and religious issues **357–9**
 post-operative care 719–38
 bowel function 736–7
 discharge planning 738
 fluid balance 722
 haemodynamic instability 721
 immobility 737–8
 ineffective breathing pattern 721
 nutrition 737
 observations 502, **720**, 720–1
 pain management 737
 prevention of complications 720
 stoma patients 187–9
 surgical drains 722–33
 surgical wounds 733–6
 temperature monitoring 537
 urinary output and catheters 736
see also post-anaesthesia care unit; wound management
 post-operative cell salvage 283
 post-operative complications 720
 post-operative nausea and vomiting
 (PONV) 128, 715, **718**
 post-operative pain
 management 342–3, 737
 post-anaesthesia care unit 715,
717, **718**
see also acute pain
 postural hypotension *see* orthostatic hypotension
 posture 202–3
 defaecation 170, 171
 in neurological impairment 227
 pulse rate and 499
 potassium
 in bodily fluids 248
 membrane transport 248
 serum **251**, **452**, **697**
 povidone-iodine, hand hygiene 48
 powders, reconstitution for injection 622
 procedure guidelines 624–7
 Power of Attorney, Lasting 96, 115
 PPE *see* personal protective equipment
 prealbumin 262
 precordial thump 412, 421
 prednisolone enema 172
Preferred Priorities for Care (PPC) 349–50
 pregnancy
 radiological investigations 485, 487
 testing, pre-operative **681**, 692–3
 premature babies, oxygen toxicity 388
 pre-medication 699
 pre-operative assessment (POA) 676–83
 ASA physical status classification 677, **677**
 clinics 682
 further referrals 682
 history taking 676–7
 investigations **680–1**, 680–2
 personnel undertaking 683, **683**
 physical examination 680
 pre-operative autologous (blood) donation
 (PAD) 283
 pre-operative care 676–99
 consent to surgery 685, 694
 fasting 690–1, **691**
 latex sensitivity and allergy 693–4, **694**
 marking skin 692
 namebands 685–6, **686**
 patient information and education 684, **684**
 patient safety measures **685**
 physical preparation 685–94
 pregnancy testing 692–3
 procedure guideline 697–9
 skin preparation 691–2
 stoma surgery 184–5
 tampon users 693
 test results 694, **696–7**
 theatre checklist 694, 695 6
 thromboembolism prophylaxis 686–90
see also pre-operative assessment
 presbyopia **317**
 prescribing 577–80
 electronic (e-prescribing) systems 577, **577**
 independent 579, 580
 nurse *see* nurse prescribing
 supplementary 579–80
 unlicensed and off-label medicines 580, **581**
 verbal orders 580–1
 prescription-only medicines (POM) 577
 prescriptions 577
 controlled drugs **591**, **592**, 594
 dispensing 581
 oxygen therapy 382, **382**
 verbal orders without 580–1
 pressure area care 757–63
 moving and positioning 205, 763, 764
 spinal cord lesions 238
 unconscious patients **219**
see also skin care
 pressure cushions 212
 pressure-relieving devices/mattresses 763
 care after death 363
 end-of-life care 354, **355**
 pressure ulcers 757–65
 antiembolic stockings and **687**
 classification 757, 758 9
 defined 757
 management 763, 765
 patient/carer education 763–5
 prevention 757–63, 762, 764
 risk assessment 205, 757, 760 1
 undernourished patients 262
 primary health care team (PHCT), discharge
 planning 26, 30
 prion diseases 43–4
 prions 43–4
 privacy 206, 307
 probenecid **586**
 probiotics 164–5
 problems
 dealing with 784
 patient 17
 profession, upholding reputation 785
 professional boundaries, clear 783
 prognosis, at end of life 352
 prokaryotes 40
 prokinetic agents **169**, 170
 proliferative phase, wound healing 747, 747–8
 prone position
 amputees 241, 241
 surgery 711
 proprioception, testing 564
 prostatic surgery, bladder irrigation after 155

- prostheses
 eye *see* eye(s), artificial
 surgical patients 699
- protected mealtimes 269
- protective isolation 75–7
 defined **39**
 entering room, [procedure guideline](#) 77
 preparing room, [procedure guideline](#) 76
 room requirements 75
- protein
 dietary
 calculating requirements 263, **263**
 in enteral feeds 274
 oral supplements 269
 plasma 262
- protozoa 43
- prucalopride **169**, 170
- pseudomembranous colitis 164–5
- psychological interventions, pain management 346
- psychological support 89–123
 anxiety 107–8
 assessment of needs 98, *100*
 communication issues 92–5
 depression 109–11
 environmental aspects 98, **98**
 legal and professional issues 95–8
 panic attacks 108–9, **109**
 patients in denial 106–7, **107**
 principles 98, **98–100**
 staff providing end-of-life care 367
 stoma patients 185
 time available 98
 worried/distressed patients **101–2**, 101–3
- psychosocial well-being, assessment 98, *100*
- psychosocial aspects
 end-of-life care 354
 pain assessment 339
- pulmonary drug administration 609–13
- pulmonary embolism (PE) 686, 686
 cardiopulmonary arrest 410
 prophylaxis *see* thromboprophylaxis
 signs **687**
- pulmonary oedema 259
- pulse 497–504
 amplitude 501
 defined 497–8
 documentation 504
 fluid imbalances **251**
 gross irregularity 501–2
 indications for monitoring 502
 methods of measuring 502
 neurological patients 559, 563
 paradoxical 501
 points 497–8, 499
 post-operative patients 721
 problem solving **503–4**
[procedure guideline](#) 502–3, 503
 rate 498–500, **499**
 rhythm 500–1
see also heart rate
- pulseless electrical activity (PEA) 410, 412
 drug therapy 419
 pulse assessment 502
- pulse oximeter 527
- pulse oximetry 526–30
 cautions 526
 complications 530
 indications 523
 post-operative 721
 post-procedure actions 529
 problem solving **529**
[procedure guideline](#) 527–8, 528
 pulse rate measurement 502
- pulse pressure 512
- pupils, examination 557, **557**, 563
- pure tone audiometry (PTA) **325**
- purgatives 168
- Purkinje fibres 501, 504
- purulent discharge, surgical drain exit site **732**
- pus, specimen collection 461, 469
- P wave 504, 504
- pyelonephritis 161
- pyrexia 536
 blood cultures 453
 grades **536**
 management 540
 transfusion reactions **292, 294**, 296, 537
- QRS complex 504, 504
- questioning 93
- questions
 closed 93, **93, 99**
 nursing assessment 12, **13–17**
 open 12, 93, **93, 99**
- radial artery
 blood pressure monitoring 513
 pulse 497–8, 499, 502, 503
- radiation protection 486
- radicular pain, spinal cord compression 231, 232
- radioactive contamination
 deceased patients 361, **366**
 waste disposal **79**
- radiofrequency identification tags (RFIDs) 289
- radiological investigations 485–7
 pre-operative 681
see also chest X-rays; ultrasound
- radiologically inserted gastrostomy (RIG)
 tubes 273
- radiotherapy, tracheostomy patients 397
- randomized controlled trials (RCTs) 3
- rappart, establishing **99**
- Rastafarianism 375
- reablement packages, supported
 discharges 26–7
- reagent sticks, urine *see* urine dipstick
 (reagent) tests
- rebreathing technique, panic attacks 108–9, 109
- reconstructive surgery 772–3
- records *see* documentation
- recovery position 413, 413
- rectal bleeding, after colonoscopy 482
- rectal drug administration 606–7
see also enemas; suppositories
- rectal examination *see* digital rectal examination
- rectal irrigation 170
- rectal swabs, [procedure guideline](#) 465–6
- rectal temperature 537
- rectal tube, measuring fluid output 258
- rectum 481
- rectus femoris injections 640, 641
- red blood cells
 count (RBC) **451, 696**
 frozen **285**
 in optimal additive solutions (SAGM) **285**
 oxygen transport 379
 salvage 283
 washed **285**
- red blood cell transfusion
 administration rate 291
 indications 280–1
- Redivac drainage system **723, 723** 4
- reflecting back 93
- reflexes 558
 testing 564
- refrigerators, storage of medicines 582
- refusal of treatment/care 96
 advance decisions 350
 blood transfusion 284–8
 by person lacking capacity 97, 117
- respect for 103
- Regularin 169
- relatives *see* family
- relaxation techniques, pain management 346, **347**
- religious beliefs/practices
 assessment **17**
 blood transfusion and 288
 care after death **357–9**, 360, 362
 end-of-life care and 354–6
 marriages at end of life 351
 personal hygiene 310, **310**
- renal clearance 544
- renal failure
 biochemical tests **452, 697**
 opioid analgesia 344, 346
- renin-angiotensin system 513
- repatriation, deceased patients 360–1
- reproductive health, assessment **17**
- request forms, diagnostic test 439
- research evidence (R) 3, **3**
- reservoir of infection **45**
- residential care home, discharge to 27–8
- residual volume (RV) 522, **523**
- respiration 518–30
 control 520–1, 521
 defined 518
 depth 525–6
 external 378, 518, 522, 524
 internal (cellular) 378, 518, 522, 524
 rhythm 525–6
see also breathing
- respirators 48–9
 fit testing 49
[procedure guideline](#) 56–7
- respiratory assessment 380, 518–30
 equipment 527
 indications 523
 methods 524–6
 neurological patients 558, **558**, 563
 nursing assessment **14**
 post-operative 721
 post-procedure actions 529
 pre-operative 676
 prior to moving unconscious patients 216
 problem solving **529**
[procedure guideline](#) 527–8
- respiratory care 377–428
- respiratory centres 520
- respiratory compromise 220–5
 management 529
 positioning 220–5, 527
 maximizing drainage of secretions 223–5, **225**
 maximizing ventilation/perfusion
 matching 220–2
 minimizing work of breathing 222–3, **223**, 224
 problem solving **222, 225**
[procedure guidelines](#) 221–2, 225
- signs 524–6
- respiratory depression
 after gastroscopy 481
 post-operative **717**, 721
- respiratory disease, chronic
 domiciliary oxygen therapy 385
 dysphagia **272**
 inhalational drug administration 610
- respiratory distress
 signs of 524–5, 526
see also respiratory compromise
- respiratory failure 381
 causes **381**
 type 1 (hypoxaemic) 381, 391
 type 2 (hypercapnic) 381
- respiratory function
 post-operative 721

- spinal cord compression **237**
 unconscious patients 216, **219**
 respiratory muscles 222, 519–20, 520
 accessory *see* accessory muscles of respiration
 respiratory observations *see* respiratory assessment
 respiratory rate 525–6
 assessment 528
 fluid imbalance **251**
 transfusion reactions **294**
 respiratory secretions
 effects of low humidity 388
 at end of life 353, **355**
 infection control precautions **39**
 positioning to maximize drainage 223–5, **225**
 sampling 477–9
 indications 477
 methods 477
 procedure guideline 478
 tracheostomy patients
 excessive **406**
 suctioning 402–6
 transmission of infection 44
see also sputum
 respiratory syncytial virus (RSV) 71
 respiratory system
 anatomy 378
 conducting zone 518
 humidification function 388
 physiology 378–80, 518–20
 pre-operative review 676
 respiratory zone 518
 respiratory therapy 378–407
 humidification 388–91
 oxygen therapy *see* oxygen therapy
 tracheostomy *see* tracheostomy
 respiratory tract infections
 infection prevention and control **39**
 sputum/secretion sampling 477–9
 tracheostomy patients **406**
 respiratory volumes and capacities 522, 522, **523**
 rest
 assessment **16**
 pain management 347
see also bedrest
 restlessness, terminal 115, **355**
 restraint, physical **114**, 115–16
 resuscitation committee 415
 Resuscitation Council UK (RCUK) 411, 413, 415
 resuscitation training officer (RTO) 415
 reticular activating system (RAS) 553, 557
 retina 315
 retinol binding protein 262
 retrolental fibroplasia 388
 reverse barrier nursing **40**
 rewarming methods, hypothermia 540
 rhesus (Rh) blood group system 279
 rhesus (Rh) incompatibility 280
 rifampicin **544**
 rigor mortis 362
 rigors **294**, 536
 risk assessment
 falls prevention 206–7
 infection prevention and control 46
 manual handling **204**, 204–5
 post-operative nausea and vomiting 128
 pressure ulcers 205, 757, 760 1
 suicidal ideation **111**
 risk management 2
 blood cultures 453
 colonoscopy 481
 endoscopy 480
 medicines administration 587–8
 NMC Code 784
 oxygen therapy 382
 specimen collection 437
 tracheostomy care 394
 venepuncture 442–3
 X-rays 486
 RNIB See It Right 126
 Roberts catheters 143, 143
 Robinson's drain **723**, 723
 robotic surgery 703, 704
 rofecoxib 343
 role, patient's, assessment **16**
 roller clamps 648, 649, 650
 Roman Catholics, care after death **357**
 Rome Criteria, constipation 168
 Roper's Activities of Daily Living 10
 rotavirus 71
 routes of drug administration 597, **598**
 Royal College of Psychiatrists 126
 Royal College of Speech and Language Therapists 126
 rubella 71
 Rusch speaking valve 398, 398
 Ryle's tube **723**
 SABRE reporting system 284, 295
 sacral nerves 555
 sacral plexus 555
The Safe and Secure Handling of Medicines: A Team Approach (Duthie Report, 2005) 582, 588
 SAGE and THYME model 101, **101–2**
 St John's wort, drug interactions 586
 salicylates **544**
 saline, normal *see* sodium chloride, 0.9% solution
 saliva 327
 antimicrobial drug monitoring 455
 artificial 327, 331
Salmonella infections 71, 164
 Saltair No-roma 184
 Saltair solution **184**
 satiety, early **268**
Sa'ing Li'es toolkit 49
 SBAR (Situation-Background-Assessment-Recommendation) tool 496, 498
 scabies 43, 71
 scales, weighing 264
 scar formation 748
 scarlet fever 71
 scavenging system, anaesthetic gases 706
 sciatica, positioning during surgery and 705
 sclera 315, 315
 scooping method, resheathing
 needles 623, 624
 scotoma 316
 Scotts catheter **142**
 scrubbing up *see* surgical scrub
 scrub nurse 702, 711
 handover in PACU, procedure guideline 713
 seating
 in neurological impairment 228
see also chair; sitting position
 seating cushion, lower limb amputees 239
 sedation
 aggressive patients 113, **114**
 consciously, for endoscopy 480, 481
 critically ill patients 215
 in delirium 116
 segmentation, intestinal 135
 selective serotonin reuptake inhibitors (SSRIs) 110, **111**
 self-administration of medicines **588**, 588–90
 patient assessment form **590**
 procedure guideline 589
 self-assessment, patient 13
 self concept, assessment **16–17**
 self-esteem, assessment **16–17**
 self-inflating resuscitation bag 416, 416
 self-monitoring of blood glucose (SMBG) 548
 semen 457
 collection 457–60
 methods 458
 patient preparation 459
 procedure guideline 460
 rationale 457–8
 cryopreservation 458
 semi-circular canals 324, 324
 semi-lunar valves 407
 semi-permeable films, wound management **751**
 senna **168**, 170
 sensory function, assessment 558, 564
 sensory inattention **230**
 sensory loss, patient positioning 205, 226
 sepsis
 blood cultures 453
 pulse monitoring 502
 transfusion-associated 295
see also infection(s)
 Serious Adverse Blood Reactions and Events (SABRE) reporting system 284, 295
 serious adverse event, transfusion-related 284
 serious adverse reaction, transfusion-related 284
 Serious Hazards of Transfusion (SHOT)
 scheme 280, 281, 295
 serological testing 437
 seromas, surgical site **736**
 serotonin-norepinephrine reuptake inhibitors (SNRI) 110, **111**
 sertraline 110
 serum *see* plasma
 severe acute respiratory syndrome (SARS) 71, 413
 Sexual Dysfunction Association 199
 sexual function, stoma patients 189
 sexuality, assessment **17**
 shampooing, hair 308, 313–14
 sharps bins (containers) 48, **78**, 80
 sharps disposal **78**, **79**, **80**, 443
 sharps injuries *see* inoculation injuries
 shaving
 deceased patients 364
 facial, male patients 313
 Shaw silver laryngectomy tube 399, 400
Shigella infections 71
 Shiley laryngectomy tube 399, 400
 Shiley tracheostomy tubes
 cuffed 396, 396
 cuffless 396, 396–7
 fenestrated cuffed 396, 397
 fenestrated cuffless 396, 397
 shingles 71
 shivering 536
 post-operative 715, **718**
 shock
 blood pressure measurement 513
 venepuncture in 445
 shoes *see* footwear
 shopping, prior to discharge 29
 SHOT (Serious Hazards of Transfusion)
 scheme 280, 281, 295
 showering, pre-operative 698
 side-effects
 drug *see* adverse drug reactions
 treatment, assessment **17**
 side-lying position 209–10, 210
 minimizing work of breathing **223**, 224
 neurological patients 229, 229
 patient with artificial airway 218–19
 procedure guideline 210
 sitting up from, procedure guideline 211, 211 12
 unconscious patients 218–19
 unilateral lung disease 221
 ventilation/perfusion matching 220, 221

810 INDEX

- sight 316
- Sikh Educational and Cultural Association **359**
- Sikhs
 - care after death **359**, 362
 - washing and personal hygiene **310**
- silastic laryngectomy tube 399, 400
- silicone catheters 144
- silicone elastomer-coated catheters 144
- silicone enteral feeding tubes 273
- silver alloy-coated catheters 144
- silver laryngectomy tubes 399, 400
- silver toxicity 144
- silver tracheostomy tubes 398, 398
- Simpson, James 700
- Single Assessment Process (SAP) 23
- single checking, medicines 587
- single-occupancy rooms
 - dying patients 349–50
 - protective isolation 75, 76–7
 - source isolation 69, 72–4
- sinoatrial (SA) node 407, 500, 501, 504
- sinus arrhythmia 500
- sinus rhythm 500
- sip feeds 267
- siphonage 651–2
- sitting position
 - lower limb amputees 239, 240
 - minimizing work of breathing **223**, 224
 - problem solving **215**
 - in respiratory compromise 222
 - on side of bed, from lying down 211, 211 12
 - standing from 212–13, 213
 - ventilation/perfusion matching 220, 221, 222
- sitting up in bed 208–9, 209
 - [procedure guideline](#) 208–9
- Situation-Background-Assessment-Recommendation (SBAR) tool 496, 498
- situs inversus 507
- skills, updating 784
- skin 306–7
 - ageing 307
 - anatomy 306, 306–7, 620, 746
 - assessment **16**, 307
 - damaged, hand hygiene and 50, 59
 - frail and papery **308**
 - functions 306
 - inspection 757–63
 - marking for surgery 692
 - redness **308**
 - scrapings 466
 - swab sampling 466
 - temperature 534, 534
- skin barrier products
 - incontinence 137
 - stoma care **184**
 - wound management **751**
- skin care 307
 - assessment 205
 - diarrhoea 165
 - incontinence 137, 307
 - soap/emollients 309–10
 - specific considerations **308**
 - stoma site 184, **184**
 - when using splints 230
 - see also* pressure area care
- skin cleaning/preparation
 - blood cultures 454
 - intramuscular injections 641, 642
 - pre-operative 691–2, **692**
 - stoma site 184
 - subcutaneous injections 632
 - surgical site 706
 - venepuncture 442, 446, 448
- skin clips *see* clips, skin
- skin closure strips, adhesive **766**
- skin colour, assessment 524
- skinfold thickness 262
- skin grafts 772
- skin preparation *see* skin cleaning/preparation
- skin reactions
 - subcutaneous drug infusions 639
 - topical medications 604
- skin turgor **251**
- sleep, assessment **16**
- sliding sheets 207
- slipper bedpan 137
 - [procedure guideline](#) 137–8
- sloughy wounds **755**
- small intestine 134–5, 135
 - absorption of nutrients 260–1
- smell *see* odour
- smoking
 - assessment **14**, 677
 - cessation advice 380, 529, 677
 - oxygen therapy and 387
- Snellen chart 559
- soap 309
 - dispensers 48
 - for hand washing 48, 50
 - for surgical scrub 59
- social history 677
- social services 23, 26, 27, 29
- SOCRATES pain assessment framework 339
- sodium
 - in bodily fluids 248
 - membrane transport 248
 - serum **251**, **452**, **697**
 - tubular reabsorption 541, 541
- sodium bicarbonate
 - CPR 420
 - mouthrinse 330
- sodium chloride, 0.9% solution (normal saline)
 - bladder irrigation 155
 - flush, intravenous injections 644
 - humidification 400
 - mouthrinses 330
 - subcutaneous infusion 633
 - tracheostomy suctioning 403, 404
 - wound cleaning 752, 765
- sodium/potassium pump 248, **249**
- soft tissue changes
 - limiting movement 205
 - neurological patients 227
- SOLER acronym 92
- solutes
 - in bodily fluids 248
 - transport and movement 248, **249**
- solution administration sets 648–9
 - changing 644–5
- sore mouth, dietary modification **268**
- source isolation 69–75
 - attending to patient in 69–72
 - cleaning room 72
 - defined **39**
 - discharge from 72
 - entering room, [procedure guideline](#) 73–4
 - facilities required 69
 - leaving room, [procedure guideline](#) 74
 - prioritization tool 70 1
 - [procedure guidelines](#) 72–5
 - rationale 69
 - room preparation, [procedure guideline](#) 72–3
 - transporting patients, [procedure guideline](#) 75
- spacer devices 609–10, 610
 - [procedure guideline](#) 611
- spasticity 226, 228
- Speakability 126
- speaking valves 398, 398
- special medicines 580
- specimen collection 436–85
 - blood *see* blood sampling
 - communication 439
 - competencies 437
 - consent 437
 - documentation 437
 - equipment 437–8, 438
 - faeces 475–7
 - good practice **436**, 439
 - respiratory secretions 477–9
 - risk management 437
 - semen 457–60
 - swabs 460–9
 - timing 440
 - urine 470–5
- specimens
 - containers 437–8, 438, 439
 - hazardous 439
 - labelling 440
 - methods of examination 436–7
 - request forms 439
 - safe handling 439
 - selection 439
 - storage 440
 - transportation 438–9, 440, **440**
- spectacles
 - cleaning 312, 317
 - eye protection for staff wearing 48
 - surgical patients 699
- speech 118
 - communication using 93
 - evaluation, Glasgow Coma Scale 561, **561**
 - production 90, 90
 - speech and language therapists (SLT) 118, 120, 272–3
- speech impairments 118
 - communicating with people with 93, 119–20
- speech perception test **325**
- speed shock 666
- spermatozoa 457
- sphygmomanometers 513, 514–15
 - aneroid 514
 - automated oscillometric 513, 514–15
 - cuffs 515, **515**, 516
 - manual 514, 515
 - [procedure guideline](#) 516–17
 - mercury 514
 - post-anaesthetic recovery 713
- spillages
 - blood **449**
 - source isolation rooms 72
- spinal brace 232
- spinal cord 230
 - anatomy 552–3, 555
 - pain processing 335
- spinal cord compression (SCC) 230–8
 - clinical presentation 231
 - metastatic (MSCC) 231
 - moving and positioning 230–8
 - complications 237–8
 - equipment 232
 - problem solving **236–7**
 - [procedure guidelines](#) 232–5
 - pain management 232, **237**
 - primary/benign 231
 - principles of care 231–2
 - stable 231
 - unstable 231
- spinal cord injuries (SCI) 230–8
 - assessment and recording tools 232
 - bowel management 178
 - complete 231
 - incomplete 231
 - moving and positioning 230–8
 - complications 237–8
 - equipment 232
 - problem solving **236–7**
 - [procedure guidelines](#) 232–5
 - traumatic 230–1
- spinal cord tumours 231

- spinal instability 206, 231
braces and hard collars 232, 232
moving and positioning 208, 231–8, 234
complications 237–8
equipment 232
problem solving **236–7**
[procedure guidelines](#) 232–5
spinal cord compression with 231
spinal nerves 553, 555
spinal shock 230, 237
spine
degenerative conditions 231
stable 231
unstable *see* spinal instability
spiritual beliefs, assessment **17**
spiritual care 354–6, 361–2
spirogram 522
spirometers 531
splints
neurological patients 228, 229, 229
skin care 230
unconscious patients 217, 218
spores
bacterial 40–2
fungal 42
sputum collection 477–9, 529
[procedure guideline](#) 478
sputum pot 438
stadiometer 263, 264
Standard Operating Procedures (SOPs) 582
standard precautions 38, **39**, 47
handling specimens 439
see also universal precautions
S andards for Medicines Management
(NMC) 576, 582, 587
standing position
assistance with moving to 212–13, 213
minimizing work of breathing **223**, 224
S aph lococc s a re s 46
meticillin-resistant *see* meticillin-resistant
S aph lococc s a re s
vancomycin-resistant 456
Starling's law of the heart 513
stem cell transplantation, haemopoietic 280
sterculia 169
sterile field, operating theatre 705–6, 712
sternal rub, neurological assessment 557
steroids *see* corticosteroids
stethoscope
blood pressure measurement 515
heart rate assessment 501–2, 503
stitches *see* sutures
Stockley's Drug Interactions 674
stoma(s)
body image 188
complications 189
deceased patients 363
deodorants 184, **184**
diet 188–9
measuring fluid output 258
observational index 189, 191 2
plug systems 184
post-operative function 188
preventing odour 184, 189
sexual function and 189
siting 185
types 180–1
see also colostomy; gastrostomy; ileostomy;
urostomy
stoma appliances 182–4
bag change, [procedure guideline](#) 185–6
obtaining supplies 189
one- and two-piece systems 183
post-operative period 187
pouches 182–3, 183
selection 182, 183, **188**
size 182
stoma bridges or rods 181, 181
removal, [procedure guideline](#) 186–7, 187
stoma button, laryngectomy 399, 400
stoma care 180–92
discharge planning 189, 190
education 185
equipment 182–4, **184**
indications 182
post-operative 187–9
pre-operative 184–5
[procedure guidelines](#) 185–7
products **184**
solutions 184
stomach 479
Stomahesive products **184**
stools *see* faeces
stool softeners **168**, 169, **169**
stopcocks 650
storage
controlled drugs **591**, **592**, 593
medicines 582
S rep ococc s p ogenes 71
stress, assessment **16**
stroke 227, 501
see also aphasia; neurological disorders
Stroke Association 126
stroke volume (SV) 499, 511
stump
pain **240**
wound breakdown **240**, 241
stump boards 239, 239, 240
subcutaneous analgesia 342
subcutaneous infusions 633–9
complications 639
equipment 634
fluids (hypodermoclysis) 633
[procedure guideline](#) 634–6
medications 633–4
problem solving **639**
[procedure guideline](#) 636–9
syringe pump volumes **639**
monitoring 639
sites 634
subcutaneous (SC) injections 631–3
complications 633
needles 622, 631
[procedure guideline](#) 632–3
sites 631, 631
subcutaneous layer 306, 307, 746
Subjective Global Assessment (SGA) 262, 266
patient-generated (PG-SGA) 262, 266
sublingual analgesia 342
sublingual tablets **598**, 599
suction
equipment, CPR 417–18, 418, **424**
post-anaesthetic recovery 713, 716
tracheostomy patients 394
see also endotracheal suctioning
suction catheters
CPR 417–18, 418
tracheostomy 403, 405
suction drains, surgical **723**, 723 4
changing vacuum bottle, [procedure guideline](#) 726–7
vacuum failure **733**
suction unit, operating theatre 706, 708
sudden cardiac death 411
suicidal ideation **111**
suicide, assisted 351–2
summarizing 94
superficial temporal artery 499
supine position
neurological patients 229, 229
patient with artificial airway 217–18
[procedure guideline](#) 207–8
sitting up from 211, 211 12
unconscious patients 217–18, 218
supplementary prescribing 579–80
supportive care *see* psychological support
suppositories 174–6, 606, 607
indications 174
methods of administration 175
[procedure guideline](#) 175–6
types available 175
supraorbital pressure, neurological
assessment 557
suprapubic catheterization 151
surgery
autologous blood donation/cell salvage 283
consent for 685
death within 24 hours of **365**
hypothermia risk 536
minimally invasive 703, 703
plastic 772–3, 773
poor technique **749**
see also intraoperative care; post-operative
care; pre-operative care
surgical drains *see* drains, surgical
surgical history 677
surgical pre-assessment *see* pre-operative
assessment
Surgical Safety Checklist, WHO 685, 700, **701**,
702, 711
surgical scrub 48, 706, 706
[procedure guideline](#) 58–9
surgical site
hair removal 692, **692**
post-anaesthesia care 716
pre-operative marking 692
skin cleaning 706
wound complications **735–6**
surgical site infections (SSI) **735**
surgical team 702, 702, 703
surgical wounds 733–6, 765–72
closure methods 733–4
complications 734, **735–6**
dressings 711, 712, 734, 734
see also drains, surgical
Surviving Sepsis Campaign 453
sustained-release tablets 598–9
sutures
continuous **766**
interrupted **766**
removal 771
[procedure guideline](#) 771
subcuticular **766**
suturing 765–71, **766**
common errors **767**
competencies 765
indications 765
[procedure guideline](#) 767–70, 769 70
swabs 438, 460–9
documentation 469
ear 46–462, 462
eye *see* eye swabbing
indications 461
low vaginal 468
MRSA screening 460–1
nose 463–4, 464
penis 464–5
principles 461
[procedure guidelines](#) 461–9
rectum 465–6
skin 466
storage and transportation 469
throat 467, 467
wound 468–9, 751
swallowing 260, 260, 272
assessment 272–3
swallowing difficulties 271–3
oral medications 599, **603**
see also dysphagia
swallow reflex 558
Swedish nose 388, 389

812 INDEX

- swelling, patient positioning and 205
sympathetic nervous system 107, 499
syncope *see* fainting
syringe pumps/drivers 652, 653
 advantages and disadvantages 652
 anaesthesia 653
 occlusion response 651
 patient-controlled analgesia (PCA) 653, 653
 siphonage 651–2
 subcutaneous drug infusion 634, 639
 problem solving **639**
 procedure guideline 636–9
 volumes **639**
 user errors 645
syringes
 for injections 621, 621–2
 oral drug administration 601, 601
 pre-filled 420, 420, 622
 subcutaneous drug infusions 634, 637
syrups 599
systematic reviews 3
systemic vascular resistance (SVR) 511, 512
systolic blood pressure 510, 512
 measurement 514, **514**, 514, 517
- tablet crushers 600, 600–1
tablets 598–9, 599
 administration via enteral feeding
 tube 278
 crushing or breaking **598**, 600–1
 storage 582
tablet splitters 600, 600
tachycardia 500
 post-operative **718**
 transfusion reactions **294**, 296
tachypnoea 525
tamponade, cardiac 410
tampons 693
tape measure 263
tapentadol 344
tapeworms 476
taps, for hand washing 47–8, 50
Targinact 344
team working 784
tears 315–16
 artificial 615
TED stockings *see* antiembolic stockings
teeth 326, 326
 decay 327
 methods of cleaning 329, 329
Teflon coated catheters 144
temazepam **591**
temperature (ambient)
 inspired gases 388
 sensation, testing 564
 storage of medicines 582
 wound healing and **749**, 752
temperature (body) 534–40
 circadian variations 534, 537
 core 534, 534, 537
 defined 534
 factors affecting 534
 measurement **16**, 536–40
 equipment 538
 fluid imbalances **251**
 indications 536–7
 methods 537
 problem solving **539**
 procedure guideline 538–9
 neurological patients 558, 563
 regulation 534, 535
 skin 534, 534
 venepuncture and 445
 see also fever; hyperthermia; hypothermia;
 pyrexia
temporal lobe 552, 554
tension pneumothorax 411
terminal care 348
 see also end-of-life care
testicular sperm extraction (TESE) 458
tetraplegia 237, **237**
theatre, operating *see* operating theatre
theatre gowns 692
therapeutic relationships, trusting 346
thermometers 538
thermoregulation 534, 535
 spinal cord lesions 238
thigh, blood pressure measurement 514
thoracic nerves 555
thoracolumbar spinal instability, log
 rolling 231, 235–6
thorax *see* chest
threadworms 465
throat swabs 467, 467
thrombocytopenia 281
thromboembolic deterrent stockings *see*
 antiembolic stockings
thromboembolism *see* venous
 thromboembolism
thromboprophylaxis
 patient information leaflet 688
 surgical patients 686–90, 737–8
 see also antiembolic stockings
thyroid disorders 536–7
thyroid function tests **681**
tidal volume (TV) 522, **523**
Tiemman-tipped catheters 143, 143
TILE mnemonic 204
Tilley's forceps 395
TIME principles, wound management **748**,
 748–52
tissue(s)
 factors affecting wound healing **748**, 749
 infiltration of solutions/medications
 into **662–3**, 664
 oxygenation 378–80
tissue adhesive **766**
toileting, assessment **14**
toilets, patients in isolation 69, 72
tone *see* muscle tone
tongue 326, 326
tongue depressor 559
tooth *see* teeth
toothbrushes 328, 329
toothbrushing 331–2
 aids 328, 329
 patients unable to tolerate **334**
toothpaste 330
topical anaesthesia
 eye drops 613
 gastroscopy 480
 urinary catheterization 146
 venepuncture 443
 see also local anaesthesia
topical drug administration 597, **598**,
 603–4
 complications 604
 dosage forms 603
 eye 613–17
 procedure guideline 603–4
topical negative pressure therapy (TNP) *see*
 negative pressure wound therapy
total body water 248, 261
total lung capacity (TLC) 522, **523**
total parenteral nutrition (TPN) *see* parenteral
 nutrition
touch perception, testing 564
tourniquets 442, 443, 446, 450
towels, paper *see* paper towels
toxicity, cardiopulmonary arrest 410–11
toxic shock syndrome (TSS) 693
T-piece circuit 384, 384
trachea 224, 393, 394
tracheal dilators 395, 395
tracheal suctioning *see* endotracheal suctioning
tracheostomy 393–407
 competencies 394
 contraindications 393
 documentation of care 406
 dressing change 401–2
 procedure guideline 401–2, 402
 dysphagia **272**
 emergencies 216–17, 406–7, **407**, 408
 equipment 394–9
 humidification 400
 indications 393
 location 393
 moving and positioning 216–20
 problem solving **219**
 procedure guidelines 217–19
 multidisciplinary support 399–400
 oxygen masks 384, 400, 400
 patient education 401
 percutaneous 394
 permanent 393–4, 394
 problem solving **406**
 risk management 394
 suctioning 402–6
 complications 406
 equipment 403, 404
 indications 403
 infection risk 403
 method 403
 procedure guideline 404–5
 surgical 394
 temporary 393, 394
 see also laryngectomy
tracheostomy box 395
tracheostomy tubes 395–8
 cuffed 395–6, 396, 397
 cuffless 396–7
 cuff pressure manometer 395, 395
 decannulation (removal) 397
 decannulation plug (cap) 397, 399, 399
 dislodgement **406**
 fenestrated 397, 397
 metal 398, 398
 occlusion **406**
 speaking valves 398, 399
Trachphone 400, 401
track and trigger systems 496
 cardiac arrest prevention 415, 421
 oxygen therapy 384
 see also National Early Warning Score
tramadol 341, 343, **591**
transactional model of communication 91, 91
transcellular space 248
transcutaneous electrical nerve stimulation
 (TENS) 347, 347
transdermal analgesia 342
transdermal drug administration 604–6
 procedure guideline 605–6
transdermal patches 605, 605
 disposal of used 606
transdermal systems, conventional 604–5
transfers
 to operating theatre 694
 to PACU 713
 post-cardiac arrest 424, 425
 spinal instability 231
 to/from operating table 706, 707, 710
 see also manual handling; moving and
 positioning; transportation
transfusion-associated circulatory overload
 (TACO) 281, 296
transfusion reactions **294**, 295–7
 delayed 297
 febrile non-haemolytic **292**, 296–7
 initial management **296**
 major 296
 minor 295–6

- monitoring for 294–5
- pyrexia **292, 294**, 296, 537
- transfusion-related acute lung injury (TRALI) 295
- transfusion-related immunomodulation 295
- transjugular liver biopsy 484
- translation services 96
- transmissible spongiform encephalopathies (TSEs) 43–4
- transmission-based precautions **39**
see also source isolation
- transmission of infectious agents, modes 44–5
- transportation
 - controlled drugs 594
 - infected patients, [procedure guideline](#) 75
 - specimens 438–9, 440, **440**, 469
- trapezium squeeze, neurological assessment 557
- trauma, spinal cord injuries 230–1
- Trendelenburg position 705
- tricuspid valve 407
- tricyclic antidepressants (TCAs) 110, **111**
pain management **341**
- trigeminal nerve (V) **556**
- trochlear nerve (IV) **556**
- Tru-Cut needle 484
- tuberculosis (TB)
 - CPR 413
 - source isolation 69, 71, 74
 - sputum sampling 477
- tubular reabsorption 541, 541
- tubular secretion 541, 541
- tunica adventitia 441, 643
- tunica intima 441, 643
- tunica media 441, 643
- tuning fork test **325**
- Turbohaler 609, 610
- T wave 504, 504
- tympanic membrane 91, 91, 324
- tympanic membrane thermometers 538, 538
problem solving **539**
[procedure guideline](#) 538–9
- tympanometry **325**
- typhoid fever 71
- tyramine-containing foods 586

- ulna length, height estimation from 263, 264, 265
- ultrasound guidance, liver biopsy 484
- unconscious patients
 - blood transfusion **292**
 - mouth care 329, **329**
 - moving and positioning 215–16, 218
factors to consider 215–16
problem solving **219**
[procedure guidelines](#) 217–19
 - observations **559**
 - oropharyngeal airway insertion 417, 417
 - physiological changes 215
see also consciousness
- underinfusion **646**, 665, **665**
- undertakers **366**
- Union of Liberal and Progressive Synagogues **359**
- universal precautions **38–9**
handling specimens 439
tracheal suctioning 403
see also standard precautions
- unlicensed medicines 580, **581**
- upper limb
 - amputation 238, 240
 - veins for venepuncture 440–1, 441
see also hand(s)
- upper motor neurons (UMNs) 230
- urea, plasma (or serum) **251, 452, 697**
- ureters 134
- urethra 134, 483
difficulty visualizing orifice **151**
trauma/irritation, catheterized patients **150, 154**
- urethral catheterization *see* urinary catheterization
- urethral meatus
 - cleaning, catheterized male patients 153
 - crusting, catheterized patients **154**
- urinals/urine bottles
measuring urine output 256
patients in isolation 69
- urinalysis 470, 540–6
dipstick tests *see* urine dipstick (reagent) tests
drugs affecting results **544**
indications 543
methods 543–4
pre-operative **681**
[procedure guideline](#) 544–5, 545
timed 544
- urinary catheterization 142–55
anaesthetic lubricating gel 146
aseptic technique **67**
bedbathing 312
competencies 142
complications 153, **154**
drainage bags *see* urine drainage bags
equipment 142–6
indications 142
measuring urine output 144, 145, 255
post-operative 736
problem solving **150–1**
[procedure guidelines](#) 146–50, 152–3
suprapubic 151
- urinary catheters 142–4
antibiotic-impregnated 144
-associated infections *see* catheter-associated urinary tract infections
bags *see* urine drainage bags
balloon size 143
encrustations and blockages **154**
leakage around **154, 159**
length 143
materials 143–4
removal, [procedure guideline](#) 152–3
selection 142
size 143
three-way (for irrigation) **142, 143**, 155
tip design 143, 143
types **142, 143**
with urometers 144, 145, 255
valves 146
- urinary drainage bags *see* urine drainage bags
- urinary elimination 134, 139–63
altered 139–63
anatomy and physiology 134, 134
assisting 135–9
[procedure guidelines](#) 137–9
assisting normal, equipment 136–7, 137
moving/positioning patients and **214**
- urinary fistulas, catheterized patients **154**
- urinary incontinence 139–42
penile sheaths 140–2
skin care 137
see also incontinence
- urinary retention
 - during bladder irrigation **158–9**
catheterized patients **154**
 - post-operative 736
- urinary tract 134, 134
- urinary tract infections (UTIs) 541–2
catheter-associated *see* catheter-associated urinary tract infections
complicating cystoscopy 483
dipstick tests 544
nephrostomy tube patients 161
- predisposing factors 542, 542
symptoms 45
urine sampling 470–5
- urinary tract obstruction 160
- urine
 - colour 541, **543**
 - debris **543**
 - elimination 134
 - formation 540–1, 541
 - leakage around catheter **154, 159**
 - light microscopy 543–4
 - observations 543, **543**
 - odour 542, **543**
 - osmolality **251**
 - patients in isolation 69
 - specimen container 438
- urine bottles *see* urinals/urine bottles
- urine dipstick (reagent) tests 543, 544, 546
factors affecting results 543, **544**
[procedure guideline](#) 544–5, 545
- urine drainage bags 144–5, 145
changing 144
emptying, [procedure guideline](#) 152
leg straps 145–6
nephrostomy tube, changing, [procedure guideline](#) 161–2
sizes and types 144–5, 145
with urometers 144, 145
- urine output
impaired
catheterized patients **151, 154**
nephrostomy tubes **163**
post-operative **719**, 736
- monitoring
bladder irrigation 158, 160
catheterized patients 144, 145, 255
nephrostomy tubes 160
non-catheterized patients 255–6
[procedure guidelines](#) 255–6
- normal **250, 251**
post-operative 736
- urine pot 438
- urine specimens 470–5, 542–3
24-hour collection 474
catheter (CSU) 472–3
equipment 438, 470
ileal conduit 473–4
indications 470
midstream (MSU) 470–2, 542
[procedure guidelines](#) 470–4
storage and transportation 475
timed collection 544
- urine testing *see* urinalysis
- urobilinogen 543
- urometers 144, 145, 255
- urostomy 182
fluid intake 189
post-operative function 188
pouches 183, **188**, 193
urine sampling from 473–4
see also stoma(s)
- Urostomy Association 199
- urticaria 295

- vaccines, storage 582
- vacuum blood collection systems
blood cultures 443, 453
venepuncture 443, 443
- VADs *see* vascular access devices
- vaginal drug administration 607–9
[procedure guideline](#) 607–8
- vaginal swabs, low, [procedure guideline](#) 468
- vagus nerve (X) **556**
- valuables, surgical patients 698
- values, assessing patient's **17**
- valves, venous 441
- vancomycin 456

- vaporizer 706
- vascular access devices (VADs)
 blood culture specimen collection 453
 central *see* central venous access devices
 infusion flow rates 650
 skin care **308**
see also peripheral cannulas; winged
 infusion devices
- vascular dementia 116
- vasovagal attack *see* fainting
- vastus lateralis injections 640, 641
- vector transmission 45
- veins
 anatomy 440–1, 441, 643
 injuries, intravenous infusions **662**
 manual stabilization 446, 448
 missed **449**
 palpation 442, 448
 selection for venepuncture 440–1, 441, 445
 tapping 442, 446
 visual inspection 441–2
- venepuncture 440–50
 aseptic technique 442
 choice of vein 440–1, 441, 445
 competencies 442
 complications 450
 defined 440
 equipment 443, **444**
 haemostasis after 447, 450
 improving venous access 442
 indications 442
 post-procedure care 447–8, 450
 problem solving **449**
 procedure guideline 445–8, 448
 risk management 442–3
 safety of practitioner 443
 skin preparation 442, 446, 448
 specific patient preparation 445
- venous access
 blood transfusion 288
 computed tomography 487
 CPR 419, 423
 limited, problem solving **449**
 methods for improving 442
see also peripheral cannulas; vascular access
 devices; venepuncture
- venous return 513
- venous spasm
 blood transfusion **292**
 intravenous infusions 650, **662**
 venepuncture 445, **449**
- venous thromboembolism (VTE) 686, 686
 prophylaxis *see* thromboprophylaxis
 risk factors 686, 737
 unconscious patients 216
see also deep vein thrombosis; pulmonary
 embolism
- ventilated patients
 humidification of inspired gases 388
 moving and positioning 216–20
 problem solving **219**
 procedure guidelines 217–19
 oral care 329, **329**
 ventilation/perfusion matching 220–1,
 221
- ventilation
 bag and mask 413, 414, 416, 416, 422
 mechanical 216
 mouth-to-facemask 413, 414, 416, 416
 mouth-to-mouth 413
 pulmonary 378, 518–19, 519
- ventilation/perfusion (V/Q) ratio, positioning to
 maximize 220–2, 221
 problem solving **222**
 procedure guidelines 221–2
- ventilator-associated pneumonia (VAP) 329
- ventilators, PACU 714
- venting needle method of powder
 preparation 625–6, 626
- ventricular fibrillation (VF) 410, 501
 defibrillation 411, 412–13
 drug therapy 419
 ECG tracing 511
- ventricular tachycardia (VT)
 defibrillation 411, 412–13
 drug therapy 419
 ECG tracing 511
 pulseless 410
- ventrogluteal intramuscular injections 640, 640
- Venturi-type oxygen masks 383–4, 384
- verbal communication 93–4
- verbal descriptor scales (VDS), pain 338
- verbal orders, drug administration 580–1
- verbal response, Glasgow Coma Scale 561, **561**
- vestibular apparatus 324
- vestibule, oral 326, 326
- vestibulocochlear nerve (VIII) **556**
- vials (mainly multidose) 621, 621
 equilibrium method of powder
 preparation 627
 minimizing coring 625, 626
 venting needle method of powder
 preparation 625–6, 626
- videofluoroscopy, swallowing
 assessment 272–3
- Vim-Silverman needle 484
- violence 112–14
see also aggression; anger
- viral haemorrhagic fever 71
- viral infections 42
 diagnostic tests 437, 439
 transfusion-transmitted 295
- virulence 44
- viruses 42
 bloodborne, occupational exposure 77
 identification 437
 life cycle 42, 43
 specimen handling **440**
- vision 316
- visitors
 protective isolation 75, 77
see also family
- visual acuity testing 558, 564
- visual fields 316
 testing 558
- visual impairment 120–1, 316
- Visual Infusion Phlebitis Scale (VIP) 647, 648
- visual pathways 316, 316
- vital capacity (VC) 522, **523**
- vital signs
 defined 496
 hand-held monitoring devices 496
 neurological assessment 558–9, 563
see also blood pressure; pulse; respiratory
 assessment; temperature (body)
- vitamin C (ascorbic acid) **544**, 747
- vitamin K 269, **586**
- vitamins
 dietary requirements 263
 serum levels 263
 supplements 269
- vitreous humour 315
- vocal cords (folds) 90, 90
- voice
 impairment 118, 120
 production 90, 90
- volumetric infusion pumps 652, 652
- voluntary services, community care 26
- vomiting 128–31
 causes 128, **128**
 infection prevention and control **39**, 130
 nasogastric drainage tube insertion 131–3
 procedure guideline 131–3
 pathophysiology 128, 128
- patient care, procedure guideline 129–30
see also nausea and vomiting
- vomiting centre 128, 128
- vulnerable adults
 care after death 360
 covert drug administration 599–600
 pain assessment 337–8, 339
see also learning disabilities
- walking, assisting patients with 214
- walking aids 214
- warfarin **451**, **586**
- warming blankets, operating theatre 711, 712
- warming methods, hypothermia 540
- washbowls 310
- washcloths, prepackaged 310
- waste
 colour coding system **79**
 containers (receptacles) 78, **79–80**
 defined 78
- waste management 78–81
 equipment 48
 soiled linen 81
 source isolation rooms 72, 73
- water
 drinking, immunocompromised
 patients 76
 eye irrigation 317, 319
 filling catheter balloons 143
 hand washing 50, 59
 intestinal absorption 135, 261
 oral care 330
 quality 46–7
 total body 248, 261
 transport and movement 248, **249**
 tubular reabsorption 541, 541
 wound cleaning 752
see also fluid(s)
- water bath blood warmers 288
- water humidification chamber 384, 389
- Waterlow pressure ulcer risk assessment 761
- WaterPik 329–30
- water vapour 378
- weakness, patient positioning 205, 229
- wedding rings 49, 698
- weighing
 adults 263–6
 problem solving **266**
 procedure guideline 264, 265
 scales 264
 sick children 262
- weight, body *see* bodyweight
- weight bearing, restrictions on 214
- weight loss, percentage 261–2
- wheelchairs
 lower limb amputees 239, 239
 patient positioning 212
- whispered voice test **325**
- whistle-tipped catheters 143, 143
- white blood cells
 count (WBC) **451**, **680**, **696**
 for transfusion **285**
- WHO *see* World Health Organization
- will and testament, last 351
- wind, stoma patients 189
- winged infusion devices
 blood culture sample collection 453
 procedure guideline 454–5
 subcutaneous infusions 634
 venepuncture 443, **444**
- women *see* female patients
- work of breathing, positioning to
 minimize 222–3, **223**, 224
- World Health Organization (WHO) 674
 adverse drug reactions 586
 analgesic ladder 340–1, 341
 oral assessment scale 330

- Surgical Safety Checklist 685, 700, **701**, 702, 711
- worms, parasitic 43
- worried patients **101–2**, 101–3
- wound(s) 746–57
- acute 746
 - assessment 752, 753 4
 - breakdown, amputees **240**, 241
 - chronic 746, 747
 - classification 746, **755**
 - cleansing 752, 765
 - closure methods 765, **766**
 - colonization 749
 - contraction 747–8
 - debridement **748**, 749
 - deceased patients 363
 - defined 746
 - dehiscence **735**
 - edge non-advancement **748**, 752
 - haematoma **735**
 - inflammation and infection **748**, 749–51
 - moisture balance **748**, 751–2
 - moving/positioning patients with 205, **215**
 - open **308**
 - re-epithelialization 748
 - surgical *see* surgical wounds
 - suturing 765–71
 - swabs 468–9, 751
- wound bed preparation (WBP) 748–52
- TIME principles **748**, 748–52
- wound drains *see* drains, surgical
- wound dressings *see* dressings
- wound exudate 751–2
- chronic excessive **749**, 751
 - specimen collection 461
- wound healing 746–8
- bacterial burden and 749–51
 - factors delaying 749, **749**
 - haemostasis 746–7, 747
 - inflammatory phase 747, 747
 - maturation phase 748, 748
 - phases 746
 - by primary intention 746
 - proliferative phase 747, 747–8
 - by secondary intention 746
 - by tertiary intention 746
 - tissue factors affecting **748**, 749
 - undernourished patients 262
- wound infections **748**, 749–51
- amputees 241
 - nephrostomy tube site 161, **163**
 - prioritizing isolation 70
 - suitable dressings **755**
 - surgical site **735**
- wound management 745–77
- choice of dressings **755**
 - negative pressure therapy 773–6
 - plastic surgery 772–3, 773
 - pressure ulcers 763, 765
 - [procedure guideline](#) 755–7
 - TIME principles **748**, 748–52
 - useful websites 779
- Wright peak flow meter 531
- wristbands (namebands)
- blood transfusions 289, **292**, 297
 - surgical patients 685–6, **686**, 699
 - see also* identification, patient
- xerostomia *see* dry mouth
- X-rays 485–6
- see also* chest X-rays
- Yankauer sucker 417, 417–18
- Yates drains **723**, 723
- Yellow Card Scheme 580, 587
- zopiclone **591**, **592**
- Zoroastrianism 375
- Z-track technique, intramuscular injections 641

