

Index

figures are in *italics*; tables/boxes are in **bold**

abdominal injuries 39
abdominal masses 112
abdominal wall defects
 omphalocele 7, 112
 gastroschisis 112
abnormalities (congenital)
 birth defects/genetic disorders 18
 multiple births 14
 routine examination of newborn infants 43, **43**
abnormalities (fetal)
 perinatal medicine 7
 prenatal identification 47
abnormalities (minor) in first few days
 breast enlargement 50
 description 50
 ear tags 51
 extra digits 51
 natal teeth 51
 talipes, positional 50
 see also skin lesions
ABO incompatibility 97
abstinence syndrome 20
achondroplasia 145
adaptation to extrauterine life
 abnormal transition from fetal to extrauterine
 life 26–7, **26**
 Apgar score 27, **27**
 asphyxia 27, 27
 circulation at birth 26
acute kidney injury 124
acute renal failure 124
admission to neonatal unit
 family-friendly environment 54, 55, 55,
 56, 57
 ‘kangaroo care’ 55, 56
 mother (gavage) tube 55
aEEG *see* amplitude-integrated
 electroencephalopathy
age assessment, gestational 194
air leaks 71
alcohol, maternal 20
ambiguous genitalia 128
amniocentesis 9
amplitude-integrated electroencephalography
 (aEEG)
 artifacts 189
 cerebral function monitor 188
 classification 188
 HIE 36, 37, 189
 seizure detection 36, 37, 189, 189
anemia
 causes/investigations 130
 clinical features/management 130–1, **131**
 preterm 80, 81
 blood transfusions 81

 oral folic acid 81
 oral iron therapy 81
anencephaly 140
anticonvulsants, maternal 21
antithyroid drugs, maternal 21
anus, imperforate 113
aorta, coarctation 117, 119, **119**
Apgar score 27, **27**
apnea, bradycardia and desaturations 82
arterial catheters 155, 156, 179, 180, 181
arthritis, septic 145, **145**
aspiration of milk 93
aspiration pneumonia 157
aspirin, congenital anomalies **21**
asphyxia, *see also* HIE 27
Assessment of Preterm Infant Behaviour
 (APIB) 57
asymmetric crying faces 39
atresia
 biliary **97**, 99
 choanal 95, 95
 duodenal 114, 115, **115**
 esophageal 112, **112**
atrioventricular septal defect (ASVD) 116, 117
attachment, maternal 46, 54
audiology *see* hearing
audit 152, 152, 153
autoimmune thrombocytopenic purpura
 (AITP) 11
automated auditory brainstem response
 (AABR) 146, 147
autopsy 165

Baby Doe 161
bacterial infections *see* neonatal infection
Ballard score 194
Barlow maneuver 42
Bayley Scales of Infant Development (3rd
 edition) **168**, 169
Beckwith–Widemann syndrome 107, 112
behavioral observation 56, **56**, 57
behavioral problems 88, 88, 89, 89
beta-blockers, congenital anomalies **21**
biliary atresia **97**, 99
bilirubin
 jaundice 96–9
 exchange transfusions 183
 preterm 80
 transcutaneous 41
birth defects *see* congenital anomalies
birth injuries 38–9, 38, **38**, **39**
births rate 4
birthweight, and neonatal mortality 5
bladder tap 178
blisters, sucking 50

blood loss from arterial catheters 155
blood pressure charts 195, **195**
blood spot (biochemical screening) 40
blood sampling 178
blood transfusions 81, **81**
blueberry muffin rash 23
bone and joint disorders
 congenital abnormalities of hip and
 feet 144, **144**
 infection, osteomyelitis and septic
 arthritis 145, **145**
 skeletal dysplasias 145
BOOST/BOOST II trials (oxygen
 saturation) 159, **159**
brachial palsy **39**
breast enlargement 50
breast milk
 composition 48, 49, 74, 75
 critical incidents 155
 donor 74
 drugs in 49, 150, 151
 jaundice 97
breast-feeding
 advantages for infant/mother 49, 171, 172, **172**
 contraindications 49
 drugs in breast milk 49, 150, 151
 global 171, 172
 hypernatremia 123
 jaundice 97
 palliative and end-of-life care 164
 sudden infant death syndrome 49
 twins 49, 75
bronchopulmonary dysplasia (BPD)
 chest X-ray 87
 clinical features 86, 87
 definition 86
 discharge from hospital 88, 166
 incidence 67, 86
bullous impetigo 103, **103**
burns and scalds 156, **156**

calcium balance 123
candida albicans 80, **80**
cannulation
 intraosseous 181, **181**
 peripheral artery 155, 156, **156**, 179, **179**
 peripheral venous 178, **178**
capillary blood sampling 178, **178**
caput **38**, 50
car seats 166
carbamazepine, congenital anomalies **21**
cardiac disorders – congenital heart
 disease 116–19
 aorta, coarctation 117
 acyanotic **116**

atrioventricular septal defect 116
balloon atrial septostomy 118
classification 116
cyanosis 118
femoral pulses 43
heart failure 117
heart murmur 116–17
hyperoxia test 119
hypoplastic left heart syndrome 117, 117
left ventricular outflow obstruction 117
oxygen saturation screening 118
prostaglandins 119
total anomalous pulmonary venous connection 118
transposition of great arteries 118, 118
capillary blood sampling (heelstick) 178
cataract 147, 147
catheters
critical incidents 154–7
fetal shunts 9, 9
central venous 182–3
chest tubes 177, 177
peripheral arterial 154–7, 156, 179, 179
central venous catheters 182–3, 182, 183
umbilical artery 155, 180–1
umbilical vein 156, 181, 183
central venous catheters 182–3, 182, 183
cephalhematoma 38, 50
cerebral function monitor (CFM) 188, 189
cerebral palsy 88, 88, 89
cerebral sinovenous thrombosis (CSVT) 139
cerebrospinal fluid 101
chest needling 71, 177
chest tubes
chest tubes (chest drain) 71, 176–7, 177
needle thoracotomy (chest needling) 71, 177
pleural tap 71, 177
chickenpox 25, 25
chignon 38
chlamydia screening 8
Chlamydia trachomatis 103, 103
choanal atresia 94, 95, 95
chorionic villous sampling 9
chorionicity 14, 14, 15
Christmas disease 135
chromosomal disorders
trisomy 13 (Patau syndrome) 19
trisomy 18 (Edwards syndrome) 19, 19
trisomy 21 (Down syndrome) 19, 19
circumcision 40, 127
clavicular fracture 39
cleft lip and palate 19, 94, 94
clinical ethics committees 160
clotting studies 134–5
coagulase-negative staphylococcus (CONS) 80
coagulation disorders 134–5, 134, 134, 135
coagulation pathway 134
coarctation of aorta 117, 119, 119
cocaine, maternal 21
coloboma 147, 147

common practical procedures
capillary blood sampling (heelstick) 178
lumbar puncture 179, 179
peripheral arterial cannulation 179, 179
peripheral venous cannulation 178, 178
suprapubic aspiration (bladder tap) 179, 179
urinary catheter 179
venous blood sampling 178, 178
communication with parents 47
congenital adrenal hyperplasia 129, 129
congenital infection 22–5, 22
blueberry muffin rash 23
cytomegalovirus 22, 23–4, 23
jaundice 97
parvovirus B19 25
rubella 24
syphilis 24–5, 25
toxoplasmosis 24, 24
varicella: chickenpox, varicella zoster virus 25
congenital melanocytic nevus (CMN) 137
congenital myopathies 143
conjunctivitis 51, 103
consent
for autopsy 185
for research 162–3, 162
continuous positive airway pressure (CPAP)
apnea 82
bronchopulmonary dysplasia 87
endotracheal intubation 176
growth and nutrition 75
nasal damage 157
neonatal intensive care 2–3
Pierre Robin sequence 95
post resuscitation 33
respiratory distress syndrome 70
respiratory support 60–1, 67
cooling studies
meta-analysis 158
study design 163
cord clamping 33
corticosteroids
antenatal 16, 69, 70
postnatal 59, 69, 87
prophylactic, meta-analysis 159
cranial ultrasound 184–7
additional windows 187, 187
standard views 184, 185
cystic periventricular leukomalacia 187
echodensities 187
hemorrhagic parenchymal infarct 186
HIE 36
post-hemorrhagic ventricular dilation 186
intraventricular haemorrhage 185, 186
porencephalic cyst 186
prognosis 187, 191
ventricular index 186
CPAP see continuous positive airway pressure
CRIB score 195
CRIES score (pain scale) 149

critical incidents
aspiration pneumonia from misplaced gavage (nasogastric) feeding tubes 157
blood loss from arterial catheters 155
burns and scalds 156, 156
excessive fluid volume infused 155
extravasation of intravenous infusions 154–5, 154
extravasation of parenteral nutrition (PN)
from central venous lines 156
infection 157
ischemic damage from peripheral artery catheters 156, 156
reporting 153
medication errors 154
nasal damage from nasal CPAP 157
nasal damage from tracheal tube 156–7
portal vein thrombosis from umbilical venous catheters 156
cyanosis, central 51, 117–18
cyanosis, traumatic 50, 118
cyanosis, peripheral 50, 118
cyclooxygenase inhibitors 79, 79
cystic fibrosis screening 8, 40–1
cystic periventricular leukomalacia (CVL) 76, 187
cytomegalovirus (CMV)
congenital 22, 23–24, 23
isolation 24
hearing loss 146
intrauterine growth restriction 12
neutropenia 132
cytotoxic drugs in breast milk 151
death see palliative and end-of-life care
definitions
newborn infants 4
mortality rates 4
dermatological disorders 136–7
congenital melanocytic nevus 137
diaper (nappy) dermatitis 136
epidermolysis bullosa 137
genetic syndromes 137
giant congenital melanocytic nevus 137
port wine stain 137
pustular rash 136
strawberry nevus 137
desaturations 82, 82
developmental care 56, 57
adapting care 56–7
newborn behaviour 56
nursery environment 56
parent participation 56, 56
developmental dysplasia of hip (DDH) 41, 42, 42, 144, 144
diabetes mellitus
fetal problems 10
neonatal problems 10
diaper dermatitis 136
diaphragmatic hernia 9, 92, 93

- digits, extra 50
 disability 88, 89, 168, 169
 discharge from hospital
 bronchopulmonary dysplasia 166
 gavage (nasogastric) feeding 166
 oxygen therapy 166
 transition from intensive care to home 166
 when can babies go home? 166
 health promotion 167
 immunizations 167
 medications 167
 ongoing/new medical problems 167
 parent support group 167
 potential medical problems 167
 disorders of sex differentiation
 ambiguous genitalia 128
 congenital adrenal hyperplasia 129
 sex differentiation 128, 128
 disseminated intravascular coagulation (DIC) 111, 135
 dobutamine 59
 donor human milk 74
 dopamine 59
 Doppler flow velocity waveforms
 fetal 10, 13
 patent ductus arteriosus 78, 79
 Down syndrome (trisomy 21)
 chromosomal disorders 19, 19
 clinical features 19, 19, 115, 116
 nuchal translucency 8
 polycythemia 131
 screening, prenatal 8
 drugs in breast milk 49, 150, 151, 151
 duct dependent circulation 26, 78, 119
 duodenal atresia 114–15, 115

 ear tags 50
 echocardiography 192, 193
 left-ventricular function 193
 patent ductus arteriosus views 192–3, 192, 193
 echodensity, white matter 77, 187
 ECMO 7, 65
 Edwards syndrome (trisomy 18) 12, 19, 19
 EEG
 HIE 36, 37
 Seizures 138
 aEEG 188, 189
 effusion, pleural 9
 electrolyte imbalance 122, 123
 encephalocele 140, 140
 encephalopathy *see* hypoxic-ischemic encephalopathy
 encephalopathy
 endotracheal intubation 29, 30, 31, 176, 176, 176
 end-of-life care 164
 EPICure studies 5
 epidemiology
 definitions 4
 infant mortality 5
 maternal mortality 4–5
 neonatal mortality 5
 perinatal mortality 5
 epidermolysis bullosa 137
 epinephrine (adrenaline) 30, 31, 59
 erythropoietin (EPO) 81, 131
 erythema toxicum 50
 esophageal atresia 14, 112
 ethics 160, 160, 161, 161
 clinical ethics committees 160
 withholding/withdrawal of life-saving medical treatment 160–1, 161
Every Newborn Action Plan (global campaign) 170
 evaporative heat loss 72, 73
 evidence-based medicine 158–9, 158, 159
 harmful therapies 159
 oxygen saturation in preterm infants 159, 159
 maternal prophylactic corticosteroids 159
 moderate hypothermia for severe HIE 159
 oxygen therapy in preterm infants 159
 surfactant therapy in preterm infants 159
 oxygen therapy causing blindness in preterm infants 159
 excessive fluid volume infusion 155
 exchange transfusion
 indications 183, 183
 jaundice 98
 polycythemia 131
 Rhésus haemolytic disease 2
 technique 183, 183
 exomphalos (omphalocele)
 description 112–13, 112
 fetal 7, 7
 extracorporeal membrane oxygenation (ECMO)
 meconium aspiration 91
 neonatal intensive care 3, 7
 PPHN 92
 respiratory support 60, 64, 65, 65
 extravasation of intravenous infusions 154–5, 154
 extravasation of parenteral nutrition 156
 extremely preterm infants (EPICure studies) 5
 eyes
 conjunctivitis 51
 prophylaxis 40
 red reflex 43, 43
 facial palsy 39
 factor IX deficiency 135
 factor VIII deficiency 135
 feeding
 formula 48
 human milk/cow's milk comparison 48
 preterm 74–5
 see also breast-feeding
 fetal alcohol spectrum disorder (FASD) 20
 fetal growth 8
 fetal medicine 9
 fetal surgery 9
 fetomaternal haemorrhage 130
 fluconazole 80
 flucytosine 80
 fluid intake 75
 fluids, excessive volume infused 155
 folic acid 8, 130
 follow-up 168, 169
 formula milk 48, 74
 fractures
 skull 38
 clavicle 39
 fresh frozen plasma (FFP) 135
 fungal infection 80

 G6PD deficiency 97
 gastroesophageal reflux 111
 gastrointestinal disorders 110–13
 abdominal wall defects 112–13, 112, 113
 esophageal atresia 112, 112
 gastroschisis 113, 113
 imperforate anus 113
 omphalocele 7, 112–13
 vomiting 51, 110–11, 110, 111, 111
 gastrointestinal obstruction 114–15, 114, 115
 duodenal atresia 114–15, 115
 esophageal atresia 114
 Hirschsprung disease 115, 115
 malrotation 115
 meconium ileus 115
 meconium plug syndrome 115
 pyloric stenosis 114
 gavage feeding 55, 75, 75, 166
 genetic disorders
 chromosomal disorders 19
 genital disorders
 ambiguous genitalia 128
 circumcision 127
 embryology of testicular descent 126
 hydrocele 126, 127
 hypospadias 127, 127
 inguinal hernia 126, 126
 gestational age assessment 8, 194, 194
 gestational diabetes 10
 glaucoma, congenital 147, 147
 glucose-6-phosphate dehydrogenase deficiency 97
 global neonatology 170–3
 Every Newborn Action Plan 170
 HIV infected mothers 171
 ‘kangaroo care’ 172, 173
 Millennium Development Goals 170
 newborn death 170–1, 171
 glutaric aciduria type 1 (GA1) 108
 GMFCS (Gross Motor Function Classification Systems) 89
 Golden Minute (resuscitation) 29
 grief 164
 Griffiths Mental Development Scales (revised) 168, 169
 group B streptococcal (GBS)

infection 102, 102
screening 3, 8, 102
growth 74

harlequin color change 50
head circumference 43, 44
heat loss 72, 73
hearing
automated auditory brainstem response (AABR) 146
hearing loss (conductive/sensorineural) 146
otoacoustic emissions 146
risk factors 146
screening 40, 44, 147

heart failure 90, 92, 117, 117, 119
patent ductus arteriosus 79, 80

heart murmur 116

heart rate, changes 58

heelstick 178, 178

Helping Babies Breathe 173

hemangioma 137, 137

haemophilia 135

hemorrhagic parenchymal infarct 76, 77, 187

hepatitis B (HBV)
neonatal withdrawal (abstinence) syndrome 20
virus infection 104

hepatitis B immunoglobulin (HBIG) 105

hepatitis C 20, 105

hereditary spherocytosis 97

herpes simplex virus (HSV) 103
congenital infection 22
dermatological infection 136
see also viral infections

high-flow nasal therapy (HFNT)/high-flow nasal cannulae (HFNC) 60, 61, 67

high-frequency oscillatory ventilation (HFOV) 60, 64

high-risk infants (follow-up)
components 168
developmental assessments 168
organization and timing 168
outcome measures 168

Hirschsprung disease 111, 115, 115

HIV (Human Immunodeficiency Virus)
blood-borne viruses 20
breast-feeding 49
global neonatology 170
maternal 49, 52, 171
prenatal screening 8
viral infection 105

homocysteinuria (HCU) 108

human T-cell leukaemia virus 1 (HTLV 1) 22

hydantoins, congenital anomalies 21

hydrocele 126, 127

hydrocephalus
causes 141
clinical features 141
preterm infants 77, 141
ultrasound 184–6

hydronephrosis 120, 121

hyperammonemia 109

hyperbilirubinemia *see* jaundice

hyperglycemia 106

hyperkalemia 123

hypernatremia
breast-feeding 123
renal/urinary tract disorders 123

hyperoxia test 119

hyperthyroidism, maternal 11

hypocalcemia 123

hypoglycemia
clinical features 106, 107

hypokalemia 123

hyponatremia 122, 123

hypophosphatemia 81, 123

hypoplastic left heart syndrome 117, 117

hypospadias 127, 127

hypothermia 2, 28, 72, 158, 163

hypothyroidism, maternal 11

hypotonic infants
causes/clinical features 142, 143

hypoxic-ischemic encephalopathy (HIE)
aEEG 189
antepartum/intrapartum factors 34
clinical manifestations 34, 35, 35
clinical staging 36, 36
critical incidents 154
EEG 37
hearing loss 146
hypothermia meta-analysis 159
hypothermia study design 163
hypotonic infant 143
MRI 36, 37, 191
outcome 36–7, 37
research 163
Sarnat staging 36
stress ulcer 111

ibuprofen 79

immunoglobulin, intravenous (IVIG) 11, 98

injuries, birth 38, 39

immunization 41

imperforate anus 113

inborn errors of metabolism 108, 108, 109, 109
hyperammonemia 109

incubators 2, 57, 73

indomethacin 79

infection
bacterial, specific 102, 103
bones and joints 145
clinical features 100, 101
congenital 22–4
fungal 80
preterm 67, 80
prevention 157
viral 104, 105, 171
see also specific organisms

inguinal hernia 126

inotropes 59

INSURE (intubation, surfactant, extubation) 69

intermittent positive-pressure ventilation 61, 62, 63

intravenous cannulation 181, 181

intrauterine growth restriction (IUGR) 12, 12, 13, 13
associations 10, 14–15, 20, 21, 23, 34, 52, 106, 168, 131, 132

intravenous infusions, extravasation of 164

intraventricular hemorrhage
clinical features 67, 76–7
diagnosis 76–7, 185, 186, 187

intubation
endotracheal intubation 176
endotracheal tube size 176

iodine, radioactive in breast milk 151

iron supplements 74, 131

isovaleric aciduria (IVA) 108

IVIG (immunoglobulin) 11, 98

jaundice 96–9
causes 97, 97
exchange transfusions 98, 99, 183, 195
intravenous immunoglobulin (IVIG) 98
phototherapy 98, 99, 195
preterm 80
prolonged (>14 days) 99
Rhesus disease 10–11, 97
treatment chart UK 195

‘kangaroo care’ 55, 56, 172, 173

kernicterus 2, 96

kidney injury, acute
causes 124, 125
clinical features 124
management 125

kidneys, outflow obstruction
bilateral hydronephrosis 9, 121–2, 121
unilateral hydronephrosis 120, 121

Kleihauer test 130

large for gestational age (LGA) 12, 12, 106

left ventricular function 193

Listeria monocytogenes 8, 102

lithium, in breast milk 151

lumbar puncture 179, 179

lung development 68, 68

macrosomia 10, 10

magnetic resonance imaging (MRI)
choanal atresia 95
hypoxic-ischemic encephalopathy 36, 37, 191
perinatal neuroimaging 190–1, 190, 191

magnesium sulphate 17

malrotation 115

maple syrup urine disease (MSUD) 40, 108, 109

- maternal attachment 46
 maternal drugs affecting fetus/newborn
 infant 20–1
 alcohol 20
 medicines 21
 neonatal withdrawal (abstinence)
 syndrome 20–1
 smoking 8, 12, 16, 20
 maternal medical conditions
 autoimmune thrombocytopenic maternal
 purpura 11
 diabetes mellitus 10
 hyper/hypothyroidism 11
 red blood cell alloimmunization 10–11, 11
 maternal mortality 4, 170, 171
 maternal red blood cell
 alloimmunization 10–11, 11, 97
 Rhesus hemolytic disease 10, 97
 meconium
 aspiration 91
 ileus 115
 meconium plug syndrome 115
 medication errors 154
 medium chain acyl CoA dehydrogenase
 deficiency (MCAD) 108
 melanocytic nevus 137
 melanosis, transient pustular 50
 meningitis 101, 102, 103
 meningocele 8, 140
 milestones in neonatology
 antibiotics 3
 incubators 2
 neonatal intensive care 3
 nutrition 2
 organisms causing infections 2
 respiratory distress syndrome 3
 Rhesus hemolytic disease 2–3
 Tarnier incubator 2
 thermal regulation 2
 milia 50
 miliaria 50
 milk
 aspiration 93
 breast 85
 see also nutrition
 Millennium Development Goals 170
 milrinone 59
 minimal enteral feeding 75
 minor antigen incompatibility 10, 11, 97
 Mongolian spots 50
 mortality
 infant mortality 4
 maternal mortality 4
 neonatal 5
 perinatal 5
 preterm infants 67, 67
 MRI 37, 190, 191
 multicystic dysplastic kidney (MCKD) 121, 121
 multiple births 14–15, 14, 15
 chorionicity/zygosity 14
 multivitamins 74
 myasthenia gravis 143
 myelocele 8, 140
 myelomeningocele 140, 140
 myotonic dystrophy 143
 nasal damage 156, 157
 nasogastric (gavage) feeding 55, 75, 75, 166
 natal teeth 51
 necrotizing enterocolitis (NEC) 84–5
 clinical features 67, 84, 84, 84, 85
 radiologic abnormalities 85
 needle thoracotomy 177
 neonatal care
 levels of 7, 7
 low income settings 172–3
 Neonatal Facial Coding Scale (NFCS) 149
 neonatal infection
 bacterial, specific 102, 103
 bones and joints 145
 clinical features 100, 101
 congenital 22–4
 conjunctivitis 103, 103
 fungal 80
 Gram-negative 102
 group B streptococcus 102
 Listeria monocytogenes 102
 preterm 67, 80
 prevention 157
 skin 103, 103
 viral 104, 105, 171
 see also specific organisms
 neonatal intensive care development 3
 neonatal intensive care levels 7, 7
 neonatal intensive care unit (NICU)
 admission 47
 critical incidents 154
 family communication 54
 parents 47, 153
 neonatal mortality rate (NMR) 4, 170
 neonatal mortality 4, 4, 170–1, 170, 171
 and birthweight 5
 causes 171, 171
 global burden 170
 prevention 172, 172, 172
 timing 171
 neonatal resuscitation 28–33
 airway 28–33
 breathing 28–33
 circulation 30–3
 drugs 30, 30, 31–3
 ethical decisions 30
 intubation 28–33, 176, 176
 warmth/stimulation 28
 neonatal unit, admission to 54–5
 neonatal withdrawal syndrome 20–1
 neonatal myasthenia gravis 143
 Neonatal Pain, Agitation and Sedation Scale
 (NPASS) 149
 nerve palsies, brachial and Erb 39
 networks, neonatal 7
 neural tube defects (NTDs)
 anencephaly 140
 aqueductal stenosis 141
 encephalocele 140, 140
 fetal surgery 9
 meningocele 140
 myelocele, fetal 8
 myelomeningocele 140–1, 1
 prevalence 140
 spina bifida 140–1, 140
 spina bifida occulta 43, 140
 neurologic examination 44–5
 neutral thermal environment 73
 neutropenia 133
 neutrophilia 133, 133
 nevus flammeus (stork bites) 51, 51
 Newborn Behavioral Assessment Scale
 (NBAS) 57
 Newborn Behavioral Observation (NBO) 57
 Newborn Individualized Developmental
 Care and Assessment Program
 (NIDCAP) 57
 Newborn Physical Examination (NIPE)
 checklist in UK 43
 NIDCAP 57
 nitric oxide, inhaled (iNO) 60, 64, 64, 67
 non-invasive mechanical ventilation
 (NIMV) 60, 61
 non-invasive prenatal testing (NPIT) 3, 8, 9
 norepinephrine 59
 NSAIDs, congenital anomalies 21
 nuchal translucency 8
 nutrition 48–9, 74–5
 neonatology milestones 2
 milk, composition 48–9, 74–5
 supplements 74
 oligohydramnios 8, 121, 121
 omphalocele (exomphalos)
 description 112–13, 112
 fetal 7, 7
 opiate withdrawal 20
 opisthotonus from kernicterus (jaundice) 96
 organ donation 165
 Ortolani maneuver 42
 osteogenesis imperfect 145
 osteomyelitis 145, 181
 osteopenia of prematurity 81, 81
 otoacoustic emissions (OAE) 146
 outcomes
 preterm infants 5, 67, 88, 89
 oxygen dissociation curve 130
 oxygen saturation
 BOOST Trial 159
 resuscitation 31, 32, 33
 preterm infants 159, 159
 screening, critical congenital heart
 disease 41, 118
 SUPPORT Trial 159, 163

oxygen therapy
BOOST and SUPPORT Trials 159
changes with time 159
outcomes in preterm infants 159
respiratory support 71, 60–3, 90
resuscitation 28–33
stabilizing sick newborns 58–9
oxygenation index (OI) 64–5

pain 148–9
assessment 148, **149**
heelsticks 149
milestones in neonatal pain **148**
minimizing 149

palliative and end-of-life care
autopsy 165
care after death 164
care plans 164
caring for staff 165
cold mattresses 165
memory boxes 164
organ donation 165
support for parents, siblings and family 164

paracetamol 79

parenchymal infarct 186

parenteral nutrition (PN) 2, 75, 80

parents, care and support for parents
attachment (maternal) 46
communication 47, 54, 56

parvovirus B19 25

Patau syndrome (trisomy 13) 19

patent ductus arteriosus (PDA)
chest X-ray 78, 79
clinical features 78
ductal closure 26, 78
duct-dependent circulation 117, 118, 119
echocardiography with pulsed color
Doppler 79, 79
fetal circulation 26
heart failure 118
indomethacin/ibuprofen **79**
preterm infants 78, 79, 117

patient-triggered ventilation (PTV) 64

Pavlik harness 144

perinatal arterial ischemic stroke (PAIS) 139

perinatal medicine 6–7

perinatal mortality rate (PMR) 4

perinatal neuroimaging
brain maturation 190
MRI 190, 191
neuroplasticity following brain injury
191, 191

peripheral artery catheters
ischemic damage 156
cannulation **179, 179**

peripherally inserted central catheters (PICC)
lines 182–3, **182, 183**

periventricular leucomalacia 67, 76, 187

persistent pulmonary hypertension of the
newborn (PPHN) 64, 65, 91–3, 118, 193

pharmacology
breast-feeding mothers **151**
drug licensing 151
drug monitoring 150, **151**
drug prescription and administration 150
drugs in breast milk 150
lessons from history 151
physiologic factors 150

phocomelia 21

phosphate balance 81, 123

phenylketonuria (PKU) 108, 109

phototherapy 96–9, 195

Pierre Robin sequence 95, 95

plantar responses 45

pleural tap 177

plethora 131

pneumatosis intestinalis 85, 85

pneumonia **91, 157**

pneumothorax
chest drains 177
respiratory distress 67, 70, 71, 91, 92

polycystic kidney disease
autosomal dominant (ADPKD) 121, **121**
autosomal recessive (ARPKD) 121, **121**

polycythemia **131**

Ponseti regimen 144

porencephalic cyst 77, 186, 187, 188

port wine stain (nevus flammeus) 137, **137**

portal vein thrombosis 156

positive-pressure ventilation (PPV) 61–2

posthemorrhagic ventricular dilatation 77, 187

posterior urethral valves 9, 121, 124

potassium balance 123

Potter syndrome (sequence) 120, 121

PPHN 64, 65, 91–3, 118, 193

Prader–Willi syndrome (hypotonic
infants) 143, **143**

pre-implantation genetic diagnosis 9

Premature Infant Pain Profile (PIPP) 148, **149**

pregnancy care 8

prenatal screening 8

preterm delivery
antenatal corticosteroids 17
causes 16
epidemiological risk factors 16
magnesium sulfate 17
multiple births 14
preterm premature rupture of membranes 17
prevention 17
tocolysis 17

preterm infants
anemia 80
apnea 82
appearance and development 66
bronchopulmonary dysplasia 86, 87
complications 67
growth and nutrition 74, 75
infection 80
intraventricular haemorrhage and periventricular
leukomalacia 67, 76, 77, 185, 186, 187

jaundice 80
lung development 68

morbidity 67

mortality 4, 5, 67

necrotising enterocolitis 84, 85

osteopenia of prematurity 80

outcome 4, 5, 88, 89

patent ductus arteriosus 78, 79

respiratory distress syndrome 70, 71

retinopathy of prematurity 83

surfactant deficiency 69

temperature control 72–3

preterm premature rupture of membranes
(PPROM) 17

prevention of Mother-to-Child Transmission
(PMCT) 49

primary reflexes
asymmetric tonic neck **45, 45**
Moro **45, 45**
palmer grasp **45, 45**
placing **45, 45**
plantar grasp **45, 45**

prolonged jaundice 97, 99

prostaglandin synthase inhibitors **79, 79**

prostaglandin – congenital heart disease
coarctation of aorta 119, 119
pulmonary atresia 119, 119

protein C deficiency 133, 139

protein S deficiency 139

pulmonary atresia 119, 119

pulmonary hemorrhage 71

pulmonary hypertension of newborn
(PPHN) 64, 65, 92, 118, 193

pulmonary interstitial emphysema (PIE) 71

pustular melanosis, transient 51

pyloric stenosis 114

quality assurance/improvement
audit **152, 152**
critical incident reporting 153, **153**
PDSA cycle **153**

radiant warmers 73

red blood cell isoimmunisation 10–11, 97

red reflex **43**

reflexes **45, 45, 45**

renal agenesis 121

renal and urinary tract anomalies 120–1
multicystic dysplastic kidney (MCDK)
121, 121

outflow obstruction 120–1

polycystic kidney disease 121, **121**

posterior urethral valves 121

Potter syndrome **121**

renal agenesis **121, 121**

renal and urinary tract disorders
acute kidney injury 124

renal function in newborn infants 122

urinary tract infections, presentation
123–4

- renal and urinary tract disorders – electrolyte problems
calcium and phosphate 123
hypokalemia 123
hyperkalemia 123
hyponatremia 122–3
hypernatremia 123
sodium 122–3
- renal and urinary tract disorders – urinary tract infections (UTI) 123–4
renal scarring 124
VCUG imaging 124
- research 162–3
ethical difficulties 162
practical difficulties 162
- respiratory distress syndrome (RDS) 3, 67, 70–1
causes 70
chest X-ray 71
clinical features 67, 70–1
histology 70
history 3
- respiratory distress in term infants 90–93
causes 90, 91, 91
clinical features 90
diaphragmatic hernia 92–3, 93
heart failure 92
milk aspiration 93
persistent pulmonary hypertension of the newborn (PPHN) 92, 92
- pneumonia 91
- pneumothorax 91, 92
- meconium aspiration 91, 91
- surfactant deficiency 92
- transient tachypnea of newborn 90, 91
- respiratory failure 65
- respiratory support 60–5
CPAP 61
extracorporeal membrane oxygenation 65
high-flow nasal therapy/high-flow nasal cannulae 60, 61
high-frequency oscillatory ventilation (HFOV) 60, 64, 64, 65
inhaled nitric oxide 60, 64, 64
non-invasive mechanical ventilation 61
oxygen therapy 60, 60
positive-pressure ventilation 60, 61–2
PTV/SIMV 64
respiratory failure 64–5
supplemental oxygen therapy 60–1
ventilators 62–4, 63
- resuscitation 28–32
A – airway 28–9, 31
B – breathing 29, 29, 31
C – circulation 30, 30
cardiac compression 31
cord clamping 28
drugs 30, 30, 31
endotracheal intubation 29–30
facemask ventilation 29
- meconium-stained liquor 31
preparation 28
temperature control 28
UK/Europe guidelines 31
United States guidelines 32
withholding/discontinuation 32
- retinopathy of prematurity (ROP)
description 67, 82–3, 83
international classification 83
screening 83
treatment 83
zones of retina 83
- Rhesus hemolytic disease 10–11, 11, 97
history 2–3
- rocker-bottom feet 19
- routine care of newborn infants
audiology 41
breast-feeding 40
circumcision 40
discharge 41
emotions 40
eye prophylaxis 40
health promotion 41
immunizations 41
transcutaneous bilirubin 41
umbilical cord care 40
vitamin K 40
see also screening
- routine examination of newborn infants 42–3
development dysplasia of hip 42, 42
red reflex 43
- RSV (respiratory syncytial virus) 87, 88
- rubella 12, 23, 24, 136, 146
- Sarnat staging* 37
- screening – neonatal
audiology 41, 146
biochemical 40
group B streptococcal screening 102, 102
hematocrit for polycythemia 41, 131
pulse oximetry 41, 116
red reflex 43
retinopathy of prematurity 83
routine examination 42–3
transcutaneous bilirubin 41, 98–9
DDH 41, 42
- screening – prenatal
chlamydia 8
cystic fibrosis 8
group B streptococcal screening 8
maternal blood 8
ultrasound 8–9
- scarring of skin 156
- seizures 138, 138, 139, 139
HIE 37
- Seldinger technique 177
- septic arthritis 145
- sex differentiation 128, 128, 129
- severity of illness scores 195
- shock 59
- simulation 152
- skeletal dysplasias 145, 145
- skin
development 136
diaper dermatitis 136
erythema toxicum 51, 51
genetic syndromes 139
harlequin color change 51
infections 103, 103
milia 51
miliaria 51
Mongolian spots 51, 51
nevus flammeus 51, 51
preterm 66, 72–3, 136
sucking blisters 51
transient pustular melanosis 51
vascular lesions 137, 137
- skull fractures 38, 38
- small for gestational age (SGA) 12, 12
- smoking, maternal 8, 12, 16
- SNAP-PE II score 195
- sodium balance 122–3
- sodium bicarbonate, in resuscitation 30
- special educational needs (SEN) 17, 88–89
- spherocytosis, hereditary 97
- spina bifida 41, 140, 141
- spinal cord injuries 39
- spinal muscular atrophy type 1
(Werdnig–Hoffman syndrome) 143
- staphylococcal scalded skin syndrome (SSSS) 103, 136
- Staphylococcus aureus* 103, 145
- stork bites 50
- strawberry nevus (hemangioma) 137
- strokes, perinatal 139, 139
- Sturge–Weber syndrome 137
- subaponeurotic hemorrhage 38
- subgaleal hemorrhage 38
- sucking blisters 51
- sudden infant death syndrome (SIDS)
breast-feeding 49
health promotion 41
- SUPPORT trial (oxygen saturation) 159, 163
- suprapubic aspirate 178
- supraventricular tachycardia (SVT) 7, 117
- surfactant
deficiency 69, 92
physiology/composition 68, 68
therapy 33, 67, 69, 70
- syphilis 8, 24–5, 25
- talipes equinovarus 8, 144, 144
- talipes, positional 50, 50
- Tarnier incubator 2
- temperature control 28, 72–3
cooling, therapeutic *see* HIE
evaporative heat loss 72
neutral thermal environment 73
transepidermal water loss 73
- teeth, natal 50

teratogens 20–1
testis 126–7
tetracycline
 in breast milk 151
 congenital anomalies 21
thalidomide 21, 21
thermal regulation 2, 28, 72, 73
thrombocytopenia 134, 134, 134
 perinatal alloimmune 11
thrombophilia 133, 133
thrombotic disorders (thrombophilia) 133
thrombosis/emboli/vasoconstriction 155
TORCH (toxoplasmosis, other, rubella,
 cytomegalovirus, herpes) screening 24
torsion of the testis 127
total anomalous venous connection
 (TAPVC) 118
toxoplasmosis 8, 12, 22, 24
tracheal intubation 29–32, 156–7, 176
tracheal stenosis 157
tracheoesophageal fistula 112
transepidermal water loss 72, 73
transient tachypnoea of newborn (TTNB) 90–1
transfusion, blood 80
transport of sick newborn infants 174–5,
 174, 175
 aeromedical considerations 175, 175
 management of infant 174–5
transposition of the great arteries 118, 118
trisomy 13 *see* Patau syndrome
trisomy 18 *see* Edwards syndrome
trisomy 21 *see* Down syndrome
twins
 breast-feeding 49, 75
 conjoined 15
 multiple births 14, 15
twin–twin transfusion syndrome (TTTS) 14

ultrasound
 abdominal masses 114
 abdominal obstruction 114
 bone and joint infection 145
 cardiac 116, 116, 118, 192–3
 cranial 76, 77, 184–7

developmental dysplasia of hips 41
echocardiography 116, 116, 118, 192–3
fetal abnormalities 7, 8, 52
gastroschisis 113, 113
kidneys 80, 120
myelocele 9
nuchal translucency/trisomy 21 (Down
 syndrome) 9
omphalocele 7
osteomyelitis 145
posterior urethral valves 121
renal/urinary tract abnormalities 120, 120,
 121, 121, 124, 124, 125
stroke 133
suprapubic aspiration 179
talipes equinovarus 9
testis 127
umbilical artery catheters (UACs)
blood loss 155
complications 155
description 180–1, 181
formula for line length 180
incorrect vessel 155
position 180
thrombosis/emboli/vasoconstriction 155
umbilical cord
 arteries/veins 180
 artery Doppler velocity 12
care 40
clamping 28
Doppler waveforms 13
exchange transfusions 183
umbilical hernia 50
umbilical vein catheters 58, 180, 181
undescended testis 127
upper airway disorders
 choanal atresia 94–5
 cleft lip and palate 94, 94
 Pierre Robin sequence 95, 95
urinary catheter 178
urinary tract anomalies 9, 120–1
urinary tract infection 124–5
urine, delay in voiding 53
uteroplacental failure 13

vaginal discharge 50
valproic acid, congenital anomalies 21
varicella, chickenpox, varicella zoster virus
 (VZV) in pregnancy 25, 25
vascular endothelial growth factor (VEGF) 82
VCUG (voiding cystourethrogram,
 micturating cystourethrogram) 121,
 124, 124
vein, umbilical catheter 181, 181
venous blood sampling 178, 178
venous cannulation, peripheral 178, 178
ventilation, artificial *see* respiratory support
ventricular dilatation 77, 184, 185, 186, 187
ventricular index 186
ventricular septal defect 116, 117
vernix 50
video-assisted thoracoscopic surgery
 (VATS) 79
viral infections
 hepatitis B 104, 104, 105
 hepatitis C 105
 herpes simplex virus 104
 HIV 8, 20, 49, 52, 105, 105, 170–1
virilisation 128, 129, 129
vision
 cataracts 147, 147
 chorioretinitis *see* congenital infection
 congenital abnormalities 147
 coloboma 147
 conjunctivitis *see* bacterial infections
 glaucoma 147, 147
 red eye reflex 43
 retinopathy of prematurity 67, 82–3, 83
 visual impairment/blindness 147
vitamin K 40, 74, 135
volvulus 115
vomiting *see* gastrointestinal disorders
Von Willebrand disease 135

Werdnig–Hoffman syndrome (spinal muscular
 dystrophy) 143
withholding or withdrawal of life-saving
 treatment 160, 161
withdrawal (abstinence) syndrome 20