

Index

Page numbers in *italics* refer to illustrations; those in **bold** refer to tables

- The Accreditation Council for Graduate Medical Education (ACGME), 9
- acquired immunodeficiency syndrome (AIDS), 362
- acute biliary pancreatitis (ABP), 231, 295, 296
- acute cholangitis
- bacteria, 218
 - bile duct, 219, 224
 - biliary decompression, 219
 - cannulation and cholangiogram, 220, 220–221
 - care after, ERCP, 224–5
 - causes, stones, 221
 - choledocholithiasis, 218
 - description, 217
 - drainage, 224
 - enteric gram-negative bacteria, 218
 - EPBD/EPLBD, 222, 222–3, 223
 - management and antibiotic treatment, 218–19
 - nasobiliary drainage vs. stenting, 224
 - pre-ERCP evaluation, 220
 - sphincterotome, 221–2, 222
- acute pancreatitis (AP)
- biliary pancreatitis, 295–6, 296
 - biliary sphincterotomy, 298
 - ERCP, 296
 - gallstone pancreatitis, cholecystectomy, 297, 297
 - interstitial, 328, 329
 - minor papilla, 304, 304
 - necrosectomy methods *see* necrosectomy methods
 - necrosis, 331–2
 - necrotic collection, 331
 - necrotizing, 328
 - nomenclature, 330
 - outcomes, 337–8
 - pancreas divisum, 304, 305
 - pancreatic duct obstruction, 306–7
 - pancreatic pseudocysts, 330
 - peripancreatic fluid collection, 330
 - and RAP *see* recurrent acute pancreatitis (RAP)
 - and SAP, 328, 329–30
 - and sphincter of Oddi dysfunction (SOD), 302–3
 - systemic inflammatory response syndrome (SIRS), 296–7
 - walled-off necrosis (WON), 331, 331
- adverse events (AEs) *see also*
- cannulation failure
 - basket impaction, 387
 - bleeding, 385–7
 - cardiopulmonary complications and sedation issues, 387–8
 - care after ERCP, 391
 - deaths after ERCP, 390
 - definition, 372
 - documentation, 392
 - endoscopists and staff, 393
 - expertise, 373–4
 - grading, event severity, 372, **373**
 - infection, 384–5
 - lawsuits, 392–3
 - pancreatitis *see* pancreatitis
 - patient-related issues, 374
 - perforation, 380–384
 - procedure indication and specific techniques, 374
 - professionalism and communication, 391–2

ERCP: The Fundamentals, Second Edition. Edited by Peter B. Cotton and Joseph Leung.

© 2015 John Wiley & Sons, Ltd. Published 2015 by John Wiley & Sons, Ltd.

Companion Website: www.wiley.com/go/cotton/ercp

- adverse events (AEs) *see also*
 cannulation failure (*cont'd*)
 rare complications, 389–90
 recognition and action, 391
 retrospective studies, 373
 sphincterotomy, 389
 stents *see* stent complications
- AEs *see* adverse events (AEs)
- AIDS *see* acquired immunodeficiency syndrome (AIDS)
- alagille syndrome, 348, 349
- altered surgical anatomy
 Billroth II gastrectomy, 128, 128
 cannulation, 129–30
 luminal perforation, 127
 Roux-en-Y anatomy, 128–9
- American Society for Gastrointestinal
 Endoscopy (ASGE), 4, 12, 48, 212, 233,
 262, 321, 372, 385, 386, 399, 400, 403
- ampullary carcinoma, 290
- anomalous ductal union, 349, 350
- argon plasma coagulation (APC), 181
- aspiration catheters, 159, 160, 165
- automated responsiveness
 monitoring (ARM), 62
- balloon sphincteroplasty
 biliary, 128
 choice, balloon size, 93
 and combined sphincterotomy, 94
 description, 92–3
 duration, balloon inflation, 94
 procedure, 93, 93
- benign biliary strictures
 children, 353
 chronic pancreatitis (CP), 271–3
 “maximal stent” placement, 275
 multiple stents, 116
 OLTX *see* orthotopic liver transplant (OLTX)
 partially covered metal stents (pcSEMS), 274
 plastic stents, 271
 prototype stent, 275
 PSC *see* primary sclerosing cholangitis (PSC)
 single plastic stents, 274, 274
- bile duct stones removal
 advantages and disadvantages, 234–5, **235**
 balloon stone extraction, 97–8, 98
 basket stone extraction, 99, 99–100
 distal cystic duct stones, 234, 236
 intraoperative cholangiography, 234, 236
 jaundice, 235, 237
 laparoscopic duct exploration, 237–8
 mechanical lithotripsy, 100–103
 preoperative ERCP, 234
- bile plug syndrome, 348–9
- biliary decompression, 219, 221, 224,
 225, 284, 285
- biliary pancreatitis
 acute biliary pancreatitis (ABP), 231
 alanine aminotransferase (ALT), 230
 common bile duct, 295
 gallstone, 295–6, 296
- biliary stenting
 acute cholecystitis, 117
 benign strictures, 116–17
 bilateral SEMS, 114, 115, 116
 complications, 117
 description, 257–8, 258
 hilar obstruction, 113–14
 introducer system, 111–13
 jaundiced patient, 117
 migration, 118
 multiple stents, 114, 116–17
 placement, 257–8
 plastic stent insertion, 108–9
 recurrent jaundice, 117
 role, 257
 self-expandable metal stents, 109–11
 single-stent placement, 114
 UDCA, 258
- biliary strictures and leaks
 bile leaks, 356
 brachytherapy, 151
 liver transplantation, 355–6
 malignant strictures, 355
 primary stricture, 355
- biliary strictures dilation
 distal CBD stricture, 94, 95
 intrahepatic bile duct stones, 95
 pneumatic noncompliant
 polyethylene balloons, 94
- Billroth II gastrectomy, 20, 90,
 128, 128, 260, 383
- biopsy forceps, 24, 140, 141
- bispectral index monitoring (BIS), 60, 62
- bleeding
 antiplatelet agents, 47–8
 ASGE guidelines, 48
 definition and incidence, 385
 delayed, 387

- intraprocedural, 47
- management, 386, 386–7
- prevention, 386
- sphincterotomy, 47, 49
- brachytherapy, 139, 151

- cannulas, 23, 86, 122, 124, 129, 134, 143, 220
- cannulation
 - alignment, 73–4
 - axis, 73
 - bile duct, 79–82
 - and cholangiogram, 220, 220–221
 - deep, 6, 13, 74, 78, 81, 85, 86, 93, 106, 162, 164, 175
 - dorsal pancreatic duct, 305
 - guide wire, 74, **75**, 82
 - major papilla, 358, 359
 - minor papilla, 86–7, 305
 - orientation, 73
 - pancreatic duct (PD), 86–7, 106, 124, 172, 174, 175, 179, 181
 - semi-long scope positions, 71
 - short scope position, 73
 - success rate, 344, 401
 - trainees' performance, 13
 - ventral pancreatic duct, 305
- cannulation failure
 - altered surgical anatomy *see* altered surgical anatomy
 - biliary access principles, 121–2
 - combined procedures, 130–135
 - double guide wire/pancreatic stent placement, 122
 - EUS-guided pancreatic duct access, 135
 - intradiverticular papilla, 126, 127
 - precut/access sphincterotomy *see* precut sphincterotomy/papillotomy technique rate, 53
- cardiopulmonary events, **44–5**
 - comorbidity quantification, 50–51
 - risk assessment, 51–2
- The Charlson comorbidity index, 51
- children
 - antibiotic prophylaxis, 342
 - biliary atresia, 346, 347
 - biliary atresia vs. neonatal hepatitis, 345–6, **346**
 - biliary indications, 344
 - biliary tree, 346, 347
 - for biliopancreatic diseases, 341–2
 - cannulation, 343
 - common bile duct, 344
 - complications, 344–5
 - disadvantage, 342
 - distal common bile duct, 346, 348
 - genetic cholestatic diseases *see* genetic cholestatic diseases
 - hepatic duct, 346, 348
 - instruments, 343
 - medications, 343
 - pancreatic indications, 344
 - sedation, 342
- cholangiography *see also* percutaneous transhepatic cholangiography (PTC)
 - intrahepatic duct, 193
 - intraoperative cholangiography (IOC), 231, 233–4, 236, 297, 329
 - laparoscopic, 238
 - magnetic resonance, 199
 - nasobiliary (NB) catheter, 24
- cholangioscopy
 - advantage, 146
 - complications, 151
 - direct cholangioscopy-guided EHL lithotripsy, 147
 - image-enhanced, 141, 145
 - indeterminate strictures, 144
 - mechanical/electrohydraulic lithotripsy, 146
 - mother and baby, 140, 141
 - overtube-assisted, 143
- choledochal cyst
 - anatomical classification, 350, 351
 - anomalous ductal union, 349, 350
 - biliary strictures and leaks, 355–6
 - cholechocele, 351–2
 - description, 349
 - fusiform choledochal dilatation and carcinoma, 353
 - outstanding issues and future trends, 363–5
 - pancreas divisum *see* pancreas divisum
 - pancreatic findings, 356, **356**
 - pancreaticobiliary union, 357, 357, 358
 - parasitic infestation, 354–5
 - pathogenesis, 349, 350
 - recurrent pancreatitis, 356
 - sclerosing cholangitis, 353–4, 354
 - treatment, 352–3
 - type I-C, cystolithiasis, 351, 352
 - type I-C, 3-year-old female, 351, 352
 - type IV-A, 12-year-old female, 351, 353

- choledocholithiasis (CDL)
 acute cholangitis, 218
 diagnostic options and predictive factors, 232–3
 frequency and clinical significance, 231–2
 laparoscopic treatment, 238
- cholescintigraphy, 267–8
- chronic pancreatitis (CP)
 children, 362
 complications, 313
 description, 271–2
 diagnosis, 314
 endoscopic treatment, 273, 362
 pain, 313
 pancreatic duct stones, 318–21
 pancreatic duct strictures *see* pancreatic duct strictures
 pancreatic duct strictures
 pancreatic duct strictures
 pancreatic pseudocysts, 321–4
 SEMS, 272
 treatment, 314–15, 362
- combined procedures
 EUS-guided procedural technique, 131–4
 percutaneous approach, 130–131
- computer simulators, 7, 8
- consent *see* patient education and consent
- covered and uncovered metal stents, 286–7
- cytology brushes, 7, 14, 22, 23, 24, 105, 105, 106, 114, 144, 283
- devices and techniques
 bile duct stone extraction, 96–103
 biliary stenting *see* biliary stenting
 cannulation principles *see* cannulation
 dilation, papillary orifice
 and strictures, 92–4
 ductal strictures dilation, 94–6
 endoscopic management, bile leaks, 119–20
 guide wires *see* guide wires
 intubation and examination,
 stomach, 69–73
 nasobiliary (NB) catheter drainage, 106–7
 pancreatic stone extraction, 104
 sphincterotomy, 87–92
 tissue sampling, 105–6
- diathermy unit, 25, 88, 91
- dilation *see also* endoscopic balloon dilation (EBD); endoscopic papillary balloon dilation (EPBD/EPLBD)
 biliary strictures, 94–5
 catheters and balloons, 22, 23
 ductal strictures *see* ductal strictures dilation
 large-balloon dilation, tract, 333–4, 334
 pancreatic strictures, 95–6
 papillary orifice, 92–4
 primary sclerosing cholangitis (PSC), 277, 277
 training, 14
- distal stent migration, 117, 118
- “double-duct stricture” sign, 282–3
- ductal strictures dilation
 biliary strictures, 94–5, 95
 pancreatic strictures, 95–6, 97
- duct and tumor “penetrations”, 380
- duodenoscopes
 advantages, 333
 Billroth II anatomy, 128, 128
 Olympus pediatric duodenoscope PJF, 343
 side-viewing duodenoscopes, 108
 The Spyglass system, 20
 SpyScope and SpyBite, 142
 therapeutic video-duodenoscopes, 383
 transmural drainage, 321
 video endoscopes, 20
- EBD *see* endoscopic balloon dilation (EBD)
- education and training plan, 32–3, 33, 34
- electrohydraulic lithotripsy (EHL), 140, 146–7, 147, 255, 256
- endoscopic ampullectomy
 biliary stenting and sphincterotomy, 179–81
 bleeding, 182–3
 description, 125, 170
 incidence of complications, 182, 183
 lesion assessment and staging, 171–3
 pancreatic stenting, 179, 181
 pancreatitis, 184
 perforation, 183–4
 postprocedural care and endoscopic follow-up, 182
 resection technique *see* endoscopic resection technique
 resection technique
 specimen processing, 182
 thermal ablation, 181
- endoscopic balloon dilation (EBD)
 complications, 254
 and ES, 252–4
 sphincterotomy, 252, 252
- endoscopic management
 benign pancreatic strictures, 315
 bile leaks, 119–20
 lithotripsy, 318

- endoscopic palliation
 - advantages, 285
 - intraductal photodynamic therapy, 290
 - treatments, 290
- endoscopic papillary balloon dilation (EPBD/EPLBD)
 - 10-mm-diameter balloon, 222, 222
 - 12/13.5/15 mm diameter balloon, 222, 223
 - vs. EST, 223
- endoscopic resection technique
 - antiperistaltic agents, 178
 - bulky lesion, 175, 176
 - equipment, 174–5
 - fulcrum technique, 177–8
 - intraprocedural bleeding, 179
 - lesions with predominant lateral
 - extrapapillary extension (LST-P), 178
 - 20-mm papillary adenoma, 175, 177
 - PD stent placement, 179
 - principles, 174
 - snare tip anchored on duodenal wall, 175, 176
 - submucosal injection, 175, 176, 178
- endoscopic retrograde cholangiopancreatography (ERCP)
 - accessories, **21–2**, 23–4
 - appropriate metrics, 398–9
 - benchmarking performance, 399
 - cardiopulmonary risk, 62–3
 - during cholecystectomy, 239–40
 - drawback, 138
 - endobiliary brush cytology, 144
 - endoscopic performance, 398
 - endoscopy units, 402–3
 - honesty and communication skills, 401
 - intraductal CLE, 143
 - patient monitoring, 60, 62
 - patient's position, 64
 - performance level, 400–401
 - postoperative, 240–241, 241
 - preprocedure preparation, 60
 - professional societies, 397
 - quality endoscopy, 398
 - quality network project, 399–400, 400
 - report card, 399, 402
 - sedation agents, 60, **61** and SOM, 161
 - storage and organization,
 - accessories, 24, 25
 - tissue sampling, 105–6
 - training and assessment *see* training
- endoscopic stenting
 - hilar strictures, 287–9
 - malignant jaundice, 286–7
 - pancreatic cancer patients, 285
 - postsurgical bile leaks, 119, 242
 - recurrent jaundice, 117
- endoscopic ultrasound (EUS), 60, 63, 122, 131–5, 190, 191, 206, 219, 230, 231, 233, 267, 283–5, 290, 295, 297, 298, 302, 305, 313, 321, 322, 324, 330, 333, 388
- endoscopy reporting software, 213–4
- endoscopy staff
 - anesthesia/sedation/monitoring, 31
 - first assistant, 30
 - nonnursing assistants, 29, 30
 - radiology, 31
 - registered nurse, 29
 - second assistant, 30
- EPISOD *see* Evaluating Predictors and Interventions in Sphincter Of Oddi Dysfunction (EPISOD)
- ERCP *see* endoscopic retrograde cholangiopancreatography (ERCP)
- ERCP mechanical simulator (EMS), **7, 8**
- EUS-guided biliary drainage
 - advantage, 131
 - adverse events reduction, 135
 - biliary tree access, 132
 - carbon dioxide insufflation, 131
 - choledochoduodenostomy, 131, 133
 - Doppler, 133
 - 19G FNA needle, 131, 132
 - patient position, 131
 - transduodenal drainage, 133–4
 - transhepatic drainage, 134
- EUS-guided pancreatic duct access, 135
- Evaluating Predictors and Interventions in Sphincter Of Oddi Dysfunction (EPISOD), 269
- extracorporeal shockwave lithotripsy (ESWL), 104, 255–7, 318, 319, 320, **320**, 321
- ex-vivo porcine stomach model, **7, 8**
- facilities and equipment
 - accessories, 20, **21–2**, 23–4, 25
 - alcohol in sterile water, 26
 - duodenoscopes, 20
 - electrosurgical unit (diathermy), 25
 - endoscopy tower/support system, 20
 - McGill forceps, 26
 - mucus trap, 26

- facilities and equipment (*cont'd*)
 personnel protection, 26, 27
 resuscitation equipment, 25–6
 room setup and floor plan, 17–20
 syringes, 26
- fluoroscopy unit, radiology
 collimation, x-ray beam, 202
 endoscopist and radiographer, 193
 mechanical devices, 202–3
 personal protection, 203
 pregnant patients, 203
- frequency-doubled, double-pulse
 neodymium:YAG (FREDDY)
 laser, 147, 148
- gallbladder and sphincter dysfunction
 cholescintigraphy, 267–8
 intermittent pain, 267
 sphincter of Oddi dysfunction (SOD), 268–9
 upper abdominal pain, 267
- gallstones
 acute pancreatitis (AP), 295
 choledocholithiasis (CDL), 231–2
 diagnosis, 85
- gastrointestinal (GI) training programs, 4
- genetic cholestatic diseases
 alagille syndrome, 348
 bile plug syndrome, 348–9
 choledochal cyst, 349–53
- granular/villiform exophytic lesions, 173
- guide wires
 cannulation, 82
 cholangiography, 85
 commonly used, **75**
 description, 24
 insulation, 76
 intraductal exchange, 78, **78**
 looping, 74, 74
 shaping accessories, 82–5
 short wire systems, 76–8
 standard length accessories,
 Fusion system, 78–82
 “V-scopes”, Olympus, 76, 77
- guide wire-tipped catheters, 159
- hilar strictures
 dilation, 114
 peroperative biliary drainage, 287
 plastic vs. metal stent, 288–9, 299
 unilateral vs. bilateral drainage, 287–8, 288
- holmium laser technology, 147
- idiopathic recurrent acute
 pancreatitis (iRAP), 302
- ILL *see* intracorporeal laser lithotripsy (ILL)
- image-enhanced cholangioscopy, 141,
 145
- infection
 cholangitis, 384
 cholecystitis, 384
 definition, 384
 delayed, 385
 nosocomial, 384
 pancreatic sepsis, 384
 prevention, prophylactic antibiotics,
 384–5
- intraoperative laser lithotripsy (ILL),
 256, 257
- intraoperative lithotripsy
 biliary calculi, 146–8
 pancreatic calculi, 148
- intradiverticular papilla, 126, 127
- intraductal papillary mucinous
 neoplasms (IPMNs), 145
- intraductal photodynamic therapy, 290
- intraductal therapies
 brachytherapy, 151
 cholangioscopy complications, 151
 detection, missed stones, 146
 image-enhanced cholangioscopy, 141
 indeterminate biliary strictures
 and filling defects, 144–5
 intracorporeal lithotripsy, 146–8
 intraductal papillary mucinous
 neoplasms (IPMNs), 145
 peroral cholangioscopic equipment, **139**
 peroral pancreatoscopy, 143
 photodynamic therapy (PDT), 148–9
 POCPS *see* peroralcholangiopancreatography
 (POCPS)
 probe-based confocal laser
 endomicroscopy (pCLE), 143–4
 radiofrequency ablation (RFA), 149–50
 SpyGlass Direct Visualization System, 141
 ultraslim endoscopes, 141–3
- intrahepatic stones, 100, 251, 261, 262
- intramural incision technique, 125
- intraoperative cholangiography (IOC)
 cholecystectomy (CCX), 234
 detection of stones, 233, 329
- intubation and examination, stomach
 approaching main papilla, 71–3
 cannulation positions, 70, 71

- cardia, 70
- duodenal deformity, 70
- esophageal lumen, 70
- patient position, 69
- pylorus, 70
- side-viewing duodenoscope, 69–70
- IPMNs *see* intraductal papillary mucinous neoplasms (IPMNs)
- iRAP *see* idiopathic recurrent acute pancreatitis (iRAP)
- Joint Commission on Accreditation of Healthcare Organizations (JCAHO), 52
- large bile duct stones
 - backup methods, 259
 - biliary stents *see* biliary stenting
 - cholangioscopy, 257, 257
 - definition, 250–251, 251
 - EBD *see* endoscopic balloon dilation (EBD)
 - ESBD, 254–5
 - guidelines and recommendations, 262
 - impacted stones, 259–60, 260
 - intracorporeal laser lithotripsy (ILL), 256
 - intrahepatic stones, 261, 262
 - laparoendoscopic rendezvous
 - approach, 259
 - lithotripsy, 255
 - long-term considerations, 261, 262
 - mechanical lithotripsy (ML), 255–6, 256
 - Mirizzi's syndrome, 260, 261
 - narrative review, 252
 - percutaneous transhepatic cholangiography (PTC), 259
 - surgically altered anatomy, 260, 261
 - treatment approaches, 251, **251**
- laser lithotripsy, 147–8, 148
- liver function tests (LFTs), 329
- luminal perforation, 50, 127, 383
- MAC *see* monitored anesthesia care (MAC)
- magnetic resonance
 - cholangiopancreatography (MRCP)
 - bile duct stones detection, 190
 - CDL detection, 233
 - clear bile duct, 190, 191
 - ductal obstruction assessment, 113, 171
 - pancreas divisum, 184
 - malignant jaundice
 - covered and uncovered metal stents, 286–7
 - metal vs. plastic stents, 286
 - SEMs, 286
 - mechanical lithotripsy (ML)
 - baskets, 102, 103
 - Cotton-Leung stent, 102, 103
 - duct clearance rate, 255
 - metal sheath over basket wires, 100, 101
 - “Soehendra lithotripter”, 100
 - variants, 101
 - mechanical simulators, 7, **8**
 - metal vs. plastic stents, 286
 - minor papilla, 73, 86–7, 92, 129, 304, 304, 305, 343, 358, 359, 360, 361
 - minor sphincterotomy, 92
 - Mirizzi's syndrome, 260, 261
 - monitored anesthesia care (MAC), 158
 - mother and baby POCPS
 - cholangioscope, 139–40
 - disadvantage, 141
 - graphical representation, 139, 140
 - tissue biopsy, 140
 - videocholangiopancreatoscopes, 139
 - MRCP *see* magnetic resonance cholangiopancreatography (MRCP)
- nasobiliary (NB) catheter
 - description, 24
 - direct cannulation, 106
 - disadvantage, 106
 - drainage, bile duct obstruction, 106–7
 - vs. plastic stent, biliary drainage, 106, **107**
- necrosectomy methods
 - air embolism, 337
 - bleeding, 337
 - endoscope, 335, 335
 - endoscopic transmural access, 332–3
 - EUS-guided puncture, 333
 - guidewire passage, 333–4, 334
 - large-balloon dilation, tract, 333–4, 334
 - nasocystic irrigation tube, 336
 - organisms, 337
 - paracolic gutter extensions, 336
 - perforation, 337
 - postprocedural care, 336
 - preprocedural planning/sedation, 332
 - SEMs, 335
 - subsequent direct necrosectomy procedures, 336

- OLTIX *see* orthotopic liver transplant (OLTIX)
 orthotopic liver transplant (OLTIX), 273, 274
- pancreas divisum
 acute pancreatitis (AP), 304, 305
 clinical significance, 358
 description, 357
 duodenal duplication cyst, 361
 ERCP diagnosis, 358–9, 359
 oddi dysfunction, 361
 prevalence, 358
 trauma, 361–2
 treatment, 359–60
- pancreatic duct stones
 chronic calcific pancreatitis (CCP), 318
 endoscopic treatment, 318
 endotherapy, 318, 319
 extracorporeal shockwave lithotripsy (ESWL), 318, **320**
 filling defect, 318, 319
- pancreatic duct strictures
 ERCP, 315
 outcomes, management, 315–16, **317**
- pancreatico-biliary malignancies
 ampullary carcinoma, 290
 in bile/pancreatic juice, 283
 choledochoscopy and pancreatoscopy, 283–4
 “double-duct stricture” sign, 282–3
 endoscopic palliation, 290
 endoscopic stenting *see* endoscopic stenting
 ERCP, 290–291
 neoadjuvant therapy, 285
 palliation, 284–5
 tissue diagnosis, 283
- pancreatic pseudocysts
 acute pancreatitis (AP), 330
 cystoduodenostomy, 362, 364
 endoscopic cystogastrostomy, 362, 363
 endoscopic drainage, 321
 ERCP outcomes, 322, 323
 pancreatic stent placement, 321–2, 322
 transpapillary approach, 321
 transpapillary drainage, 324, 362, 364
- pancreatic sphincterotomy, 43, 92, 125, 143, 148, 269, 303, 304, 315, 345, 362, 364, 376, 381, 389
- pancreatic stone extraction, 104, 104
- pancreatic strictures
 balloon dilation, 95, 96
 graded Teflon dilating catheters, 95
 hydrophilic wires, 95
 in mid pancreatic duct, 95, 96
 small-diameter stents, 96
- pancreatitis
 definition, 374–5
 duct stones, 231
 EUS, 230
 incidence and severity, 375
 MRCP, 230–231
 patient and technique factors
 combined, 377
 patient factors, 375
 post-ERCP, prevention, 377–9
 and postprocedural pain, 46–7
 recognition and management, 379
 risk factors, after ERCP, **377**
 severe, CT scan, 379, 380
 techniques, 375–7
- papillotomy
 endoscopic, 306
 ERCP mechanical simulator (EMS), 7
 minor, RAP treatment, 305–6
 trainees’ performance, **10**, 15
 X-vision model, 7
- parasitic infestation
Ascaris infestation, 354
 ERCP, stones, 355
- patient education and consent
 consultation with endoscopist, 37
 documenting, 39–40
 explanation sheet, MUSC, 38, 38
 organs relevant to ERCP, 38, 39
- pCLE *see* probe-based confocal laser endomicroscopy (pCLE)
- PDT *see* photodynamic therapy (PDT)
- percutaneous transhepatic cholangiography (PTC), 131, 191, 259, 275
- perforation
 duct and tumor “penetrations”, 380
 luminal perforation, 383
 sphincterotomy-related perforation, 380–383
 stent migration perforation, 383–4
 types, 380
- peri-cholecystectomy
 bile duct stones removal, 234–8
 bile leak, 241–2
 CDL, 228
 cholangitis, 230
 choledocholithiasis, 243, 243
 duct injury, 242–3

- gallstones, 231–2
- indications, ERCP, 229, **229**, **230**
- intraoperative cholangiography, 233–4
- pancreatitis, 230–231
- peroralcholangiopancreatography (POCPS)
 - advantage, 144
 - mother and baby, 139–41
 - SpyGlass Direct Visualization System, 141
- peroral pancreatoscopy, 143
- personnel protection, 26, 27
- photodynamic therapy (PDT), 139, 148–9, 152, 284, 290
- Picture Archiving and Communication System (PACS), 192
- plastic stents
 - bilateral stenting, 114
 - description, 23
 - distal migration, 118
 - duct damage, 388
 - insertion, malignant biliary obstruction, 108–9
 - vs. metal, 286, 288–9
 - migration, 118, 388
 - vs. nasobiliary catheter, **107**
 - pancreas, 118–19
 - upward/inward migration, 118
- POCPS *see* peroralcholangiopancreatography (POCPS)
- precut sphincterotomy/papillotomy technique
 - description, 123
 - endoscopic ampullectomy, 125
 - free-hand needle-knife sphincterotomy, 123–4
 - intradiverticular papilla, 126, 127
 - intramural incision technique, 125
 - over-the-stent NKS, 124–5
 - precut learning curve, 125, **126**
 - suprapapillary fistulotomy/infundibulotomy, 124
 - traction papillotome technique, 125
 - transpancreatic precut sphincterotomy, 125
- pregnancy, 46, 53, 203, 231, 374
- primary sclerosing cholangitis (PSC)
 - CBD stricture, 275, 276
 - dilation, 277, 277
 - dominant stricture, 275, 276
 - endoscopic therapy, 277
 - ERCP, diagnostic role, 275
 - pseudo-diverticulosis, 275, 276
- probe-based confocal laser endomicroscopy (pCLE), 143–4, 145
- progressive training
 - cannulation, 6
 - clinical teaching, 5
 - duodenoscope, 5
 - equipment, 6
- propofol-mediated sedation, 63–5
- proximal stent migration, 118
- PSC *see* primary sclerosing cholangitis (PSC)
- PTC *see* percutaneous transhepatic cholangiography (PTC)
- radiation exposure and dye allergy, 53
- radiofrequency ablation (RFA), 149–50, 150
- radiology
 - biliary anatomy, 198–9
 - bubbles, 198
 - collimation (coning), 197, 198
 - computed tomography, 188–9
 - contrast injection, 196
 - contrast media, 193
 - cystic duct, 199
 - dose, 202
 - fluoroscopy unit *see* fluoroscopy unit, radiology
 - further imaging, 196
 - image quality and accurate interpretation, 194
 - image recording, 192
 - image size and magnification, 196, 197
 - invisible stone, 197–8
 - magnetic resonance (MR), 189–90
 - patient position, 194
 - percutaneous transhepatic cholangiography (PTC), 191
 - preliminary image, 194, 195
 - radiographic equipment, 191–2
 - right posterior sectoral duct (RPSD), 199–200
 - risk and protection, 201
 - room design, 192
 - stricture assessment, 201
 - timing, 190–191
 - ultrasound (US), 188
- recurrent acute pancreatitis (RAP) and AP, 298–9
 - autoimmune pancreatitis, 301, 301
 - biliary, pancreatic and dual sphincterotomies, 303–4
 - etiologies, 299, 299

- recurrent acute pancreatitis (RAP) (*cont'd*)
 - and iRAP, 302
 - minor papillotomy, 305–6
 - pancreatic duct stones and strictures, 300–301
 - second-tier diagnostic tests, 299, 300
- reporting and documentation
 - administrative data, 206–7
 - adverse events, 212
 - clinical data, 207
 - endoscopic imaging, 211–2
 - endoscopy reporting software, 213–4
 - image documentation, 210
 - pathology reports, 212
 - postprocedure data, 212
 - procedural details, 208–9, 209
 - radiology imaging, 210–211
 - report content, 206
 - report output, 212–3
 - structured reporting, 205–6
 - summary and recommendations, 210
 - technical information, 207–8
- risk assessment and reduction
 - adverse event outcome modifiers, 53–4
 - bleeding, 47–9
 - cardiopulmonary events, 50–52
 - failure of cannulation, 52–3
 - infection, 49
 - pancreatitis and postprocedural pain, 46–7
 - patient preparation, 54
 - perforation, 50
 - predictors, adverse events, **42–5**
 - pregnancy, 53
 - radiation exposure and dye allergy, 53
- room setup and floor plan
 - accessories organization, 18, 19
 - endoscopy and fluoroscopy monitors, 18, 19, 20
- Roux-en-Y gastric bypass (RYGB), 129–30
- Roux-en-Y gastrojejunostomy (RYGJ), 128, 129–30
- Roux-en-Y hepaticojejunostomy (RYHJ) anatomy, 128–9
- sedation
 - anesthesia-directed, 63
 - propofol-mediated, 64–5
- self-expandable metal stents (SEMS), 23, 272, 286
- SEMS *see* self-expandable metal stents (SEMS)
- severe acute pancreatitis (SAP), 329–30
- short access mother–baby cholangioscopy (SAMBA), 257
- short wire systems
 - biliary stenting, **78**
 - deep cannulation, 78
 - disposable biopsy valve, 76, 77
 - Fusion system, 76, 77
 - RX System, 76, 77
- simulation training
 - computer simulators, 7
 - ex-vivo porcine stomach model, 7
 - IDEAL simulator/simulation, 7
 - mechanical simulators, 7
 - simulator models, 7, **8**
- sleeve catheter, 159
- smooth elevated lesions, 173
- Society of Gastroenterology Nurses and Associates (SGNA), 29
- SOD *see* sphincter of Oddi dysfunction (SOD)
- SOM *see* sphincter of Oddi manometry (SOM)
- sphincter of Oddi dysfunction (SOD)
 - acute pancreatitis (AP), 302–3
 - biliary sphincterotomy, 268
 - description, 156
 - EPISOD, 269
 - ERCP, 268
 - postcholecystectomy situation, 269
- sphincter of Oddi manometry (SOM)
 - basal sphincter pressure elevation duration, 162
 - complications, 165–6
 - equipment, 159–61
 - interobserver variability, 165
 - intraduodenal pressure, 163
 - pancreatic duct pressure, 164
 - reproducibility, 165
 - sedation, 158
 - technical performance, 161–2
- sphincterotome, **21**, 23, 221–2, 222
- sphincterotomy
 - adequacy, 89–90, 90
 - with altered anatomy (Billroth II) cases, 90–91
 - axis, 88–9, 89
 - biliary, 87–8
 - complications, 389
 - minor, 92
 - pancreatic, 92
 - with periampullary diverticula, 90
 - precut, impacted stone, 91, 91

- sphincterotomy-related perforation
 - management, 382–3
 - recognition, 381–2
 - risk factors and prevention, 381
 - surgery, 383
- SpyBite biopsy forceps, 141
- SpyGlass Direct Visualization System, 141
- standard-of-care practice
 - indications, 392–3
 - postprocedure care, 393
 - technique, 393
- stent
 - migration perforation, 383–4
 - plastic stents, 23
 - self-expandable metal stents (SEMS), 23
- stent complications
 - blockage, plastic biliary stents, 388
 - duct damage, 388
 - metal stents migration, blockage
 - removal, 388–9
 - plastic stent migration, 388
- stone extraction balloons and baskets, **21**, 23
- storage and organization, work top, 24, 25
- systemic inflammatory response
 - syndrome (SIRS), 296–7, 328, 329
- team and teamwork
 - clinical support, 31
 - education, 32–4
 - endoscopy staff, 29–31
 - industry partners, 34
 - lead ERCP endoscopist, 31
 - motivation; team building, 34
 - nurse manager and medical director, 29
 - outside the unit, 31
 - pitfalls, 35
 - resources, 35
 - technical support, 31
 - wrap-up, 35
- tissue diagnosis, 283
- tissue sampling
 - bile duct, 105, 105–6
 - pancreatic duct, 106
- traction papillotome technique, 125
- training
 - assessment, 9–12
 - basket, 14
 - cannulation, 13
 - clinical assessment, 9, **11**
 - complexity levels, 4, **5**
 - cytology, 14
 - dilation (rigid/balloon), 14
 - gastrointestinal (GI) training
 - programs, 4
 - guide wire manipulation, 14
 - numbers, 12–13
 - objective assessment, 9
 - papillotomy, 15
 - performance level, 13
 - progressive training, 5–6
 - retrieval balloons, 15
 - simulation training, 6–9
 - simulator practice scores, 9, **10**
 - stenting, 14
 - trainer, 9
 - trainer assessment score, 9, **12**
- transpancreatic precut
 - sphincterotomy, 125
- triple-lumen catheters, 159, 160
- UDCA *see* ursodeoxycholic acid (UDCA)
- ultraslim endoscopes
 - advantages, 141–2
 - guide wire, 142–3
 - overtube-assisted cholangioscopy, 143
 - overtube balloon–assisted technique, 143
- umbilicated lesions, 173
- ursodeoxycholic acid (UDCA), 255, 257, 258
- videocholangiopancreatroscope, 139
- walled-off necrosis (WON), 330, 331, 331, 332, 335, 337
- X-vision ERCP simulator, 7, **8**