

Index

Page numbers in *italics* denote figures, those in **bold** denote tables.

- ABCDE system
arrhythmias 82
burns/scalds 156
convulsions 100
neonatal resuscitation 317–332
reduced conscious level 91
respiratory failure 51
serious illness 35–42
serious injury 116–117
shock 69
see also resuscitation
- abdominal distension **50**
abdominal imaging 254
abdominal injury 135–137
assessment 135–136
crush 148
definitive care 136–137
examination 136
gastric drainage 136
history 135
investigations 136
surgical intervention 137
urinary catheterisation 136
- abdominal thrust (Heimlich manoeuvre)
181–183, 182, 183
- ACCEPT method 260–263
- accessory respiratory muscles, use of 37
- accidental poisoning 303
- acetylcysteine **334**
- aciclovir 97, **334**
- acid–base balance 269–279
carbonic acid reaction 271–272
hydrogen ion concentration, acidity and
pH 269, 270, **270, 271**
standard bicarbonate 272
Stewart's strong ion theory 272–275,
273, 274
- acidaemia 269
organic 275
- acidity 270–271
- acidosis 269
arterial blood gases **277–279**
hyperchloraemic 273–274
hyperkalaemic **286**
metabolic 269, 277–279, **277–279, 306**
respiratory 269, 275, 275
- activated charcoal 307, **335**
- acute respiratory distress syndrome
(ARDS) 163
- adenosine 86, **335**
- adenotonsillar hypertrophy 8
- adenovirus 55
- adrenaline (epinephrine) 264, **335–336**
anaphylaxis 75–76, 75
infusion 258
neonatal resuscitation 327
non-shockable rhythms 202
shockable rhythms 205
tracheal intubation 217
- advanced paediatric life support (APLS)
3, 5
- afterload 67, 78
- age and injury risk 110
- air swallowing 136
- air transport 260
- AirTraq® device 195
- airway 7–8, 8, 185–198, 256
arrhythmias 82
basic life support 171–173, 171–173
burns/scalds 156
cervical spinal trauma 117
convulsions 100
decreased conscious level 91
emergency treatment 186
envenomation 311
equipment 189–195, **191, 192**
neonates 323–325, 324, 325
poisoning 304
primary survey and resuscitation
185–186
- respiratory failure 51
secondary survey 186
serious illness 35–38, **36, 43**
serious injury 117
shock 69
surgical 198
team management 186–187
tracheostomy blockage 196–198, 197
transfer equipment 263
see also tracheal (endotracheal)
intubation
- airway obstruction **50, 53, 54, 56, 128,**
180–183, 180–183
emergency treatment 181–183,
182, 183
unconscious patients 183
see also stridor; wheeze
- ALARA 249
- albumin 273, 274, **277–279**
- alcohol abuse 145, 165, **165**
see also ethanol poisoning
- Alder Hey Triage Pain Score **17, 22**
- alkalaemia 269
- alkalising agents 203
see also sodium bicarbonate
- alkalosis **271, 272**
hypokalaemic **286**
metabolic 273, 277, 279
respiratory 276, 276, 289, 308
- alprostadil 47, **336**
- Ametop gel 19
- aminophylline **60, 336**
- amiodarone 264, **336**
poisoning 86
shockable rhythms 205, 206
ventricular tachycardia 86, 87
- amphetamine poisoning 304, **306**
- ampicillin 264
- AMPLE acronym 122
- amputation, traumatic 148

- anaemia 73, 78, 140, 256
 haemolytic 70
 malaria 97
 neonates 331
 shock **69**
- anaesthesia
 dissociative 21
 endotracheal intubation 187
 epiglottitis 53
 foreign body aspiration 56
 local 19
 rapid sequence induction 103, 214
- anaesthetic agents 217
- anaesthetic breathing systems 189
- analgesics
 inhalational 20
 non-opioid 19–20
 opiate *see* opiates
see also pain management
- anaphylactic shock 56–57, **69**, 74–76, 75
- anaphylaxis 56–57, 74–76, 75
 breathing difficulties 48
 emergency treatment 75–76, 75
 signs and symptoms **74**
 stridor 46, 56–57
- anatomy 7–9
 airway 7–8, 8
 body surface area 9, 9
 breathing 8
 circulation 8–9
- anion gap 274–275, 274
 raised 275
- ant stings **315**
- antiarrhythmic drugs
 shockable rhythms 206
 ventricular tachycardia 86, 87
- antibiotics 264, **337**, **338**
 cerebral malaria 98
 hypovolaemic shock 72
 meningitis 97
 open fractures 150
 pneumonia 63, 64
 prophylactic 149, 179
 septic shock 72
 sickle cell crisis 78
 upper airways obstruction 57
- antidotes
 envenomation 313
 poisoning 307, 308
- antihistamines
 anaphylaxis 76
 poisoning 304
- antihypertensive drugs 106, **106**, **349**
- antivenom 313
- anxiety attack **50**
- aortic coarctation 65, **69**, 76, 105
- aortic rupture 131
- aortic stenosis 65, **69**
- apnoea 42, 50, 61, 180
 bronchiolitis **62**
 central herniation 91
- drowning 163
 neonates 318–320, 319
 primary 318, 319
 prostaglandins causing 77
 systemic hypertensive crisis 105
 terminal 319, 319, 320
- arch angiography 131
- arrhythmias 81–87
 bradycardia 38, 81, 82, 83–84, 83
 non-shockable rhythms 199–203,
 200–202
 presentation 81
 primary survey 82–83
 resuscitation 82–83
 shockable rhythms 203–207, 203, 204
 tachycardia *see* tachycardia
- arterial blood gases **277–279**
 chest injury 132
see also acid–base balance
- arterial cannulation 234–235
 complications 235
- artesianate 98
- aspirin poisoning 66, **306**, 308
- assessment 4
 abdominal injury 135–136
 child abuse 294–295
 extremity trauma 147
 neonates 321–328
 neurological *see* neurological assessment
 (disability)
 pain 17–18, **17**, 18
 poisoning 305–306, **306**
 primary *see* primary survey
 secondary *see* secondary survey
- asthma **50**, 57–61
 background information 60–61
 emergency treatment 58–60, **60**
 symptoms **58**
- asystole 199, 200
 management 201, 202
 reversible causes 202
- atlantoaxial rotary subluxation 152
- ATMISTER acronym 115
- atrioventricular septal defect 65
- atropine 203, 264, **337**
- auscultation 30, 37, 42, 45, 46, 61, 66, 187,
 195, 214, 216, 322
- automatic external defibrillators 179, 205,
 206
- AVPU classification 40, 121, 141
- back slaps 181, 182
- bacterial meningitis 96–97
- bacterial tracheitis **50**, 55
- bag-and-mask ventilation 188, 212–213,
 212, 213
 neonates 325
 two-person 213
- barbiturates 104, 105, 217, **347**
- basal skull fracture 136, 142, 143, 145, 214
- basic life support 169–184, 170, **177**, 184
- airway 171–173, 171–173
- automatic external defibrillators 179
- breathing 173–174, 174
- chest compressions 175–177, 176
- choking 180–183, 180–183
- infection risk 179
- lay rescuers 179
- phoning for help 171
- recovery position 178, 178
- responsiveness 171
- safety, stimulate, shout (SSS) 169, 170
- bee stings **315**
- benzodiazepines 21, 103, 264, **339**, **343**
- beta-agonist poisoning **306**
- bicarbonate
 as alkalisating agent *see* sodium
 bicarbonate
 metabolic abnormalities 276
 neonatal resuscitation 327
 and potassium uptake 288
 standard 272, **277–279**
- birth outside delivery room 331
- birth weight 5–7
- blood gases 132, **277–279**
- blood loss 9, 16
 catastrophic 116–117
 clinical signs **119**
 crush injuries 148
 extremity trauma 147
 hypovolaemic shock **69**, 71–72,
 282–283
 intra-abdominal injury 136
 scalp lacerations 186
 traumatic amputation 148
- blood pressure 39
 measurement 105
 normal range **7**, **36**
- blood tests
 abdominal injury 136
 traumatic brain injury 143
- blood transfusion 79
 haemolytic anaemia 70
 infected 97
- blood volume 9
- blue ringed octopus bite 312, **315**
- body surface area 9, 9, 157
- body temperature 16, 42
 neonates 321–322
see also hyperthermia; hypothermia
- box jellyfish stings 312, 313, **315**
- brachial artery palpation 174
- brachial vein **229**
 venous cut-down 229–230, 229
- bradycardia 38, 81, 82, 83–84, 83
 poisoning **306**
 suction causing 82
- bradypnoea **306**
- brain herniations 91, 91, 145
- brain injury, traumatic *see* traumatic brain
 injury
- breastfeeding 10, 61

- breathing 8, 186, 256
 accessory muscle use 37
 arrhythmias 82
 basic life support 173–174, 174
 burns/scalds 156
 convulsions 100
 difficulties *see* respiratory failure
 efficacy of 37
 effort of 35
 envenomation 312
 gasping 37
 grunting 37
 inspiratory/expiratory noises 36
 neonates 322, 325–326, 326
 poisoning 304
 recession 36
 reduced conscious level 92
 respiratory failure 51
 serious illness 35–38, **36**, 43
 serious injury 118, 124
 shock 70
 transfer equipment 263
see also airway; ventilation
- broad headed snakes **314**
- bronchial foreign body **50**, 53, 54, 56
- bronchial rupture 131
- bronchiolitis **50**
 background information 61–62
 chest X-ray 62
 emergency treatment 61
 risk factors 62
 signs and symptoms **62**
 vs heart failure **63**
- bronchodilators **60**
- Broselow tape 6
- brown snake **314**
- bruising 42
- budesonide **337**
- bupivacaine 19, **337**
- burns/scalds 155–160
 analgesia 148
 depth 157–158
 electrical 162
 emergency treatment 158–159
 epidemiology 155
 fluid therapy 148
 pathophysiology 155
 primary survey 156
 resuscitation 156
 secondary survey 157–158, 157
 special areas 158
 stabilisation and transfer 159
 surface area 157, 157
 toxic shock syndrome 159
 wound care 148
- button battery ingestion 316
- calcium 273, 288–289
 hypercalcaemia 289
 hypocalcaemia 202, 288–289
 non-shockable rhythms 203
- calcium chloride 264
- calcium gluconate **337**
- calcium resonium **337**
- calling for help 31
- cannulae
 cricothyroidotomy 198
 venous 21
- capillary refill 38, 39
 blood loss **119**
- capnography 206
- capnometry 195
- carbon dioxide 37, 68, 269
 chest injury 132
 clearance 49
 convulsions 105
 end-tidal 45, 124, 205, 206, 212, 265
 envenomation 305
 opiate poisoning 97
- carbon monoxide poisoning 159, **306**
- carbonic acid reaction 271–272
- carboxyhaemoglobin 37, 156, 159
- cardiac arrest 4, 4, 199–207
 inotrope infusion 257–258
 non-shockable rhythms 199–203, 200–202
 parental presence 207
 shockable rhythms 203–207, 203, 204
 stopping resuscitation 207
- cardiac arrhythmias *see* arrhythmias
- cardiac failure 40, 77, 105
 septic shock 73
 treatment **339**
- cardiac index 10
- cardiac output 10
- cardiac tamponade 118, 128, 130
 pulseless electrical activity 202
 shock **69**, 71
- cardiogenic shock **69**, 70, 76–78
- cardiomyopathy 77–78
- cardiopulmonary resuscitation
 175–177, 176
 age definitions 178
 compression:ventilation ratios 177
see also chest compressions
- cardiorespiratory arrest 169, 256
see also cardiac arrest
- cardiovascular physiology 10
- cardiovascular status 38, 39
 secondary survey 46–47
- carotid artery palpation 175
- carotid sinus massage 85
- catastrophic external haemorrhage
 116–117
- cefotaxime 48, 55, 56, 63, 70, 73, 93, 97, 98, 264, **337**
- ceftriaxone 46, 48, 93, 94, 100, **337**
- cefuroxime 264
- central herniation (coning) 91, 91, 145
- central neurological failure 40
 circulatory effects 42
 respiratory effects 42
- central syndrome 91
- central venous access 230–234, 230, 231
 external jugular vein 233–234
 femoral vein 230–232, 231
 internal jugular vein 232–233
 subclavian vein 234
- central venous pressure 257
- cephalic vein, cut-down 119
- cerebral malaria 97–98
- cerebral oedema 290
- cerebral perfusion pressure 140
- cerebrospinal fluid, pH 271
- cervical collar 186, 216
- cervical spinal trauma 117–118, 118, 152
 airway 117
 imaging 152, 251
 immobilisation 244–247, 245, 246, **246**, **247**
 head block 117, 118
 manual in-line stabilisation 245
see also spinal trauma
- cetirizine **338**
- checklists 31
- chest
 auscultation 30, 37, 42, 45, 46, 61, 66, 187, 195, 214, 216, 322
 expansion 37
 percussion 64, 128, 129, 132
 silent 37
- chest compressions 175–177, 176
 compression : ventilation ratios 177
 neonates 326
 pulseless electrical activity 201
- chest drain 131, 265
 placement 64, 240–241, 241
 pneumothorax 128, 129, 132
- chest injury 127–133
 continuing stabilisation 132
 immediate threat to life 127–130, 128, 129
 late discovered 130–131
 practical procedures 132
 referral 132
see also specific injuries
- chest radiography 252–254, 252, 253
 bronchiolitis 62
 pneumonia 64
- chest seal 129
- chest thrusts 181, 181
- chest tubes 189
- chest X-ray 62, 63, 64, 64, 131, 252–254, 252, 253
- Cheyne–Stokes breathing 42, 93
- child abuse 291–298
 assessment 294–295
 classification **292**
 examination 295
 initial management 296
 investigations 295–296
 medicolegal aspects 297–298
 organised 296

- child abuse (*cont'd*)
 physical injury **292**, 293
 recognition of 293–294
 referral 296–297
 susceptibility to 292–293
 child-resistant containers 303
 child safety organisations 111
 children vs adults 5–11
 anatomy 7–9
 physiology 9–10
 psychology 10–11
 weight 5–7
 Children's Glasgow Coma Score **90**
 chin lift 172
 neonates 324
Chlamydia pneumoniae 64
 chloride 273, **277–279**
 chlorphenamine (chlorpheniramine) **338**
 choking **50**, 53, 54, 56, 128, 180–183,
 180–183
 foreign body aspiration **50**, 53, 54, 56
 Heimlich manoeuvre 182–183, 182, 183
 unconscious patients 183
 ciprofloxacin 179
 circulation 8–9, 225–238, 257
 arrhythmias 82
 basic life support 174–177, 176, 177
 burns/scalds 156
 and central neurological failure 42
 convulsions 100
 defibrillation *see* defibrillation
 envenomation 312
 neonates 326–327
 poisoning 304
 reduced conscious level 93
 respiratory failure 51
 serious illness 38–40, 39, 44
 serious injury 119–121, **119**, 120, 124
 shock 70
 transfer equipment 263
 vascular access 225–235, 226, 228–231,
229
 circulatory failure 38
 effect on other organs 39–40
see also shock
 clamshell thoracotomy 241
 coagulation factor therapy 314
 coarctation of aorta 65, **69**, 76, 105
 cocaine poisoning 309–310
 codeine phosphate **338**
 Collett's snake **314**
 colloids 79
 coma **50**, 89
 blood loss **119**
 disorders causing 89
 Glasgow Coma Score 40, **90**, 141, **142**
 metabolic 97
see also conscious level, decreased
 communication
 breaking bad news 300
 child abuse 297
 with children 10
 closed-loop 260
 with colleagues 15, 26–27
 elements of **26**
 feedback loop 26–27
 with parents 142, 331
 patient transfer 261–262
 SBAR 26
see also team working
 compartment syndrome 149–150
 compression:ventilation ratios 177
 computed tomography (CT)
 cervical spine 251
 chest injury 131, 132
 reduced conscious level 95
 serious injury 121
 shock 70
 traumatic brain injury 143
 whole body 249–251
 confidentiality, child protection
 issues 297
 confirmation bias 30
 congenital heart disease
 (duct-dependent) 76–77
 coning *see* central herniation (coning)
 conscious level, decreased 16, 89–98
 airway obstruction 53
 asthma 58
 disorders causing 89–90
 general treatment 96
 head injury 21
 lumbar puncture 94
 malaria 97–98
 meningitis 96–97
 opiate poisoning 97
 primary survey 91–94, 92
 pupillary changes 42, **95**
 raised intracranial pressure *see*
 intracranial pressure, raised
 resuscitation 91–94, 92
 secondary survey 94–96, **95**
 serious illness 47, 52
 shock 44
 stabilisation and transfer 98
see also coma
 conscious level assessment 40–41
 consent
 child protection issues 297
 for examination 294
 post-mortem examination 301
 continuous positive airway pressure
 (CPAP) 215
 bronchiolitis 61
 flail chest 130
 preterm infants 330
 convulsions **50**, 99–106
 emergency treatment 101–104, 102
 hypertension 105–106, **106**
 pathophysiology 99
 poisoning **306**
 primary survey 100–101
 resuscitation 100–101
 secondary survey 101
 systemic hypertensive crisis 105
 traumatic brain injury 145
 copperhead **314**
 coronary syndrome in cocaine
 poisoning 309
 corticosteroids *see* steroids
 court reports 297–298
 creatinine **277–279**
 crepitations 45, 46
 cricoid pressure 214
 cricoid ring 8
 cricothyroid membrane 220
 cricothyroidotomy (surgical airway)
 cannulae 198
 complications 223
 needle 221, 222
 surgical 222
 croup **50**, 53, 55
 bacterial tracheitis **50**, 55
 crush injuries, abdomen and pelvis 148
 cryoprecipitate 258, 314
 crystalloids 79, **284**
 CT *see* computed tomography
 current, electric 161
 Cushing's response 42
 cyanide poisoning 66
 cyanosis 38, 76
 dantrolene **338**
 DC cardioversion 86
 death 299–301
 breaking the news 300
 caring for parents 300
 caring for staff 301
 dealing with family 299–300
 post-death procedures 300–301
 stopping resuscitation 207
 death adder **314**
 debriefing 31
 decerebrate posturing 41
 decision making in triage 15–16
 decorticate posturing 41
 DEFG (Don't Ever Forget Glucose)
 mnemonic 71
 defibrillation 171, 235–238, 236
 automatic external defibrillators 179,
 205, 206
 electrode pad/paddle contact 237
 electrode pad/paddle placement
 236, 236
 electrode pad/paddle selection 235
 energy selection 237
 hands-free 238
 manual 237
 safety 237
 shockable rhythms 204–205
 dehydration **282**, 283–284
 desferrioxamine 307–308, **338**
 dexamethasone 47, 55, 94, 97, 105, **339**

- dextrose 5% **284**
dextrose 10% **284**
diabetes insipidus 125
diabetes mellitus, respiratory failure 66
diabetic ketoacidosis **50**, 97, 269, 289–290
dialysis in hyperkalaemia 288
diamorphine 20, **339**
diaphragmatic breathing 8
diaphragmatic rupture 131
diarrhoea 56, 71, 72, 74, 159, 281, 285, 307
diazepam 104, **339**
diclofenac **339**
difficult intubation 194–195
diffuse axonal injury 139
digoxin 86
 poisoning 86, **306**
dinoprostone 47, 77
diphenoxylate with atropine (Lomotil)
 poisoning 304
diphtheria 57
disability *see* neurological assessment (disability)
discriminators in triage 16
disease progression and outcome 4
dislocations 152, 251
disopyramide poisoning 86
disseminated intravascular coagulation 99, 310
dissociative shock **69**
distraction in pain management 29–30
distributive shock **69**
diuretics
 cardiomyopathy 78
 electrical injuries 162
 head injury 121
 heart failure 65
 and hyperchloraemic acidosis 273
diving reflex 163
dobutamine **339**
 infusion 258
dopamine 264, **340**
 infusion 257–258
 tracheal intubation 217
DOPE mnemonic 195, **196**
drowning 162–166
 emergency treatment 165
 epidemiology 163
 hypothermia 163, 164
 outcome 166
 pathophysiology 163
 primary survey 163–164
 prognostic indicators 165–166, **165**
 resuscitation 163–164
 secondary survey 164–165
 stabilisation 165
drug abuse 304
duct-dependent congenital heart
 disease 76–77
ductus arteriosus 66, 76, 318
 patent 65
- ecstasy poisoning **306**, 310
education in injury prevention 110–111
electrical injury 161–163
 epidemiology 161
 initial treatment 162
 pathophysiology 161–162
 primary survey 162
 resuscitation 162
 secondary survey 162
 stabilisation 162
electrocardiogram (ECG)
 arrhythmias 82, 85–86, 87
 asthma 59, 60
 cardiac arrest 199
 congenital heart disease 77
 croup 53
 heart failure 65
 infants 8
 shock 69, 71
 trauma 123
electrolyte abnormalities 284–289, **285**
 calcium 288–289
 potassium 286–288, 287
 serious injury 125
 sodium 285–286
electrolyte requirements **285**
electromechanical dissociation 199
 see also pulseless electrical activity
emergency tracheostomy 222
emergency treatment
 airway 186
 anaemia 78
 anaphylaxis 75–76, 75
 asthma 58–60, **60**
 bronchiolitis 61
 burns/scalds 158–159
 cardiomyopathy 77–78
 convulsions 101–105, 102
 drowning 165
 duct-dependent congenital heart
 disease 77
 extremity trauma 150
 heart failure 65–66
 pneumonia 63
 serious illness 44–48
 serious injury 123
 shock 72, 73
 traumatic brain injury 143–145
emesis, poisoning management 307
EMLA 19
emotional abuse **292**
empyema **50**
encephalitis 96–97
 lumbar puncture 94
encephalopathy 97
 hypertensive 95
end-tidal carbon dioxide 45, 124, 205, 206, 212, 265
endotracheal intubation 8
energy requirements **285**
- Entonox 20
envenomation 310–315, **314–315**
 analgesia 313
 antidotes 313
 coagulation factor therapy 314
 limiting venom uptake 312
 local bite/sting trauma 312–313
 local inactivation of venom 312
 monitoring 314
 resuscitation and support 311–312
 sedation 314
environment 26
 pain management 18
 patient transfer 260, 265
epidemiology of serious injury 109–110
epidural analgesia, flail chest 130
epiglottis 8
epiglottitis **50**, 53–54, 54, 55–56
epilepsy *see* convulsions
epinephrine *see* adrenaline (epinephrine)
equipment
 neonatal resuscitation 320
 patient transfer 263–264
 ventilation 188–189, 188
error traps 30–31
erythromycin **340**
escharotomy 158
Escherichia coli 64
ethanol poisoning **306**
ethyl chloride spray 19
ethylene glycol poisoning 66, **306**, 309
exhaustion in seriously ill child 37
expiratory noises 37, 51, 52
 see also stridor; wheeze
exposure (external signs)
 burns/scalds 156
 envenomation 312
 secondary survey 48
 serious illness 42
 serious injury 122
external jugular vein access
 central 233–234
 peripheral 227–228, 228
extradural haematoma 91
extremity trauma 147–150
 assessment 147
 compartment syndrome 149–150
 crush injuries to abdomen and
 pelvis 148
 emergency treatment 150
 life-threatening injuries 148
 limb viability 149
 open long-bone fractures 148–149, 150
 primary survey 147
 resuscitation 147
 secondary survey 149–150
 traumatic amputation 148
 vascular injury 149
extremity vein access 227
EZ-IO® drill 226–227

- face masks
 artificial ventilation 188–189, 188
 spontaneous breathing 188, 188
- faces scale and pain ladder 18
- Fallot's tetralogy 76
- falls 109
- FAST (focused abdominal with sonography for trauma) 121
- fear 11
- femoral artery palpation 175
- femoral nerve block 242–244
 ultrasound guidance 243–244, 243, 244
- femoral vein access 230–232, 231
- femur fractures 21, 147, 243
- fentanyl 20, 144
- fetal asphyxia 318
- fetal haemoglobin 10, 50
- fever 42, **279**
 bacterial tracheitis 55
 bronchiolitis 61–62
 capillary refill 38
 and convulsions 99
 croup 55
 near-drowning 165
 pneumonia 52
 septicaemia 71, 72
 tachycardia 37
 treatment 63–65, 64
see also hyperthermia
- fibreoptic intubating bronchoscopes 195
- fibreoptic laryngoscope 192
- fish stings 312, **315**
- flail chest 129–130
- flecainide 86, **340**
- flucloxacillin **340**
- fluid balance 281–284
 dehydration and shock 282–284, **282**, **284**
 overhydration 284
 serious injury 125
- fluid loss, non-haemorrhagic 71–72
- fluid overload 284
- fluid requirements 281, **282**
- fluid therapy 281
 burns/scalds 148
 crystalloids vs colloids 79, **284**
 dehydration **282**, 283–284
 haemorrhage 120
 neonates 327
 shock 79–80, 284, **284**
 traumatic amputation 148
- flumazenil **341**
- followers 27–28
- foreign bodies
 aspiration 46, 49, **50**, 52, **52**, 53, 54, 56, 173, 174, 180, 183
 ingestion 316
- formulary 333–349
- fractures
 antibiotic prophylaxis 125
 compartment syndrome 149–150
- femur 21, 147, 243
 open 148–149, 150
 pelvis 147, 250
 rib 8, **50**, 127, 130, 252–253
 skull 139, 190
 spine 131
see also extremity trauma
- fresh frozen plasma 120, 125, 258, 314
- frusemide (furosemide) 264, **341**
- funnel web spider 312, 313, **315**
- gag reflex 256
- gasping 37
- gastric drainage 136
- gastric lavage 307
- gastric pH **271**
- gastric tubes 189
- gastroenteritis **69**, 71, 72, 84, 283, 284, 285
- gender and injury 110
- gentamicin 264
- Glasgow Coma Score 40, **90**, 141, **142**
- GlideScope(R) system 195
- glucagon **341**
- glucose **277–279**
 hyperkalaemia 288
 neonatal resuscitation 327
- grave concern (risk of abuse) 296
- great vessels, rupture of 131
- grimace response **143**
- grunting 37
- Guedel airway 190, 190, 213, 213
- guidelines 31
 traumatic brain injury 141
- haematocrit 79, 121, 124
- haemoglobin 67, 70, 119, 124
 anaemia 78, 98
 fetal 10, 50
 head injuries in infants 140
 shock 71
- haemolysis, acute 71
- haemoperfusion 307
- Haemophilus influenzae* 96
- haemopneumothorax 119, 129
- haemorrhage 16
 catastrophic external 116–117
see also blood loss
- haemostasis 124, 222
 envenomation 314
- haemothorax 131, 189, 252
 massive 129
- halothane 217
- HALT acronym 30
- hands-free defibrillation 237
- Hartmann's solution **284**
- head block 117, 118
- head injury
 imaging 254
 infants 140
 skull fractures 139, 190
see also traumatic brain injury
- head tilt manoeuvre 172
- heart disease, congenital 76–77
- heart failure 65–66
 vs bronchiolitis **63**
- heart rate 38
 blood loss **119**
 fast *see* tachycardia
 hypoxia 37, 82
 neonates 322–323
 normal range **7**, **36**
 and respiratory inadequacy 37
 slow *see* bradycardia
- Heimlich manoeuvre 182–183, 182, 183
- Henderson–Hasselbalch equation 272, 275, 276
- herpes simplex encephalitis 97
- host defences reassessment, serious injury 125
- human factors 23–31
 communication 26–27, **26–27**
 errors *see* medical errors
 improving performance 30–31
 organisational hierarchy 28
 situation awareness 28–30, 29
 team working 27–28
- Human Factors Clinical Working Group 23
- human immunodeficiency virus (HIV), transmission during basic life support 179
- hydrocephalus 90
- hydrocortisone **341**
- hydrogen ion concentration 270–271, 270, **277–279**
- hyperaldosteronism **286**
- hyperammonaemia 97
- hypercalcaemia 289
- hyperchloraemic acidosis 273–274
- hyperflexion injuries 153
- hyperglycaemia 96, 140, 207, 259, 289, 308, 327
- hyperkalaemia 202, 286–288, **286**, 287
- hyperkalaemic acidosis **286**
- hypernatraemia 285
- hypertension
 emergency treatment 105–106, **106**
 poisoning **306**
- hypertensive encephalopathy 95
- hyperthermia 99, 124, 259
 malignant 217
 poisoning **306**
 post-arrest 207
- hyperventilation **50**
- hypocalcaemia 202, 288–289
- hypoglycaemia 44, 140, 144, 257, 259, 288, 290
 alcohol abuse 122
 convulsions 100, 101, 145
 encephalopathy 97
 neonates 327
 raised intracranial pressure 93
 reduced conscious level 90, 95, 96, 98

- shock 71
 - shockable rhythms 207
- hypokalaemia 202, 286
- hypokalaemic alkalosis **286**
- hyponatraemia 285–286
- hypoparathyroidism 288
- hypoplastic left heart syndrome 65, **69**, 76, 77
- hypotension 39
 - poisoning **306**
- hypothermia
 - avoidance of 121
 - and blood clotting 125
 - and body surface area 9
 - drowning 163, 164, 165, 202
 - poisoning 93, 100, 304, **306**
 - post-arrest 259
 - and pulse detection 37
 - therapeutic 207
- hypotonia 38, 50
- hypovolaemia 202
- hypovolaemic shock **69**, 71–72, 282–283
- hypoxia 20, 202
 - arterial 49
 - asthma 58
 - and cardiac arrest 202
 - cerebral injury 140
 - croup 53
 - drowning 163
 - gasping respiration 37
 - and heart rate 37, 82
 - mental status 44
 - neonatal 318–320, 318–320
 - and pain 17
 - pulmonary contusion 131
 - and skin colour 38
 - smoke inhalation 156
- i-gel airway 190–191, **191**, 219–220
- ibuprofen **341**
- imaging
 - abdominal 254
 - ALARA 249
 - cervical spine 152, 251
 - chest radiography 62, 64, 252–254, 252, 253
 - head 254
 - trauma 249–254
 - whole body CT 249–251
- immobilisation, spinal 150–151
 - cervical spine 244–247, 246, **246**, **247**
 - head block 117, 118
 - manual in-line stabilisation 245
- immune function 10, 125
- IMSAFE acronym 30
- inborn errors of metabolism 97
- individual performance 26
 - improving 30–31
- infants
 - airway 171
 - bag-and-mask ventilation 212
- basic life support **177**
- chest compressions 175, 176
- choking 181, 181
- foreign body aspiration 56
- head injury 140
- jaw thrust 324
- larynx 192
- meningitis 101
 - see also* neonates
- infection
 - and basic life support 179
 - and body temperature 42
 - burns 158
 - host defence 125
 - respiratory 49–66
 - septicaemia 72
- infectious mononucleosis 57
- influenza 55
- inhalation injury 156
- inhalational analgesia 20
- Injury Minimisation Programme for Schools (IMPS) 111
- injury prevention 109, 110–112
 - abdominal injury 109
 - advocacy for legislation and design 111
 - child safety organisations 111
 - data collection/analysis 110
 - education 110–111
- inotrope infusion 257–258
- insensible fluid losses 281
- inspiratory noises 36
- insulin **342**
 - hyperkalaemia 288
- internal jugular vein access 232–233
- intracranial haemorrhage 89, 144, 254
- intracranial pressure, raised **50**, 140
 - bradycardia 82, 100
 - breathing patterns 42
 - drowning 165
 - fluid therapy 70
 - grunting respiration 37
 - hypertensive crisis 39, 105
 - pathophysiology 90–91, 91
 - signs of 93
 - see also* coma
- intraosseous infusion 225–227, 226
 - complications 227
 - powered devices 226–227
- intravascular volume 282
- intubation *see* tracheal (endotracheal) intubation
- intussusception **69**
- investigations
 - abdominal injury 136
 - child abuse 295–296
 - traumatic brain injury 143
 - after resuscitation 256
- ipecaquanha 307
- ipratropium **60**, **342**
- iron poisoning **306**, 307–308
- lrukandji syndrome **315**
- jaw thrust 173
 - neonates 324
- jellyfish stings 312, 313, **315**
- jugular veins, access techniques
 - external 233–234
 - internal 232–233
- ketamine 21
 - tracheal intubation 217
- ketoacidosis 275
 - diabetic **50**, 97, 269
- kidneys, stabilisation 258
- labetalol **106**, **342**
- lactate 269, 273, 274, **277–279**
- lactic acidosis 275
- laryngeal foreign body **50**, 53, 54, 56
- laryngeal mask airway 190, **191**, 219–220, 220
 - complications 220
 - insertion 219, 220
 - neonates 329
- laryngoscopy 191–193, 192, 214, 216
- larynx 8
- lay rescuers 179
- leaders 27
- levetiracetam 103
- lidocaine (lignocaine) 19, 264, **342**
 - shockable rhythms 206
- life threat 16
- lightning strike 161
- liver function, stabilisation 258
- local anaesthetics 19, **337**
 - femoral nerve block 242–244
- Lomotil poisoning 304
- long QT syndrome 165
- long saphenous vein **229**
- loratidine **343**
- lorazepam 103, **343**
- lower limb injuries *see* extremity trauma
- lumbar puncture 94
- lumbar spinal trauma 153
- lungs 8, 10
- macrolide antibiotics
 - meningitis 97
 - pneumonia 63, 64, 65
- Magill forceps 194
- magnesium sulfate **60**, 273, **343**
 - shockable rhythms 206
- magnetic resonance imaging (MRI)
 - cervical spine 152, 251
 - reduced conscious level 95
- malaria (cerebral) 97–98
- malignant hyperthermia 217
- mannitol 264, **343**
- manual defibrillation 237
- manual in-line stabilisation 245
- mask oxygenation *see* bag-and-mask ventilation
- mast cell tryptase 57

- mechanical ventilation *see* ventilation
- meconium aspiration 324–325
- medical errors 23–25
- causes 24, **24**
 - error traps 30–31
 - learning from 25–26
 - Swiss cheese model 25, 25
 - types of **24**
- medicolegal aspects
- child abuse 297–298
 - procedures following death 300–301
- meningitis 96–97
- convulsions 47, 99
 - lumbar puncture 94
 - posture 41–42, 93
 - and septicaemia 74
- meningococcal septicaemia 72
- mental status
- blood loss **119**
 - and circulatory failure 40
 - and respiratory inadequacy 38
 - see also* conscious level, decreased; neurological assessment (disability)
- metabolic acidosis 269, 277–279, **277–279**
- poisoning **306**
- metabolic alkalosis 273, 277, 279, 288
- metabolic coma (encephalopathy) 95, 97
- methaemoglobin **69**
- methanol poisoning 66, **306**
- midazolam 21, 103–104, **343**
- monitoring
- envenomation 314
 - poisoning 304
 - tracheal (endotracheal) intubation 195–196, **196**
- morphine 20, 264, **344**
- mortality 3
- inhalation injury 156
 - meningitis/encephalitis 96
 - septic shock 72
 - serious injury 109
 - status epilepticus 99
 - toxic shock syndrome 159
 - tracheobronchial disruption 131
- mouth-to-mask ventilation 211, 212
- mouth-to-mouth resuscitation 173–174, 174
- Mulga snake **314**
- multiple organ failure 68, 256
- Mycoplasma pneumoniae* 64
- myocarditis 77–78
- myoglobinuria 99
- naloxone 20, **345**
- neonates 328
- nasogastric intubation 122
- nasopharyngeal airway 190, 214
- National Quality Board 23
- neck
- overextension 8, 41
 - stiffness 41–42, 64, 91, 93, 96, 97, 100, 101
 - see also* cervical spinal trauma
- needle cricothyroidotomy 221, 222
- needle pericardiocentesis 132, 241–242, 242
- needle thoracocentesis 132, 239–240, 240
- neglect **292**, 294
- Neisseria meningitidis* 72, 96
- neonatal resuscitation 317–332
- airway 323–325, 324, 325
 - assessment and strategy 321–328
 - at birth 321–323
 - breathing 325–326, 326
 - circulation 326–327
 - discontinuation 328
 - drug therapy 327–328
 - equipment 320
 - meconium aspiration 324–325
 - preterm babies 329–331
 - response 328
 - tracheal (endotracheal) intubation 328–329
- neonates
- anaemia 331
 - assessment 321–323
 - duct-dependent congenital heart disease 76
 - heart rate 322–323
 - normal physiology 317–318
 - pathophysiology 318–320, 318–320
 - resuscitation *see* neonatal resuscitation
 - shockable rhythms 207
 - temperature 321–322
 - see also* preterm infants
- nerve block, femoral 242–244, 243, 244
- neurological assessment (disability)
- burns/scalds 156
 - convulsions 101
 - envenomation 312
 - poisoning 304
 - reduced conscious level 93
 - serious illness 40–42, 41, 44
 - serious injury 121, 125
 - shock 74
- neurological function 40–42, 41
- central failure 40, 42
 - circulatory failure 38–40
 - secondary survey 47
- neuro-protection 144
- newborn infant *see* neonates
- nifedipine **106**, **346**
- nitrous oxide 20
- non-opioid analgesics 19–20
- non-shockable rhythms 199–203, 200–202
- adrenaline dosage 202
 - alkalising agents 203
 - asystole 199, 200, 201–202, 202
 - calcium 203
 - pulseless electrical activity 199, 201–202, 201, 202
 - reversible causes 202
- non-steroidal anti-inflammatory drugs *see* NSAIDs
- normal range
- blood pressure 7
 - heart rate 7
 - respiratory rate 7
 - weight 6
- nostrils, flaring of 37
- note taking **126**
- NSAIDs 20
- obstructive shock **69**
- odontoid epiphyseal separation 152
- oedema
- cerebral 290
 - pulmonary **50**
- ongoing care 5
- open fractures 148–149, 150
- opiates 20
- antagonists 20
 - intranasal administration 20
 - morphine 20, 264, **344**
 - poisoning 97, 308
- oral rehydration 283
- organic acidaemia 275
- organophosphate poisoning 310
- oropharyngeal (Guedel) airway 190, 190, 213, 213
- osteogenesis imperfecta 129
- outcomes 4
- overdose, intentional 304
- overhydration 284
- oxygen
- dissociation curve 10
 - source 188
- oxygen therapy
- asthma 46, 58
 - bronchiolitis 61
 - congenital heart disease 77
 - patient transfer 263
 - shockable rhythms 207
 - sickle cell crisis 78
 - see also* ventilation
- PACE (probing, alerting, challenge, emergency) 28
- paediatric emergencies 13–22, 14
- communication 15
 - preparation 13
 - teamwork 14
 - triage 15–17, **15**
- Paediatric Intensive Care Society 259
- pain 16
- Alder Hey Triage Pain Score **17**, 22
 - assessment 17–18, **17**, 18
 - severe 21
- pain ladder 18
- pain management 17–22
- burns/scalds 148
 - envenomation 313
 - environment 18

- local anaesthetics 19, **337**
 pharmacological treatment 19–21
 preparation 18
 sedative drugs 21, 314
 serious injury 122
 supportive/distractive techniques 18–19
 traumatic brain injury 144
- pale headed snakes **314**
 pancreatitis 288
 paracetamol 19, **346**
 poisoning 308, 309, 310
 parainfluenza 55
 paraldehyde 104, **347**
 paralysis tick **315**
 parents
 caring for following death 300
 presence during cardiac arrest 207
 patent ductus arteriosus 65
 PCO_2 **277–279**
 peak expiratory flow 58
 pelvis
 crush injuries 148
 fractures 147, 250
 penicillin 264
 pericardiocentesis 132, 241–242, 242
 peripheral venous access 227–230
 external jugular vein 227–228, 228
 scalp veins 227
 umbilical vein 228, 229
 upper and lower extremity veins 227
 peritoneal lavage in hypothermia 164
 peritonitis **50**
 pH **271, 277–279**
 scale 270, **270**
 pharyngeal airways 190
 phenobarbital (phenobarbitone) **347**
 phenytoin 104, **347**
 phosphate 273, 274
 physical abuse **292, 293**
 physiology 3, 9–10
 cardiovascular 10
 immune function 10
 respiratory 9–10
 plasma pH **271**
Plasmodium falciparum 97
 pleural effusion **50**
 pneumonia 64
 pneumonia **50**, 63–65
 background information 64–65
 chest X-ray 64
 emergency treatment 63
 pneumothorax **50**
 haemopneumothorax 119, 129
 intubated patients **196**
 simple 132
 tension 128–129, 128, 129, 202, 253
 PO_2 **277–279**
 poisoning **50**, 66, 202, 275, 303–310
 accidental 303
 aspirin 66, **306**, 308
 button battery ingestion 316
 deliberate 304
 drug abuse 304
 emergency treatment 307–310
 hypothermia 93, 100, 304, **306**
 iatrogenic drugs 304
 incidence 303
 intentional overdose 304
 lethality assessment 305–306, **306**
 opiates 97, 308
 primary survey and resuscitation
 304–305
 positive end-expiratory pressure
 (PEEP) 189
 post-death procedures 300–301
 post-mortem examination 301
 posture 41, 41
 neck overextension 8, 41
 potassium 273, **277–279**, 286–288
 hyperkalaemia 202, 286–288, **286**, 287
 hypokalaemia 202, 286
 requirements **285**
 potassium chloride **347**
 practical procedures
 circulation 225–238
 trauma 239–247
 prednisolone **60, 347**
 preterm infants 329–331
 birth outside delivery room 331
 communication with parents 331
 CPAP vs intubation 330
 response to resuscitation 331, 332
 saturation monitoring 331
 prilocaine 19
 primary survey
 airway 185–186
 arrhythmias 82–83
 burns/scalds 156
 convulsions 100–101
 drowning 163–164
 electrical injury 162
 poisoning 304–305
 reduced conscious level 91–94, 92
 respiratory failure 51
 serious illness 43–44
 serious injury 116–122
 shock 69–71
 traumatic brain injury 141
 procainamide 86, 87, 308
 propofol-induced hypotension 217
 propranolol 86, **348**
 prostaglandins, apnoea induction 77
 protein requirements **285**
 protocols 31
 psychological factors 10–11
 communication 10
 fear 11
 serious injury 110
 pulmonary atresia 65, 76
 pulmonary contusion 131
 pulmonary oedema **50**, 290
 pulmonary stenosis 76
 pulse oximetry 58, 195
 pulse rate, abnormal *see* arrhythmias
 pulse volume 38
 pulseless electrical activity 199, 207
 management 201–202, 202
 pulseless ventricular tachycardia 204
 pupillary changes 42
 poisoning **306**
 reduced conscious level **95**
 purpuric rash 48, 70, 72, 94, 96, 97
 pyridoxine 103, 309
 quinidine poisoning 86
 quinine 98, **348**
 poisoning 86
 radial artery cannulation 234–235
 radiography
 abdomen 308
 chest 62, 63, 64, 64, 131, 252–254,
 252, 253
 foreign body aspiration 53, 56
 pelvis 148
 serious injury 249–250
 spine 152
 raised intracranial pressure *see* intracranial
 pressure, raised
 rapid sequence induction anaesthesia
 103, 214
 rash 42, 68, 69
 meningitis 96, 97
 purpuric 48, 70, 72, 94, 96, 97
 scarlatiniform 72
 toxic shock syndrome 159
 urticarial 52
 recession 36
 recovery position 178, 178
 rectal examination 136
 red back spider 313, **315**
 red/blue bellied black snakes **314**
 referral 5
 chest injury 132
 child abuse 296–297
 rehydration 283
 renal failure 275
 reperfusion injury 256
 rescue breathing 173–174, 174
 resistance, electrical 162
 resource management 4
 respiratory acidosis 269, 275, 275
 respiratory alkalosis 276, 276, 289, 308
 respiratory drive 271
 respiratory failure 35, 49–66
 causes **50**
 clinical presentation 50–51
 diabetes mellitus 66
 effect on other organs 37–38
 fever 63–65, 64
 heart failure 65–66
 poisoning **50**, 66
 primary survey 51

- respiratory failure (*cont'd*)
- resuscitation 51
 - secondary survey 52
 - stridor 36, 51, 52–57
 - susceptibility to 49–50
 - wheeze 36, 51, 57–63
- respiratory physiology 9–10
- respiratory rate 35–36
- blood loss **119**
 - normal range **7, 36**
- respiratory reserve 10, 127
- respiratory syncytial virus 55
- respiratory system
- and central neurological failure 42
 - and circulatory failure 39
 - secondary survey 45–46
- resuscitation 4
- airway 185–186
 - arrhythmias 82–83
 - basic life support 169–184
 - burns/scalds 156
 - convulsions 100–101
 - drowning 163–164
 - electrical injury 162
 - envenomation 311–312
 - extremity trauma 147
 - investigations after 256
 - neonates 317–332
 - poisoning 304–305
 - reduced conscious level 91–94, 92
 - respiratory failure 51
 - serious illness 43–44
 - serious injury 116–122
 - shock 69–71
 - traumatic brain injury 141
 - when to stop 207, 328
- retinal haemorrhage 96
- retropharyngeal abscess 57
- rhabdomyolysis 275, 288
- rib fractures 8, **50**, 127, 130, 252–253
- flail chest 129–130
- rickets 288
- rifampicin 179
- rocuronium, tracheal intubation 217
- safety, stimulate, shout (SSS)
169, 170
- salbutamol 58, 59, **60, 348**
- hyperkalaemia 287
- salicylate poisoning 66, **306, 308**
- Sandell tape 6
- saphenous vein, cut-down 119
- saturation monitoring 331
- SBAR (Situation Background Assessment and Recommendation) 26
- scalds *see* burns/scalds
- scalp
- lacerations 186
 - vein access 227
- scarlatiniform rash 72
- SCIWORA 153, 251
- scoop stretcher 118
- SCRUMP acronym 260
- secondary survey
- airway 186
 - burns/scalds 157–158, 157
 - convulsions 101
 - drowning 164–165
 - electrical injury 162
 - extremity trauma 149–150
 - reduced conscious level 94–96, **95**
 - respiratory failure 52
 - serious illness 44–48
 - serious injury 123–124
 - traumatic brain injury 142–143, **142–143**
- secondary triage 17
- sedation 21
- envenomation 314
- seizures *see* convulsions
- Seldinger technique 119
- self-inflating bags 189
- septic shock/septicaemia 39, 72–74
- serious illness 35–48
- airway and breathing 35–38, **36**
 - circulation 38–40, 39
 - disability 40–42, 41
 - emergency treatment 44–48
 - exposure 42
 - primary survey 43–44
 - resuscitation 43–44
 - secondary survey 44–48
- serious injury *see* trauma
- sevoflurane 217
- sexual abuse **292**, 293–294
- examination 295
- shivering 42, 207, 259
- shock **50**, 67–80
- anaemia 78
 - anaphylactic 56–57, **69**, 74–76, 75
 - cardiogenic **69**, 70, 76–78
 - causes 68, **69**
 - compensated 68
 - fluid therapy 79–80, 284, **284**
 - hypovolaemic **69**, 71–72, 282–283, **282**
 - inotrope infusion 257–258
 - irreversible 68
 - non-haemorrhagic fluid loss 71–72
 - pathophysiology 67–68
 - primary survey 69–71
 - resuscitation 69–71
 - septic 39, 72–74
 - sickle cell disease/crisis 78
 - signs and symptoms 71
 - toxic shock syndrome 72, 159
 - uncompensated 68
- shockable rhythms 203–207, 203, 204
- antiarrhythmic drugs 206
 - automatic external defibrillators 206
 - capnography 206
 - hypoglycaemia 207
 - neonates 207
- oxygen therapy 207
 - precordial thump 206
 - reversible causes 206
 - therapeutic hypothermia 207
- sickle cell disease/crisis 78
- silent chest 37
- simple pneumothorax 132
- simulated activities 26
- sinus tachycardia 84
- situation awareness 28–30, 29
- distraction 29–30
 - error likelihood 30
 - team working 30
- skin colour
- and circulatory failure 40
 - and respiratory inadequacy 38
- skull fractures 139, 190
- slit thoracostomy 128
- smoke alarms 155
- smoke inhalation injury 156
- snake bites 312, 313, **314**
- sniffing position 172
- social class, and injury 110
- sodium 273, **277–279**, 285–286
- hypernatraemia 285
 - hyponatraemia 285–286
 - requirements **285**
- sodium bicarbonate 203, 264, **349**
- sodium chloride 0.45%, dextrose 5% **284**
- sodium chloride 0.9% **284**
- sodium chloride 3% **349**
- sodium nitroprusside **106, 349**
- sodium valproate 103
- solvent abuse 304
- spider bites 312, 313, **315**
- spinal trauma 150–153, 151
- cervical spine 152
 - fractures 131
 - immobilisation 150–151
 - head block 117, 118
 - manual in-line stabilisation 245
 - thoracic and lumbar spine 153
 - without radiographic abnormality (SCIWORA) 153, 251
- stabilisation 4, 255–266
- airway and breathing 256
 - assessment 259
 - burns/scalds 159
 - chest injury 132
 - circulation 257
 - drowning 165
 - electrical injury 162
 - head injury 145–146, 258–259
 - inotrope infusion 257–258
 - kidneys 258
 - liver 258
 - reduced conscious level 98
 - trauma 124–126, **126**
 - see also* transfer
- standard bicarbonate 272, **277–279**
- Staphylococcus aureus* 64

- status epilepticus 40, 99, 101, 102, 104, 217, **339**
 see also convulsions
- Stephen's banded snakes **314**
- steroids
 anaphylaxis 76
 asthma 60
 bronchiolitis 61
 croup 53, 55, 57
 epiglottitis 54
 meningitis 97
- Stewart's strong ion theory 272–275, 273, 274
- stingray sting **315**
- stings 310–315, **315**
- stonefish stings 313, **315**
- strawberry tongue 72
- Streptococcus pneumoniae* 64, 96
- stridor 36, 51, 52–57
 airway 53
 anaphylaxis 46, 56–57
 causes **52**
 croup **50**, 53, 55
 epiglottitis **50**, 53–54, 54, 55–56
 foreign body aspiration **50**, 53, 54, 56
 tracheitis **50**, 55
- stroke volume 10
- strong ion difference 272–273, 273
- strong ion theory 272–275, 273, 274
- structured approach
 paediatric emergencies 13–22, 14
 serious illness 35–48
- subclavian vein access 234
- subdural haematoma 91
- suction
 airway management 45, 53, 117
 bradycardia induced by 82
 bronchiolitis 61
 chest drain 131
 foreign body removal 187
 gastric 190
 tracheostomy 196
- suction devices 189, 194
- supraventricular tachycardia 84–86, 84, 85
- surfactant 330
- surgery, abdominal injury 137
- surgical airway 198, 220–221, 221
- surgical cricothyroidotomy 222
- suxamethonium, tracheal intubation 217
- Swiss cheese model of human error 25, 25
- systemic hypertensive crisis 105
- systolic blood pressure
 blood loss **119**
 target values 144
- tachycardia 81, 82
 poisoning **306**
 supraventricular 84–86, 84, 85
 ventricular 86–87, 87
- tachypnoea 69
 poisoning **306**
- team performance 26
 improving 30–31
- team working 14, 27–28
 airway management 186–187
 cervical spinal immobilisation **247**
 followers 27–28
 hierarchy 28
 leaders 27
 roles 27
 situation awareness 30
 trauma teams 113
- temperature see body temperature
- tension pneumothorax 128–129, 128, 129, 202, 253
- terbutaline **60**, **349**
- terminal apnoea 319, 319, 320
- tertiary survey in serious injury 125
- tetanus prophylaxis 125, 148, 149, 150, 158, 313
- tetralogy of Fallot 76
- theophylline poisoning **306**
- therapeutic hypothermia 207
- thermal injury see burns/scalds
- thiopental (thiopentone) sodium 104
 hypotension induced by 217
 tracheal intubation 217
- thoracic spinal trauma 153, 253
- thoracotomy, clamshell 241
- tibia, intraosseous infusion 119, 226
- tiger snake **314**
- tonsillitis, acute 57
- torsades de pointes 206
- total weak acids 272
- toxic shock syndrome 72, 159
- trachea 8
- tracheal (endotracheal) intubation 191, 214–216, 215, 216, 256
 airway/ventilator problems 195–196
 algorithm 217, 218
 difficult 194–195
 drugs 217
 indications 119
 laryngoscopy 191–193, 192, 214, 216
 monitoring 195–196, **196**
 neonates 328–329
 preterm infants 330
 rapid sequence induction 214
 ventilation without 211–213, 212, 213
 see also airway
- tracheal (endotracheal) tubes 193
 connectors 194
 introducers 194
- tracheal rupture 131
- tracheitis **50**, 55
- tracheostomy
 blocked 196–198, 197
 complications 223
 emergency 222
 postoperative care 223
- training, team/individual performance 26
- transfer 259–266
- ACCEPT method 260–263
 care during 265–266
 equipment 263–264
 handover 266
 mode of transport 265
 packaging 265
 personnel preparation 264
 static vs transport medicine 259–260
- transposition of great arteries 77
- trauma 109–113
 abdominal injury 135–137
 brain injury 139–146
 burns/scalds 155–160
 chest injury 127–133
 circumstances and type of incident 109
 electrical injury 161–163
 emergency treatment 123
 epidemiology 109–110
 extremity trauma 147–150
 history 122–123
 imaging 249–254
 injury prevention 110–112
 mortality 109
 note taking **126**
 practical procedures 239–247
 prevention 109
 primary survey 116–122
 resuscitation 116–122
 secondary survey 123–124
 spinal trauma 150–153, 151
 stabilisation 124–126, **126**
 structured approach 115–126
 tertiary assessment 125
- trauma systems 112
- trauma teams 113, 115–116
- traumatic amputation 148
- traumatic brain injury 139–146
 analgesia 144
 conscious level 144
 convulsions 145
 emergency treatment 143–145
 epidemiology 139
 examination 142
 Glasgow Coma Score 141, **142**
 grimace response **143**
 history 142
 investigations 143
 neurosurgical referral 145
 pathophysiology 139
 primary damage 139
 primary survey 141
 raised intracranial pressure 140
 resuscitation 141
 review 145–146
 secondary damage 140, 258–259
 secondary survey 142–143, **142–143**
 stabilisation and transfer 145–146, 258–259
- triage 140–141
- uncal/central herniation 145

- triage 15–17
 - Alder Hey Triage Pain Score **17**, 22
 - decision making 15–16
 - secondary 17
 - traumatic brain injury 140–141
 - UK triage scale **15**
 - tricuspid atresia 65, 76
 - tricyclic antidepressant poisoning 86, **306**, 308
 - truncus arteriosus 65

 - UK triage scale **15**
 - ultrasound
 - FAST 121
 - femoral nerve block 243–244, 243, 244
 - umbilical vein access 228, 229
 - uncal herniation 91, 91, 145
 - uncal syndrome 91
 - United Nations Convention on the Rights of the Child (1989) 291
 - upper airways obstruction *see* stridor
 - upper limb injuries *see* extremity trauma
 - upper respiratory tract infections (URTIs) 61
 - urea **277–279**
 - urinary catheterisation 124–125
 - abdominal injury 136
 - urinary output, and circulatory failure 40
 - urinary pH **271**
 - urticarial rash 52

 - vagal stimulation 82
 - vaginal examination 136
 - vascular access 225–235, 228–231, **229**
 - arterial cannulation 234–235
 - central venous access 230–234, 230, 231
 - intraosseous infusion 225–227, 226
 - peripheral venous 227–230
 - vascular injury 149
 - venepuncture, emergency 21
 - venous cannulation 21
 - venous cut-down 229–230, 229
 - ventilation 185–198
 - bag-and-mask 188, 212–213, 212, 213, 325
 - equipment 188–189, 188
 - i-gel airway 190–191, **191**, 219–220
 - indications 119
 - laryngeal mask airway 190, **191**, 219–220, 220, 329
 - mechanical ventilators 189
 - mouth-to-mask 211, 212
 - nasopharyngeal airway 190, 214
 - needle cricothyroidotomy 221, 222
 - oropharyngeal airway 190, 190, 213, 213
 - surgical airway 198, 220–221, 221
 - without intubation 211–213, 212, 213
 - see also* airway; tracheal (endotracheal) intubation
- ventilation–perfusion mismatch 50
 - ventricular fibrillation 203, 204
 - ventricular septal defect 65
 - ventricular tachycardia 86–87, 87
 - protocol 204
 - pulseless 204
 - verapamil 86, **349**
 - voltage, electrical 162
 - volvulus **69**, 71

 - wasp stings **315**
 - water requirements **285**
 - weight 5–7
 - centile chart 6
 - wheeze 36, 51, 57–63
 - asthma 57–61, **58**, **60**
 - whole body CT 249–251

 - X-rays *see* radiography

 - Yankauer sucker 194