

Index

- abdominal discomfort 2–4, 53
- abdominal examination 1–13
 - chronic liver disease and hepatomegaly 2–4
 - clinical mark sheet 1
 - haemochromatosis 5–6
 - liver transplant patients 11
 - renal enlargement 9–10
 - renal transplant patients 12–13
 - splenomegaly 7–8
 - tuberous sclerosis 88
- abnormal pupils 90–91
- acanthosis nigricans 175
- accelerated phase hypertension 142
- acromegaly 174–175
- active cycle breathing 16
- acute exacerbation of COPD 20
- acute pericarditis 35
- Addison's disease 178–179
- adrenal insufficiency 178–179
- advanced decisions to refuse treatment (ADRT)
 - 102–103, 112–113
- age-related macular degeneration (AMD) 93
- alcoholism 43
- altered conscious state 124
- amenorrhoea 30, 39
- American College of Rheumatology criteria
 - 157, 160
- amyotrophic lateral sclerosis 79
- anaemia 125–126
- angina 119
- angioid streaks 165
- angiotensin converting enzyme (ACE)
 - inhibitors 37
- angry patients 107, 108
- ankylosing spondylitis 163
- anorexia nervosa 114–115
- antiphospholipid syndrome 31, 43
- aortic incompetence 47–48
- aortic prosthetic valves 55–56
- aortic stenosis 45–46
- apical fibrosis trashes 17
- Argyll Robertson pupil 91
- arterial leg ulcer 146–147
- ascites 3
- assault 101
- assessment order 103
- asthma
 - brief clinical consultations 133–134
 - history taking 30, 40
- ataxia 29, 34
- atrial fibrillation (AF) 137–138
- atrial septal defect (ASD) 60
- autoantibodies 4
- autoimmune hepatitis (AIH) 4
- autonomy 98
- autosomal dominant polycystic kidney disease (ADPKD) 9–10
- back pain 163
- bacterial meningitis 121–122
- bad news 107, 112
- Bamford classification of stroke 72
- basal cell carcinoma 152–153
- basal fibrosis 15
- battery 99, 101, 102
- Bell's palsy 85
- beneficence 98
- best interests of patient 102
- bilateral cervical lymphadenopathy
 - 30, 41
- bilateral extra-ocular palsies 86–87
- biventricular pacemakers (BiV) 57
- Blalock–Taussig (BT) shunts 61
- bloating 58–59
- blood-stained cough 128
- bloody diarrhoea 139–140
- Bolam test 100
- Bolitho test 100
- bone pain 180–181
- Bowen's disease 152–153
- bradykinesia 81
- brain stem death 113–114
- breaking bad news 107, 112
- brief clinical consultations 117–181
 - acromegaly 174–175
 - Addison's disease 178–179
 - altered conscious state 124
 - anaemia 125–126
 - ankylosing spondylitis 163
 - assessment criteria 118
 - atrial fibrillation 137–138
 - cataracts 169–170

- chest pain 119–120
- clinical mark sheet 117
- Cushing's disease 176–177
- diabetes and the skin 148–149
- diabetic retinopathy 168–170
- dyspnoea 133–134
- erythema nodosum 150
- haemoptysis 128
- headache 121–122
- Henoch–Schönlein purpura 151
- hypertension 141–142
- hyperthyroidism and Graves' disease 171–172
- hypothyroidism 173
- inflammatory bowel disease 139–140
- leg ulcers 146–147
- Marfan's syndrome 164
- multidisciplinary focus 118
- Osler–Weber–Rendu syndrome 127
- Paget's disease 165
- persistent fever 131–132
- red rashes 143–145
- rheumatoid arthritis 156–158
- sickle cell disease 180–181
- skin and hyperextensible joints 154–155
- skin malignancy 152–153
- swollen calf 123
- syncope 135–136
- systemic lupus erythematosus 159–160
- systemic sclerosis 161–162
- tophaceous gout 166–167
- worsening mobility 129–130
- bronchial carcinoma 128
- bronchiectasis 16
- bronchoalveolar lavage 14

- capacity 101–103, 112–113, 115
- carcinoid syndrome 54
- cardiac resynchronization therapy (CRT) 57
- cardiology examination 44–64
 - aortic incompetence 47–48
 - aortic stenosis 45–46
 - atrial septal defect 60
 - clinical mark sheet 44
 - dystrophia myotonica 65–66
 - hypertrophic/obstructive cardiomyopathy 63–64
 - implantable devices 57
 - mitral incompetence 51–52
 - mitral stenosis 49–50
 - pericardial disease 58–59
 - prosthetic valves 55–56
 - pulmonary stenosis 54
 - tricuspid incompetence 53
 - ventricular septal defect 61–62
- cardio-pulmonary resuscitation (CPR) 105
- cataracts 169–170
- central nervous system (CNS) 88
- cerebellar syndrome 67–68
- Charcot joint 77
- chemotherapy 23
- chest pain
 - brief clinical consultations 119–120
 - history taking 29, 35, 43
 - prosthetic valves 55–56
 - sickle cell disease 180–181
- Child-Pugh classification 3
- chronic liver disease 2–4
- chronic obstructive airways disease (COPD) 19–20
- cirrhosis 3, 6
- clinical mark sheets
 - abdominal and respiratory examination 1
 - brief clinical consultations 117
 - cardiology and neurology examination 44
 - ethics, law and communication skills 97
 - history taking 27
- closing click (CC) 55
- coarctation 62
- cogwheel rigidity 81
- cold intolerance 173
- collapsing pulse 47–48
- colonic carcinoma 139–140
- Common Law 99
- communication skills 107–116
 - breaking bad news 107, 112
 - clinical mark sheet 97
 - difficult patients 108, 111
 - driving restrictions 108–109
 - information delivery 110–112, 116
 - medico-legal and ethical principles 116
 - sample questions 116
 - worked examples 111–115
- community acquired pneumonia (CAP) 25
- competency 101–103, 112–113
- confidentiality 104, 108, 111
- confused states 124
- consent 99, 101–102, 112–113
- constrictive pericarditis 58–59
- coordination problems 67–68, 69–70
- cord compression 75
- cough
 - atrial septal defect 60
 - bronchiectasis 16
 - haemoptysis 128
 - history taking 41
 - lung cancer 22–23
 - pneumonia 25–26
 - surgical respiratory cases 18

- cranial nerves 85–86
 Crohn's disease 139–140
 CURB-65 score 25
 Cushing's disease 176–177
 cystic fibrosis 24
- deep vein thrombosis (DVT) 123
 defibrillators 57
 denial 107
 diabetes mellitus
 altered conscious state 124
 communication skills 114–115
 diabetic retinopathy 168–170
 haemochromatosis 5–6
 history taking 29, 33
 leg ulcers 146–147
 skin complaints 148–149
 vision complaints 168–170
 diabetic ketoacidosis 124
 diabetic retinopathy 168–170
 diarrhoea
 history taking 29–30, 36
 inflammatory bowel disease
 139–140
 difficult patients 108, 111
 disability 70
 disease-modifying anti-rheumatic drug
 (DMARD) 32
 dizziness 30, 37, 42
 doctrine of double effect 105
 donor cards 113–114
 do-not-attempt cardio-pulmonary resuscitation
 (DNA-CPR) orders 105
 dopamine agonists 81
 double lung transplant 18
 double vision 69–70, 86–87
 driving restrictions 108–109
 drowsiness 124
 drug interactions 43
 Duckett–Jones diagnostic criteria 50
 Duke's criteria 46
 dull lung base 21
 duty of care 100
 dysarthria 67–68, 69–70
 dyspnoea
 aortic stenosis 45–46
 atrial fibrillation 137–138
 brief clinical consultations 133–134
 history taking 29, 30, 40, 43
 mitral incompetence 51–52
 pleural effusion 21
 pneumonia 25–26
 prosthetic valves 55–56
 pulmonary fibrosis 14–15
 sickle cell disease 180–181
 ventricular septal defect 61–62
 dystrophia myotonica 65–66
- early diastolic murmur (EDM) 47
 Ehlers–Danlos 154–155
 ejection click (EC) 52
 ejection systolic murmur (ESM) 45, 54, 61, 63
 emergency treatment 103
 empyema 21
 endocarditis 46, 49, 53, 56, 131–132
 end of life decisions 105–106, 112
 enlarged nerves 89
 epilepsy 111
 erythema nodosum 150
 ethics
 clinical mark sheet 97
 communication skills 116
 competency, capacity and consent 99,
 101–103, 112–113, 115
 confidentiality 104, 108, 111
 end of life decisions 105–106, 112
 principles of medical ethics 98
 euthanasia 105–106
 exercise tolerance 49–50, 63–64
 extra-ocular palsies 86–87
 eyes
 abnormal pupils 90–91
 age-related macular degeneration 93
 cataracts 169–170
 diabetic retinopathy 168–170
 double vision 69–70, 86–87
 hyperthyroidism and Graves' disease
 171–172
 multiple sclerosis 69–70
 myasthenia gravis 86–87
 optic atrophy 92
 retinal artery occlusion 95
 retinal pathology 93–96
 retinal vein occlusion 96
 retinitis pigmentosa 94
 tuberous sclerosis 88
 visual field defects 73
- facial nerve palsy 85
 Fallot's tetralogy 54, 61
 family history 164
 family screening 6
 fasciculation 80
 fatigue
 history taking 30, 41
 hypothyroidism 173
 mitral incompetence 51–52
 splenomegaly 7–8

- fever 50, 131–132
- fluid retention, history taking 32
- Friedreich's ataxia 84, 92
- fundus 92, 95–96

- generalized seizure 42
- General Medical Council (GMC) 104
- giant cell arteritis 95
- goitre 141–142
- gout 166–167
- Graves' disease 171–172
- gum hypertrophy 11
- gynaecomastia 4

- haematology 7
- haemochromatosis 5–6, 38
- haemoptysis 128
- handicap 70
- headache
 - acromegaly 174–175
 - brief clinical consultations 121–122
 - hypertension 141–142
- Henoch–Schönlein purpura 151
- hepatomegaly 2–4
- hereditary haemochromatosis 38
- hereditary haemorrhagic telangiectasia 127
- hereditary sensory motor neuropathy (HSMN) 83
- high-resolution CT scan 14
- history taking 27–43
 - cases 29–42
 - clinical mark sheet 27
 - complete history 28
 - discussion 29
 - information review 28
 - introduction and advice 28–31
 - preparation time 28
 - problem list 28–29
 - psychosocial issues 28
 - rapport 28
 - time structure 28
- Hodgkin's disease 41
- holding power 103
- Holmes–Adie pupil 90
- Horner's pupil 90
- hospital order 103
- Human Organ Transplant Act (1989) 114
- Human Tissue Act (1961) 114
- Huntington's chorea 111–112
- hyperextensible joints 154–155
- hyperparathyroidism 39
- hypertension 9–10, 141–142
- hyperthyroidism 171–172
- hypertrophic cardiomyopathy 63–64
- hypotension 178–179
- hypothyroidism 173

- immunosuppressive medication 11, 13, 25
- impairment 70
- implantable cardiac defibrillators (ICD) 57
- implied consent 101, 113
- infection
 - endocarditis 46, 49, 53, 56
 - liver transplant patients 11
 - persistent fever 131–132
 - pneumonia 25–26
 - renal transplant patients 13
 - splenomegaly 7
- inflammatory bowel disease (IBD) 139–140
- information delivery 110–112, 116
- information review 28
- internuclear ophthalmoplegia 69
- iron deficiency anaemia 125–126
- ischaemic heart disease 33

- jaundice 30, 38
- jugular venous pressure 58
- justice 98

- ketoacidosis 124
- kidney-pancreas transplantation 12–13
- killing 105–106
- Koebner phenomenon 144, 150

- lacunar anterior circulation stroke (LACS) 72
- Lambert–Eaton myasthenic syndrome (LEMS) 86
- Lasting Power of Attorney 102
- lateral medullary syndrome 74
- law
 - advanced decisions to refuse treatment 102–103, 112–113
 - best interests of patient 102
 - clinical mark sheet 97
 - communication skills 116
 - competency, capacity and consent 99, 101–103, 112–113, 115
 - confidentiality 104, 108, 111
 - end of life decisions 105–106, 112
 - medico-legal system 99
 - negligence 99, 100
- leg oedema 58–59
- leg ulcers 146–147
- lethargy *see* fatigue
- letting die 105
- liver function tests 30, 38
- liver transplant patients 11
- lobectomy 18
- long-term oxygen therapy (LTOT) 19–20

- loss of consciousness
 - history taking 30, 42
 - syncope 135–136
- lumbo-sacral root levels 75–76
- lung cancer 22–23
- lung function tests 14, 22
- lung transplantation 18
- lupus pernio 150
- lymphadenopathy 30, 41
- lymphoma 58–59

- macroglossia 175
- maculopathy 169
- malaise 22–23
- malignancy
 - abdominal examination 3
 - acromegaly 174–175
 - Cushing's disease 177
 - haemoptysis 128
 - history taking 41, 42
 - inflammatory bowel disease 139–140
 - liver transplant patients 11
 - lung cancer 22–23
 - renal transplant patients 13
 - skin malignancy 152–153
 - tuberous sclerosis 88
- malignant hypertension 142
- malignant melanoma 153
- malignant ventricular arrhythmia 42
- Marcus–Gunn pupil 92
- Marfan's syndrome 164
- mastectomy 30, 42
- medical ethics *see* ethics
- meningitis 121–122
- Mental Capacity Act (2005) 101–102
- Mental Health Act (1983) 103, 113, 115
- metastases 128
- mid-diastolic murmur (MDM) 47, 49
- mitral incompetence 51–52
- mitral prosthetic valves 55–56
- mitral stenosis 49–50
- mitral valve prolapse (MVP) 52, 63
- mobility
 - brief clinical consultations 129–130
 - history taking 29, 34
 - rheumatoid arthritis 156–158
- monoclonal antibodies 70
- mononeuritis multiplex 83
- motor neurone disease (MND) 79–80
- multiple endocrine neoplasia 39, 175
- multiple sclerosis (MS) 69–70
 - cerebellar syndrome 68
 - history taking 34
 - optic atrophy 92
- murmur 45–54, 61, 63, 164
- muscle wasting 79–80
- myasthenia gravis 86–87
- myocardial infarction (MI)
 - brief clinical consultations 119–120
 - history taking 30, 42
- myocardial ischaemia 119–120
- myotonia 65–66, 90

- nail pitting 144
- necrobiosis lipoidica diabetorum 148
- negligence 99, 100
- neurofibromatosis 89
- neurology examination 65–96
 - abnormal pupils 90–91
 - age-related macular degeneration 93
 - cerebellar syndrome 67–68
 - clinical mark sheet 44
 - dystrophia myotonica 65–66
 - facial nerve palsy 85
 - Friedreich's ataxia 84, 92
 - hereditary sensory motor neuropathy 83
 - lateral medullary/Wallenberg syndrome 74
 - motor neurone disease 79–80
 - multiple sclerosis 68, 69–70, 92
 - myasthenia gravis 86–87
 - neurofibromatosis 89
 - optic atrophy 92
 - Parkinson's disease 81–82
 - retinal artery occlusion 95
 - retinal vein occlusion 96
 - retinitis pigmentosa 94
 - spastic legs 75–76
 - stroke 71–73
 - syringomyelia 77–78
 - tuberous sclerosis 88
- neuropathic arthropathy 77
- neuropathic leg ulcer 146–147
- night vision 94
- nodules 150
- non-compliance 108, 111, 114–115
- non-maleficence 98
- non-small cell carcinoma (NSCLC) 22–23
- Noonan's syndrome 54
- numbness 77–78, 165

- obesity 33
- obstructive cardiomyopathy 63–64
- occupational asthma 40
- oculomotor (III) nerve palsy 91
- old tuberculosis 17
- opening click (OC) 55
- opening snap (OS) 49
- optic atrophy 92

- organ donation 113–114
 Osler–Weber–Rendu syndrome 127
 overdose 112–113
- pacemakers 30, 37, 57
 Paget's disease 165
 palliative care 23, 106
 palmar erythema 3
 palpitations 60, 63–64, 137–138
 pan-systolic murmur (PSM) 51, 53, 61
 papilloedema 142
 papules 150
 paracetamol overdose 112–113
 paraesthesia 137–138
 Parkinson's disease 81–82
 partial anterior circulation stroke (PACS) 72
 patent ductus arteriosus (PDA) 62
 pericardial disease 58–59
 peripheral neuropathy 83, 89
 persistent cough 16, 22–23, 41
 persistent fever 131–132
 physiotherapy 16, 24
 pleural effusion 21
 pneumonectomy 18
 pneumonia 25–26
 pneumothorax 133–134
 postural hypotension 37, 42, 178–179
 pregnancy
 communication skills 111
 epilepsy 111
 facial nerve palsy 85
 history taking 30, 39
 hypertension 141
 multiple sclerosis 70
 preparation time 28
 primary biliary cirrhosis (PBC) 4
 primary sclerosing cholangitis (PSC) 4
 Private Law 99
 problem list 28–29
 productive cough 25, 41
 progressive bulbar palsy 79
 progressive muscular atrophy 79
 proliferative diabetic retinopathy 168–169
 prosthetic valves 55–56
 proximal myopathy 176–177
 pseudoxanthoma elasticum 154–155
 psoriasis 143–145
 psychosocial issues 28
 ptosis 66, 87
 Public Law 99
 pulmonary embolism (PE) 29, 31, 43
 pulmonary fibrosis 14–15
 pulmonary stenosis 54
 purpura 151
- radiotherapy 23
 rapport 28
 rashes
 diabetes mellitus 148–149
 headache 121–122
 Henoch–Schönlein purpura 151
 psoriasis 143–145
 systemic lupus erythematosus 159–160
 Raynaud's phenomenon 161–162
 Raynaud's syndrome 29, 35
 red rashes 143–145
 relative afferent pupillary defect (RAPD) 92
 renal enlargement 9–10
 renal transplant patients 12–13
 respiratory examination 14–26
 bronchiectasis 16
 chronic obstructive airways disease 19–20
 clinical mark sheet 1
 cystic fibrosis 24
 lung cancer 22–23
 old tuberculosis 17
 pleural effusion 21
 pneumonia 25–26
 pulmonary fibrosis 14–15
 surgical respiratory cases 18
 tuberous sclerosis 88
 retinal pathology 93–96
 age-related macular degeneration 93
 retinal artery occlusion 95
 retinal vein occlusion 96
 retinitis pigmentosa 94
 retinopathy 168–170
 rheumatic fever 50
 rheumatoid arthritis (RA)
 brief clinical consultations 156–158
 history taking 29, 32
- sabre tibia 165
 sanctity of life 105
 scars
 Ehlers–Danlos 154–155
 haemochromatosis 5
 liver transplant patients 11
 renal patients 12
 tophaceous gout 166–167
 seizures 88
 self-discharge 108
 sensory motor neuropathy 83
 shortness of breath *see* dyspnoea
 sickle cell disease 180–181
 single lung transplant 18
 skin
 diabetes mellitus 148–149
 Henoch–Schönlein purpura 151

- skin (*cont'd*)
- hyperextensible joints 154–155
 - malignancy 152–153
 - neurofibromatosis 89
 - psoriasis 143–145
 - rash with headache 121–122
 - systemic lupus erythematosus 159–160
 - tuberous sclerosis 88
 - see also rashes
- small cell carcinoma (SCLC) 22–23
- spastic legs 75–76
- splenomegaly 7–8
- squamous cell carcinoma 152–153
- standard of care 100
- Statute Law 99
- stigmata 12, 128, 146
- stroke 71–73
- suicidal patients 112–113
- surgical respiratory cases 18
- swollen ankles 54
- swollen calf 123
- swollen hands 161–162
- swollen neck 171–172
- syncope
 - brief clinical consultations 135–136
 - implantable devices 57
 - prosthetic valves 55–56
- syringomyelia 77–78
- systemic lupus erythematosus (SLE) 159–160
- systemic sclerosis 161–162
- tetralogy of Fallot 54, 61
- thrombolysis in myocardial infarction (TIMI) risk score 119–120
- thyroid 171–173
- time structure 28
- tiredness see fatigue
- tophaceous gout 166–167
- Tort Law 99
- total anterior circulation stroke (TACS) 72
- transient ischaemic attack (TIA) 71
- treatment order 103
- tremor 81–82
- trespass 99
- tricuspid incompetence 53
- tuberculosis (TB) 17
- tuberous sclerosis 88
- tunnel vision 94
- ulcerative colitis (UC) 36, 139–140
- urinary tract infection (UTI) 129–130
- venous leg ulcer 146–147
- ventricular septal defect 61–62
- visual field defects 73
- walking problems 71–73, 75–76
- Wallenberg syndrome 74
- warfarin 31, 43
- weakness
 - Cushing's disease 176–177
 - dystrophia myotonica 65–66
 - hereditary sensory motor neuropathy 83
 - motor neurone disease 79–80
 - multiple sclerosis 69
 - syringomyelia 77–78
- weight gain 58–59, 176–177
- weight loss
 - chronic liver disease and hepatomegaly 2–4
 - inflammatory bowel disease 139–140
 - lung cancer 22–23
 - surgical respiratory cases 18
- wheezing
 - chronic obstructive airways disease 20
 - dyspnoea 133–134
 - history taking 40, 41
- withdrawing treatment 105
- withholding treatment 105
- xanthomata 149







