

Index

- activating receptor 22
- activation-induced cell death (AICD)
 - 86, 94
- acute phase 127
- adaptive immune system
 - activation of 9–10, 85
 - antigen receptors of 11
 - innate immune system *v.* 11
- ADCC *see* antibody-dependent cellular cytotoxicity
- adjuvant 113
- affinity maturation 37
- AICD *see* activation-induced cell death
- AIDS 130
 - HIV-1
 - immune system *v.* 128–129
 - infection 127–128
 - immunodeficiencies and 127–130
 - living with 129–130
 - vaccine 111, 113–114
- AIRE 90
- allergens
 - IgE antibodies and 35
- allergies 103
 - heredity in 120
 - hygiene hypothesis 119–120
 - IgE antibodies causing 117–118
 - mast cells and 117–118
 - reasons for 118–119
 - treatments for 120–121
- α -defensins 105
- alternative pathway 14–15, 24, 33
- anaphylactic shock 16, 35, 36
- anaphylatoxins 16
- anaphylaxis 35
- anergy/anergize 57, 93, 95, 96, 97
- antibodies
 - adaptive immune system producing 77
 - B cell produced 4–5, 27–29
 - broadly neutralizing 114
 - classes and their functions 32–37
 - class switching of 32, 37
 - constant region of 35
 - diversity 5
 - functions of 6–7
 - IgA 34–35, 36, 37
 - IgD 32
 - IgE 35–37
 - allergies caused by 117–118
 - IgG 34, 36
 - IgM 32, 33–34, 37, 38
- antibody-dependent cellular cytotoxicity (ADCC) 34
- antigen presentation 42–53
 - by class I MHC molecules 42–43, 43–44, 50
 - by class II MHC molecules 43, 44–45, 50
 - to T cells 8–9
- antigen presenting cells (APCs) 42, 52–53
 - activated B cells as 45, 48, 52
 - activated dendritic cells as 45–46, 73
 - activated macrophages as 45, 47–48
 - function of 45, 69
 - T cell activation by 45
- antigens
 - BCRs' recognition of 29
 - cognate 29, 93
 - FDC displayed 73
 - self 92–93, 96–97
- anti-oncogene 132
- APCs *see* antigen presenting cells
- apoptosis, cell death by 68, 69
- atopic individual 117
- autoimmune lymphoproliferative syndrome 121
- autoimmunity, conditions for 121
- autophagy 90
- B7 9, 45, 46, 48, 52, 58, 64, 76, 85–6
- babies, newborn, immune system of 81
- bacille Calmette–Guerin (BCG) injection 136

- bacteria
 - commensal 103, 105–106, 108
 - Gram-negative 64, 117
 - Gram-positive 64, 117
- Bacteroides fragilis* 107
- basophils 118
- B cell receptors (BCRs)
 - antigen binding region of 37
 - antigen recognition by 29, 38
 - crosslinking of 29, 30, 31, 38
 - function of 6
 - heavy chain of 27–28
 - light chain of 27
 - recognition proteins of 61
 - signaling 29–30, 38, 61
 - amplification of 30, 61
- B cells
 - accessory proteins of 29
 - Ig α 29
 - Ig β 29
 - activation of 30–32, 38, 61
 - CD40 in 30
 - co-stimulatory signal 30
 - polyclonal 31–32
 - T cell-independent 31, 38, 39
 - types of 30–32
 - antibodies produced by 4–5, 27–29, 36–37
 - as APCs 45, 48, 52
 - co-receptor 30
 - experienced 30
 - functions of 6, 61
 - hypermutation 95
 - immunological memory of 99, 110
 - in lymph nodes 77, 82
 - lymphoid follicles and 72–73
 - maturation of 32, 39
 - somatic hypermutation in 37
 - memory 38, 110
 - as maintained 99
 - T cell memory *v.* 100–101
 - virgin B cells *v.* 100
 - plasma 74
 - production of 5–6
 - proliferation of 6
 - in secondary lymphoid organs 77
 - somatic hypermutation of 74
 - T cells *v.* 7, 38, 61
 - tolerance 95
 - maintenance in germinal centers of 95
 - virgin/naïve 30–31
 - activation of 31
- BCRs *see* B cell receptors
- β 2-microglobulin 8, 42, 50
- Bifidobacterium* 107
- Bifidobacterium breve* 107
- blood cell cancer 132
- blood cells, cancerous 135–136
- bone marrow
 - B cells in 31
 - NK cells in 21
 - as primary lymphoid organ 72
- broadly neutralizing antibodies 114
- C3 molecules 14
- C3a 16
- C3b 14, 15
- C5a 19
- Canale–Smith syndrome 121
- cancer
 - blood-cell 132–133, 135–136
 - causes of 131–132
 - as control system problem 131–132
 - immune surveillance against 133–137
 - non-blood-cell (solid) 132, 133, 134–135
 - spontaneous 133, 134–135
 - virus-associated 133, 136
 - vaccination to prevent 137–138
- cancer cells, classifications of 132–133
- carcinogen 132
- carcinomas 132
- CD1 presentation of lipids 50
- CD3, TCRs and 57
- CD4, HIV-1 and 128–129
- CD28, B7 binding to 85
- CD40 38, 106
 - in B cell activation 30
 - on DCs 59
- CD40L 106
- CD59 (protectin) 15
- cellular adhesion molecules 80
- central memory cells
 - B cell 99, 101–102
 - T cell 100
- central tolerance induction 88, 92, 96
- Cervarix vaccine 113
- cervical cancer 133, 137–138
- checkpoint proteins 135
- chemoattractants, complement protein fragments
 - serving as 16
- chemokines 75–76
- chronic phase 127
- class switching 32
- classical (antibody-dependent) pathway
 - 13, 33
- CLIP 45
- clonal selection
 - principle of 5–6
 - T cells and 7
- cognate antigen 29, 93

- colon 104
- commensal bacteria 103, 105–106, 108
- compartmentalization 107
- complement system 24
 - activation of
 - by alternative pathway 14–15, 24, 33
 - by classical pathway 13, 33
 - by lectin pathway 15, 24
 - characteristics of 15
 - functions of 16
 - proteins making up 14
- constant region (Fc) 4
- convertase 14
- co-receptors 30, 56, 57–58, 59, 61, 88, 90, 91, 128
- cortex 75, 88, 89, 90
- cortical thymic epithelial cells 89, 90, 91, 92–93, 96
- co-stimulation
 - APCs 45, 57
 - B7 proteins 85
- B cells 30, 38, 74, 77, 83, 95
 - CTLs 134, 136, 138
 - DCs 45, 46
 - IL-10 84
 - lymphoid follicles 74
 - memory cells 100
 - MHC restriction/tolerance induction 92
 - secondary lymphoid organs 77
 - T cells 57, 58, 59, 60, 61, 64, 66, 69, 73, 74, 93, 96, 97, 122
- co-stimulatory signal 30, 38, 45, 57–59, 73, 84, 92, 126
- cowpox 4
- Crohn's disease 103, 108
- crosslink 29–30
- cross-presentation 50, 111
- cross reaction 122
- CTLA-4 85, 86, 123, 135
- CTLs *see* killer T cells
- cytokine profile 65, 66, 67, 69
- cytokines
 - AIDS 129
 - antibody class switching controlled by 37
 - DC produced 47
 - functions of 3
 - limited range of 67
 - macrophage produced 3
 - neutrophils producing 18
 - NK cells' production of 21–22
 - Th cells secreting 61, 65, 66, 68–69
- cytotoxic lymphocytes (CTLs) *see* killer T cells

- DAF *see* decay accelerating factor
- damage-associated molecular patterns (DAMPs) 20

- DCs *see* dendritic cells
- decay accelerating factor (DAF) 15
- degranulate 35, 36, 38, 118
- delayed type hypersensitivity (DTH) 67–68
- dendritic cells (DCs) 52
 - activated 45–46
 - as APCs 45–46, 73
 - battle cytokines and 46, 47
 - CD40 proteins on surface of 59
 - cytokine receptors of 64, 67
 - cytokines produced by 47
 - in innate immune system 47, 63–64, 67, 69
 - naive helper T cell interaction with 59
 - pattern recognition receptors of 64, 69
 - regional identity 64, 69
 - in small intestine 108, 109
 - in T cell activation 59, 60, 69
 - in Th cell activation 65
 - travel to lymph node by 46–47
 - virgin T cells activated by 46, 47
 - see also* follicular dendritic cells
- diabetes 103
- DiGeorge syndrome 126
- diphtheria, vaccine 112
- diseases
 - autoimmune 121–124
 - cause of 121
 - examples of 123–124
 - inflammation and 122–123
 - multi-system 123
 - organ-specific 123
 - immune regulation defects causing 117–121
 - from immunodeficiencies 126–130
 - see also* sepsis; tuberculosis
- DNA repair systems 131
- double-positive (DP) cells 88
- DTH *see* delayed type hypersensitivity

- effector cells 63
- effector T cells 99
- elite controller 129, 130
- endogenous protein 43
- endoplasmic reticulum 43–44, 51
- endosomes 45
- endothelial cells 74
 - high 75
- eosinophils 19, 118
- epithelial cells 46, 89, 90–91
- epitopes 29, 49
- Epstein–Barr virus 124
- escape mutants 128
- exogenous protein 44

- experienced B cells 30, 48, 77
 experienced T cells 48, 52, 58, 77
- Fab regions 4
 Fas ligand (FasL) 68, 86
 Fc receptors, of phagocytes 7
 FDCs *see* follicular dendritic cells
 fixing complement 33
 flagellin protein 108
 f-met *see* formyl methionine
 follicular dendritic cells (FDCs) 72–73
 in adaptive immune system 73
 antigens displayed by 73
 function of 73
 in lymph nodes 76
 follicular helper T cell 68, 82, 95, 97
 formyl methionine (f-met) 19
 Foxp3 93
 fungi, NK cells destroying 22
- gamma globulins 34
 gene segments 5
 germinal centers 73, 74, 76
 B cell tolerance, maintenance in 95
 granzyme B 68, 129
- HAART (highly active anti-retroviral treatment) 129
- Hc (heavy chain) 27
- helper T cells (Th cells)
 activated 50, 52
 activated B cells as APC for 48
 activation of 9–10, 59–60
 AIDS 127, 128, 129
 cytokines secreted by 63, 64, 65, 69
 effector 63
 functions of 8
 killer T cells *v.* 57
 locking in the profile 66–67
 naïve 59
 peptides presented by class II MHC molecules to 44–45
 recirculating in lymph nodes 76–77
 TCRs of 59
 Th0 66
 Th1 63, 64–65, 69, 84
 Th2 63, 64–65, 69, 84
 Th17 63, 66, 69, 84, 108, 109
 virgin 64
- hepatitis B 133
 liver cancer associated with 137
 vaccine 112, 133
- herd immunity 112
- herpes simplex virus
 detection by TLR9 20
- herpes virus 114, 124
 HEV *see* high endothelial venules
 high endothelial venules (HEV)
 as B/T cells entry to secondary lymphoid organs 74
 highly active anti-retroviral treatment (HAART) 129
- histamines
 capillary permeability and 36
 in mast cells 36
- histocompatibility 52
 HIV-1 *see* AIDS
 HLA-A 42
 HLA-B 42
 HLA-C 42
 HLA-D 43
 HLA-DM 45
 human immunodeficiency virus number one (HIV-1) *see* AIDS
 human papillomavirus (HPV) 113, 133, 137–138
 hygiene hypothesis, allergies 119–120
- ICAM *see* intercellular adhesion molecule
 ICOS 76
 ICOSL 76
 IFN- α *see* interferon α
 IFN- β *see* interferon β
 IFN- γ *see* interferon γ
- IgA *see* immunoglobulin A
 Ig α , as BCR signaling molecule 29
 Ig β , as BCR signaling molecule 29
 IgG *see* immunoglobulin G
- immune checkpoint inhibitors 135
 immunodeficiencies 126–130
 AIDS and 127–130
 diseases due to 126–130
 genetic defects leading to 126–127
- immunoglobulin A
 antibodies in intestinal immune system 106, 107
 secretory 106
- immunoglobulin D (IgD) 4
 immunoglobulin E (IgE) 4
 immunoglobulin G (IgG)
 antibodies 106
 production of 4
 structure of 4
- immunoglobulin M (IgM) 4
- immunological memory 11, 110
 adaptive 98–100
 B cell 99, 100–101
 innate 98, 117
 innate *v.* adaptive 101
 T cell 99–101
- immunological synapse 59
 immunopathology 116–125
 see also diseases

- immunotherapy, specific 121
- indoleamine 2, 3-dioxygenase (IDO) 135
- inducible regulatory T cells (iTregs) 84–85, 86, 93, 107, 108
- inflammation 122–123
- inflammatory bowel disease 103
- inflammatory response 2, 105, 106, 108, 109
- influenza virus
 - detection by TLR9 20
- innate immune system 21–26, 39–40
 - activation of 85
 - adaptive immune system *v.* 11
 - antigen receptors of 11–12
 - as cooperative effort 22–23
 - danger signals in 24
 - DCs in 47, 63–64, 69
 - functions of 2–4, 11–12
 - NK cells in 21–22
 - viruses dealt with by 20–22
- insulin-dependent diabetes mellitus 123
- integrin (INT) 19
- intercellular adhesion molecule (ICAM) 18, 19
- interferon α 129
- interferon β 129
- interferon γ , production of 17
 - NK cells 23
- interferon system 21
- interleukin 18, 23
 - IL-1 18
 - IL-2 8, 23
 - IL-6 108
 - IL-10 84, 107
 - IL-17 108
- intestinal architecture 104–105
- intestinal immune system 103–109
 - intestinal architecture 104–105
 - pathogen recognition 108
 - response to invaders 105
 - anti-inflammatory environment 107
 - distributed response 106–107
 - IgA antibodies 106, 107
 - non-inflammatory macrophages 106
 - private immune system 107
 - response to pathogens 107–108
- intestinal microbiota 103, 105
- intestine, IgA antibodies in 35
- invariant chain 44
- isotype *see* antibodies: classes

- junctional diversity 5

- killer T cells (CTLs)
 - activation of 52
 - after activation 60, 68
 - DCs in 60
 - naive cells 59–60
 - requirements for 60, 68
- AIDS 127, 128–129
- cancerous blood cells and 135–136
- cancers and 134–135
- CD1 presentation of lipids 50
- effector 63
- functions of 8
- helper T cells *v.* 57
- killing by 59–60, 68, 69
- memory 60, 110–111

- lamina propria 104, 105
- large intestine (colon) 104, 105
- latent infection 128
- Lc (light chain) 27
- lectin activation pathway 15
- leukemias 132, 133, 135, 136
- light chain (Lc) 27
- lipopolysaccharide (LPS) 17, 19, 22, 23
 - detection by TLR9 20
- long-lived plasma cell 99
- lumen 104
- lupus erythematosus 124
- lymph 10
- lymph nodes 10
 - antigen in, entry of 75
 - B cells in 75–76, 82
 - B/T cells entering 75, 82
 - choreography 75–76
 - follicular dendritic cells in 75
 - as lymph filters 77
 - as secondary lymphoid organ 72, 74–77
 - structure of 75
 - T cells in 82
 - Th cells in, recirculating 77
- lymphatic system 10
- lymphocyte(s)
 - activation of 9–10
 - in lymph nodes 75
 - Peyer's patch and 78
 - trafficking 72–83
 - of experienced lymphocytes 80, 81
 - of virgin lymphocytes 80, 81
 - see also* B cells; T cells
- lymphoid follicles 72–74
- lymphomas 132, 133, 135, 136
- lysosomes
 - chemicals/enzymes contained by 2
 - of macrophage 2

- MAC *see* membrane attack complex
- macrophages
 - activated 47–48, 52
 - as APCs 45

- macrophages (*Cont'd*)
- chemicals produced by 3
 - cytokines produced by 3
 - as defender cell 2
 - foreign molecules recognized by 2
 - functions of 2, 47–48
 - hyperactivated 17, 23
 - immune surveillance and 136–137
 - location of 2, 16
 - neutrophils' cooperation with 23
 - phagocytosis 2
 - in primed state 17
 - as professional phagocytes 4, 16–17
 - readiness stages of 16–17
 - in tuberculosis 116–117
 - versatility of 17
- major histocompatibility complex proteins (MHC)
- antigen presentation by 8, 43–45, 48–49
 - class I 8, 52
 - antigen presentation by 43–44, 48–49
 - cross-presentation of 50
 - endogenous proteins loaded onto 43
 - genes for 42
 - peptides binding to 43
 - as polymorphic 42, 129
 - structure of 42
 - class I/II pathways' separation 50
 - class II 8, 52
 - antigen presentation by 44–45, 49–50
 - invariant chain protein and 44–45
 - peptides binding to 43
 - peptides presented to Th cells by 44–45
 - in resting DCs 46
 - structure of 43
 - classical 48
 - function of 8–9, 52
 - non-classical, lipid presentation and 50
 - organ transplant and 50–51
 - see also* MHC restriction
- malaria 114
- MALT *see* mucosal-associated lymphoid tissue
- mannose 15, 17
- mannose-binding lectin (MBL), in complement system 15, 24
- mast cells 19
- allergies and 118
 - degranulating 35
 - function of 35
 - histamine in 35
- MBL *see* mannose-binding lectin
- M cells 78, 82, 108
- measles, rubella, and mumps vaccines 112
- medulla 90
- medullary thymic epithelial cells (mTEC) 90
- membrane attack complex (MAC) 14, 15
- memory cells 11
- activation of 11, 100
 - properties of 100
- memory B cell 32, 37–38, 39, 80
- central 101–102
- memory effector T cells 99, 100
- MHC proteins *see* major histocompatibility complex proteins
- MHC restriction
- logic of 89–90
 - riddle of 91–92
 - self tolerance and 88–97
 - T cells tested for 89, 90, 91
- microbial invasions, proportional response to 23–24
- missing self recognition 96
- mitogen, polyclonal activation of B cells by 31–32
- molecular mimicry 122
- monocytes 3
- exiting blood stream 19
- MPL 113
- mucosa 34–35
- mucosal-associated lymphoid tissue (MALT) 72, 77
- mucus 104, 105
- multiple sclerosis 123–124
- mumps, vaccine 112
- myasthenia gravis 123
- myelin basic protein 124
- naïve (virgin) lymphocytes *see under* B cells; T cells
- natural killer (NK) cells 24, 25
- activation of 22
 - in bone marrow 21
 - cytokines produced by 21–22
 - function of 22
 - IFN- γ produced by 21
 - IL-2 produced by 23
 - immune surveillance and 136–137
 - as quick acting 137
 - target recognition by 22
- natural regulatory T cells (nTregs) 93, 123
- necrosis, cell death by 68, 136
- negative selection 90, 91–92, 96
- neutralizing antibody 7, 114
- neutrophils 3
- activation of 18
 - in blood 17–18
 - chemicals produced by 18
 - cytokines and 18
 - f-met peptides and 19
 - function of 19–20

- macrophages' cooperation with 23
- as professional phagocytes 24
- NK cells *see* natural killer (NK) cells
- NKT cells
 - function of 56
 - maturation of 56
 - receptors expressed by 56
- non-blood cell cancer 132

- obesity 103
- omalizumab 120
- oncogene 132
- opportunistic infections 128
- opsonization 7
 - AIDS viruses 129
 - BCR signaling 29–30, 61, 95
 - FDCs 95
 - IgG antibodies 34, 65
 - innate immune system 16, 23
 - lymphoid follicle 73, 74
 - secondary lymphoid organs 75, 78
- organs, transplant of 50–51
 - see also* primary lymphoid organs; secondary lymphoid organs
- osteosarcoma 132

- p53 protein 132
- PALS *see* periaarteriolar lymphocyte sheath
- pathogen 11–12
- pathogen-associated molecular patterns (PAMPs) 20
- pattern-recognition receptors (PRRs) 20
- PD-1L 85
- peptides 42
 - class I MHC and 43–44
 - class II MHC and 43
 - f-met 19
- perforin 68
- periaarteriolar lymphocyte sheath (PALS) 79
- peripheral tolerance 93
- peripheral tolerance induction 93
- pertussis, vaccine 112
- Peyer's patch 77–78, 108
 - antigen entering 78
 - function of 78, 82
 - T cells in 80
- phagocytes 25
 - Fc receptors of 7
 - professional 16–20, 24
 - complement system working with 23
 - see also* macrophages; neutrophils
- phagocytosis, of macrophage 2
- phagosome, of macrophage 2
- phosphatidylserine 136
- plasma B cells
 - as antibody factories 37
- plasmacytoid dendritic cell (pDC) 21
- poliovirus vaccine 111, 112
- polyclonal activation 31–32
- polysaccharide A 107
- positive selection *see* MHC restriction
- primary lymphoid organs 72
- productive rearrangement of gene segments 28
- professional phagocytes 4
- programmed death 1 (PD-1) 85, 86, 135
- proliferation 6
- proteasomes 51
 - APCs and 43–44
 - function of 43–44
- protectin (CD59) 15
- proto-oncogene 132

- RAG1 55
- RAG2 55
- receptor editing 95
- regulatory cells 7, 8
- restraint of immune system 84–86
- retinoic acid 106
- rheumatic heart disease 122
- rheumatoid arthritis 124
- rubella vaccine 112

- Salmonella* 108
- sarcomas 132
- SCIDS *see* severe combined immunodeficiency syndrome
- secondary lymphoid organs 10
 - B cells in 77
 - high endothelial venule feature of 74
 - invaders intercepted by 79
 - logic of 79–80
 - lymph nodes as 73, 74–77
 - lymphocytes in, compartmentalization of 82
 - lymphocyte trafficking and 72–83
 - lymphoid follicles and 72–74
 - mucosal-associated lymphoid tissue as 72, 77
 - spleen as 72, 74
 - tolerance induction in 93
- sectin (SEL) 18
- selectin ligand (SLIG) 18
- self-tolerance 11, 88–96
- sepsis 117
- severe combined immunodeficiency syndrome (SCIDS) 126
- short-lived plasma B cell 99
- single positive (SP) cell 90
- SLIG *see* selectin ligand
- small intestine 104, 105
- smallpox, vaccination 4
- solid tumors 132

- somatic hypermutation
 - antigen-binding region of BCRs changed by 37
 - of B cells 74
 - in B cells' maturation 37
 - function of 38–39
- specific immunotherapy 121
- spleen 74
 - function of 78, 82
 - as secondary lymphoid organ 72
- spontaneous cancer 132
- stem cells
 - blood cell types coming from 3
 - as self-renewing 3
- sterilization 127

- T cell-dependent activation 30
- T cell-independent activation 30
- T cell receptors (TCRs) 7
 - $\alpha\beta$ 55
 - CD3 and 57
 - features of 57, 61
 - $\gamma\delta$ 55, 56
 - MHC–peptide complex binding with 59
 - recognition proteins of 61
 - signals from 56–57, 61
 - structure of 55
- T cells
 - activated, cellular adhesion molecules expressed by 80
 - activation of 45, 55–62, 61, 69
 - APCs 45
 - AICD and 86
 - antigen presentation to 8–9
 - antigen recognition by 56–57
 - CD4/CD8 receptors in 57–58
 - APCs' adhesion to 59
 - B cells *v.* 7, 38, 61
 - clonal selection and 7
 - co-receptors of 61
 - co-stimulating signal received by 45
 - cytokines and 55–62
 - death of 11
 - activation-induced 94
 - effector 100
 - functions of 63
 - immune system turned off and 84, 85
 - immunological memory 99–100, 110
 - importance of 7
 - intestinal invaders and 105
 - in lymph nodes 82
 - maturation of 58
 - memory
 - B cell memory *v.* 100–101
 - as maintained 99
 - memory helper 110–111
 - non-traditional 56
 - positive selection of 91, 96
 - production of 7
 - regulatory 93
 - inducible (iTregs) 84–85, 93
 - self-tolerance of 91–92
 - learned in thymus 88
 - traditional 55, 56
 - virgin/naïve 96–97
 - co-stimulation of 58
 - DCs activating 46, 47
 - traffic patterns of 93
 - see also* helper T cells; killer T cells
- TAP1 43
- TAP2 43
- TCRs *see* T cell receptors
- TGF β 107
 - in intestinal inflammatory response 108
- Th cells *see* helper T cells
- thymic dendritic cell 91, 92, 96
- thymus
 - as primary lymphoid organ 72
 - regulatory T cells generated in 93
 - self-tolerance of T cells learned in 88–89
 - tolerance induction in 90–91
- tissue-specific proteins 90
- TLRs *see* Toll-like receptors
- TNF *see* tumor necrosis factor
- tolerance of self 11, 88–96
- tolerize 92, 95, 97
- Toll-like receptors (TLRs) 20
 - on/in dendritic cells 46
 - patterns recognized by 46
 - TLR4 20
 - TLR5 108
 - TLR7 20
 - TLR9 20
- toxoid 112
- tuberculin protein 67
- tuberculosis 114
 - macrophages in 116–117
- tumor necrosis factor (TNF) 136
 - hyperactivated macrophages producing 17
 - virus-infected cells killed by 23
- tumor suppressor genes 132
- tumor suppressor proteins 132
- tumor viruses 133
- tumors
 - solid 132, 133, 134–135
 - spontaneous 134–135
 - virus-associated 136
- type I interferons 21

ulcerative colitis 103, 108

vaccines 110–115

adjuvant 113

AIDS 111, 113–114

attenuated 112–113

carrier 113, 114

development 111–113

diphtheria 110, 112

hepatitis B 112

measles, rubella, and mumps 112

non-infectious 111–112

pertussis 111

poliovirus 111, 112

smallpox 4

for virus-associated cancer 137–138

villi 104

viral load 127

virgin B cells 30

virgin (naive) lymphocytes *see under* B cells;
T cells

virus-associated cancer 132

viruses

antibodies in attack by 7

cancer associated with 133

entry of 7

IgG neutralized 34

mutating 27

