

Index

a

agouti mouse model
 diet supplementation and epigenetic
 DNA methylation, 365
 American Cancer Society
 estimated total deaths from common
 cancers, 325
 anticancer agents
 azacytidine
 indiscriminate epigenome
 activity, 460
 inhibition of DNA
 methyltransferases, 460
 anticancer diets
 alkaline diet, 383
 dietary fiber
 at interface between gut microbiota,
 and normal immune
 function, 453
 fasting diet, 383
 Gerson Therapy (coenzyme Q10 and
 vitamin B12), 384
 the Gonzales Regimen, 384
 ketogenic diet, 382
 macrobiotic diet, 378
 raw food plan (the living foods diet), 384

b

bioactive food components (BFCs)
 regulators of gene expression related
 to inflammation and
 metabolism, 363

bioinformatics

 to support data integration and multi-
 omics efforts, 674

biological/medical model of cancer
 broadened to social level, 396

biomarker

 defined, 672
 omics-based biomarker
 development, 672

bisphenol A (BPA). *see also* endocrine
 disruptors

 hormone receptor-mediated
 interactions, 421

 induction of kinase signaling cascades
 and effects on oncogenes, 421

 induction of oxidative stress as mode
 of action, 424

 inflammation and modulation of
 immune response, 425

 influences on epigenetic programming
 of cells, 422

 in polycarbonate plastics, epoxy resins,
 and thermal paper, 417

 receptor-mediated effects with and
 without endocrine
 modulation, 422

c

cancer

 cell growth and division
 influenced by diet, physical activity,
 and stress, 364

cancer (*continued*)

cervical

association of Human papilloma virus infection in China and Africa, 344

incidence in China, 348

circulating cancer markers

carcino embryonic antigen, 611

cell-free nucleic acids (cf-NAs), 615

cf-DNA integrity, microsatellite instability and loss of

heterozygosity (LOH), 617

circulating cell-free microRNA (miRNA), 622

circulating tumor cells, derived from

primary tumors *vs.*

metastasis, 635

circulating tumor cells, derived from solid tumors, 628

enumeration, 630

functional characterization, 632

methods for enrichment and identification, 628

molecular characterization, 630

single CTCs *vs.* CTC clusters, 634

circulating tumor cf-DNA, 616

classification

by histology, 320

molecular, 323

by where it developed in body, 322

colon cancer risk

NER gene single nucleotide

polymorphisms, and red meat intake, 364

detection of methylation changes in cf-DNA, 620

detection of sequence changes in cf-RNA, 621

diagnostic protein biomarkers, 612

esophageal

association of Human papilloma virus (HPV) infection in China and Africa, 344

environmental exposures, and lifestyle, 344

familial aggregation in China, 345

genetic variants, and susceptibility factors, 345

geographic variation, and prevalence in China, 344

etiology

developmental origin of adult-onset cancer, 350

geographic variation, 332

role of infectious agents, 349

role of psychosocial stress and social network, 349

extracellular vesicles, 624

apoptotic bodies, 624

exosomes, 624

mediators of cell-to-cell

communication, 627

microvesicles (ectosomes or

microparticles), 624

oncosomes, 625

tumor derived exosomes, 625

tumor derived microvesicles, 625

gastric

familial aggregation in China, 343

genetic variants and susceptibility factors in China, 343

heterogeneous etiology in China, 342

H. pylori infection in China, 342

immune surveillance

tumoricidal (yin) and tumorigenic (yang) properties, 475

incidence by race and sex in the USA, 326

innate and adaptive immunity, 475

liver

clusters by geographic region in China, 339

disparities by residence and sex in China, 340

familial forms in different

populations in China, 341

and hepatitis B virus infection in China, 340

mutated genes in hepatocellular carcinoma, 341

- lung
 - ethnic differences in incidence and mortality, 334
 - genetic susceptibility factors in China, 347
 - geographic variation in incidence, 335
 - radon, industrial substances and airborne particulate matter, 338
 - and socioeconomic life style, 338
 - smoking and industrial air pollution in China, 346
 - smoking as a major cause, 335
- malignant transformation, adipokine levels, 368
- minimally invasive liquid biopsies, 609
- models of carcinogenesis
 - endocrine disruption that promotes and associated with cancer, 488
- prevention
 - causes, chemical exposures in China, 348
 - and intervention, 351
- prognostic protein biomarkers, 613
- prostate specific antigen, 611
- protein biomarkers, of drug response, 615
- proteins, enzymes and hormones, 609
- rearrangements in circulating tumor cells, 619
- risk factors, USA and China compared, 348
- in rodents
 - responses to stress, 403
- role of inflammation and microenvironment in tumor evolution, 473
- site-specific cancer incidence and ethnicity, 326
 - USA and China compared, 328
- tumor genetic alterations, and therapy resistance, 619
- tumor-specific genetic alterations, 617
- and vegetarian dietary patterns, 372
- cancer hallmarks
 - complexity of tumorigenesis over time and multiscale levels, 473
- cancer-related fatigue
 - acupuncture, benefits of, 375
 - aerobic exercise, benefits of, 376
- cancer risk
 - breast
 - postmenopausal, overweight in women, 367
 - weight loss and bioavailable estrogen, 369
 - differs by ethnicity, 320
 - and insulin, insulin-like growth factor, and other growth factors, 367
 - metastatic prostate, colorectal, lung systemic C-reactive protein, 367
 - obesity, 367
 - low sub-acute inflammation, 367
- cancer severity/relative survivorship mortality to incidence ratio, 325
- cancer survival
 - comorbidities
 - cardiovascular disease, and diabetes, 371
 - diet special and alternative diets, 377
 - obesity
 - glucose intolerance and the Warburg effect, 368
 - psychological distress symptoms, 375
 - rates in affluent patients in the U. K., 404
- cancer survival Exercise and Nutrition to Enhance Recovery and Good Health for You (ENERGY) trial, 368
- cancer survival risk
 - nutritional factors
 - nuclear factor kappa beta system and oxidative stress, 368
- cancer therapy
 - cancer survival
 - benefit of diet and lifestyle changes, 370
 - physical activity and decreased inflammatory biomarkers, 370

- cancer therapy (*continued*)
 - primary cancer
 - benefit of exercise, 370
- carcino embryonic antigen (CEA), 611
- circulating tumor cells (CTCs), 619
 - derived from primary tumors *vs.* metastasis, 635
 - derived from solid tumors, 628
- circulating tumor cf-DNA (ct-DNA), 616
- complementary and alternative medicine (CAM)
 - biological products and mind-body interventions, 373
- computational/mathematical modeling, 659
- C-reactive protein (CRP), 367
- critical windows, 396
- d**
- data integration
 - multi-omics and high-dimensional biology efforts, 676
- deoxyribonucleic acid (DNA)
 - template for messenger ribonucleic acid (mRNA) synthesis
 - template for protein synthesis, 658
- developmental origins of health and disease (DOHaD) theory
 - critical windows of perinatal exposure and epigenetic programming, 443
- development, epigenetic control
 - DNA methylation patterning required for development, 439
- diet and epigenetic modifications. *see* epigenetics, toxicoepigenetics
- dietary supplement clinical trials
 - beneficial as well as harmful outcomes, 374
- DNA methylation
 - aberrant global hypomethylation
 - associated with increased mutation and genomic instability, 442
 - CpG islands and CpG shores in/near promoter regions, 441
 - CpG requires DNA methyltransferase to transfer a methyl group from *S*-adenosylmethionine (SAM) to cytosine, 441
 - methylation profiles in peripheral tissue matrices, 444
- DNA sequencing
 - Human Genome Project, reference human genome sequence, 658
- e**
- Eastern Cooperative Oncology Group (ECOG), 692
- endocrine disruptors, 417
 - alter DNA methylation and produce heritable epigenetic marks, 423, 448 (*see also* bisphenol A (BPA))
- bisphenol A (BPA)
 - alterations of gene expression and signaling, 421, 448
- CLARITY-BPA (Consortium Linking Academic and Regulatory Insights on Toxicity of BPA), 420
- conjugation and deconjugation, 420
- Environmental Influences On Child Health Outcomes (ECHO) program, 459
- epigenetic events
 - adults
 - loss of DNA methylation over time, 458
 - maintenance of DNA methylation in immortal cells, 458
 - modified by dietary nutrients, 365
 - modulation of DNA methylation by nutrients/bioactive food components, 366
 - maternally-mediated in fetus
 - Dutch famine and thrifty metabolism, 365, 444
 - paternally-mediated in fetus risk of obesity in adulthood, 366
- epigenetic machinery
 - chromatin histones

- histone acetylation associated with transcriptional activation, 443
 - histone modifications interact with DNA methylation patterns, 443
 - reads, writes and erases epigenetic modifications, 442
- epigenetic manipulation, driven by alteration of chromatin structure, 442
- epigenetic marks
 - bisphenol A (BPA), 422
 - plastic, dynamic and potentially modifiable, 440
 - result in
 - changes in gene expression, 440
 - tissue specific changes in gene expression, 440
- epigenetic programming
 - bisphenol A (BPA), 422
 - target tissue specificity, 456, 457
- epigenetics
 - modulation in gene expression
 - induced by DNA methylation, histone modification, and non-coding RNAs, 422, 440
 - non-coding RNAs (ncRNAs) including small interfering RNA (siRNA) and piwi-interacting RNA (piRNA), as well as long ncRNA, 440
 - other changes
 - histone acetylation, methylation, phosphorylation, ubiquitination, sumoylation and ADP ribosylation, 422
 - toxicoepigenetics, 451
- epigenetic silencing
 - mediated by chromatin modification/ DNA methylation, 443
- epigenetic targeting
 - target specific DNA methylation, 460
- epigenome
 - analogous to computers software, 440
 - deregulation during gestation, neonatal development, and puberty, 439
 - dynamic regulatory framework, 439
 - epigenome-wide association studies (EWAS), 446
 - modifications related to human exposures, 444
- ethical considerations
 - civil liability, 726
 - criminal liability, 729
 - education, 715
 - government regulations, 722
 - strategies to protect fetuses, neonates, children, and adolescents
 - from exposures to harmful environmental agents, 715
 - taxation, 725
 - testing/screening/monitoring, 717
 - worker protection, 720
- ethical dilemmas
 - balancing benefits and costs, 712
 - conflicts between different conceptions of justice, 713
 - protecting individual rights and promoting individual, social, or other goods, 713
- ethical issues
 - additional protections for vulnerable populations, 740
 - intentions exposure studies, 736
 - interventional studies, 734
 - in preventing or mitigating disease, 711
 - protecting privacy and confidentiality, 734
 - protecting vulnerable participants, 739
 - research with human participants, 730
 - return of individualized research results, 732
- ethical principles
 - for research with human participants, 730
- ethics
 - standards of conduct, 712
 - value conflicts and ethical decision-making, 713

756 | Index

ethnicity, and race defined, 323
 exposome redefined, 674
 extracellular vesicles (EVs), 624

g

gene and environment
 role in development of cancer, 319
 gene expression
 control and coordination
 proteins in cell function and
 disease, 658
 genetic variation
 eating behaviors and obesity, 369
 genome fidelity, and DNA repair
 compromise cell's ability to maintain
 genocompromized by exposure
 to BPA, 424
 global health burden
 adaptable lifestyle factors
 nutrition, diet, weight, physical activity
 and alcohol/tobacco, 363
 non-communicable chronic diseases
 cardiovascular, cancer and
 diabetes, 363
 global omics profiling platforms
 epigenomics, 661
 genomics, 659
 metabolomics, 668
 proteomics, 665
 transcriptomics, 662

h

Halifax Project
 examine chemicals that influence
 cancer risk in humans, 482
 hallmarks of cancer
 inflammation and cancer
 atrazine, 481
 bisphenol A (BPA), 481
 nonylphenol (NP), 481
 phthalates, 481
 polybrominated diphenyl ether
 (PBDE), 481
 high-throughput bioactivity profiling
 high throughput bioactivity and
 toxicity screening, 669

in-vitro and in-vivo extrapolation,
 671

high-throughput screening (HTS)
 cell-free and cell based assays,
 670

human diseases

 mapping to geographic location
 broad street well pump, 331
 medical geology, 332

human exposures

 acute vs. chronic exposures
 transient epigenetic changes and
 epigenetic drift, 458

air pollution

 and use of animal models to study
 particulate fractions and DNA
 methylation, 446

arsenic in drinking water, 320

atrazine

 an endocrine disruptor that induces
 dysregulation of pro-anti-
 inflammatory cytokine
 expression, 486

benzene, 320

bisphenol A (BPA)

 changes in mammary glands and
 ovarian pathologies, 426

 DNA methylation state/histone
 modification/chromatin
 structure in cell culture
 models, 423

 DNA miRNA levels in placental
 tissues from BPA-exposed
 pregnant women, 423

 endocrine disruption

 mechanisms of effects on human
 health and reproduction, 418,
 449

 generalized disruption in innate
 immune balance, 482

 linked to prostate cancer, 427

diet endocrine disruption

 and epigenetic programing affecting
 disease risk later in life/in
 following generations, 451

flame retardants

- enhance cytokine production and lower threshold for bacteria to stimulate pro-inflammatory response, 484
 - heavy metals
 - lead and mercury exhibit toxicopigenetic properties, 447, 449
 - intergenerational exposures and epigenetic effects, 454
 - intergenerational exposures and epigenetic reprogramming of epigenome, 455
 - and modification of epigenome, 444
 - 4-nonylphenol
 - an endocrine disruptor and allergen with proinflammatory activity, 485
 - particulate matter
 - PM size fractions, epigenetic DNA methylation patterns, and human health, 445
 - phthalates
 - endocrine disruption associated with airway inflammation in children and oxidative stress in pregnant women, 451
 - with developmental and reproductive endpoints, 450
 - endocrine disruptors that generally disrupt immune system, 487
 - plasticizers
 - activation of peroxisome proliferator-activated receptors, 483
 - increase of fatty acid oxidation with oxidative stress reproductive organ malformations, 483
 - reproductive defects, and decreased fertility, 483
 - stress social/behavioral factors/epigenetic regulation, 453
 - Human Genome Project, 658
 - human papilloma virus (HPV), 344
- i*
- identification of novel predictors of adverse events
 - candidate gene studies, 693
 - candidate genome wide associations, 694
 - next generation sequencing, 695
 - immune system
 - adaptive immune response
 - activation and effector, 478
 - innate immune cells
 - macrophages, neutrophils, dendritic cells, and innate lymphoid cells, 475
 - innate immune response
 - myeloid-derived suppressor cells, 477
 - tumor-associated macrophages, 477
 - tumor-associated neutrophils, 478
 - inborne errors in metabolism
 - Archibald Garrod
 - fundamental linkage between genetics, metabolic composition and phenotype, 657
 - inflammation
 - chronic phase
 - chronically inflamed state
 - failed wound healing response, tumor development and metastasis, 475
 - pro-inflammatory state
 - reactive species-oxygen (ROS) and reactive nitrogen (RNS), 474
 - vasculature, mitochondria, cell signaling, immunity, 474
 - and microenvironment
 - cell proliferation, angiogenesis, invasion, and metastasis, 473
 - response phases
 - acute, intermediate and chronic, 474
 - and tumor microenvironment
 - drugs that restore an immune response elicit tumor regression, 495

758 | Index

- inflammation (*continued*)
 - oncogenes directly regulate expression of host immune checkpoints, 496
- International Classification of Diseases for Oncology, 3rd Edition (ICD-O-3)
 - carcinoma, leukemia, lymphoma, myeloma, and sarcoma, 320
- k**
 - Ketogenic diet (KD), 382
 - Kyoto Encyclopedia of Genes and Genomes (KEGG), 674
- m**
 - Macrobiotic diet (MBD), 378
 - Madison Metabolomics Consortium Database (MMCD), 674
 - messenger ribonucleic acid (mRNA), 658
 - metabolism to phenotype
 - golden age of biochemistry
 - metabolic pathway maps, 657
 - mind-body interventions (MBIs)
 - restorative therapeutics, 373
 - mindfulness-based stress reduction (MBSR)
 - physical and emotional well-being, 375
 - mortality to incidence ratio (MIR), 325
- n**
 - NIEHS-led Children's Health Exposure Analysis Resource (CHEAR)
 - network, 459
 - NIH Roadmap Epigenomics Mapping Consortium
 - genome-wide annotation maps, 459
 - nongenotoxic carcinogens
 - indirect mechanisms
 - alter gene expression patterns/epigenetic programming of cells, 417
 - disrupt cellular structures, 417
 - generate reactive oxygen species (ROS), 417
 - increase cellular proliferation, 417
 - induce receptor mediated signaling, 417
 - inflammation and modulation of the immune response, 425
 - nutritional genomics
 - include nutrigenetics, nutrigenomics, and nutritional epigenomics, 364
 - nutritional epigenomics
 - dietary patterns and diets, 451
- o**
 - obesity, 367
 - glucose intolerance and the Warburg effect, 368
 - low sub-acute inflammation, 367
- p**
 - personalised medicine defined, 691
 - phenotypic anchoring
 - relating molecular expression data to toxicity and pathology, 659
 - proof of principle toxgnostics, 696
 - proposed protocol
 - biobanking and future-proofing samples, 699
 - data protection and full concent, 702
 - integration within randomized control trials, 698
 - need for a collaborative approach, 703
 - open access to results, 704
 - translation from bench to bedside, 705
 - prostate specific antigen (PSA), 611
 - proteome
 - high-throughput proteome analysis
 - MALDI-TOF and SELDI, 611
- r**
 - risk-benefit analysis of treatment
 - maximum treatment benefit with lowest toxicity, 693
 - risk from high dosing with thiopurines
 - significant myelosuppression in homozygous deficient patients, 694

- s**
- single nucleotide polymorphisms (SNPs), 364
 - social determinants of health (SDOH)
 - differences and disparities
 - cancer incidence and mortality, 401
 - gender and sexuality, 405
 - in health and health outcomes, 398
 - influence of 'place' and chronic stresscancer incidence and mortality, 403
 - neighborhoods and socioeconomic status, 402
 - place and its correlates, 402
 - differential susceptibility, 397
 - key aspects
 - geographic/spatial variation in cancer incidence, mortality and health issues related to gender/sexuality, 397
 - poverty, race, sexual behavior, gender, ethnicity, age, residence location, type of housing, and education, 395
 - proxies for
 - discrimination, differential access to care, prevalence of risky health behaviors, and differential exposures to environmental and occupational hazards, 395
 - race/ethnicity, 399
 - sexuality and sexual identity, 406
 - stress
 - behavioral factors and epigenetic regulation, 453
 - systems biology and high-dimensional biology (HDB), 659
- t**
- target pathways involved in distribution, metabolism and excretion of drugs, 694
 - toxgnostics
 - in clinical practice
 - fiscal matters, 706
 - the future of toxgnostics, 706
 - defined
 - genetic predictors of adverse anticancer therapy, 691
 - toxicant-specific alterations in gene expression, protein synthesis and metabolite production, 659
 - toxicoepigenetics defined, 439
 - transcription; environmental inputs homeostatic responses through gene regulation, 658
 - translational
 - social determinants of health (SODH) perspective, population-level approaches, 396
 - toxicology
 - a life course approach, 397
 - and social determinants of health (SODH), 396
 - translational opportunities
 - prevention of chronic inflammation caused by oxidant and free radicals induced DNA damage, 494
 - dietary antioxidant polyphenolics, 494
 - vitamine A, C, E, epigallocatechin gallate (EGCG) and flavonoids, 494
 - tumor derived microvesicles (TDMV), 625
- u**
- US Center for Disease Control and Prevention
 - National Vital Statistics Reports, 323
- w**
- Wilson and Jungner's screening criteria
 - Breast cancer campaign Tissue Bank, 701
 - windows of susceptibility
 - novel hypotheses and a social determinants of health (SODH) framework, 396
 - social stress, 403

760 | Index

windows of susceptibility (*continued*)
 allostatic load, 403
 economic deprivation/
 disparities, 404
windows of susceptibility defined.
 see critical windows

World Cancer Research Fund/American
 Institute of Cancer Research
 (WCRF/AICR)
 report on nutrition, physical activity
 and cancer prevention,
 363