

# INDEX

- abfractions 210
- abscesses 149–154
- absolute neutrophil counts (ANC) 91
- absorption
  - cobalamin 96–97
  - sutures 158
- abuse 224–230
  - definitions 226
  - indicators 226–228
- acetaminophen 130–131
- acid erosion 222
- adaptive hygiene devices 124–125, 217
- ADHA *see* American Dental Hygienists' Association
- Affordable Care Act* 268
- aggressive periodontitis (AP) 40, 65–69
- alginate impressions 200–206
  - future of 203–204
  - gelation 201
  - ideal 203
  - patient positioning 202
- allogenic stem cells 90
- American Dental Hygienists' Association (ADHA)
  - guidelines 267–269
- amide local anesthetics 134–135
- ammonia inhalants 86
- amoxicillin 151
- analgesics 128–132
  - see also specific analgesics...*
- ANC *see* absolute neutrophil counts
- anemia 95–99
- anorexia nervosa 221–222
- antibiotics
  - heart conditions 253–255
  - localized 143–144, 146
  - oral rinses 145–146
  - systemic 149–154
- anticonvulsants 54, 56–57
- anti-inflammatory agents 128–130
- antimicrobial irrigation 145–146
- antimicrobial rinses 145
- antithrombotic drugs 130, 252–257, 260
- anxiety disorders 220–223
- anxious patients 82–87, 220–223
  - nitrous oxide 138–142
- AP *see* aggressive periodontitis
- appropriate care in emergency situations 82–87
- arachidonic acid 129
- Arestin 143–144, 146
- arteriovenous (AV) shunts 260
- articaine 134
- aspirin 130
- assault
  - physical 226–228
  - Tort Law 273
- assessment
  - ADHA guidelines 267
  - biocompatibility 188
  - for caries 182–183
  - community needs 286–287
  - comprehensive 2–8
  - diabetes 239–240
  - gingival examination 29–36
  - head and neck 4, 9–14
  - implants 163
  - periodontal 36–42
  - radiographic examinations 4, 15–20
- asthmatic patients 244–247
- Atridox 146
- atypical syncope 84
- Augmentin 151
- autoclaves 79
- autologous stem cells 90

## INDEX

- autonomy 265–269
- AV *see* arteriovenous
- azithromycin 152
  
- bacterial repopulation 112, 119
- BAD 103–104
- barriers to care 290–292
- Bass method 124, 172
- benzocaine 134
- beta-blockers 135
- beta-lactamase inhibitors 151
- biocompatibility 188
- biofilms
  - debridement 110–115
  - implants 119
  - polishing 197
  - topical drug delivery 144–147
- biomaterials 187–211
  - evaluation 188
  - hypersensitivity 207–211
  - implants 189–193
  - impressions 200–206
  - local contributing factors 71–73
  - polishing 194–199
- bitewing radiographs 17–18
- bleeding
  - analgesics 130
  - antithrombotic drugs 252–257, 260
  - aspirin 130
  - platelet counts 91
- Bloodborne Pathogens Standard 78–79
- blood pressure categories 249
- blood thinning 130, 252–257, 260
- BMT *see* bone marrow transplants
- bone grafts 162, 190–191
- bone marrow transplants (BMT) 88–93
- brushing techniques 124
- bruxism 169, 207–211
- bulimia nervosa 221–222
- bupivacaine 134–135
  
- CAD/CAM *see* computer aided design/computer aided manufacture
- calculus 73, 110–115, 119
- CAMBRA *see* caries management by risk assessment
- cancer
  - communication of 276–281
  - hematological stem cell transplants 88–93
  - Hodgkin's lymphoma 88–93
  - screening 11–13, 15, 18–19, 33, 274, 276–281
  - smokeless tobacco 234
- CAPTA *see* Child Abuse Prevention and Treatment Act
- carcinogenicity of biomaterials 188
- cardiac surgery patients 252–257
- cardiovascular syncope 85
- caregivers, indicators of abuse 226–228
- caries
  - clinical monitoring guidelines 106
  - disease indicators 103–105
  - environments 184–185
  - fluoride 176–179
  - incidence of 102
  - remineralization 177–179
  - risk factors 102–108
  - SAFER protocols 107
  - sealants 180–186
- caries management by risk assessment (CAMBRA) 102–108
- carotid sinus syncope (CSS) 84
- cavitation 177
- CBC *see* complete blood counts
- CBCT *see* cone beam computed tomography
- central nervous system (CNS) depression 135
- centric relaxation (CR) 24
- cerebral hypoperfusion 84
- CEREC 204
- cetylpyridium chloride 145
- chemotherapy 90–91
- child abuse 224–230
  - definitions 226
  - indicators 226–228
  - reporting 228
- Child Abuse Prevention and Treatment Act (CAPTA) 228
- child neglect 226
- chlorhexidine gluconate 145, 146
- chronic kidney disease 258–261
- chronic obstructive pulmonary disease (COPD) 139
- chronic periodontitis 39–40, 60–64, 168–175
  - clinical features 62
  - epidemiology 157
  - surgical support services 156–160
- ciprofloxacin 152
- Civil Law 272–274
- clavulanic acid 151
- cleaning agents vs. polishing 197
- clindamycin 152
- clinical examination 2–8
- clinical features, chronic periodontitis 62
- clinical guidelines, caries risks 106
- closed-ended questions 287
- CNS *see* central nervous system
- cobalamin deficiency 95–99
- combination analgesic therapy 131
- communication 3–4, 276–281
  - concepts 278–279
  - see also* patient education
- community health promotion 283–295
  - barriers to care 290–292
  - in groups 290–295
  - indices 293
  - programs 284–289
  - surveys 286–287
- community programs 284–289
- complete blood counts (CBC) 91
- compliance 271–275
- composite restoration polishing 197
- comprehensive clinical examination 2–8
- computer aided design/computer aided manufacture (CAD/CAM) 204

- conditioning, stem cell transplants 90  
 cone beam computed tomography (CBCT) 17–18  
 confidentiality 277  
 consent 264–270  
 Contract Law 272  
 contraindications  
   analgesics 130–131  
   asthmatic patients 245–246  
   local anesthetics 135  
   nitrous oxide 139–140  
   tetracycline antibiotics 146  
 contributing factors 70–74  
 CR *see* centric relaxation  
 critical items, for sterilization 78–79  
 crowns, local contributing factors 71–73  
 CSS *see* carotid sinus syncope  
 curettes 112–113, 119, 163  
 cyclooxygenase (COX) enzyme inhibition 129–130  
 cyclosporine 54, 56–57
- data collection  
   community programs 286–287  
   group programs 292–294  
   *see also* documentation; examination  
 debridement 110–115  
   implants 119, 163  
 degenerative joint disease (DJD) 217  
 delayed diagnosis 274  
 delivery, nitrous oxide 140  
 dental hygiene program planning 292–294  
 dental pain control  
   analgesics 128–132  
   hypersensitivity 210  
   nitrous oxide 138–142  
   topical/local anesthetics 133–137  
 dentin tubules 209–210  
 dentition  
   debridement 110–115  
   fluoride therapies 176–179  
   hypersensitivity 207–211  
   occlusion 21–28  
   polishing 194–199  
   primary examination 4–5  
   remineralization 177–179  
 denture care 217  
 depression, of CNS 135  
 desensitizing toothpastes 210  
 diabetes 36, 39, 238–243  
   blood tests 239–240  
   common medicines 241  
   epidemiology 239  
   hypoglycemic signs 241  
 diagnosis 43–74  
   ADHA guidelines 267  
   aggressive periodontitis 65–69  
   of caries 182–185  
   chronic periodontitis 60–64  
   drug-induced gingivitis 54–59  
   failure to detect 273–274  
   hypersensitivity 207–209  
   local contributing factors 70–74  
   non-plaque-induced gingivitis 49–53  
   peri-implantitis 161  
   plaque-induced gingivitis 44–48  
 dialysis 260  
 dietary deficiency, B vitamins 95–99  
 differential diagnosis  
   Gardener Syndrome 17  
   lichen planus 30  
   syncope 83–85  
   vitamin B deficiency 95–96  
 diffusion hypoxia 140  
 Dilantin 54, 56–57  
 disease indicators for caries 103–105  
 distal occlusion 26  
 disulfiram reaction 152  
 dizziness 85  
 documentation 3–7, 267  
 dosing  
   analgesics 130–131  
   antibiotics 255  
   local anesthetics 134–135  
   nitrous oxide 140  
 doxycycline 146, 151–152  
 dressings 158–159  
 drug-induced gingivitis 54–59  
 drug interactions  
   analgesics 130–131  
   antihypertensives 249–250  
   local anesthetics 135  
 dyclonine 134  
 dysplasia 234
- eating disorders 221–222  
 e-cigarettes 235  
 edematous papilla 50  
 emergency situations 82–87  
 emotional abuse 226  
 endotoxin 112  
 end-stage renal disease (ESRD) 258–261  
 end tift brushes 173  
 enzyme suppression therapy 152  
 epidemiology  
   asthma 245  
   chronic periodontitis 157  
   diabetes 239  
   eating disorders 221  
   hypersensitivity 209  
   oral cancer 234  
 epilepsy 54, 56–57  
 epithelial dysplasia 234  
 equipment, sterilization 78–79  
 ESRD *see* end-stage renal disease  
 essential oil rinses 145  
 ester local anesthetics 134  
 ethics 264–270  
 evaluation  
   ADHA guidelines 267  
   community programs 287  
   group programs 292–294

## INDEX

- examination 1–42  
  for caries 182–183  
extraoral examination 4, 9–10
- fail-safe systems, nitrous oxide 140  
failure to detect 273–274  
fasting blood sugar (FBS) 240  
fasting plasma glucose (FPG) 240  
fissure sealants 180–186  
floss holders 173  
floss threaders 173  
floss-tufted, braided 173  
fluoride therapies 176–179, 222, 290–292  
fluoroquinolone antibiotics 152  
flush occlusion 26  
food-cobalamin malabsorption 96  
FPG *see* fasting plasma glucose  
furcations 123–124
- gagging 25  
Gardener Syndrome (GS) 15–20  
gastroesophageal reflux disease (GERD) 2–3, 210  
gelation 201  
*Geobacillus stearothermophilus* 79  
gingival examination 29–35  
gingival overgrowth 56–58  
gingivitis 31  
  drug-induced 54–59  
  non-plaque-induced 49–53  
  plaque-induced 44–48  
granuloma, pyogenic 50, 133  
group programs 290–295  
GS *see* Gardener Syndrome  
guidelines of the American Dental Hygienists' Association 267–269  
gut sutures 158
- habit formation 170–172  
haptocorrin 96–97  
HbA1c *see* hemoglobin A1c blood test  
HCV *see* Hepatitis C virus  
head and neck examination 4, 9–14, 29–35  
Health Insurance Portability and Accountability Act of 1996 (HIPAA) 277  
health promotion 283–295  
  community programs 284–289  
  in groups 290–295  
healthy gingival description 31  
heart conditions 252–257  
hematological stem cell transplants (HSCT) 88–93  
hemodialysis 260  
hemoglobin A1c (HbA1c) blood test 239  
heparin 260  
Hepatitis C virus (HCV) 76–81  
hepatotoxicity of acetaminophen 131  
HIPAA *see* Health Insurance Portability and Accountability Act of 1996  
Hodgkin's lymphoma 88–93  
horizontal bone loss 117, 238–239  
HSCT *see* hematological stem cell transplants
- human needs  
  ADHA guidelines 268–269  
  aggressive periodontitis 68  
  autonomy 265–269  
  chronic periodontitis 62–63  
  contributing factors 73  
  diabetes 240  
  drug-induced gingivitis 56–58  
  non-plaque-induced gingivitis 52  
  plaque-induced gingivitis 47  
  privacy 277, 279  
hydrocolloids 201–202  
  *see also* impressions  
hydrokinetic activity 173  
  *see also* irrigation  
hyperkeratosis 234  
hypersensitivity 207–211  
hypertensive patients 54, 56–57, 248–251, 258–261  
hypoglycemia, signs and symptoms 241  
hyposalivation 91, 222
- ibuprofen 130  
identification of abuse 228  
immunosuppressants 54, 56–57  
implants 161–165, 189–193  
  failure 119  
  maintenance 161–165  
  nonsurgical treatments 116–121  
  polishing 197  
implementation of community programs 287  
impressions 200–206  
  future of 203–204  
  gelation 201  
  ideal 203  
  patient positioning 202  
  taking 202–203  
  tray selection 202  
indicators of abuse 226–228  
indices, group programs 293  
individualized care 88–93  
infection control 76–81  
informed consent 264–270  
inhaler steroids 246  
injury to patients 274  
INR *see* international normalized ratio tests  
instruction for limited dexterity 122–126  
instruments  
  debridement 112–113, 119, 163  
  implants 163  
  sharpening 113  
  sterilization 78–79  
interdental aids 118, 125  
  patient education 172–173  
international normalized ratio (INR) tests 91, 253–254, 259  
intraoral examination 4, 9–11, 21–42  
  gingival 29–35  
  occlusion 21–28  
  periodontal 36–42  
intrinsic factor 96–97  
irrigation 145–146, 173

- keratosis 234  
 kidney disease 258–261  
 Kovanaze 134
- Langerhans cell histiocytosis (LCH) 36–42  
 lavage, debridement 113  
 LCH *see* Langerhans cell histiocytosis  
 LEP *see* limited English proficiency  
 LESION 18  
 leukoplakia 234, 277  
 levonordefrin 134, 135  
 liability 272–274  
 licensing 272  
 lichen planus 29–35  
 lidocaine 134, 135  
 life cycle of Hepatitis C virus 78  
 Likert scale 287  
 limited dexterity 122–126, 217  
 limited English proficiency (LEP) 264–270  
 lincomycin derivatives 152  
 Listerine 145  
 litigation 272–274  
 local anesthesia 133–137  
 local contributing factors 70–74  
 localized antimicrobial agents 143–144, 146
- MAC *see* minimum alveolar concentration  
 macrolide antibiotics 152  
 magnetostriuctive tips 113  
 maintenance  
   general 116–121  
   implants 161–165  
 malocclusion 21–28  
 malodor 168–175  
 malpractice 272–274  
 maltreatment *see* abuse; neglect  
 management 75–108  
   emergency situations 82–87  
   gagging 25  
   individualized care 88–93  
   infection control 76–81  
   nutritional counseling 94–100  
   occlusal caries 185  
   syncope 85–86  
   treatment strategies 101–108  
   vitamin B12 deficiency 96–99  
 manipulation of alginate 202  
 manual instrumentation 112–113, 119  
 matrix metalloprotease (MMP) inhibition 152  
 maximum intercuspation (MI) 24  
 medically complex patients 237–261  
   antithrombotic drugs 252–257  
   asthma 244–247  
   diabetes 36, 39, 238–243  
   hypertensive patients 54, 56–57, 248–251  
   kidney disease 258–261  
 Medicare 216  
 megaloblastic anemia 95  
 mepivacaine 134–135
- mesial occlusion 26  
 metronidazole 152  
 MI *see* maximum intercuspation  
 milling 204  
 minimum alveolar concentration (MAC) 138–139  
 minocycline 143–144, 146  
 MMP *see* matrix metalloprotease  
 modified Stillmans' method 124  
 mucositis 90–91
- naproxen sodium 130  
 near-syncope 85  
 neck examination *see* head and neck examination  
 needs assessments 286–287  
 neglect of children 226  
 negligence, Tort Law 272–273  
 nifedipine 54, 56–57  
 nitroimidizoles 152  
 nitrous oxide 138–142, 272  
 non-critical items, for sterilization 79  
 non-plaque-induced gingivitis 49–53  
 nonsteroidal anti-inflammatory drugs (NSAIDs) 128–130  
 nonsurgical periodontal therapy 109–126  
   debridement 110–115  
   fluoride 176–179  
   fluoride therapies 176–179  
   instruction for limited dexterity 122–126  
   peri-implantitis 163  
   reassessment and maintenance 116–121  
   remineralization 177–179  
   sealants 180–186  
 NSAIDs *see* nonsteroidal anti-inflammatory drugs  
 nutritional counseling 94–100, 222
- occlusal caries management 185  
 occlusal examination 4–5, 21–28  
 Occupational Safety and Health Administration (OSHA) Bloodborne Pathogens Standard 78–79  
 OHRQoL *see* Oral Health-Related Quality-of-Life  
 older adults 214–219  
 oral cancer 11–13, 15, 18–19, 33, 234, 276–281  
 oral health programmes  
   community 284–289  
   in schools 290–295  
 Oral Health-Related Quality-of-Life (OHRQoL) 24  
 oral hygiene instruction  
   community programs 284–289  
   limited dexterity 122–126  
   in schools 290–295  
 oral rinses 145–146  
 Oraqix 134  
 Ora-Verse 136  
 orthostatic hypotension 83–84, 85  
 osseointegration 191  
 osseous resective surgery 157–158  
 osteoarthritis 217

## INDEX

- osteoplasty 157–158
- ototoxicity of salicylates 130
- overdose
  - acetaminophen 131
  - local anesthetics 135
- oxygen fail-safe systems 140
  
- pain control
  - analgesics 128–132
  - hypersensitivity 210
  - nitrous oxide 138–142
  - topical/local anesthetics 133–137
- participation in community programs 284–289
- pathophysiology of syncope 83–84
- patient-centered care 6, 24
- patient compliance 119, 124
- patient education
  - aggressive periodontitis 68
  - chronic periodontitis 63
  - group programs 290–295
  - in groups 290–295
  - informed consent 264–270
  - limited dexterity 122–126
  - non-plaque-induced gingivitis 52
  - plaque-induced gingivitis 47
  - plaque removal 168–175
  - post-operative 158
  - remineralization 179
  - social media 279–280
  - tobacco products 234–235
- patient examination 1–42
  - comprehensive 2–8
  - gingival 29–35
  - head and neck 4, 9–14
  - occlusion 4–5, 21–28
  - periodontal 4, 36–42
  - radiographic 5, 15–20
  - review of systems 4
  - teeth 4–5, 21–28
- patient narrative 6
- patient positioning, impressions 202
- patient-provider communication 3–4, 276–281
  - social networks 277, 279–280
- peri-implantitis 119, 161–165, 168–175, 189–193
  - biomaterials 189–193
  - risk factors 162, 191
- perimylolysis 222
- Periochip 146
- periodontal abscess 149–154
- periodontal disease
  - diabetes 239
  - failure to detect 274
  - nonsurgical treatment 109–126
- periodontal dressing 158–159
- periodontal examination 4, 36–42
- periodontal maintenance
  - debridement 110–115
  - with limited dexterity 122–126
  - reassessment and 116–121
- periodontitis
  - aggressive 65–69
  - chronic 60–64
  - local contributing factors 70–74
- Periostat 152
- pernicious anemia 96
- personal protective equipment (PPE) 78
- PGA *see* polyglycolic acid
- pharmacology 127–154
  - analgesics 128–132
  - antihypertensives 249–250
  - antithrombotic drugs 252–257
  - nitrous oxide 138–142
  - systemic medicines 149–154
  - topical delivery 133–137, 143–148
  - topical/local anesthetics 133–137
- phenolic compound rinses 145
- phentolamine mesylate 136
- phenytoin 54, 56–57
- physical abuse 226
- physical examination 4
- piezoelectric tips 113
- pit sealants 180–186
- planning 75–108
  - ADHA guidelines 267
  - emergency situations 82–87
  - group programs 292–294
  - individualized care 88–93
  - infection control 76–81
  - nutritional counseling 94–100
  - treatment strategies 101–108
- plaque
  - debridement 110–115
  - implants 119
  - patient education 168–175
  - plaque control records 46–47
  - plaque-induced gingivitis 44–48
- plastic probes 119
- platelets
  - aspirin 130
  - counts 91
  - COX-1 enzyme 129
- pockets 39–40
  - debridement 112–113
  - localized antibiotics 146
- polishing 194–199
  - implants 163
- polyglycolic acid (PGA) 158
- polypharmacy
  - analgesics 130–131
  - antihypertensives 249–250
  - local anesthetics 135
- polyps in Gardener Syndrome 15
- porcelain veneers, polishing 197
- post-operative instructions 158
- postural hypotension 83–84, 85
- power instrumentation
  - debridement 112–113, 119
  - implants 119
- PPE *see* personal protective equipment



- pregnant patients  
  local anesthetics 135  
  nitrous oxide 139  
  tetracycline antibiotics 146
- pre-syncope 85
- preventive therapies 167–186  
  of caries 102–108, 176–179  
  fluoride 176–179  
  plaque removal, patient administered 168–175  
  sealants 180–186
- prevention, group programs 290–295
- prilocaine 134–135
- privacy 277
- Procadia 54, 56–57
- professional responsibility 263–282  
  communication 276–281  
  informed consent 264–270  
  regulatory compliance 271–275
- program planning paradigm 292–294
- progression  
  of aggressive periodontitis 67–68  
  of chronic periodontitis 62–63
- protective factors for caries 102–105
- prothrombin time and international normalized ratio (PT/INR)  
  tests 91, 259
- pseudo pockets 54–55
- psychiatric conditions 220–223
- psychological abuse 226
- psychosocial development 226
- PT/INR *see* prothrombin time and international normalized ratio tests
- pyogenic granuloma 50, 133
- radiation treatment 90–91
- radiographic examination 5, 15–20
- reassessment 116–121
- reevaluation 116–121
- reflex syncope 84
- regulatory compliance 271–275
- remineralization 177–179
- removal of sutures 158–159
- reporting abuse 228
- reservoir bags 140
- resorbable sutures 158
- restorations, local contributing factors 71–73
- review of systems (ROS) 4
- risk factors  
  caries 102–108, 177  
  cavitation 177  
  diabetics 239  
  epidemiological triad 102  
  hypersensitivity 210  
  malocclusion 26  
  peri-implantitis 162, 191
- root planing 110–115
- root structure 112
- ROS *see* review of systems
- roughness, root surfaces 112
- R protein 96–97
- rubber tip stimulators 173
- SAFE 103–104
- SAFER protocol 107
- salicylates 130
- SBI *see* sulcular bleeding index
- scaling 110–115  
  implants 119, 163
- scavenging, nitrous oxide 140
- school based programs 290–295
- scope of practice 272–274
- SDD *see* subantimicrobial dose doxycycline
- sealants 180–186
- second languages 264–270
- self-care maintenance 168–175
- semi-critical items, for sterilization 79
- sexual abuse 226
- sharp explorers 182
- side effects  
  acetaminophen 131  
  antibiotics 152  
  antihypertensives 249–250  
  asthma drugs 245–246  
  local anesthetics 134–135  
  nitrous oxide 140  
  nonsteroidal anti-inflammatory drugs 130  
  older patients 216  
  salicylates 130
- silk sutures 158
- smokeless tobacco 234–235
- social media 277, 279–280
- sodium channels 134
- special needs patients 213–236  
  abuse 224–230  
  limited dexterity 122–126, 217  
  older adults 214–219  
  psychiatric disabilities 220–223  
  substance-related disorders 231–236
- Standard Precautions Standard 78–79
- state boards of dentistry 272
- stem cell transplants 88–93
- sterilization 78–79
- stippling 31
- strokes  
  brushing 124  
  debridement 113
- subantimicrobial dose doxycycline (SDD) 152
- substance-related disorders 231–236
- sulcular bleeding index (SBI) 45–47
- sulcus, debridement 113
- surgical procedures 155–165  
  bone grafts 162  
  dressings 158–159  
  implants and maintenance 161–165  
  post-operative instructions 158  
  surgical support services 156–160
- surgical support services 156–160
- surveys 286–287
- sutures 158–159
- syncope 83–86
- systemic antibiotics 149–154

## INDEX

### teeth

- hypersensitivity 207–211
- occlusion 21–28
- polishing 194–199
- primary examination 4–5
- remineralization 177–179

tetracycline antibiotics 146, 151–152

tobacco products 234–235, 276–281

topical anesthesia 133–137

topical drug delivery 133–137,  
143–148

Tort Law 272–274

### toxicity

- analgesics 130–131
- local anesthetics 135

transcobalamin 96–97

transmission, viral 76–79

### transplants

- complications 90–91
- hematological stem cells 88–93
- immunosuppression 54, 56–57
- solid organs 89

treatment strategies 101–108  
ADHA guidelines 267

ultrasonic instrumentation 112–113

unconsciousness 83–86

universal precautions 78–79

uremia 259–260

valve replacement patients 252–257

vasovagal syncope (VVS) 84–86

vegetarianism 84–100

vertical bone loss 118, 238–239

viral transmission 76–79

vitamin B deficiencies 95–99

VVS *see* vasovagal syncope

Warfarin 254

wooden wedges 173

wound healing with diabetes 240

WREC 103–104

xerostomia 90–91, 216