

# Index

Page numbers in *italic* refer to figures. Page numbers in **bold** refer to tables.

- ABCDE approach  
  postoperative, 278–279  
  sick child, 230, 231, 232  
  traumatic brain injury, 826
- abdominal aortic aneurysm, 573–574
- abdominal examination, antenatal, 257
- abdominal pain, 510, 521
- Abuses, 506, 507, 512, 513, 519
- abiraterone, 736
- abortive medications, migraine, 837
- abrasions, 363, 373
- abscesses, brain, 832, 833
- absorption of drugs, 377–379
- abuse, 153–155, 168–169, 207  
  of carers, 446  
  of children, 228, 446  
  disclosure of information of, 156–157  
  government provision on domestic abuse (Wales), 751  
  identifying, 155  
  institutional, 154–155, 207  
  people with mental disorders, 246  
  prevention, 160–162  
  procedures in cases of, 157–160  
  psychological, 154, 207, 228
- accessory muscles, breathing, 611, 619
- accommodation, pupils, 870
- accountability, 27, 106–109
- acetylcholine, 805
- acetylcholinesterase inhibitors, 844
- Acheson, Sir Donald, report on health inequalities, 77
- acid mantle, defined, 373
- acid-base balance, 532–533
- acid-fast bacilli, 622
- acidosis, 533
- acne, 919–921, 928
- actin, 886
- actinic keratosis, 923
- Action for Health* (DoH 2002), 201
- Action on Hearing Loss, 863  
  *Hidden Disadvantage*, 860
- action plans  
  change management, 44  
  *see also* health action plans
- activated partial thromboplastin time, 601, 932
- activities of living, 133, 243
- acts of omission, 154, 207
- Acts of Parliament, 103–104  
  *see also* legislation
- acupuncture, 398, 519
- acute chest syndrome, sickle cell disease, 461
- acute kidney injury, 677–680
- acute lymphoblastic leukaemia, 593–594, 595
- acute myeloid leukaemia, 593, 595
- acute promyelocytic leukaemia, 593
- acute severe asthma, 625
- adalimumab, Crohn's disease, 652
- adaptation theories, 131
- addiction, opioids, 516
- Addison's disease, 491, 790  
  Self-Help Group, 791
- Abuses, 506, 507, 512, 513
- adenocarcinomas  
  bladder, 673  
  cervix, 706
- adenosine triphosphate, 459, 606
- adherence  
  medication, 393  
  levothyroxine, 786  
  multiple sclerosis, 839  
  tuberculosis, 622  
  treatment for dysphagia, 828
- adjuvants, defined, 402
- admission to ward, preoperative, 275–276
- adolescents  
  communication with, 217  
  development, 213  
  fundamental care needs, 225–227  
  health promotion, 63–64  
  mental health, 222  
  *see also* young people
- adrenal cortex, 777–779
- adrenal crisis, 791
- adrenal glands, 776–779  
  disorders, 788–791  
  insufficiency, 789–791  
  thyroid stimulating hormone and, 786
- adrenal medulla, 777
- adrenaline, 770, 777  
  on blood pressure, 561
- adrenocorticotrophic hormone (ACTH), 774, 779  
  deficiency, 782, 790
- adult learning, 37–38
- adult nursing, 16  
  health promotion, 64–65  
  *Leadership, management and teamworking*, 14
- adult safeguarding, 155–162
- adults at risk, 150  
  empowerment, 160  
  speaking to, 159  
  *see also* vulnerable adults
- Adults with Incapacity (Scotland) Act 2000, 150
- advance care planning, 412–415
- Advance Decision to Refuse Treatment, 206, 414
- adverse effects, 383, 393
- antibiotics, 394  
  NSAIDs, 517  
  opioids, 516, 520  
  *see also specific drugs*
- advocacy, 102
- aerobically, 556
- Age Concern, report on nutrition, 179
- Age of Legal Capacity Act 1991 (Scotland), 102
- Age UK, 177
- ageing *see* older people
- ageing well (healthy living), 66–67
- agglutination, 492, 502
- aggressive behaviour, mental disorders, 244–245
- agitation, dying patients, 415
- agonists, defined, 382
- agranulocytosis, 592, 784
- AIDS, 502  
  *see also* human immunodeficiency virus
- air travel, ear surgery and, 861
- airway  
  baby, 223  
  dying patient, 416  
  postoperative, 278–279  
  suction, 223, 227  
  traumatic brain injury, 826  
  unconscious patient, 819
- akinesia, 841
- albumin, 458–459, 931

*Nursing Practice: Knowledge and Care*, Second Edition. Edited by Ian Peate and Karen Wild.  
© 2018 John Wiley & Sons, Ltd. Published 2018 by John Wiley & Sons, Ltd.  
Companion website: [www.wileyonlinelibrary.com](http://www.wileyonlinelibrary.com)

- alcohol, 650–651  
 adolescents, 63–64  
 cancer, 289  
 consumption limits, 63  
 gallstones and, 659  
 gels, 309  
 gout and, 896  
 learning disabilities, 197  
 liver disease, 650–651  
 sexual history, 751  
 social class and, 80
- aldosterone, 777  
 on blood pressure, 561, 777  
 deficiency, 790
- aldynoglia, 803
- alemtuzumab, 840
- alerting managers, 159
- alerts, to abuse, 157, 158–159
- alimentary system *see* gastrointestinal tract
- alkaline phosphatase, reference range, 931
- alkalosis, 533
- alkylating agents, 295
- allergies, 500–502, 547–548  
 antibiotics, 394, 761  
 conjunctivitis, 872  
 eczema, 220, 923  
 surgery and, 277  
 systemic anti-cancer treatments, 301
- allodynia, 523, 846
- allogeneic HSCT, 598
- allopurinol, 897
- alopecia  
 androgenic, 928  
 chemotherapy, 296–297, 713, 730
- alopecia areata, 491, 928  
 1-antitrypsin, 626–627
- alpha-fetoprotein, 728
- alteplase, 828, 829
- alveolar minute ventilation, 613, 615
- alveoli, 608, 614–615
- Alzheimer's disease, 843–845  
 protein misfolding, 477
- Alzheimer's Society, *This is Me*, 177
- ambiguous loss, 445
- amenorrhoea, de ned, 695
- American Society of Anesthesiologists, physical status grading, 274–275
- amino acids, 459
- amiodarone, 569
- ammonia, struvite stones, 671
- amniotomy, de ned, 268
- Amsterdam Preoperative Anxiety and Information Scale, 272
- amygdala, 808
- amylase, reference range, 931
- anabolism, 333–334
- anaemia, 581–589  
 chronic kidney disease, 681  
 diagnosis, 588  
 gastric surgery, 648  
 haemolytic, 585–587  
 nutritional, 583–585, 588  
 pernicious, 491, 583, 588, 648  
 treatment, 589
- analgesia, 397–398, 515–518  
 chronic kidney disease, 682–683  
 postoperative, 281–282  
 renal calculi, 671
- analgesic ladder (WHO), 397, 518
- anaphylaxis, 394, 501, 547–548
- anatomical deadspace, 613
- Ancient Greece, 4
- andragogy, 35
- androgen-binding protein, 721
- androgenic alopecia, 928
- anencephaly, 469
- aneurysms (abdominal aorta), 573–574
- angina, 563–566
- angioedema, 829
- angiography, 820
- angiomas, 925–926
- angioplasty  
 coronary, 567  
 peripheral artery disease, 574
- angiotensin II, on blood pressure, 561
- angiotensin converting enzyme (ACE)  
 inhibitors, chronic kidney disease, 683
- angular cheilitis, 637
- anisocoria, 818
- annual health checks, learning disabilities patients, 199
- anorexia  
 cancer, 292  
 heart failure, 571
- anorexia nervosa, 52
- antacids, 533  
 levothyroxine and, 786
- antagonists, de ned, 382
- antenatal care, 256–260
- anti-angiogenesis agents, 301–302
- antibiotics, 393–395, 756  
 cytotoxic, 295  
 diarrhoea from, 284  
 gonorrhoea, 761  
 ototoxicity, 857  
 prostatitis, 732  
 resistance, 319, 394–395, 484  
 syphilis, 764, 765  
 upper respiratory tract infections, 481  
 urinary tract infections, 669
- antibodies, 299, 482, 499  
 monoclonal, 300–301
- anticholinergics, 399, 626  
 glaucoma and, 383
- anticipatory grief, 445
- anticoagulants, 395–397
- antidepressants, on pain, 523
- antidiuretic hormone, 475, 770, 772  
 on blood pressure, 561  
 deficiency (diabetes insipidus), 539, 782, 831
- antiembolic stockings, 277
- antiemetics, 296  
 dying patients, 416
- antiepileptic drugs (AEDs), 835  
 oral contraceptives and, 836
- antigen presenting cells, 494, 498
- antigens, 299
- antigen-T lymphocyte hypersensitivity, 501
- antihypertensives, chronic kidney disease, 683
- antimalarials, discoid lupus erythematosus, 928
- antimetabolites, 295
- antimicrobials *see* antibiotics
- antioxidants, 335
- antiphospholipid antibody syndrome, 491
- antiplatelet agents, 395–396, 568
- antisocial behaviour, alcohol and, 64
- antisocial personality disorder, de ned, 250
- antithyroid drugs, 784
- antiviral drugs  
 in influenza, 621  
 viral hepatitis, 650
- anxiety  
 pain and, 519, 520–521  
 surgery, 272, 277
- anxiety disorders, de ned, 250
- aorta, 558  
 aneurysm, 573–574
- apathy, Alzheimer's disease, 843
- Apgar score, 264
- aplastic anaemia, 587–588
- apneustic centre, 614
- apoptosis, 290
- appetite, 333, 339  
 stimulants, 340
- applied ethics, 95
- aprons, 313
- aqueduct of Sylvius, 809
- aqueous humour, 866
- arachnoid mater, 807
- archaea, 484
- arousal, 816
- art of nursing, de ned, 126, 138–140
- arterial blood gases, 620
- arterial leg ulcers, 365
- arterial oxygen content, 616
- arteries, 558, 559  
 to brain, 810  
 coronary, 556–558  
 to kidneys, 664, 665
- arterioles, 558
- arthritis, 892–897  
 pain, 522
- Arthritis Care, 891
- Arthritis Research UK, 891–892
- arytenoid cartilages, 607
- ascending pain pathway, 505–507, 512–513
- Asperger's disorder, 197
- aspiration, 607, 829
- aspirin, 395–396, 517, 732–733  
 myocardial infarction, 567
- assessment notification – section 2, 187, 189
- assessments  
 children, 229–230, 231  
 by District Nurses, 83–84  
 mental health, 242–243  
 in Nursing Process, 120  
*see also* evaluation stage; examination;  
 history-taking
- assisted suicide, 407
- assistive listening devices, 860
- asthma, 219–220, 225, 624–626

- astrocytes, 803  
atelectasis, 520, 630  
atherosclerosis, 334, 563, 564, 566  
athlete's foot, 484, 918  
atoms, 456–458  
atopic eczema, 220–221, 920, 923  
atria, heart, 554  
atrial brillation, 569–570  
atrial systole, 555  
atrioventricular node, 555  
attitude, fetus, 257  
audiology, 856  
auditory hallucinations, 238  
aural route, 392  
aural toilet, 862  
auricles (pinnae), 851, 852, 855  
Australia, sex work legislation, 762  
Ausubel, David (1918–2008), assimilation theory, 34  
autism, 193–209  
    communication, 204  
    reasonable adjustments on hospital wards, 202  
Autism Act 2009, 195  
autistic spectrum conditions, defined, 196  
autoimmune diseases, 490–491, 501  
autologous HSCT, 598  
autonomic nervous system, 811  
autonomy, 97  
    children, 216  
    consent and, 100  
    dignity and, 166  
    dying patients, 422, 423, 424  
autosomal dominant and recessive inheritance, 471  
AVPU score, 280, 818  
avulsions, 363  
awareness, 816  
axons, 799  
    di use injuries, 824–825
- B cells, 299, 482, 491, 499, 500  
babies  
    basic care needs, 223–224  
    communication with, 215–216  
    contact with mother, 263, 266  
    development, 211–212  
    Group A *Streptococcus*, 265–266  
    newborn, 266–267  
    nutrition, 224, 267–268  
‘baby blues’, 264–265  
bacille Calmette–Guérin, 321  
back pain, 522–523, 524  
    pregnancy, 259  
baclofen, 841  
bacteria, 484  
    defined, 329  
    skin infections, 916, 917  
balance (sense of), 854–856  
balanoposthitis, 742  
Bamford classification, stroke, 828  
bare below the elbows (policy), 309–310, 311  
Barker, Phil, Tidal Model, 136  
baroreceptors, 560  
barrier nursing *see* isolation  
basal cell carcinoma, skin, 923–924  
basal consolidation, postoperative, 280  
basal metabolic rate, 774  
baseline assessments, children, 229  
basophils, 494, 582, 591, 932  
Beasley, Christine  
    on nursing, 112  
Becker's naevus, 926  
bed bugs, 919  
Bedford-Fenwick, Ethel, 7–8  
bedside reports, handovers, 115  
bedsores *see* pressure ulcers  
behaviour  
    change, 61–62  
    on health, 55–57, 59  
behavioural analysis, Alzheimer's disease, 845  
behaviourism, 33, 48  
being, doing *vs.*, 431  
beliefs, on health, 55  
bene cence, 97, 422, 423  
benign prostatic hypertrophy, 731, 734–738  
Benner, Patricia, 9, 431  
Bennett, Viv, on nursing, 113  
bereavement, 424–425  
best interests, 152, 205–206  
    advance care plans *vs.*, 413, 414, 424, 427  
    disguising medications in, 388  
    sexually transmitted infections and, 756  
beta blockers, 399  
beta proteins, Alzheimer's disease, 477  
beta-2 agonists, 398–399, 626  
bevacizumab, 302  
bicarbonate, 531, 532, 533, 616  
bile, 642  
biliary calculi, 657, 659  
biliary colic, 657  
bilirubin  
    reference range, 931  
    *see also* jaundice  
bimanual examination, genitalia, 694  
Binet staging system, chronic lymphocytic leukaemia, 594  
bioengineers, 359  
biological therapies, 299–302  
biomedical model, 118, 238–239  
biopsy  
    cervix, 707  
    genital warts, 757  
    muscle, 821  
    prostate, 733–734, 735  
    sentinel lymph node  
        breast cancer, 714  
        malignant melanomas, 925  
biotransformation, 378–379, 380–381  
Biot's respiration, 620  
bipolar neurones, 801  
birth, 260, 261–262  
bisphosphonates, 545, 734, 736  
bites, 363  
bladder (urinary), 666, 667  
    cancer, 672–675  
blast crisis, 594  
bleeding  
    a er dilatation and curettage, 709  
    per vaginam, 695–697  
    vitamin K deficiency, 266  
bleeding time, 932  
blended families, 435  
blepharitis, 870–871  
blindness, eating and drinking, 875  
blistering, 362  
blocking behaviours, in communication, 419  
blood  
    doping, 579  
    gases (arterial), 620  
    pH, 579, 616  
    *see also* blood tests; haematology  
blood cultures, 326  
blood groups, 492–493  
blood pressure, 558, 559–561  
    aldosterone and, 561, 777  
    Flo telehealth system, 11  
    hypertension, 572  
    mean arterial, 560, 822  
    measurement, 562  
    postoperative, 279  
blood tests  
    anaemia, 588  
    antenatal, 258  
    chemotherapy, 298  
    heart failure, 571  
    infections, 326  
    preoperative, 274  
    pseudohyperkalaemia, 541  
    reference values, 931–933  
    sexually transmitted infections, 755  
blood transfusions, 549, 587  
    calculations, 401  
    cross-matching, 502  
    mismatched, 492, 501  
blood urea nitrogen (BUN), chronic kidney disease, 681  
blood vessels, 558–561  
blood volume, reference ranges, 932  
blood-borne pathogens, 322–323  
    risk assessment, 753  
    travel and, 68  
blood–brain barrier, 380, 810  
Bloom's taxonomy, 34  
blue naevus, 926  
blueberries, 652  
body image, stomas and, 656  
body image theory, 131  
body language, sexual history, 749  
body mass index, 61, 62  
boils, 916, 917  
Bolam test, 105  
bone marrow, 485–486  
    aplastic anaemia, 587–588  
    harvesting, 598  
bones, 880–884  
    blood supply, 890  
    chronic kidney disease, 682  
    *see also* fractures  
Boss, P., on ambiguous loss, 445

- botulinum toxin A  
  migraine, 837  
  for spasticity, 841
- Bouchard's nodes, 894
- Boyle's law, 609, 611
- brachytherapy, prostate cancer, 734, 736
- bradykinesia, 841
- bradypnoea, 620
- brain, 802–810  
  abscesses, 832, 833  
  chronic kidney disease, 682  
  consciousness, 811–818  
  cranial nerve origins, 815  
  dementia, 843–845  
  depression, 240  
  epilepsy, 833–836  
  intracranial pressure, 822–823  
  multiple sclerosis, 838–841  
  nutrients required, 344  
  pain, 507, 509  
  Parkinson's disease, 841–843  
  sensory map, 814  
  stroke, 827–830  
  syphilis, 763  
  traumatic injury, 823–827  
    de ned, 208  
    dementia, 843  
  tumours, 830–831
- brainstem, 805–806
- brainstem death, 406
- brand names, medicines, 386
- Braxton Hicks contractions, 256
- breakfast, obesity and, 343
- breaking bad news, 421–422
- breakthrough pain, 523
- breast screening take-up, 291  
  learning disabilities, 80
- breast-feeding, 267–268
- breasts, 692  
  cancer, 291–292, 711, 712–714  
    conservation therapy, 714  
    mastectomy, 488  
    men, 722  
    Oncotype DX, 294  
  disorders, 711–714  
  examination, 692–693  
  lumps, 711, 712  
  male, 722  
  surgery, 488, 713–714  
  swelling, 711
- breathing, 609–614  
  accessory muscles, 611, 619  
  babies, 223  
  children, assessments, 230  
  control, 613–614  
  exercises, 273  
  Kussmaul's, 620  
  pain, 514, 520, 521  
  postoperative, 279  
  raised intracranial pressure, 823  
  relaxation technique, 273  
  unconscious patient, 819
- breathlessness, 619  
  *see also* dyspnoea
- breech birth, 261
- Briggs Committee, 10
- British Association of Sexual Health and HIV, 748
- British National Formulary*, 377
- British Orthopaedic Association, on hip fractures, 901
- British Sign Language, de ned, 208
- Broad Street pump, 72
- broad-spectrum antibiotics, 393
- Broca's area, 807
- bronchial tree, 607–608
- bronchiectasis, 628
- bronchodilators, 398–399, 626  
  de ned, 233
- bronchopneumonia, 623
- Brudzinski's neck sign, 833
- bruising *see* contusions
- buccal route, 389
- bu er systems, 532–533
- bulimia nervosa, 645
- bullae, 912
- bullying, de ned, 169
- BUN (blood urea nitrogen), chronic kidney disease, 681
- bundle of His, 555
- burden, on carers, 443
- burns, 368–369  
  pain, 521–522
- C cells, thyroid gland, 775
- C bres, 506, 513
- CA 125, ovarian cancer, 708
- cachexia, 292, 339
- Caesarean section, 262
- calcitonin, 775
- calcitriol, 776
- calcium, 531, 775–776, 883–884, 888  
  drug interactions, 382  
  excess (hypercalcaemia), 543–545  
  low (hypocalcaemia), 542–543, 544  
  reference range, 931  
  supplements, levothyroxine and, 787
- calcium channel blockers, 400
- calcium gluconate, 543
- calculi  
  biliary, 657, 659  
  renal, 670–672
- Caldicott review, 99
- callus, 888
- calorigenic e ect, 774
- cancer, 288–306  
  bladder, 672–675  
  breasts, 291–292, 711, 712–714  
    conservation therapy, 714  
    mastectomy, 488  
    men, 722  
    Oncotype DX, 294  
  carers and families, 440  
  central nervous system, 830–832  
  cervix, 704–708  
    vaccines, 301  
  colon, 292, 653–657  
    screening, 291  
  end of life care, 305  
  gallbladder, 658  
  genital warts, 757  
  investigations and diagnosis, 292–293  
  kidneys, 675–677  
  lungs, 629–630  
  malignant wounds, 370  
  ovaries, 708–709  
  pain, 292, 523  
  prostate, 732–734  
    screening, 733  
    treatment options, 736, 737  
  psychosocial care, 597  
  screening, 291  
    cervix, 705–706, 753  
    prostate, 733  
    *see also* breast screening take-up; self-examination  
  signs and symptoms, 291–292  
  skin, 68, 466, 923–925  
  stomach, 646–648  
  survivorship, 303–305  
  testes, 728–731  
  treatment, 293–303  
  weight loss, 292, 303, 339
- candidiasis, 917
- candour, duty of, 28, 107
- cannabis, 387
- capacity *see* mental capacity
- capillaries, 559  
  lymphatic, 486–487, 591
- capsules (medication), 388
- carbohydrates, 334, 458
- carbon dioxide, 532–533  
  on chemoreceptors, 614  
  chloride shi , 456–457  
  external respiration, 614–615  
  reference range, 932  
  transport, 616
- carbonic acid, 532, 616
- carbuncles, 916, 917
- carcinogenesis, de ned, 305
- cardiac cycle, 555–556, 557
- cardiac glycosides, 399–400
- cardiac muscle *see* myocardium
- cardiac output, 556, 560
- cardiac rehabilitation, 565, 568
- Cardi cards, 869
- cardiogenic shock, 546–547, 548
- cardiotocographs, 262
- cardiovascular disease, 563–577  
  in chronic kidney disease, 682  
  pain and, 520  
  risk factors, 65, 134  
  syphilis, 763
- cardiovascular system, 553–563  
  assessments, 561–563
- cardioversion, 570
- care, *vs* cure, 4
- care coordination, 46, 411–412
- care homes *see* nursing homes
- care partners, 167
- care pathways, de ned, 189
- care plans, 119–121, 122–124  
  advance care planning, 412–415
- Care Programme Approach, mental health policy, 238

- Care Quality Commission, 17, 45  
*Essential Standards of Quality and Safety*, 177  
 inspections, 178  
 survey of patients, 95
- career carers, 431–432
- careers, 12–15, 434
- Carer Passports, 439
- carers (non-professional), 113–114  
 assessment of, 434  
 benefits to, 446–447  
 caring for, 242, 425–426, 430–451  
 challenging, 437  
 for children, 218  
 children as, 433–434  
 defined, 431  
 discharge planning and, 187  
 dying patients, 425–426  
 identifying, 434–435  
 impact on, 443–447  
 involvement in nursing, 438–439  
 numbers of, 433–434  
 stroke, 829  
 support interventions, 447–448  
 types of, 432–433
- Carers Trust, 436
- caring careers, 434
- carmustine wafer, 831
- carotene, 354
- carpal tunnel syndrome, pregnancy,  
 259–260
- Carper, Barbara, on nursing as art and  
 science, 139
- carriers, *Staphylococcus aureus*, 395
- cartilage, osteoarthritis, 893
- cartilaginous joints, 884
- case conferences, on abuse cases, 158
- case management models, mental health  
 nursing, 138
- casts (plaster casts), 903–904
- catabolism, 333
- cataract surgery, 873–876
- catecholamines, 777
- catechol-O-methyltransferase  
 inhibitors, 842
- catheter-associated infections, 317–319
- catheters, foreskin and, 742
- cauda equina, 807
- cave paintings, 4
- Cavendish Review, 16–17
- cavernosography, 741
- cavernosometry, 741
- CD4, CD8 T cells, 491, 498–499
- cellulite, 761
- cellulose, 761
- celiac disease, 491
- cell cycle, 290, 291, 464–465
- cell-mediated immunity, 498–499
- cells, 455, 474–476  
 differentiation, 469–470  
 division and replication, 290, 291,  
 464–465  
 immune system, 491–494  
 repair and maintenance, 472–473
- cellulitis, 916, 917
- Central Council for Health Education, 51
- central nervous system, 802–810  
 blood supply, 810  
 cancer, 830–832  
 infections, 832–833  
*see also* brain
- central tolerance, 490
- central venous access, 342
- centromeres, 465
- cephalexin, urinary tract infections, 669
- cephalosporins, gonorrhoea, 761
- cerebellum, 806
- cerebral angiography, 820
- cerebral blood flow, 822
- cerebral cortex, 802–807  
 senses map, 814  
 visual cortex, 867
- cerebral oedema, 539, 822, 831  
*see also* post-traumatic oedema
- cerebral perfusion pressure, 822
- cerebrospinal fluid, 809  
 drainage, 823  
 infections, 833  
 multiple sclerosis, 839  
*see also* lumbar puncture
- cerumen, 354
- cervical intraepithelial neoplasia, 706
- cervix, 688  
 cancer, 704–708  
 vaccines, 301  
 screening, 291, 705–706, 753  
 sexually transmitted infections, 755
- Chadwick's sign, 256
- challenging families, 437
- chancre, 763
- change management, 44–45
- Change4life campaign, 59, 343
- chaperone molecules, 477
- Charcot (foot), 373
- Charcot-Marie disease, 845
- checklist, surgical safety, 278
- cheeks, 637
- chemistry, 456–459
- chemobrain, chemofog, 298
- chemoreceptors, 560, 614, 813
- chemotherapy, 294–299, 596–597  
 brain tumours, 831  
 cervical cancer, 707–708  
 colon cancer, 656  
 hair loss, 296–297, 713, 730  
 neutropenia, 297, 592  
 on nutrition, 339  
 resistance, 295  
 side-effects, 296–298
- cherry angiomas, 925
- chest, intrathoracic pressure, 823
- chest drains, 630
- chest pain, 521  
 angina, 564
- Cheyne-Stokes respiration, 620
- Chief Nursing Officer (CNO), 4
- child protection, 227–229  
 professional advisers,  
 228–229
- childbirth, 260, 261–262
- Childline, 229
- children, 210–235  
 abuse of, 228, 446  
 assessments, 229–230, 231  
 basic care needs, 223–227  
 as carers, 433–434  
 carers for, 218  
 cataract, 873  
 chronic sorrow, 445  
 circumcision, 742  
 communication, 214–218  
 consent, 101–102  
 corticosteroid replacement, 790  
 development, 34, 63–64, 211–213, 214  
 delay, 217–218, 226  
*see also* learning disabilities  
 Piaget on, 34  
 dialysis, 683  
 end of life care, 232–233  
 health problems, 218–223  
 health promotion, 63–64  
 health visitors and, 86  
 hip fractures, 900  
 HPV vaccination, 705  
 interprofessional working in nursing, 46  
 models of nursing, 135–136  
 neglect of, 228, 446  
 nursing field, 16  
*Nursing practice and decision-making*, 14  
 otoscopy, 858  
 public health website, 76  
 safeguarding, 227–229, 446  
 professional advisers, 228–229  
 sexual, 753, 764  
 sepsis, 547  
 sickle cell disease, 587  
 signs of health deterioration, 229–232  
 splenectomy, 489  
 urine specimens, 327  
 visual acuity, 869
- Children's Centres, Sure Start programme, 87
- Children's Society, young carers, 434
- Chlamydia trachomatis*, 706  
 trends, 747
- chloasma, 256
- chlorhexidine, MRSA decolonisation, 316
- chloride (ion), 531, 931
- chloride shift, 456–457
- cholecystectomy, 658–659  
 nutrition, 660
- cholecystitis, 657–658
- cholelithiasis, 657, 659
- cholera, 51, 72
- cholesteatoma, 862, 863
- cholesterol, 334, 659, 931
- Choosing Health* (DoH 2004), 52, 74
- Choosing Health* (DoH 2006), mental health  
 policy, 237
- chromatids, 465
- chromatin, 463
- chromosome 1p19q, loss, 831
- chromosome diseases, 471
- chromosomes, 464, 465, 466
- chronic bronchitis, 627
- chronic hepatitis, 649
- chronic illnesses, 84



- chronic kidney disease, 677, 680–683  
chronic lymphocytic leukaemia, 594, 595  
chronic myeloid leukaemia, 594, 595  
chronic obstructive pulmonary disease, 122–123, 399, 618, 626–628  
chronic pain, 510, 522–524  
chronic sorrow, 445  
chronic suppurative otitis media, 861–863  
ciliary body, 866, 867  
ciprofloxacin, urinary tract infections, 669  
circulation  
  children, 231, 232  
  postoperative, 279  
circumcision, 742–743  
  on HIV infection, 747  
circumventricular organs, 810  
cisplatin, cervical cancer, 707–708  
Clark's staging, malignant melanomas, 924, 925  
class (social), 79  
  alcohol and, 80  
  see also socioeconomic background  
claudication, 374, 574  
cleavage lines  
  dermis, 353  
client-centred therapy (Rogers), 35  
climacteric, 697  
Clinical Commissioning Groups, 19  
clinical governance, 45, 48  
Clinical Leadership Competency Framework, 42  
clinically isolated syndrome, 838  
clips, surgical closure, 283  
clitoridectomy, 711  
clitoris, 688  
closed questions, sexual history, 750  
*Clostridium difficile*, 314, 316–317, 395  
  alcohol gels and, 309  
clothing, babies, 224  
clotting see coagulation of blood  
cluster headaches, 836, 837  
coagulation of blood, 599, 600  
  factors, 601  
co-amoxiclav, urinary tract infections, 669  
cochlea, 854, 855  
cochlear implants, 860, 863  
Cochrane Library, 43  
*Code, The* (NMC 2015), 26–30, 93, 113  
  on confidentiality, 99  
  on consent, 100, 101  
  on duty of candour, 107  
  on duty of care, 105  
  Francis report and, 16  
  prioritising people, 131  
coercion, 101  
cognition, defined, 233  
cognitive behavioural therapy, 519  
cognitive theories of learning, 33–34  
cognitivism, 35  
cohort nursing, defined, 329  
colchicine, 896  
cold chains, 388  
colestyramine, levothyroxine and, 787  
colic, 338  
colitis, antibiotic-related, 395  
collaboration  
  interprofessional see interprofessional working with patients, 46–47  
Colley, S.  
  on nursing as art and science, 139  
  on nursing theory, 130  
Collier's classification, wounds, 359  
colon, 337–338, 641, 643  
  cancer, 292, 653–657  
  screening, 291  
colonoscopy, 651  
colostomies, 131, 653, 655–657  
colporrhaphy, 702  
colposcopy, 706  
coma, 816, 817  
combination chemotherapy, 295  
combined oral contraceptive pills (COCP)  
  cervical cancer, 705  
  dysfunctional uterine bleeding, 696  
comedones, 919  
Commission on Human Medicines, 377  
Commission on the Future of Nursing and Midwifery, report 2010, 20  
common cold, 481  
common law, 103, 104  
common variable immune deficiency, 502  
communication, 27, 173–175  
  barriers, 215, 419  
  breast cancer, 713  
  children and families, 214–218  
  deafness, 859, 860  
  dignity and, 166  
  end of life care, 408, 417–422  
  learning disabilities and, 14, 203–205  
  about lifestyle changes, 57–58  
  medicines management and, 384  
  mental capacity and, 151  
  nursing, 13–14  
  with older people, 173–175  
  preoperative, 276  
  sexual history, 749–750  
  among staff, 175  
community matrons, 84  
community mental health services, 240  
community nurses, carers and, 448  
community public health nurses, 72, 73, 82  
Community Recovery Services, 240  
compartment syndrome, acute, 897–899  
compartments (body fluids), 529  
compassion, 14–15, 93, 112, 125–126  
  antenatal care, 259  
  enteral feeding, 342  
compassion fatigue, 425–426  
*Compassion in Practice* (Cummings), 199  
competence (of patient), 101  
  Fraser competence, 764  
  Gillick competence, 102  
competence (to prescribe), 385–386  
complaints  
  freedom to make, 167  
  older people and, 173  
  professional values, 29  
complement, 494–495, 497  
complementary medicine, pain relief, 398, 519  
complexity, learning disabilities and, 198–199  
compliance see adherence  
compliance (lungs), 613  
comprehension, learning disabilities and, 203  
computed tomography, 820  
Computer Misuse Act 1990, 99  
concordance see adherence  
conditioned response (Pavlov), 33  
conditioning, haemopoietic stem cell transplant, 598  
condoms, 756  
  travel and, 68  
conductive hearing loss, 859  
condylomata acuminata (genital warts), 756–758, 759, 915  
cone biopsy, cervix, 707  
cones, retina, 866  
Confidential Inquiry into Premature Deaths of People with Learning Disabilities (CIPOLD), 195  
confidentiality, 27, 99–100  
  carers and families, 441  
  sexual health, 748, 749  
confusion, 817  
  falls and, 185  
  pneumonia, 624  
  postoperative, 281  
coning (tentorial), 822  
conjugation of drugs, 381  
conjunctivitis, 871–873  
  gonorrhoea, 761  
connective tissue, 476  
connective tissue disorders, 928–929  
consciousness (level of), 811–818  
  postoperative, 279–280  
  see also unconscious patient  
consensual light reaction, 818, 870  
consent, 100–102, 153, 206  
  adolescents, 226  
  Fraser competence, 764  
  Gillick competence, 102  
  to referral by adults at risk, 160  
  surgery, 277  
consequentialism (outcomes-based ethics), 96  
constipation, 338  
  chemotherapy, 296  
  neonates, 267  
  postoperative, 281, 284  
  pregnancy, 259  
Constitution, National Health Service, 46–47, 176  
contact dermatitis, 920  
contact tracing, sexually transmitted infections, 756, 761  
contaminated wounds, 283  
Continuing Healthcare, National Health Service, 188  
continuing professional development, 38–40  
continuum, safeguarding, 150  
contraception clinics, sexual history, 752  
contraceptives  
  history-taking, 753  
  see also combined oral contraceptive pills; condoms; oral contraceptives  
contractions  
  Braxton Hicks, 256  
  labour, 262

- contractures, prevention, 821  
 contraindications, drugs, 383  
 controlled drugs, 387–388  
 contusions, 363  
   brain, 824  
 Coombs' serum, 502  
 'Coordinate My Care' (electronic system), 411–412  
 coordinated care, 46, 411–412  
 coping, carers and families, 441–443  
 copper, reference range, 931  
 cor pulmonale, 627  
 cord blood cells, transplantation, 598  
 core conditions, of communication, 417  
 core promoters, 473  
 cornea, 865  
 corner shops, 343  
 coronary arteries, 556–558  
 coronary heart disease, 563–568  
   in chronic kidney disease, 682  
 corpus luteum, 689  
 corticosteroids, 789  
   brain tumours, 831, 832  
   Cushing's syndrome, 789  
   discoïd lupus erythematosus, 928–929  
   gout, 896  
   in inflammatory bowel disease, 652  
   multiple sclerosis, 840  
   negative feedback, 790  
   reducing use, 789  
   replacement doses, 790–791  
   for respiratory disorders, 625  
 corticosteroids (endogenous), 770, 777–779  
 corticotropin releasing hormone, 774, 779  
 cortisol, 778  
   tests, 788–789  
 costs  
   acute kidney injury, 677  
   alcohol-related disease, 650  
   hip fractures, 897  
   pressure ulcers, 366  
   respiratory disorders, 606  
   wound care, 357–358  
 cot death (SIDS), 268, 269  
 cough, 620  
   after surgery, 273  
 Council of European Alliance (UK), on nutrition, 181  
 counselling, in mental health nursing, 137  
 couplehood, loss, 445–446  
 Court of Protection, 206  
 courts (UK), hierarchy of, 103  
 cramps, after dilatation and curettage, 709  
 cranberry juice, 670  
 cranial nerves, 811, 814–815  
   origins, 815  
 C-reactive protein, 494  
 creams, 389  
 creatine kinase, reference ranges, 931  
 creatinine  
   acute kidney injury, 677  
   chronic kidney disease, 681  
   reference range, 931  
 creatinine clearance, chemotherapy, 298  
 cremaster muscles, 721  
 Crimean War, 6  
 crimes, 157  
 Crisis Care Concordat, 241  
 cristae, 856  
 Crohn's disease, 651–653  
 cross-contamination, prevention, ophthalmology, 872  
 crossing over, meiosis, 466  
 cross-matching, blood transfusions, 502  
 cryotherapy  
   genital warts, 759  
   prostate cancer, 736, 737  
 cryptorchidism, 728  
 Cry-sis (helpline), 229  
 cues, 417  
 culture, death and, 422  
 Cummings, Jane  
   *Compassion in Practice*, 199  
   on nursing, 112, 113  
 Cushing response, 822  
 Cushing's disease, 788–789  
 Cushing's syndrome, 788–789  
 cuts (wounds), 363  
 cyanosis, 619  
 cycle of poverty, 79  
 cyclooxygenases, 517  
 cystic mastopathy, 711  
 cystine stones, 671  
 cystitis, 669–670  
 cystocele, 700, 701  
 cysts  
   breasts, 711, 712  
   ovaries, 703–704  
 cytochrome P450 enzymes, 380  
 cytokine release syndrome, 301  
 cytokines, 299–300, 495  
   asthma, 624  
   cachexia, 292, 333  
 cytology, 293  
 cytoplasm, 475  
 cytotoxic agents *see* chemotherapy  
 cytotoxic hypersensitivity, 501  
 cytotoxic T cells, 499  
  
 dactylitis, 461  
 Dalton, J.M., on triad relationship, 438  
 Dalton's law, 609, 611  
 dander, 621  
 dartos muscle, 721  
 Data Protection Act 1998, 99  
 databases, 43  
 day-case surgery, 285  
 D-dimer, 601  
 deafness, 859–861  
 death, 405–407  
   children, 232–233  
   culture and, 422  
   nutrition and, 346–347  
   preoperative discussion, 276  
   signs and symptoms, 415–416  
   *see also* end of life care  
*Death by Indifference* (Mencap 2007 and 2012), 194, 195, 198, 207  
 decentralisation, 45  
 decerebrate posturing, 819  
 Decision Support Tool, discharge planning, 188–189  
 decisions, mental capacity and, 151–152  
 decolonisation, MRSA, 316  
 decompressive craniectomy, 826  
 decorticate posturing, 819  
 decriminalisation of sex work, 762  
 deep brain stimulation, 843  
 deep breathing exercises, 273  
 deep pain, 510  
 deep vein thrombosis, 60, 274, 280, 699  
 deep wound infection, 901  
 defaecation, 338  
   in hospital, 276  
   pelvic organ prolapse, 701  
*Defending Dignity* (RCN), 178  
 degree-level nurses, 15  
 dehiscence, 364  
 dehydration, 345, 534  
   acute kidney injury, 679  
   dying patients, 347  
   dyspnoea, 123  
   falls, 67  
   neglect, 154  
   pain, 346  
   sick child, 232  
 delayed cord clamping, 263  
 delegation, 107  
 deletion (genetic), 468  
 delirium, 670  
*Delivering Dignity*, 178  
 deltoid muscle, 391  
 dementia, 177–178, 406, 843–845  
   learning disabilities and, 199  
   loss of couplehood, 445–446  
   nutrition, 180, 344–345  
   progression, 410–411  
   refusal to eat, 345  
   urinary tract infections, 670  
 Dementia Toolkit, 844  
 demographics, 12  
   carers, 433–434  
   medicines, 386  
 dendritic cells, 482, 490, 494  
 dental dams, 766  
 deontology, 95, 96  
 depolarisation, 556  
 depot medroxyprogesterone acetate, dysfunctional uterine bleeding, 696  
 depression  
   'baby blues', 264–265  
   in carers, 443  
   diabetes mellitus, 794  
   factors affecting, 239–240  
   kidney disease and, 677  
   menopause, 698  
   nutrition, 240, 344  
   physical health and, 243  
   postnatal, 264–265  
   stroke, 830  
   wounds, 356  
   young people, 222  
 Deprivation of Liberty Safeguards, 152, 206  
 dermatitis, 920, 927  
   vulvodynia, 703

- dermatophytoses, 916–917  
 dermis, 352–353, 485  
 Des, J.D., on human-to-human relationships, 138  
 descending pain pathway, 508, 513  
 desmopressin, 600  
 desquamation, 303  
 determinants of health, 77, 78  
 development of children, 34, 63–64, 211–213, 214  
 delay, 226  
   communication and, 217–218  
   *see also* learning disabilities  
   Piaget on, 34  
 dexamethasone suppression test, 788–789  
 dextrose and insulin, for hyperkalaemia, 542  
 diabetes insipidus, 539, 782, 831  
 diabetes mellitus, 457–458, 791–794  
   corticosteroids, 789  
   foot, 369–370, 373, 846  
   nephropathy, 680, 681  
   nutrition and, 343–344, 793  
   Ramadan, 57  
   type 1, 491, 792–793  
   type 2, 792  
 diagnosis *see* nursing diagnosis  
 Diagnostic and Statistical Manual of Mental Disorders, 208  
 ‘diagnostic overshadowing’, 198  
 dialysis, 135, 679, 683  
 diamorphine, 381  
   myocardial infarction, 567  
 diaphragm, 611, 612  
 diaphyses, 880  
 diarrhoea, 338  
   antibiotics, 284  
   chemotherapy, 296  
   *Clostridium difficile*, 316–317  
   travellers’, 67, 68  
 diastole, 556  
 diastolic blood pressure, 559  
 diet *see* nutrition  
 dieticians, wound care, 359  
 di cult families, 437  
 di use injuries, brain, 824–825  
 di use parenchymal lung disease, 631  
 di usion, 530  
   Fick’s law, 611, 615  
 digestion, 636  
 digestive system *see* gastrointestinal tract  
 digital rectal examination, 727, 733  
 dignity, 26, 149, 176  
   antenatal care, 259  
   de ned, 162–165  
   enteral feeding, 342  
   hip fractures, 900  
   as human need, 165  
   in uencing for, 168  
   older people, 178  
   Royal College of Nursing on, 177  
   stomas and, 656  
   surgical gowns, 277  
   types of, 165–167  
 Dignity Challenges Framework, 167  
 Dignity in Care campaign, 165, 166–167  
 digoxin, 399, 400, 545, 569  
 dilatation and curettage, 709  
 dilemmas, ethical, 98–99  
 dimethicone, 919  
 dimethyl fumarate, 840  
 Diogenes syndrome, 246  
 direct Coombs’ test, 502  
 direct light re ex, 818  
 directly observed therapy, tuberculosis, 321  
 Director of Nursing for Public Health, 75  
 Disability Equality Duty, 201  
 Disability Rights Commission reports, 194  
 discharge planning  
   carers and families, 440–441  
   hip fractures, 899  
   learning disabilities, 202  
   older people, 186–189  
   renal calculi, 672  
   surgery, 284–285  
     cataracts, 876  
     colon cancer, 657  
     day-case surgery, 285  
     peptic ulcer, 645–646  
     TURP, 739  
   viral hepatitis, 650  
 disclosure of information, 100  
   of abuse, 156–157  
 discoid lupus erythematosus, 928–929  
 discrimination, 175  
   mental disorders, 246  
   against people with learning disabilities, 194, 196, 201  
 discriminatory abuse, 154, 207  
 disenfranchised grief, 445  
 disinfection, de ned, 329–330  
 disposal of equipment, 313  
 disseminated gonococcal infection, 761  
 disseminated intravascular coagulation, 603  
 distal promoters, 473  
 distribution of drugs, 379–380  
 distributive shock, 547  
 District Nurses, 82–84  
   discharge planning and, 187  
 diuretics, 536  
   chronic kidney disease, 683  
   hyponatraemia, 538  
   for raised intracranial pressure, 823  
 diversity policies, bare below the elbows, 311  
 DNA, 461–464  
   transcription, 472–473  
 do not attempt arti cial resuscitation (DNAR), 413, 414, 423–424  
 documentation, 175  
   advance care planning, 413–414  
   controlled drugs, 387–388  
   preoperative, 275  
   *see also* record-keeping  
 doing, being *vs*, 431  
 domestic abuse, 154, 207  
   government provision on (Wales), 751  
 dominant hemisphere, 807  
 dopamine, 477, 805  
 dopamine agonists, 842  
 dopaminergic stimulation therapies, 843  
 doping, blood, 579  
 dorsalis pedis pulse, 563  
 dosages, calculations, 400–401  
 Down Syndrome, 258, 468  
   annual health checks, 199  
 drains  
   chest, 630  
   surgical, 283, 676  
 dressings, 371–372  
   discharge planning and, 187  
   exudates, 361  
   infection control, 328  
   oedema and, 536  
 Driscoll, J., on re ection, 40  
 drivers for change, 11–12  
   nursing careers, 12  
 driving  
   drugs and, 388  
   a er injuries, 904, 905  
   myocardial infarction, 568  
   postoperative, 284  
     cataract surgery, 876  
     cholecystectomy, 659  
   seizures, 836  
   a er traumatic brain injury, 826  
 drops per minute, intravenous  
   infusions, 401  
 drugs, 376–403  
   abbreviations, 392  
   calculations, 400–401  
   for cardiogenic shock, 548  
   carers’ role in management, 447–448  
   falls and, 184  
   hearing loss, 857  
   for hypercalcaemia, 545  
   interactions, 382  
     herbal medicines, 398  
     levothyroxine, 786, 787  
     warfarin, 396  
   nurses’ role in management, 383–386  
   pharmacodynamics, 382–383  
   pharmacokinetics, 377–381  
   on potassium levels, 542  
   preparations, 388–392  
   professional values, 15, 28  
   recreational, sexual history, 751  
   risk of renal calculi from, 670, 671  
   sexual history, 751  
   storage in body, 380  
 drying of hands, 309, 311  
 dual process model, grief, 425  
 duct ectasia, breasts, 712  
 Dukes’ staging, colon cancer, 654  
 dumping syndrome, 648  
 duodenum, 337, 641  
 Duodopa, 843  
 duplication (genetic), 468  
 dura mater, 807  
 duty of care, 105  
 duty-based ethics, 95, 96  
 dying *see* death; end of life care  
 Dying Matters (charity), 412  
 dysfunctional uterine bleeding, 695–697  
 dyskinesia, 841  
 dyslexia, 195, 208  
 dysmenorrhoea, de ned, 695  
 dysphagia, stroke, 828  
 dyspnoea, 619  
   anaemia, 589  
   asthma, 625  
   children, 230



- dehydration, 123  
dying patients, 416  
heart failure, 571  
dyspraxia, de ned, 208
- ear, 851–863  
irrigation, 857–858  
*see also* hearing
- ear drops, self-administration, 862
- early morning urine, 327
- early supported discharge, hip fractures, 899
- eatwell plate, 335
- ebola, 325
- eczchymosis, de ned, 601
- echocardiography, atrial brillation, 569
- ectopic testis, 728
- eczema, 220–221, 920, 923  
venous, 575
- Edinburgh Depression Scale, 356
- educated guesses, in communication, 418
- education for nursing, 13–16, 30–40  
European Directives, 104  
history, 7–8, 10–11
- eGFR, 680
- eicosapentaenoic acid, 651
- ejaculation, 720, 722, 723  
lymph node removal for testicular  
cancer, 730
- elderly people *see* older people
- electrical burns, 368
- electrocardiography, 557  
atrial brillation, 569  
hyperkalaemia, 541  
hypokalaemia, 539–540
- electroencephalography, 821, 835
- electrolytes, 457, 529, 531  
imbalance, 537–545  
*see also specific electrolytes*
- electromyography, 821
- electronic palliative care coordination systems,  
411–412
- electrosurgery, genital warts, 759
- elements (chemical), 456
- elimination, preoperative assessment, 276
- eloquent areas, brain, 830
- emergencies  
competence and, 105  
professional standards concerning, 28
- emergency departments, falls in, 184
- emollients, de ned, 233
- emotional abuse (psychological abuse), 154,  
207, 228
- emotion-focused coping, 442
- emotions  
in communication, 419, 422  
pain and, 511
- empathy, 248, 418
- emphysema, 626–627
- employment, stomas and, 656
- empowerment  
of adults at risk, 160  
de ned, 169  
in mental health nursing, 138
- empyema, 630
- encephalitis, 832  
measles, 320
- end of dose failure pain, 523
- end of life care, 404–429  
advance care planning, 412–415  
breaking bad news, 421–422  
cancer, 305  
carers, 425–426  
children, 232–233  
communication, 408, 417–422  
culture, 422–424  
grief, 424–425  
hospice movement, 409  
nutrition, 346–347  
parenteral feeding and, 342  
refusal to eat, 345  
skin, 372–373  
*see also* death
- End of Life Care Strategy* (DoH 2008), 410, 412
- endearment, terms of, 176
- endocardium, 554
- endocrine system, 768–796
- endogenous opioids, 508
- endolymph, 854
- endometriosis, 704
- endometrium  
ablation, 697, 709–710  
menstrual cycle, 690
- endoscopy, peptic ulcer, 644
- endovascular gra placement, 573
- end-stage illness, predictors, 410
- enemas, 390  
for hyperkalaemia, 542
- engagement, fetus, 257
- enhanced recovery programmes, 440, 654–655
- Enlightenment, Age of, 5
- enteral feeding, 341–342
- enteric nervous system, 811
- enteric-coated tablets, 388
- enterocele, 700
- entrapment of nerve, 845
- environment, on health, 54
- enzymes  
cytochrome P450, 380  
de ned, 402  
plasma membranes, 475
- eosinophils, 494, 502, 582, 591, 932
- ependyma, 803
- epidemiology, 80–81
- epidermis, 351–352, 484–485
- epididymis, 727
- epididymo-orchitis  
gonorrhoea, 761
- epigenetics, 470
- epiglottis, 606
- epilepsy, 833–836
- epimysium, 886
- epiphyses, 880
- episiotomy, 263
- epithelialising tissue, 361, 362
- epithelium, 476  
thymus, 490
- Epstein–Barr virus, multiple sclerosis, 838
- Equality Act 2010, 154–155, 199  
reasonable adjustments, 199, 201–202
- equality policies, bare below the elbows  
(policy), 311
- equilibrium, 854–856
- erectile dysfunction, 739–742
- erection, penis, 723, 724
- erysipelas, 916, 917
- erythema, de ned, 233
- erythrocyte sedimentation rate, reference  
ranges, 932
- erythrocytes *see* red blood cells
- erythropoiesis, 579
- erythropoietin, 300, 459, 579, 666
- eschars, 361
- Escherichia coli*, 314, 483  
MCR-1 strain, 395
- Espresso co ee, 296
- Essence of Care 2010*, 168, 173
- essential skills clusters, 14–15, 22
- Essential Standards of Quality and Safety*, Care  
Quality Commission, 177
- estates teams, 359
- estimated date of delivery, 256
- estimated discharge dates, 187
- ethics, 92–110  
deontology, 95, 96  
end of life care, 422–424  
principles, 97–98  
sexual, 718
- ethnicity  
on health, 54  
menopause, 698  
skin, 911
- European Association of Urology, guidelines on  
prostate cancer, 733
- European Commission, on dignity, 162, 165
- European Convention on Human Rights 1950, 163
- European law, 104–105
- European Union Directive 77/453/EEC, 104–105
- European Union Directive 89/595/EEC, 105
- European Union Directive 2005/36/EC  
(Recognition of Professional  
Qualifications), 15–16
- eustachian tube, 853, 855
- evaluation stage, Nursing Process, 123–124
- Every Child Matters* (DoH 2004), 87–88
- evidence, of crimes, 157
- evidence-based practice, 42–44
- evisceration, 364
- evoked potentials, 821
- examination  
antenatal, 257  
ear, 857  
endocrine disorders, 781  
eye, 869  
gynaecological, 692–694  
male reproductive system, 726–728, 731  
rectal, 727, 733  
retina, 870  
sexually transmitted infections, 754–755  
skin disorders, 911–913
- excision, genital warts, 759
- excretion, drugs, 381, 384
- exercise, 903  
angina and, 655  
cancer treatment, 303, 304  
diabetes mellitus, 793  
uid intake, 534  
mental health and, 244  
osteoarthritis, 894, 895

- exercise tolerance test, 564  
 exons, 463  
 exophthalmos, 784, 785  
 experiential learning cycle (Kolb), 35  
 expert patients programmes, 895  
 expertise, 19  
 expiratory centre, 614  
 expiratory reserve volume, 613  
 exposure, postoperative assessment, 280  
 extended Glasgow Coma Scale, 824  
 extensively drug-resistant TB, 622  
 external acoustic meatus, 851, 852  
 external respiration, 614–615  
 extracellular fluid, 529  
 extracorporeal shock wave lithotripsy, 672  
 extravasation, systemic anti-cancer treatments, 301
- exudates  
 pleura, 630  
 wounds, 361
- eye, 863–876  
 disorders, 851, 870–876  
 rosacea, 921  
 eye drops, 872–873  
 eyebrows, 865  
 eyelashes, 865  
 eyelids, 863  
 blepharitis, 870–871  
 hygiene, 871
- face shields, 313  
 facial expression, in communication, 174  
 facilitated diffusion, 530  
 factitious wounds, 364  
 factor VIII, 600  
 failing students, 32  
 fairness, 98  
 Falanga, V., on wound bed preparation, 371  
 fallopian tubes, 688–689  
 falls  
 prevention, 66–67, 183–185, 903  
 procedures after, 185–186  
 risk assessment, 185
- families  
 of adults at risk, 161–162  
 as care partners, 167  
 caring for, 430–451  
 challenging, 437  
 communication, 214–218  
 defined, 435  
 dying child, 232–233  
 end of life care and, 423  
 impact of caregiving on, 443–447  
 involvement in nursing, 438–441  
 resilience in, 222  
 stroke, 829  
 as systems, 435–436  
 theories, 131–132, 435–436  
 traumatic brain injury, 826
- Family Planning Association, resources, 754  
 Family Rights Group, 229  
 family-centred care, 136, 436, 449  
 fasciotomy, 899  
 FAST assessment, stroke, 828  
 fasting (Ramadan), diabetes mellitus and, 57  
 fat embolism, 899
- fatigue  
 anaemia, 584, 589  
 cancer treatment, 303  
 hepatitis, 650
- fats  
 as nutrients, 334  
*see also* lipids
- fatty tissue, drug storage, 380
- fears, 133
- febrile convulsions, 218
- febuxostat, 897
- feedback, for revalidation, 39
- feedback (hormones) *see* negative feedback
- female genital mutilation, 711
- femoral hernia, examination for, 727
- femoral neck, fractures, 897–903
- ferritin, 588, 931
- ferrous sulfate, 584
- fertility, testicular cancer treatment on, 730
- fetal alcohol syndrome, 197
- fetus  
 growth and development, 257, 468–470  
 heart auscultation, 262  
 passive immunity, 493
- fever, 495  
 child, 218  
 postoperative, 279
- bre, colon cancer and, 654
- brinogen, 601, 932
- brinolytic drugs, 396–397
- broadenoma, breasts, 712
- brocystic changes, breasts, 711
- Fick's law, 611, 615  
 delity, 98  
 elds of nursing, 15–16, 22
- FIGO staging, ovarian cancer, 708
- financial abuse, 154, 207
- financial dealings, professional values, 29
- finger-tip unit rule, topical steroids, 929
- ngolimod, 840
- first pain sensation, 506
- first-pass metabolism, 378
- sh, 334
- sh oils, 341  
 chronic obstructive pulmonary disease, 399  
 inflammatory bowel disease, 651
- stulas, 363–364
- ness to practise, 30
- ve key visits, health visitor services, 86
- Five Years Forward View* (NHS 2014), 20, 21
- 5-aminolevulinic acid, 831
- axation, hip fractures, 898
- atulence, 338
- eas, 919
- Flo telehealth system, 11
- u vaccine, 65–66, 80
- udrocortisone, 790
- uids  
 balance, 529–537  
 acute kidney injury, 679  
 chronic kidney disease, 682  
 TURP, 735–738  
 after cystectomy, 674  
 gout and, 896  
 intake and output, 529  
 percentages of body weight, 932
- pneumonia, 624
- renal calculi and, 672
- shock, 549
- after TURP, 738
- urinary tract infections, 670
- volume deficit, 533–535  
 volume excess, 535–537
- focal seizures, 834
- folic acid, 584  
 antibiotics interfering with synthesis, 394  
 deficiency, 583  
 reference ranges, 932
- follicle stimulating hormone (FSH), 689, 773  
 deficiency, 782  
 in men, 721  
 menopause, 698
- follicular cysts, ovarian, 703
- folliculitis, 916, 917
- food  
 drug interactions, 382  
 fortification, 340–341  
*see also* nutrition
- foot  
 athlete's, 484, 918  
 diabetes mellitus, 369–370, 373, 846  
 peripheral neuropathy, 846
- foramina of Luschka, 809
- foramina of Magendie, 809
- forced expiratory volume in 1 second, 620
- forced vital capacity, 620
- forceps, obstetric, 262
- foreskin, disorders, 742
- formularies, 385
- fortification, food, 340–341  
 4, 5, 6 model, 86–87
- fractures, 887–888, 890  
 from falls, 184  
 neck of femur, 897–903
- FRAMES acronym, motivational interviewing, 57  
*Framework for Personalised Care and Population Health* (DoH 2014), 84–85
- Francis report, 16–17, 45, 122  
 on nutrition, 180  
 on patient-centred care, 115  
 on record-keeping, 141
- Fraser competence, 764
- Freedom of Information Act 2000, 99
- Fretwell, J., on teaching and learning, 30–31
- friends and family test, 173
- fruit juices  
 renal calculi and, 672  
 for urinary tract infections, 670
- funding  
 nursing home care, 188  
 patient-centred care, 140–141
- fungating wounds, 370
- fungi, 484  
 skin infections, 916–917
- furuncles, 916, 917
- gait, Parkinson's disease, 841
- gallbladder, 642, 643  
 disorders, 657–660
- gallstones, 657, 659
- gametes, 466
- gamma aminobutyric acid, 805

Gamp, Mrs Sarah, 5

gangrene, diabetic foot ulcer, 373

Gardasil, 758

gastretyl, 758

ga Tdbss tec3(s)5((a)8(b 2422n-56415(l)6(, 758)TJTfga)3(s)55(ic (g)1et)-t)-5e3( Tdb2422(a)8(bTJ, 2215(l)6, 5)h, 5)T82.g)-5 24223(s)55(16(vGa)9i3( 10(uTJ, 317, 12(in)k/2S1 gs(3182

- Health Belief Model, 62
- Health Care for All* (DoH 2008), on vulnerable people, 199, 201, 207
- Health Challenge England* (DoH 2006), 52
- health education, 51, 52, 59–60
- health facilitators, 200
- health inequalities, 76–80
  - learning disabilities, 198–199
  - respiratory diseases, 617
  - see also* socioeconomic background
- health interviews, male reproductive disorders, 725–726
- health liaison nurses, 200, 203
- Health of the Nation, The* (DoH 1992), 74
- health promotion, 50–70
  - models, 58–59
- health protection, 60, 81
- Health Visiting Plan (DoH), 86
- Health Visitor Implementation Plan (DoH 2011), 86–87
- health visitors, 85–88
  - developmental assessment by, 211, 214
- health workers
  - allowed to prescribe medicines, 385
  - u vaccine and, 65–66
  - HIV prevention, 323
- Healthcare for All* (2008), 195
- healthcare-associated infections, 314–319
- Healthy Lives, Healthy People* (DoH 2010), 52, 62, 74
- healthy living, 52
- hearing, 851, 854, 855, 876
  - assessments, 856–858, 859
  - loss, 859–861
- hearing aids, 860, 861
- heart, 553–558
  - atrial brillation, 569–570
  - blood supply, 556–558
  - fetus, auscultation, 262
  - see also* cardiac output; cardiogenic shock; coronary heart disease; electrocardiography; myocardium; pericarditis
- heart failure, 570–572
- heartburn, 336
  - pregnancy, 259
- heat loss, neonates, 266
- Heberden's nodes, 894
- helicases, 460 Tc 0 1nd(h)ar

- hyperventilation, 620  
hypocalcaemia, 542–543, 544  
hypocapnia, 616  
hypochromia, 582  
hypoglycaemia, 793  
    Ramadan, 57  
hypokalaemia, 539–541, 544  
hypomagnesaemia, 545  
hyponatraemia, 537–538, 544  
hypoparathyroidism, 787–788  
hypopituitarism, 781–783  
hypotension, pneumonia, 624  
hypothalamo-hypophyseal portal system, 773  
hypothalamus, 772, 773, 805  
    hormones, 774  
hypothyroidism, 780–781, 785–787  
hypoventilation, 620  
hypovolaemic shock, 546  
hypoxaemia, 617, 618  
hypoxia, 618  
hypoxic drive, 614  
hysterectomy, 710–711  
    for DUB, 697  
    for prolapse, 702  
    radical, 707, 710  
    services, 694
- iatrogenesis (Illich), 134  
iatrogenic leg ulcers, 365  
ibrutinomab tiuxetan, 302  
identity, dignity of, 162  
idiopathic nephrolithiasis, 671  
idiopathic thrombocytopenic purpura, 491  
IgA, 493  
IgD, 493  
IgE, 492  
IgE-mediated hypersensitivity, 500  
IgG, 493  
IgM, 492  
ileal conduit, 674, 675  
ileostomies, 653, 655–657  
ileum, 337, 641  
Illich, Ivan (1926–2002), 134  
illiteracy, 54  
imiquimod, 759  
immune complex assays, 502  
immune complex-mediated hypersensitivity, 501  
immune system, 299–300, 480–503  
    cancer, 289  
    cells, 491–494  
    disorders, 499–502  
    function, 495–499  
    inflammation, 481–483  
    lymphatic system, 484–491  
    multiple sclerosis, 838  
    proteins, 494–495  
immunisation, 60, 218, 219  
    human papillomavirus, 757, 758  
    travel health, 67  
    tuberculosis, 321  
    *see also* vaccines  
immunodeficiency, 502  
    in chronic kidney disease, 682  
immunoglobulins, 299, 491–493  
    reference ranges, 931  
immunotherapies, 294, 299–300  
implementation stage, Nursing Process, 123  
implied consent, 100  
Improving Health and Lives: Learning  
    Disabilities Observatory, 202  
impulse control disorders, 843  
incident forms  
    aer falls, 186  
    pressure ulcers and, 183  
inclusion  
    defined, 208  
    in safeguarding, 156  
incontinence, 726  
    prolapse, 702  
    urinary tract infections, 483  
incubators, 223  
incus, 853  
independence, maintaining, 83–84  
Independent Mental Capacity Advocates,  
    206, 413  
indirect Coombs' test, 502  
induration, defined, 374  
inequalities *see* health inequalities;  
    socioeconomic background  
infant feeding, 267–268  
infants *see* pre-school children  
infections  
    care and treatment, 319–327  
    central nervous system, 832–833  
    in chemotherapy, 297  
    control/prevention, 15, 307–331, 483, 756  
    eyes, 872  
    hepatitis, 649–650  
    ophthalmology, 872  
    recent advances, 328–329  
    urinary tract, 318  
    *see also specific infections*  
    diagnostic tests, 325–327  
    hospital-acquired *see* nosocomial infections  
    leukaemia, 593  
    respiratory, 621–624  
    postoperative, 280  
    sick child, 232  
    skin, 915–918  
    surgical sites, 283  
    upper respiratory tract, 219, 481  
    urinary tract, 317–319, 483, 669–670,  
    674, 676  
    wounds, 361, 362, 901  
    *see also* sexually transmitted infections  
inferior vena cava, 559  
infestations, skin, 918–919  
inflammation, 711  
inflammation, 481–483, 497  
    glucose on, 335  
    leukocytes, 591  
    wound healing, 345, 355, 357  
inflammatory acne, 919–921  
inflammatory bowel disease, 491, 651–653  
inflammatory carcinoma, breasts, 712  
inliximab, Crohn's disease, 652  
inulin, 65–66, 80, 621  
information giving, 418  
    anxiety and, 272  
    breaking bad news, 421  
    to carers and families, 441  
    signposting, 447–448  
endocrine disorders, 783  
hysterectomy, 711  
orchidectomy, 730  
preoperative, 273  
information passports, 201  
informed consent, 100  
inguinal hernia, examination for, 727  
inhalers, 391–392, 398–399  
    corticosteroids, 625  
inhibin, 690  
innate immunity, 496–497  
    cell-mediated immunity and, 498–499  
inner ear, 853–854  
inorganic molecules, 458  
inotropic drugs, 399–400, 548, 571  
insect-borne diseases, 68  
inspiration/expiration ratio, 619  
inspiratory centre, 614  
inspiratory reserve volume, 613  
Institute for Innovation and Improvement,  
    NHS, 230  
institutional abuse, 154–155, 207  
insulin, 458, 779–780  
    resistance, 792  
insulin (medication), 792–793  
    for hyperkalaemia, 541  
    with dextrose, 542  
insulin tolerance tests, 782  
intelligence quotient, 197, 208  
intensive care, children, place of death, 233  
'intentional rounding', 124–125, 126  
interaction theories, 132  
intercostal muscles, 611, 612  
interdisciplinary care *see* interprofessional  
    working; multidisciplinary teams  
interferons, 300, 495  
    multiple sclerosis, 840  
interleukins, 300, 495, 498–499  
internal auditory artery, 854  
internal carotid arteries, 810  
internal respiration, 616–617, 618  
interneurons, 801  
interpersonal skills, 57  
interphase, 464  
interprofessional working, 46, 48, 123  
    wound care, 358–359  
    *see also* multidisciplinary teams  
interstitial lung disease, 631  
intertrigo, candidiasis, 917  
interventricular foramina, 809  
interviews  
    male reproductive disorders, 725–726  
    motivational, 57–58  
    psychosocial interventions, 249  
    *see also* history-taking  
intra-carotid sodium amobarbital, 831  
intracellular fluid, 529  
intracranial haemorrhage, 824, 828  
intracranial pressure (ICP)  
    pupils, 819  
    raised, 822–823  
    vital signs, 818  
intramuscular route, 390–391



- intranatal care, 260–264  
 intrarenal AKI, 678  
 intrathoracic pressure, 823  
 intravenous infusions, 282, 401  
   chemotherapy, 298  
   fluid volume deficit, 534  
   potassium chloride, 540  
   for shock, 549  
 intravenous route, 378, 391  
 intrinsic factor, 583  
 introns, 463  
 intuition, 19  
 inversion (genetic), 468  
 investigations (legal), 29  
   of abuse, 156, 157  
 involution, uterus, 264  
 iodine, 775  
   radioactive, 784  
 ions, 457, 531  
 iris, 866  
 iron, 584  
   colon cancer, 654  
   reference ranges, 588, 931  
   supplements, 584  
   levothyroxine and, 787  
 iron deficiency anaemia, 583, 588  
 irrigation  
   ears, 857–858  
   TURP, 735–738  
 ischaemic heart disease *see* coronary heart disease  
 Islam  
   bare below the elbows (policy), 311  
   Ramadan and diabetes, 57  
   stomas and, 656  
 islets of Langerhans, 779  
 isolation (barrier nursing), 311–314, 329  
   tuberculosis, 321, 622  
 isotope scans, thyroid gland, 784  
  
 Jacquemier's sign, 256  
 JAK2 mutations, 589, 590  
 Jarisch–Herxheimer reaction, 765  
 jaundice, 649, 658  
   neonates, 267  
   sickle cell disease, 461  
 jejunum, 337, 641  
 jewellery, preoperative management, 277  
 Johns, C., model of structured reflection, 40  
 joints, 884, 885  
   replacement, 895, 898  
   *see also* arthritis  
 Joseph Rowntree Foundation, 77  
 judgemental questions, sexual history, 751  
 justice, 98, 422, 423  
  
 Karnofsky Performance Status, 831  
 Kawasaki disease, 920  
 keloid, 285  
 Kennedy cycle, 844–845  
 keratinocytes, 352  
 Kernig's sign, 833  
 ketones, 792  
 keyhole surgery (laparoscopy), 648, 658  
  
 kidneys, 663–666  
   acid-base balance, 533  
   blood supply, 664, 665  
   cancer, 675–677  
   *see also* renal failure  
 kinases, 300  
 Klinefelter's syndrome, 468  
 Knowles, Malcolm, on andragogy, 35  
 Kolb, D.A., learning model, 35  
 Kubler-Ross model, 424  
 Kussmaul's breathing, 620  
  
 labia, 687  
 labour, 260–264  
   induced, 261  
 labyrinth, 853–854  
 labyrinthitis, 863  
 lacerations, 363  
 lacrimal apparatus, 865  
 lactase insufficiency, 475  
 lactate dehydrogenase, 729  
*Lactobacillus* species, 483  
 Laming, Lord, *Protection of Children in England, The*, 85  
 Langerhans cells, 352, 482  
 laparoscopy, 648, 658  
 larvae, wound cleaning, 363  
 laryngeal spasm, 543  
 larynx, 607, 609  
 laser lithotripsy, 672  
 laser surgery  
   genital warts, 759  
   prostate, 737  
 Lasting Power of Attorney, 206, 413  
 laxatives, 296  
 leadership, 29, 40–42, 48  
   change management, 44  
   in learning, 30–31  
 Leadership Frameworks (NHS), 42  
*Leadership, management and teamworking*  
   (nursing student), 14  
*Leading Change, Adding Value*, nursing  
   framework, 20  
 learning, 30–40, 48  
   styles of, 36–37  
   theory of, 33–37  
 learning disabilities, 193–209, 900  
   access to services, 199–203  
   cancer screening, 738  
   breast screening take-up, 80  
   causes, 197  
   classification, 197–198  
   decision-making capacity, 856  
   defined, 195–196  
   documents carried, 201–203  
   health and, 54  
   legislation and, 205–206  
   Mental Capacity Act 2005, 101, 205  
   nursing, 16  
   *Communication and Interpersonal skills*, 14  
   reproductive system, 694  
   sexual health, 750  
   *see also* development of children  
 learning environments, 30–31, 48  
  
 Learning Material on Nursing (Barrett and Richardson), 119  
 least restrictive option, 152  
 left ventricular systolic dysfunction, 570  
 leg(s), peripheral vascular system, 562–563  
 leg exercises, 273–274  
 leg ulcers, 364–366  
   malignant, 370  
   venous, 364–365, 574, 575  
 legal frameworks, 102–103  
 legal perspectives, 102–106  
 Legionnaire's disease, 623  
 legislation, 103–104  
   carers, 434  
   child protection, 227–228  
   on confidentiality, 99  
   and sexual health, 748  
   health promotion, 60  
   human rights, 163–164  
   learning disabilities and, 205–206  
   medicines, 377, 386–388  
   mental health, 246–247  
   Person Group Directions, 384–385  
   sex workers, 762  
 Leininger, M., on care vs cure, 4  
 lemon juice, renal calculi and, 672  
 lens, 866  
 leukaemia, 593–595  
 leukocytes, 582, 590–599, 932  
 leukopenia, 591–593  
 leukotrienes, 494  
 Levine, Myra Estrin, 120  
 levodopa therapies, 842, 843  
 levonorgestrel-releasing intrauterine system, 696  
 levothyroxine, 786, 787  
 liaison nurses, 200, 203  
*Liberating the NHS* (DoH 2012), 58  
 libido, menopause, 698, 699  
 lice, 918, 919, 927  
 licensing, sex work, 762  
 lichen planus, 927  
 lie, fetus, 257  
 life expectancy, 12  
   gender, 738  
 lifecourse approach, 85  
 lifelong learning, 48  
 lifestyle changes  
   communication about, 57–58  
   mental health and, 244  
 life-threatening asthma, 625  
 limbic system, 507, 509, 511, 807, 808  
 limited formulary, 385  
 limited nurse prescribing, 385  
 Lindsay Leg Club, 366  
 linea nigra, 256  
 lipids, 458  
   insulin and, 779  
 lipodermatosclerosis, defined, 374  
 lipoproteins, 334, 931  
 lipoxins, 494, 495  
 lip-reading, 174  
 lips, 637  
 liquid preparations, medicines, 389, 401  
 liquorice, 382

- literacy, 54  
 literature, searching, 43–44  
 lithotripsy, 672  
 liver, 642, 643  
   alcohol, 650–651  
   oedema, 571  
 Liverpool Model of Community Nursing, 82  
 living well (healthy living), 64–65  
 lobular pneumonia, 623  
 lobules, lungs, 611  
 local authorities, 19  
   health visitors, 86  
   public health, 75  
   *see also* Social Services  
 lochia, 264  
 locked-in syndrome, 817  
 loneliness, 167  
 long-term conditions, 84  
 look-back period, sexual history, 751  
 loop diuretics, 538  
   chronic kidney disease, 683  
 loss (of loved one), 424–425, 444–446  
 low-density lipoproteins, 334  
 low-residue diet, 652  
 lumbar puncture, 821  
 lumpectomy, breasts, 714  
 Lund and Browder tool, 369  
 lungs, 607–608, 610  
   cancer, 629–630  
   lobules, 611  
   volumes, 613  
 lupus erythematosus, 928–929  
   scalp, 927  
   *see also* systemic lupus erythematosus  
 luteal cysts, 703  
 luteinising hormone (LH), 689, 721, 773  
   deficiency, 782  
 lymph, 486  
 lymph nodes, 487–489  
   breasts, 714  
   testicular cancer, removal, 730  
   *see also* sentinel lymph node biopsy  
 lymphadenopathy, 487  
 lymphatic ducts, 489  
 lymphatic follicles, 489  
 lymphatic system, 484–491, 591  
 lymphatic trunks, 489  
 lymphatic vessels, 353, 485–486, 591  
 lymphocytes, 299, 582, 591, 932  
 lymphoedema, 294, 488–489  
 lymphomas, 595–598  
  
 MacDonald, Ann, paediatric model, 135–136  
 maceration, defined, 374  
 macrocytosis, 588  
 macronutrients, 333  
 macrophages, 482, 493, 498, 591  
 macules, 912  
 magnesium, 531, 931  
   low (hypomagnesaemia), 545  
 magnetic resonance imaging, 820  
   breasts, 713  
   hip fractures, 900  
 major histocompatibility complex, 498  
  
 Makaton, 204  
 malignant melanomas, 924–925  
 malignant wounds, 370  
 malleus, 852, 853  
 malnutrition, 338–340  
   anaemia, 583–585  
   neglect, 154  
   older people, 178–182  
   operative risk from, 275, 276  
 Malnutrition Universal Screening Tool, 276, 339–340  
 malpractice  
   negligence, 105–106  
   raising concerns, 107–109  
 mammary dysplasia, 711  
 mammography, 713  
   *see also* breast screening take-up  
 managed care agents, 138  
 management  
   leadership *vs.*, 40  
   *see also* change management  
 managerial leadership, 41, 48  
 mannitol, 823  
 maps, person-centred planning, 161  
 Marmot Review, 78–79  
 masks (personal protective), 313  
 Maslow, A., hierarchy of needs, 164, 223  
 massage, 519  
 mast cells, 494  
 mastectomy, 714  
   modified radical, 488, 714  
   postoperative care, examination, 693  
 mastoid air cells, 853  
 maternity care, 254–269  
   *see also* pregnancy  
 matter, phases, 456  
 McCartney, M., on fluid intake, 536  
 McCormack, B. and T. V. McCance, on person-centred practice, 176  
 McGill Pain Questionnaire, 514, 515  
 MCR-1 strain, *Escherichia coli*, 395  
 meal times, 180, 181, 333, 348  
   blind patients, 875  
   dying patients, 347  
   Protected Mealtime Initiative, 438–439  
 mean arterial blood pressure, 560, 822  
 mean cell haemoglobin, 588  
 mean cell haemoglobin concentration, 588  
 mean cell volume, 588  
 measles, 74, 320  
 meconium, 267  
 medical device-related pressure ulcers, 368  
 medical model, 118, 238–239  
 medicines  
   defined, 377  
   *see also* drugs  
 Medicines Act 1968, 377  
 Medicines Optimisation (NICE), 377  
 Mediterranean diet, 334  
 medium-chain acylCoA dehydrogenase  
   deficiency, 267  
 medroxyprogesterone acetate (depot),  
   dysfunctional uterine bleeding, 696  
 medulla oblongata, 805, 806  
  
 Meeto, D., on obesity, 342  
 mefenamic acid, 696  
 megaloblastic anaemia, 583  
 meibomian glands, 870  
 meiosis, 463, 466–468, 720  
 melanin, 354  
   hair, 353  
 melanocytes, 351–352  
 melanomas, malignant, 924–925  
 memorialisation, 424–425  
 memory T cells, 499  
 men  
   breast cancer, 722  
   as carers, 433  
   reproductive disorders, 717–745  
     assessment, 723–728  
     sexual history, 752  
     sexual symptoms, 751  
     sexually transmitted infections, 755, 760  
   menarche, defined, 695  
 Mencap  
   *Death by Indifference*, 194, 195, 198, 207  
   *Getting it Right*, 207  
   learning disabilities defined, 195  
   reports, 194  
 Mendelian disorders, 471  
 meninges, 807–809  
 meningitis, 832–833  
 menopausal acetate W3 1 T13(es)5ru5ha

- mental health services, 240–241  
mentors, 31–33, 48  
    accountability, 106, 107  
    *see also* teachers  
merit, dignity of, 162–163  
metabolic acidosis, 533  
metabolic alkalosis, 533  
metabolism  
    drugs, 378, 380–381  
    rate, 774  
metastases  
    to brain, 830  
    testicular cancer, 729  
methylprednisolone, multiple sclerosis, 840  
methylxanthines, 626  
meticillin-resistant *Staphylococcus aureus*, 314,  
    315–316, 395  
    chromogenic agar, 328  
metoprolol, 399  
MGMT (DNA repair protein), 831  
Michael Inquiry, 195  
microbes, 483–484  
microcytosis, 582, 588  
micronutrients, 333  
    deficiencies, 179  
    wound healing, 345  
microskills, communication, 417–419  
Mid Staffordshire NHS Foundation Trust,  
    16–17, 45  
Mid Yorkshire NHS Trust, reasonable  
    adjustments, 202  
midbrain, 805–806  
Middle Ages, 4–5, 405  
middle ear, 852–853  
midstream specimens of urine, 327  
midwives, 255, 262–264  
    medicines management and, 387  
    postnatal care, 264, 265, 266–267, 268  
    regulation, 8  
migraine, 836, 837  
milestones, child development, 212  
MIND (National Association for Mental  
    Health), on advocacy, 102  
mineralocorticoids, 777  
    replacement doses, 790–791  
    *see also* aldosterone  
minerals, 334  
minimal consciousness state, 817  
minimally invasive surgery, 270  
ministrokes, 827  
minute volume, 613, 619  
misdiagnosis, seizures, 833  
Misuse of Drugs Act 1971, 387–388, 516  
mitochondria, 475  
mitochondrial inheritance, 471  
mitosis, 290, 291, 463–466  
    inhibitors, 295  
MMR vaccine, 74, 218, 320  
mobilisation, postoperative, 282  
mobility, 455  
    preoperative assessment, 276  
    unconscious patient, 821  
models of nursing, 129–145  
Modernising Nursing Careers project, 51  
modified radical mastectomy, 488, 714  
moist wound healing, 370  
moisture lesions, 367  
molecules, 457, 458–459  
moles, 466  
Mongolian blue spot, 925  
monitoring  
    drugs, serum concentration, 381  
    heart failure, 572  
    intracranial pressure, 823  
    nocturnal penile tumescence and rigidity, 741  
    oxygen saturation, 279  
monoamine oxidase type B inhibitors, 842  
monoclonal antibodies, 300–301  
monocytes, 582, 591, 932  
monosodium urate, 895  
Monro–Kellie hypothesis, 822  
moral stature, dignity of, 163  
morals, 96  
morphine  
    cancer, 523  
    dehydration on, 346  
    myocardial infarction, 567  
mortality rates, 81  
    asthma, 626  
    hip fractures, 897  
    learning disabilities, 194, 198  
    maternal, 260  
    young people, 222  
motivation, for learning, 37–38  
motivational interviewing, 57–58  
motor function, assessments, 819  
motor neurones, 801  
mouth, 335, 637–639  
    sexually transmitted infections, 755  
mouth care, 496  
    anaemia, 584–585  
    dying patients, 347  
Ms B v. an NHS Hospital Trust, 101  
mucinous cystadenomas, 704  
mucosa-associated lymphatic tissue, 489  
mucous epithelium, 476  
multidisciplinary teams (MDT)  
    breast cancer, 713  
    cancer treatment, 293  
    discharge planning, 187  
    hip fractures, 902–903  
    older people's care, 172  
    stroke, 829  
    *see also* interprofessional working  
multidrug-resistant tuberculosis,  
    395, 622  
multiple myeloma, 596  
multiple sclerosis, 838–841  
multivitamins, levothyroxine and, 786  
mupirocin, MRSA decolonisation, 316  
muscle, 477, 886–887, 888  
    assessments, 819  
    biopsy, 821  
    strength grading, 892  
    tone, 886  
    *see also* myocardium  
muscle splinting, 520  
muscular dystrophy, 471  
musculoskeletal system, 879–908  
    assessments, 891–892  
mustard gas, 294  
mutations, 468  
    beneficial, 477  
    Hox genes, 469  
    mitochondrial, 471  
myelin, 505–506, 799, 800  
myeloma (multiple), 596  
myocardial infarction, 566–568  
myocardium, 553–554, 886–887, 889  
    contractility, 556  
myosin, 886  
myxoedema, 491  
myxoedemic coma, 786  
Naegele's Rule, 256  
naevi, 925–926  
naevus ammeus, 925  
nails, 351, 354, 926, 927  
nappy rash, 267  
nasal cavity, 606  
nasal secretions, babies, 223  
nasogastric tubes, 341, 342, 645, 647  
natalizumab, 840  
National Association for Mental Health  
    (MIND), on advocacy, 102  
*National Clinical Guidelines for Stroke*,  
    828, 830  
National Dementia Strategy, 177  
National Dignity Council, 165  
National Early Warning Score, 278  
National Health Service  
    confidentiality and sexual health, 748  
    Constitution, 46–47, 176  
    Continuing Healthcare, 188  
    erectile dysfunction treatments, 742  
    funding for care in nursing homes, 188  
    historical aspects, 9–10  
    Institute for Innovation and Improvement, 230  
    public health nursing, 82  
    reform 2013, 19–21  
    Venereal Diseases Regulations, 99  
National Health Service Act 1946, 104  
National Institute for Health and Care  
    Excellence *see* NICE  
National Osteoporosis Society, 893  
National Patient Safety Agency, definition of  
    falls, 183  
National Quality Board, definition of  
    quality, 45  
National Service Framework, mental  
    health, 137  
National Service Framework Next Steps, 178  
National Suicide Prevention Strategy for  
    England, 245  
natural killer cells, 299, 493  
natural killer T cells, 493  
nature, nurture vs, 211  
nausea  
    chemotherapy, 296  
    dying patients, 416  
    postoperative, 280–281  
    pregnancy, 259  
near-fatal asthma, 625  
near-patient testing, infections, 325  
nebulisers, 399

- neck of femur, fractures, 897–903  
necrotic tissue, 361, 362  
needlestick injuries, 650  
needs, 131, 164–165, 223–227  
  combined framework with human rights, 166  
needs theories, 132  
negative feedback  
  corticosteroids, 790  
  *see also under* hormones  
neglect, 154, 207  
  of carers, 446  
  of children, 228, 446  
negligence, 105–106  
negotiated disclosure, 422  
*Neisseria gonorrhoeae*, 758, 760  
  pharynx  
    swabbing, 755  
    treatment, 761  
    specimens for, 755  
neomycin, MRSA decolonisation, 316  
neonates, 266–267  
nephrectomy, 676–677  
nephrolithotomy, percutaneous, 672  
nephrons, 664, 665  
nephrotic syndrome, 459  
nerves, 477  
  chronic kidney disease, 682  
  entrapment, 845  
  in skin, 353  
  *see also* neurones  
nervous system, 797–849  
  assessments, 811–819  
  parasympathetic, penile erection, 723  
  *see also* central nervous system; sympathetic nervous system  
neural tube defects, 469  
neuro brillary plaques and tangles, 843  
neurogenic shock, 547  
neuroglia, 798, 799, 803, 804  
neuroischaemic diabetic foot ulcer, 373  
neuromodulators, 802  
neurones, 798–802  
  pain, 505–507  
neuropathic pain, 298, 522, 523, 846  
  *see also* peripheral neuropathy  
neurotransmitters, 802, 805  
  penile erection, 723  
neutropenia, 314, 591–593  
  chemotherapy, 297, 592  
neutrophils, 482, 494, 497, 582, 591, 932  
New Delhi metallo-β-lactamase gene, 395  
*New NHS, The* (DoH 1999), 45  
New York Heart Association, Functional Classification of heart failure, 571  
Newman, Margaret, health as expanding consciousness, 9  
*NHS Safety Thermometer*, 358  
NICE  
  on controlled drugs, 388  
  diabetes mellitus risk, 792  
  *Medicines Optimisation*, 377  
  on nutrition in older people, 179  
  *Preoperative tests*, 274  
  on sickle cell disease, 586  
nicotine replacement therapy, 275  
Nightingale, Florence (1820–1910), 6–7, 74, 113, 141, 333  
nil by mouth, 276–277  
nitrate sprays, 564, 566, 567  
nitric oxide, 723  
nitrites, urine, 667  
*No Health Without Mental Health* (DoH 2011), 237  
*No Secrets* (DoH 2000), vulnerable adults  
  de ned, 207  
nociceptors, 505, 813  
nocturnal penile tumescence and rigidity  
  monitoring, 741  
nodes of Ranvier, 799  
nodules (skin), 912  
noise, 174  
non-disjunction, 468  
non-epileptic seizures, 834–835  
non-ergot dopamine agonists, 842  
non-Hodgkin's lymphoma, 596  
non-invasive positive pressure ventilation, 618  
non-male cence, 97, 422, 423  
non-melanoma skin cancer, 923–924  
non-steroidal anti-inflammatory drugs (NSAIDs), 398, 517, 518, 894  
  dysfunctional uterine bleeding, 696  
  gout, 896  
  peptic ulcer, 644, 645  
  renal calculi, 671  
noradrenaline, 770, 777, 805  
norethisterone, 696  
normative ethics, 96  
norovirus, 317, 318  
Northern Ireland, sexually transmitted infections, 747  
Norwegian scabies, 919  
nosocomial infections  
  de ned, 330  
  pneumonia, 623  
NSPCC Child Protection line, 229  
nucleosides, 461  
nucleosomes, 463  
nucleotides, 461, 462  
nucleus (of cell), 475  
nursing, de ned, 25, 112  
Nursing and Midwifery Council (NMC), 12–13  
  on carers, 431  
  *The Code* (2015), 16, 26–30  
  on communication with children, 215  
  on community public health nursing, 72  
  on discrimination, 175  
  on maternity care, 255  
  on medicines, 386, 388, 391  
  revalidation requirements, 39, 142–143  
  *Standards for Medicines Management*, 384  
nursing diagnosis, 120  
nursing goals, 121–122  
nursing homes  
  families and, 437  
  NHS funding for care in, 188  
  Winterbourne View, 199  
*Nursing practice and decision-making* (domain), 14  
Nursing Process, 111–128  
  de ned, 118–119  
  phases, 120  
nursing theory, 130–132  
  historical aspects, 8–9  
nurture, nature vs, 211  
nutrients, 333–334  
  amino acids, 459  
  brain, 344  
  wound healing, 345–346  
nutrition, 332–349  
  acne, 921  
  acute kidney injury, 679  
  Alzheimer's disease, 844–845  
  anaemia, 584–585  
  angina and, 565  
  babies, 224, 267–268  
  cancer, 292  
  cholecystectomy, 660  
  chronic kidney disease, 683  
  depression, 240, 344  
  diabetes mellitus, 343–344, 793  
  gastroctomy, 647–648  
  gout, 896  
  haemopoietic stem cell transplant, 599  
  hip fractures, 902  
  hyperthyroidism, 785  
  hypoparathyroidism, 787–788  
  inequalities, 77  
  inflammatory bowel disease, 652–653  
  mental health and, 244  
  older people, 178–182  
  peptic ulcer, 644, 645  
  potassium, 542  
  potassium disorders, 541, 542  
  pressure ulcers and, 183  
  renal calculi and, 671, 672  
  sodium disorders, 537  
  stomas and, 656  
  unconscious patient, 819–821  
nutrition champions, 347–348  
nutritional support, 340–342  
nuts, gallstones and, 659  
obesity, 61–62, 342–343  
  BMI, 62  
  cancer and, 289, 675  
  Change4life campaign on, 59  
  mental health and, 244  
  operative risk from, 275  
  risks, 65  
  trends, 55  
observation rounds, 116  
obstructive lung disorders, 624–628  
  asthma, 219–220, 225, 624–626  
  chronic obstructive pulmonary disease, 122–123, 399, 618, 626–628  
obstructive shock, 547  
occupational therapists, wound care, 359  
oculomotor dysfunction, raised ICP, 822  
oedema, 487, 536  
  heart failure, 571  
  post-traumatic, 825  
  *see also* cerebral oedema; pulmonary oedema  
oesophagus, 335–336, 640  
oestrogens, 689–690  
ointments, 389

- older people, 171–192  
 anaemia, 583  
 Health Service Ombudsman case studies, 646  
 medicines, 400  
 under-nutrition, 178–182, 338–339  
 opioids, 901  
 presbycusis, 858–861  
 reproductive system, 694  
 skin, 372–373  
 vitamin D, 339, 888
- oligodendrocytes, 803
- oligomenorrhoea, *de ned.* 695
- omega-3 fatty acids, 341  
 chronic obstructive pulmonary disease, 399  
 in inflammatory bowel disease, 651
- Oncotype DX, breast cancer, 294
- oogenesis, 466, 689–690
- open-ended questions, sexual history, 750
- openness, 16
- operant conditioning (Skinner), 33
- ophthalmic history, 868
- ophthalmoscopes, 870
- opioids, 397–398, 515–516, 520  
 endogenous, 508  
 with non-opioids, 518  
 older people, 901  
 osteoarthritis, 894  
 receptors, 397, 508, 516  
 renal calculi, 671  
 sickle cell disease, 586  
*see also* morphine
- opsonisation, 495
- optic nerves, 866, 868
- optic tracts, 866–867
- oral contraceptives  
 antiepileptic drugs and, 836  
 travellers' diarrhoea and, 68  
*see also* combined oral contraceptive pills
- oral hygiene *see* mouth care
- oral route, drugs, 378, 379
- orbits, 863, 864
- orchidectomy, 730
- Orem, Dorothea, 9
- Orem's model, 133–135
- organ of Corti, 854, 855
- organic molecules, 458
- organisation of care, 114–118
- organisational/institutional abuse, 154–155, 207
- orientation phase, mental health nursing, 137
- orthomyxoviruses, 621
- orthopnoea, 571, 619
- osmolality, 529  
 serum, reference range, 931  
 urine, acute kidney injury, 678
- osmolarity, 529
- osmosis, 529–530
- ossicles, 852, 853, 855  
 otosclerosis, 861
- osteoarthritis, 892–895
- otitis externa, 863
- otitis media, 861–863
- otoliths, 854
- otorrhoea, 862
- otosclerosis, 861
- otoscopy, 858, 860
- ototoxicity, 857
- Ottawa Charter, 58
- Our Vision* (DoH 2012), 12
- outbreaks  
*de ned.* 330  
 measles (South Wales), 320
- outcome theories, 132
- outcomes (patient goals), 121, 122
- outcomes-based ethics, 96
- outpatient departments, environment of, 95
- ovarian cycle, 689–690
- ovaries, 689  
 cancer, 708–709  
 cyst, 703–704
- ovulation, 689
- Oxford Stroke Classification, stroke, 828
- oxidation, 335, 381
- oxygen  
 on chemoreceptors, 614  
 external respiration, 614–615  
 transport, 615–616
- oxygen capacity, 616
- oxygen consumption/oxygen extraction ratio, 616, 617
- oxygen content, 616
- oxygen delivery, 616
- oxygen saturations, 616, 620  
 asthma, 625  
 monitoring, 279
- oxygen therapy  
 babies, 223–224  
 children, 225, 227  
 heart failure, 571  
 myocardial infarction, 567
- oxyhaemoglobin dissociation curve, 616, 617
- oxytocin, 772
- p53 (protein), 300
- PaCO<sub>2</sub>, 532–533, 616
- Paediatric Early Warning Scores, 230
- Paget's disease of breast, 712
- pain, 397, 504–527  
 acute, 519–521  
 angina, 564  
 arterial leg ulcers, 365  
 assessment, 513–514  
 cancer, 292, 523  
 classification, 508–512  
 complementary medicine, 398  
 dehydration, 346  
 depression and, 243  
 'diagnostic overshadowing', 198  
 dying patients, 415  
 labour, 262  
 management, 514–524  
 musculoskeletal, 890–891, 892  
 myocardial infarction, 566, 567  
 neuropathic, 298, 522, 523, 846  
*see also* peripheral neuropathy
- osteoarthritis, 893, 894
- pathways, 509
- physiology, 505–508
- postoperative, 281–282, 511–512, 520–521, 656
- prostaglandins, 494
- renal calculi, 671
- sickle cell disease, 461, 586
- theories, 512–513, 519
- urinary tract infections, 669–670
- vulvodynia, 703
- wounds, 361–362  
*see also* analgesia
- pain threshold, 512
- painful stimulus, 817–818
- palaeopathology, 4
- palate, 638
- palliative care, 407–409  
 cancer, 293  
 chronic kidney disease, 682  
 electronic coordination systems, 411–412  
 psychosocial care, 416, 420  
 wounds, 359–360
- palpitations, 119
- pancreas, 458, 779–780
- Paneth cells, 337
- panic, *de ned.* 250
- PaO<sub>2</sub>, 615, 616
- paper towels, 311
- papilloedema, 822
- papules, 912
- para*-aminobenzoic acid, 394
- paracetamol, 219, 516–517, 894  
 chronic kidney disease, 682–683
- paraphimosis, 742
- paraphrasing, in communication, 418
- parasympathetic nervous system, penile erection, 723
- parathyroid glands, 775–776  
*see also* hyperparathyroidism;  
 hypoparathyroidism
- parathyroid hormone, 770, 775–776  
 bone remodelling, 883–884
- parenteral feeding, 342  
 acute kidney injury, 679
- parents, 218  
 communication with, 216  
 death of child, 232–233  
 'good enough', 228  
 health promotion, 63
- parietal epithelium, 476
- Parkinson's disease, 477, 841–843  
 'Get it on Time', 383, 842
- Parliament, 103–104
- partial pressures  
 carbon dioxide  
 arterial (PaCO<sub>2</sub>), 532–533, 616  
 venous (PvCO<sub>2</sub>), 532  
 oxygen, arterial (PaO<sub>2</sub>), 615, 616
- partial seizures, 834
- partner notification, sexually transmitted infections, 756, 761
- partograms, 262
- paternalism, 97
- patient(s), collaboration with, 46–47
- patient allocation (model), 116, 117
- patient goals, 121, 122
- patient hotels, 439–440
- patient-centred care, 115, 140–141, 175–178
- patient-controlled analgesia, 281–282, 516
- patient-specific directions, 385



- Peace Hospice Care (Watford), Starlight Centre, 305
- Peach Report, 11
- peak expiratory flow rate, 619–620
  - asthma, 625, 626
- Peate, I., on advocacy, 102
- pedagogy, 35
- pediculosis *see* lice
- pelvic inflammatory disease, gonorrhoea, 761
- pelvic organ prolapse, 699–703
- pelvis, floor, 700
- Pembrey, S., on teaching and learning, 30–31
- penis, 721, 722
  - erection, 723, 724
  - dysfunction, 739–742
  - examination, 727
  - nocturnal tumescence and rigidity monitoring, 741
- Peplau, Hildegard (1909–1999), 9
  - on mental health nursing, 137
- peptic ulcer, 644–646
  - acute kidney injury, 679
  - chronic kidney disease, 682
- percutaneous endoscopic gastrostomy, 341
- percutaneous nephrolithotomy, 672
- perfusion, ventilation (pulmonary) and, 615
- pericarditis, 476, 568–569
- pericardium, 553
- perilymph, 854
- perimenopause, 697
- perineum, postnatal, 264
- periods of increased incidence, defined, 330
- peripheral artery disease, 562–563, 574
- peripheral nervous system, 810–811
- peripheral neuropathy, 845–846
  - chemotherapy, 297
- peripheral resistance (total), 560
- peripheral tolerance, 490
- peristalsis, 639, 640
- peritoneal dialysis, 135, 679, 683
- pernicious anaemia, 491, 583, 588, 648
- Person Group Directions, 384–385
- personal protective equipment, 311, 313
  - ebola and, 325
- personalisation, 177
- personalised management, 156
- personality
  - for nursing, 3–4
  - styles of learning, 36–37
- personality disorder, defined, 250
- person-centred planning, 161, 201
- person-centred practice, 166, 175–178
  - ear problems, 856–857
  - safeguards, 672tn, 36–37
- peritoneal dialysis, 135, 679, 683

- pregnancy (*cont'd*)  
 in inflammatory bowel disease, 653  
 menopause, 698  
 mental health care, 241  
 smoking, 81  
 travel health, 67  
*see also* maternity care
- prehistoric treatments, 4
- preload, on stroke volume, 556
- premature discharge, 188
- premedication, 277
- preoperative surgical phase, 272–278
- Preoperative tests* (NICE Clinical Guideline 3), 274
- pre-renal AKI, 678
- presbycusis, 858–861
- pre-school children  
 communication with, 215–216  
 development, 212
- prescribing qualifications, 385
- prescription only medicines, 386–387
- prescriptions, 383, 385–386  
 abbreviations, 392
- presentation, fetus, 257
- pressure ulcers, 154, 182–183, 345, 366–368, 901–902  
 end of life care, 372–373  
 government documents, 358  
 heart failure, 572  
 postoperative, 281
- prevention  
 contractures, 821  
 falls, 66–67, 183–185, 903  
 of ill health, 60  
 infections, 308–317, 483, 756  
 eyes, 872  
 urinary tract, 318  
*see also specific infections*
- pressure ulcers, 182–183, 358  
 in safeguarding, 155, 160–162  
 sexually transmitted infections, 756
- primary angioplasty, coronary, 567
- primary atypical pneumonia, 623
- primary biliary cirrhosis, 491
- primary care  
 Addison's disease, 791  
 chronic suppurative otitis media, 862  
 Cushing's syndrome, 789  
 diabetes mellitus, 794  
 hip fractures, 903  
 hysterectomy services, 694  
 mental health provision, 240  
 sexually transmitted infections, 762  
*see also* general practitioners
- primary care nursing, 82, 88
- primary nursing, 116, 117, 118
- primary polycythaemia, 589–590
- primary prevention, 60
- Principles of Nursing Practice (RCN), 3, 25, 106, 176
- privacy, 27, 99, 166–167  
 antenatal care, 259  
 breaking bad news, 421  
 carers and families, 441  
 Human Rights Act 1998, 104
- probiotics, 670
- problem-focused coping, 442
- proctoscopy, sexually transmitted infections, 755
- professional indemnity insurance, 105
- Professional Standards Authority for Health and Social Care, 13, 26
- Professional Values (Standards for competence)*, 13
- professions  
 de ned, 25  
 nursing as, 25–26  
 upholding trust in, 29
- progesterone, 689–690
- progestogens, 696, 699
- Prognostic Indicator Guidance, Gold Standards Framework, 410–411
- Project 2000, 10–11, 22
- project sponsors, change management, 44
- prolactin, 773  
 deficiency, 782
- prolapse, pelvic organs, 699–703
- promoters (gene transcription), 473
- prostaglandins, 398, 494, 497, 517
- prostate, 721–722  
 benign hypertrophy, 731, 734–738  
 cancer, 732–734  
 screening, 733  
 treatment options, 736, 737  
 examination, 727
- prostatectomy, 737  
 radical, 736
- prostate-specific antigen, 733
- prostatism, 726, 731
- prostatitis, 731–732
- protamine sulfate, 396
- proteases, emphysema, 626
- Protected Mealtimes Initiative, 438–439
- protection *see* child protection
- Protection of Children in England, The* (Lord Laming), 85
- protection plans, 158
- protective diet, 335
- proteins, 458–459  
 binding, 380  
 immune system, 494–495  
 misfolding, 477  
 as nutrients, 334  
 wound healing, 346  
 plasma membranes, 474–475  
 production, 472–473  
 renal calculi and, 671  
 serum range, 932
- proteinuria, 667
- prothrombin, 396, 601
- prothrombin time, 601, 932
- proton-pump inhibitors, 645  
 levothyroxine and, 786
- pruritus, 221
- pseudomyxoma peritonei, 704
- psoriasis, 490, 920, 922–923  
 nails, 926, 927  
 scalp, 927
- psychiatric disorders *see* mental disorders;  
 mental health nursing
- psychodermatology, 913
- psychogenic non-epileptic seizures, 834
- psychological abuse, 154, 207, 228
- psychological models, mental disorder, 239
- psychosexual therapy, erectile dysfunction, 741
- psychosis  
 de ned, 250  
 mental health care, 241
- psychosocial care, 248–249  
 cancer, 597  
 de ned, 427  
 myocardial infarction, 568  
 palliative care, 416, 420  
 skin, 913
- psychotropic drugs, 239
- ptosis, 869
- puberty, 213
- public health, 71–89
- Public Health England, 52, 76, 88  
 Cancer Board, targets, 290  
 on standing, 75
- Public Interest Disclosures Act 1998, 109
- pulmonary circulation, 554, 555  
 blood flow, 615
- pulmonary embolism, 547
- pulmonary oedema, 571  
 in chronic kidney disease, 682
- pulse(s), 561–562, 563  
 postoperative, 279
- pulse oximeters, 620
- pulse pressure, 559
- pupils, 818–819, 866, 869, 870
- pure tone audiometry, 856
- purines, risk of renal calculi from, 671
- purpura, de ned, 601
- pustules, 912, 921
- PvCO<sub>2</sub>, 532
- pyelonephritis, 669–670, 680
- pyrexia *see* fever
- qualifications  
 EU Directives on, 104–105  
 for prescribing, 385
- quality agenda, wound care, 357–359
- quality assurance, 45
- Quality Assurance Framework (2013), 18–19
- quality of life  
 after cancer treatment, 304  
 skin disorders, 913
- quantitative data, *vs* qualitative data, 139
- quarantine, de ned, 330
- Queen's Nursing Institute, 448
- radial pulse, 561–562
- radiation burns, 368
- radical hysterectomy, 707, 710
- radical mastectomy, 714  
 modified, 488, 714
- radical nephrectomy, 676
- radioactive iodine, 784
- radioallergosorbent test, 502
- radioimmunotherapy, 302
- radioisotope scans, thyroid gland, 784
- radiotherapy, 302–303, 597–598  
 bladder cancer, 674  
 brain tumours, 831, 832

- cervical cancer, 707–708  
 colon cancer, 657  
 for Cushing's syndrome, 789  
 on male sexual function, 730  
 prostate cancer, 736
- Ramadan, diabetes mellitus and, 57
- Rapid Referral toolkit (Macmillan), 298
- rapport, 249  
 with parents, 218
- Rathbone, William (1819–1902), 82
- reabsorption, in kidneys, 666
- reactive hyperaemia, 367–368
- reasonable adjustments, Equality Act 2010, 199, 201–202
- receptors (cellular), 475, 770, 771
- receptors (sensory), 813  
 retina, 866
- Recognition of Professional Qualifications (EU Directive 2005/36/EC), 15–16
- recombinant tissue plasminogen activator, 396–397, 828, 829
- record-keeping, 27, 175  
 of abuse, 157  
 confidentiality, 99  
 nutrition, 180, 181  
 safety and, 141  
 sexual health, 749, 754  
 confidentiality, 748, 749  
*see also* documentation
- recovery approach, mental health, 238, 241, 243
- rectal route, 389–390
- rectocele, 701
- rectum  
 examination, 727, 733  
 phantom, 655  
 prostate biopsy via, 733–734  
 radiotherapy, 657
- rectus femoris muscle, 391
- red blood cells, 459–460, 579–590  
 anaemia, 588  
 blood groups, 492–493  
 normal values, 588, 933
- red meat, colon cancer, 654
- red tray system, 180, 340, 348
- reduced-sodium salt, 542
- referrals, abuse cases, 157, 159–160
- referred pain, 523–524
- reflective accounts, for revalidation, 39
- reflective practice, 39–40, 48
- reflective responding, 417–418
- reflectors, 507–508, 509
- refusal of treatment, 388  
 Advance Decision, 206, 414  
 rights, 100–101, 102, 206
- refusal to eat, 345
- registration of nurses, 8, 13  
 breach of, 30
- regulation, professional, 8
- rehabilitation  
 cardiac, 565, 568  
 hip fractures, 899  
 traumatic brain injury, 826
- reinforcement (behaviourism), 33
- relaxation techniques, 272–273
- relaxin, 690
- religion, spirituality vs, 242, 419–420
- remodelling, bone, 883–884, 888
- renal cell carcinomas, 675–677
- renal failure, 135, 541–542, 677–683  
 postoperative, 280
- renin, 666
- renin–angiotensin–aldosterone system, 777
- replication, DNA, 464
- repolarisation, 556
- reproductive disorders  
 men, 717–745  
 assessment, 723–728  
 women, 686–716  
 assessment, 692–694
- research, historical aspects, 10–12
- residual volume (lungs), 613
- resilience, 162, 222
- respect, 163, 166
- respiratory acidosis, 533, 618
- respiratory alkalosis, 533, 548
- respiratory centres, 614
- respiratory diseases, 617–634  
 children, 219–220
- respiratory distress, children, 230
- respiratory failure, 617–621
- respiratory physiology, 608–617
- respiratory rate, 116, 279, 618–619  
 pneumonia, 624
- respiratory system, 606–617  
 assessments, 618–621
- respite, for carers and families, 447
- restless leg syndrome, 841
- restlessness  
 dying patients, 415  
 postoperative, 278
- restrictive lung disorders, 628–629
- resuscitation  
 do not attempt, 413, 414, 423–424  
 witnessing, 233
- reticular activating system, 816
- reticulocytes, 579, 588, 933
- retina, 866, 867  
 examination, 870
- revalidation, 13, 38–40, 142–143
- Rey's syndrome, de ned, 402
- Rhesus status, 263
- rheumatoid arthritis, 491
- Richards, Linda (1841–1930), 7
- rights *see* human rights
- Rinne's test, 859
- rituals of clinical practice, 115
- rituximab, 301
- RNA, 461, 472–473
- rods, retina, 866
- Rogers, Carl (psychologist), 35, 247–248
- role of nurse, 18–19
- role theory, carers, 443
- root cause analysis  
 falls, 186  
 pressure ulcers, 183
- Roper, Logan and Tierney model, 132–133
- rosacea, 921–922
- rounding ('intentional'), 124–125, 126
- routine tasks, 115
- Royal College of Nursing  
 de ning nursing, 112, 113, 114  
 on dignity, 177  
 on Francis report, 16  
 history, 8  
 Principles of Nursing Practice, 3, 25
- Royal Marsden Hospital staging system, testicular cancer, 729
- rules-based ethics, 95, 96
- sacrohysteropexy, 702
- sacrospinous plexus, 702
- safe custody of drugs, 387–388
- safeguarding  
 adults, 155–162  
 children, 227–229, 446  
 professional advisers, 228–229  
 sexual, 753, 764  
 de ned, 149  
 learning disabilities, 206–207  
 principles, 149–152  
 timescales, 158
- Safer Surgery Checklist, World Health Organization, 278
- safety, 28–29  
 patient-centred care and, 141
- salbutamol, 391, 399
- saliva, 637
- salivary glands, 335, 637
- salt  
 reduced-sodium, 542  
 stomach cancer and, 648  
*see also* sodium
- salutogenesis, de ned, 449
- sandwich-generation carers, 432
- sarcopenia, 338, 339
- sarcoplasm, 886
- satellite cells, neuroglia, 803
- Satir, V., on family system perspective, 436
- Saving Lives, Our Healthier Nation* (DoH 1999), 74
- scabies, 755, 918–919
- scalp, disorders, 927–928
- scalp cooling, 297
- scarlet fever, 916
- scars, surgical, 285
- Schilling test, 588
- schistosomiasis, 673
- schizophrenia, nutrition, 344
- Schön, D., on reflection, 39
- school health advisors, 85, 87–88
- school-age children, development, 213
- Schwann cells, 803
- science, nursing as, 138–140
- sclera, 865
- scleroderma, 490, 491
- Scotland  
 Adults with Incapacity (Scotland) Act 2000, 150  
 Age of Legal Capacity Act 1991, 102  
 sexually transmitted infections, 747, 758  
*Scottish Inpatient Patient Experience Survey*, 180  
 Scottish Intercollegiate Guidelines Network, 901  
 on testicular cancer, 729

- screening, 60  
 antenatal, 258  
 cancer, 291  
   cervix, 705–706, 753  
   prostate, 733  
   *see also* breast screening take-up;  
     self-examination  
 learning disabilities patients, 199, 694, 738  
 MRSA, 316  
 neuropathic pain, 846  
 nutritional status, 179, 339–340  
 sexually transmitted infections, 752
- scrotum, 721  
 examination, 727
- Seacole, Mary (1805–1881), 7
- seamless care, 46–47
- sebaceous glands, 354
- seborrhoea, 927
- seborrhoeic dermatitis, 920, 927
- second pain sensation, 506
- secondary care, mental health provision, 240
- secondary prevention, 60
- sedatives  
 adverse events, 165  
 falls and, 184  
 for raised intracranial pressure, 823
- seizures, 833–836  
 brain tumours, 831  
 misdiagnosis, 833  
 non-epileptic, 834–835
- selective serotonin reuptake inhibitors,  
 on pain, 523
- selenium, for exophthalmos, 785
- self-actualisation, 165
- self-awareness, 248
- self-care, 134–135
- Self-Care eory (Orem), 9
- self-disclosure, 248
- self-examination  
 breasts, 693  
 testes, 731
- self-harm  
 factitious wounds, 364  
 iatrogenic leg ulcers, 365  
 young people, 222
- self-management  
 unstable angina, 565
- self-neglect, mental disorders, 245–246
- semen, 720, 722
- semicircular canals, 854
- seminomas, 728, 730
- senses, 811  
 cerebral cortex map, 814  
 receptors, 813  
 special, 851
- sensorineural hearing loss, 859
- sensory behaviours, autism, 196
- sensory function, assessments, 819
- sensory neurones, 801
- sentinel lymph node biopsy  
 breast cancer, 714  
 malignant melanomas, 925
- sepsis  
 neutropenia, 297, 592  
 shock, 547
- septal nuclei, limbic system, 808
- serology, syphilis, 763
- serotonin, 344, 805
- serum concentration monitoring, drugs, 381
- sesamoid bones, 881
- 7-dehydrocholesterol, 888
- sex chromosomes, 466
- sex hormones  
 female, 689  
 male, 721
- sex workers, legislation, 762
- sexual abuse, 154, 207, 228
- sexual activity  
 angina and, 564  
 stomas and, 656  
 a er TURP, 739
- sexual health  
 confidentiality, 748, 749  
 consultations, 748  
 learning disabilities, 750  
 mental health and, 243  
 postoperative, 285  
 preoperative issues, 276  
 record-keeping, 749, 754  
 confidentiality, 748, 749
- sexual response, male, 739, 740
- sexually transmitted infections, 746–767  
 complications, 755  
 infection control, 322–323  
 prevention, 756  
 treatment, 755–756
- sharp-bins, 313
- shaving, preoperative, 277
- shear forces, 182, 366
- Sheehan's syndrome, 782
- shi workers, glucocorticoid replacement, 790
- shingles, 916
- shock, 545–549  
 postoperative, 279
- SI units, 400–401
- sick day rules, corticosteroid replacement, 791
- sickle cell crisis, 585–586
- sickle cell disease, 460–461, 585–587, 588
- Sidaway v. Bethlem Royal Hospital  
 Governors, 100
- side-effects *see* adverse effects
- sigmoidoscopy, 651
- sign language, 217  
 Makaton, 204
- sign-mentor, 33, 48
- signposting, 447–448
- sildenafil, 656, 742
- 'Silver Book', 176
- single-use medical devices, 328, 329
- sinoatrial node, 555
- sinuses, 364
- six C's, 3–4, 94
- Six Lives* (DoH 2013), 195
- Sjögren's syndrome, 491
- skeleton, 880–884
- Skene's glands, 688
- skills *see* microskills
- skin, 350–375, 484–485, 909–930  
 assessments, 910–914  
 cancer, 68, 466, 923–925
- chronic kidney disease, 682  
 glands, 354  
 investigations, 914  
 older people, 372–373  
 radiotherapy, 303, 598  
 sexually transmitted infections, 755  
 surgical closure, 283–284  
 tears, 363, 372  
 terminology, 911–913  
 unconscious patient, 821  
*see also* wounds
- skin tests, allergies, 501
- slavery, 154
- sleep disturbance, menopause, 698
- slit-lamps, 874
- slough, 361, 362
- slow-release preparations, 389
- small intestine, 337, 641
- SMART (acronym)  
 change management, 44  
 dignity and, 168  
 goals, 121
- SMARTIES (acronym), 168
- smegma, 743
- smoking, 55–56, 64–65, 629  
 cancer, 289, 290, 648  
 bladder, 673  
 cervix, 705  
 kidneys, 675  
 health inequalities and, 76  
 history-taking, 621  
 mental health and, 244  
 operative risk from, 275  
 pregnancy, 81  
 on public health, 12
- smooth muscle, 886, 888
- Snellen chart, 869
- Snelling, P., on 'intentional rounding', 125
- Snow, Dr John (1813–1858), 72
- social approach, mental disorder, 239
- social death, 407
- social dining, 180
- social media, young people's healthcare, 217
- social recovery, mental health, 241
- Social Services  
 discharge planning and, 187  
 raising alerts with, 158
- social skills, de ned, 208
- Society of Sexual Health Advisers, 750
- socioeconomic background  
 cancer of cervix, 705  
 on health, 54–55  
 respiratory diseases, 617  
 wound healing and, 356–357  
*see also* health inequalities
- sodium, 531  
 aldosterone on, 777  
 deficiency, 537–538  
 dietary, 537  
 excess (hypernatraemia), 538–539, 544  
 fluid volume excess, 535, 536  
 low (hyponatraemia), 544  
 reference range, 932
- so palate, 637
- somatostatin, 773

- Sonicaid Doppler, 262  
 sorrow, chronic, 445  
 sound, 854  
 South Wales measles outbreak, 320  
 space-occupying lesions, 822  
 spasticity, multiple sclerosis, 839–841  
 specialisms, 25  
 specific gravity  
   urine, 667  
 specimens  
   infections, 326–327  
   sexually transmitted infections, 755  
     competence to take, 754  
 spectinomycin, 761  
 spermatogenesis, 466, 719–720, 721  
 spica casts, 904  
 spider angiomas, 925  
 spinal cord, 807, 808  
   blood supply, 810  
 spinal injuries, after falls, 185  
 spinal nerves, 811, 812  
 spirituality, 242, 419–420  
   defined, 169  
 spirometry, 619–620  
 Spitz naevus, 926  
 spleen, 489, 591  
 splenectomy, 489  
 sputum, 327, 620  
 squamous cell carcinoma  
   bladder, 673  
   cervix, 706  
   skin, 923–924  
 stable angina, 563–565, 566  
 staging  
   cancer, 293, 654, 676, 729  
   cervix, 706  
   melanoma, 924, 925  
   ovaries, 708  
   chronic lymphocytic leukaemia, 594  
 stakeholders, change management, 44  
 standard precautions, 309, 330  
 standards, defined, 94  
 Standards for Competence (NMC), 13, 22  
   on public health, 72, 73  
 Standards for education, 14  
 Standards for Medicines Management (NMC), 384  
 Standards for proficiency, 22  
 Standards to Support Learning and Assessment  
   in Practice (SSLAP), 31–32  
   on sign-off mentors, 33  
 stapedectomy, 861  
 stapedius, 853  
 stapedotomy, 861  
 stapes, 853  
   otosclerosis, 861  
*Staphylococcus aureus*, 314, 395  
   see also *meticillin-resistant Staphylococcus aureus*  
*Staphylococcus epidermidis*, 483  
 staples, surgical closure, 283  
 Starlight Centre, Peace Hospice Care  
   (Watford), 305  
 starting well (healthy living), 62–63  
 State-of-the-Art Metrics for Nursing, 358  
 statute law, 103  
 stem cell transplant (haemopoietic), 598–599  
 stenting, coronary, 567  
 stereotyping, older people, 172, 175  
 steroids see corticosteroids  
 sterols, 458  
 stigma  
   carers, 434–435  
   mental disorders, 246  
 stockings, antiembolic, 277  
 stomach, 336–337, 640–641, 642  
   cancer, 646–648  
   pain on, 520  
 stomas, 655–656  
   colostomies, 131, 653, 655–657  
   ileal conduits, 674, 675  
   ileostomies, 653, 655–657  
 stones see calculi  
 stools  
   babies, 267  
   in inflammatory bowel disease, 651  
   samples, 327  
   stomas, 655  
 storage  
   safe custody of drugs, 387–388  
   vaccines, 754  
 strategy meetings, safeguarding, 157, 159  
 strawberry naevus, 926  
 strength-based carer support, 447  
 streptococcal infections, mothers and babies,  
   265–266  
 stress, carers and families, 441–443  
 'Stress Vulnerability' model, mental  
   disorder, 239  
 stressors, 65  
 striae gravidarum, 256  
 stridor, 619  
 stroke, 827–830  
   Alzheimer's disease and, 843  
 stroke volume, 556  
 struvite stones, 671  
 student nurses, accountability, 107  
 subarachnoid space, 807–809  
 subcutaneous infusion, 534  
 subcutaneous route, 391, 392  
 subjective data, 119–120  
 sublingual route, 389  
 suction of upper airways, 223, 227  
   traumatic brain injury, 826  
 sudden infant death syndrome, 268, 269  
 sudoriferous glands, 354  
 sugar, depression and, 344  
 suicide  
   assisted, 407  
   attempts, 240  
   young people, 222  
   mental disorders, 245  
 summarising, in communication, 418, 422  
 sun damage, 68  
 sunitinib, 302  
 sunlight, 466  
 superficial pain, 510  
 superior vena cava, 559  
 supersaturation, 671  
 Supervisor of Midwives, 255  
 suppositories, 389–390  
 suppressor T cells, 499  
 supraorbital pressure, 817–818  
 Sure Start programme, 86  
   Children's Centres, 87  
 surfactant, 613  
 surgery, 270–287  
   brain tumours, 831  
   cancer, 293–294  
     breasts, 713–714  
     cervix, 707  
     colon, 654–655  
   cataract, 873–876  
   chronic suppurative otitis media, 863  
   complications, 280–282  
   enhanced recovery programmes, 440  
   gallbladder, 658–659  
   gastrectomy, 647  
   hip fractures, 898  
   inflammatory bowel disease, 652  
   joint replacement, 895  
   otosclerosis, 861  
   pelvic organ prolapse, 702  
   peptic ulcer, 645–646  
   reproductive system, female, 708–711  
   traumatic brain injury, 826  
   see also postoperative surgical phase; wounds  
 surgical risk, 274–275  
 surgical safety checklist, 278  
 surgical site infections, 283, 284  
 survivorship, cancer, 303–305  
 sutures, 283  
 swabs, 326–327  
   sexually transmitted infections, 755, 760  
 swallow screening, stroke, 828  
 swallowing reflex, impaired, 226  
 sweat glands, 354  
 swimming  
   chronic suppurative otitis media, 862  
   otitis externa, 863  
 sympathetic nervous system  
   adrenal medulla, 777  
   penile erection, 723  
 symphases, 884  
 Synacthen test, 790  
 synapses, 799–802  
   Alzheimer's disease, 844–845  
 synchondroses, 884  
 synovial fluid, 884  
 synovial joints, 884, 885  
 syphilis, 762–765  
   sexual history, 751  
   signs, 755  
   trends, 747, 762  
 syringes, enteral feeding, 342  
 systemic anti-cancer treatments, 294–302  
   complications, 301  
   see also chemotherapy  
 systemic lupus erythematosus, 491  
   chronic kidney disease, 680  
 systemic vascular resistance, 560  
 systems theory, families, 435–436  
 systolic blood pressure, 559, 560  
 T cells, 299, 482, 490, 491, 498–499  
 tabes dorsalis, 763



- tablets (medicines), 388, 389  
tachypnoea, 619, 620, 625  
tadalafil, 656  
tampons, surgery and, 277  
Tannahill, A., health promotion model, 59  
task allocation, 116, 117  
taste, 638  
teachers  
    (SSLAP), 32  
    of adults, 37–38  
    see also mentors  
teaching, theory of, 33–37, 131  
teaching of nursing, 30–40, 48  
    see also education for nursing  
teaching of patients, 135  
    preoperative, 273–274  
team nursing, 116, 117  
tears, skin, 363, 372  
Teddy bear clinics, 216–217  
Teenage Units, 225  
teeth, 637, 638–639  
telangiectases, 925  
telecare, 11, 22  
telemonitoring, heart failure, 572  
telephone instructions, medicines management and, 384  
telogen effluvium, 928  
telomeres, 465  
temperature (body)  
    chemotherapy, 297  
    neurological patient, 818  
    postoperative, 279  
temporary brachytherapy, prostate cancer, 736  
10,000 Safer Lives Project, 751  
10-point dignity challenges, 166–167  
tension headaches, 836, 837  
tensor tympani, 853  
tentorial herniation, 822  
terfenadine, 840  
terminal illness see end of life care  
termination of pregnancy, 96  
Terry's half and half nail, 926  
tertiary mental health care, 241  
tertiary prevention, 60  
testes, 719–721  
    cancer, 728–731  
    disorders, 728–731  
    examination, 727  
    self-examination, 731  
testosterone, 721  
text messaging, medicines management and, 384  
thalamus, 805  
thalassaemia, 477, 587  
theophyllines, 399, 626  
theories  
    carers, 443  
    families, 131–132, 435–436  
    historical aspects, 22  
    of learning, 33–37  
    pain, 512–513, 519  
    see also nursing theory  
therapeutic use of self, 247  
thermotherapy, transurethral, 737  
third void space, 533–534  
thirst, 347, 781  
*This is Me* (Alzheimer's Society), 177  
thrombectomy, stroke, 828  
thrombin time, 601  
thrombocytopenia, 491, 593  
thromboembolism, 396  
thrombolytic drugs, 396–397  
thromboprophylaxis, 902  
thrombosis, 396  
    oral contraceptives, 705  
    see also deep vein thrombosis  
thrush, 267  
thymus, 490, 591  
thyroid gland, 774–775  
    autoimmune diseases, 491  
    hyperthyroidism, 783–785  
    hypothyroidism, 780–781, 785–787  
    isotope scans, 784  
thyroid stimulating hormone, 773, 784  
    adrenal insufficiency and, 786  
    deficiency, 782  
thyroid storm, 785  
thyroidectomy, 784  
thyrotropin releasing hormone, 774  
thyroxine (T<sub>4</sub>), 771, 774, 775  
    levothyroxine, 786, 787  
Tidal Model, mental health nursing, 136–138  
tidal volume, 613  
TIME principle, wound bed preparation, 371  
tinea, 916–917,  
tinea capitis, 927, 928  
tissue viability nurses, 358  
tissue-type plasminogen activator (t-PA),  
    396–397, 828  
TNM staging, cancer, 293  
toddlers see pre-school children  
Toll-like receptors, 482  
tongue, 637, 638  
tonsils, 591, 606  
tophi, 896  
Torres, G., on nursing theory, 130–131  
torsion, testes, 728  
total contact casts, defused, 374  
total iron-binding capacity, 588  
total lung capacity, 613  
total peripheral resistance, 560  
touch  
    assessment, 819  
    in communication, 418  
tourniquets, 6  
toxicity, antibiotics, 394  
trachea, 607–608  
tradition, 56  
trauma light assessment, learning disabilities, 54  
training see education for nursing: teaching of  
    nursing  
tranexamic acid, 696  
transactional leadership, 41, 48  
transactional model, carers and families, 442  
transcription (genes), 472–473  
transcutaneous electrical nerve stimulation  
    (TENS), 398, 518–519  
transdermal patches, 277, 392  
transferrin, reference range, 932  
transformation zone, cervix, 707  
transformational leadership, 41, 42, 48  
transgenderism, 724  
transient ischaemic attacks, 827  
transition, 44  
transitional cell carcinoma, 673, 675–677  
translocation, 468  
transoesophageal echocardiography, atrial  
    brillation, 569  
transparency, 16  
transperineal template biopsy, prostate, 734, 735  
transplantation  
    graft-versus-host disease, 598  
    haemopoietic stem cells, 598–599  
    rejection, 499  
transrectal ultrasound-guided biopsy, prostate,  
    733–734  
transtheoretical model, behaviour change, 61  
transthoracic echocardiography, atrial  
    brillation, 569  
transudate pleural effusions, 630  
transurethral incision of the prostate gland, 737  
transurethral microwave thermotherapy, 737  
transurethral resection of bladder tumour, 673  
transurethral resection of the prostate gland,  
    734–738  
trapezium pinch, 817–818  
trastuzumab, 301  
trauma traction alopecia, 928  
traumatic brain injury, 823–827  
    defused, 208  
    dementia, 843  
travel health, 67–68  
    infection control, 323–325  
Travelbee, J., on human-to-human  
    relationships, 138  
travellers' diarrhoea, 67, 68  
*Treat Me Right* (Mencap 2004), 194  
trepanation, 4  
*Treponema pallidum*, 762  
trepopnoea, 619  
'Triad of Impairment', 196  
triad relationship, Dalton on, 438  
triage, origin of, 6  
*Triangle of Care*, 438  
trichloroacetic acid, 759  
tricyclic antidepressants, on pain, 523  
triglycerides, reference range, 932  
trigone, bladder, 666  
triiodothyronine (T<sub>3</sub>), 774, 775  
trimesters, pregnancy, 255–256  
trimethoprim, 669  
trisomy, 468  
trophicognosis (Levine), 120  
trophoblast, 469  
truth-telling, 423  
tuberculosis, 320–322, 621–623  
    multidrug-resistant, 395, 622  
tubules, kidneys, 664, 666  
tumour necrosis factor, 300, 495  
turn charts, 183

- Turner's syndrome, 468  
 TURP syndrome, 738  
 24-hour urine collection, 327  
 Twycross, R., on end of life care, 425–426  
 tympanic membrane, 851–852, 855, 858  
 tyramine, 382
- ulcerative colitis, 651–653
- ulcers  
   diabetic foot, 369–370, 373, 846  
   *see also* leg ulcers; peptic ulcer
- ultrasound  
   antenatal, 258  
   breasts, 713  
   urinary tract infections, 669
- ultrasound (therapeutic), prostate cancer, 736
- ultraviolet radiation, 466  
   sun damage, 68
- umami*, 638
- umbilical cord, 263, 266–267
- unconscious patient, 819–822
- under-nutrition, 178–182, 338–340
- under-served groups (NICE),  
   tuberculosis, 622
- United Kingdom  
   Central Council for Nursing, Midwifery and  
   Health Visiting, 10, 22, 113  
   Nursing Process, 118
- United Nations Convention on the Rights of the  
 Child, 227
- United States of America, Nursing Process, 118
- units, 934  
   drug calculations, 400–401
- universal precautions, 309, 330
- unresponsive wakefulness syndrome, 817
- unstable angina, 565–566
- upper airways  
   dying patients, 416  
   suction, 223, 227  
   traumatic brain injury, 826
- upper respiratory tract, 606, 607  
   infections, 219, 481
- uraemic fetor, 682
- uraemic frost, 682
- urea  
   chronic kidney disease, 681  
   reference range, 932
- uretero-pyeloscopy laser lithotripsy, 672
- ureters, 666
- urethra, 666–668  
   gonorrhoea, 760
- urethrocele, 700
- uric acid, 895, 896, 932
- urinary diversions, 674, 675
- urinary retention, postoperative, 280
- urinary tract, 662–668  
   acid-base balance, 533  
   pelvic organ prolapse, 701
- urinary tract disorders, 662–685  
   infections, 317–319, 483, 669–670,  
   674, 676  
   symptoms, 726  
   *see also* renal failure
- urine  
   formation, 664–666  
   glucose, 792  
   nephrectomy, 676  
   output  
     acute kidney injury, 677, 678–679  
     postoperative, 279  
   shock, 548  
   testing, 327, 459, 667  
   in urinary diversions, 674
- ursodeoxycholic acid, 659
- urticaria, 920
- uterus, 688  
   involution, 264
- utilitarianism, 96
- vaccines  
   human papillomavirus, 301, 705, 757, 758  
   in uenza, 65–66, 80  
   MMR, 74, 218, 320  
   storage, 754  
   as systemic anti-cancer treatments, 301  
   varicella zoster, 916
- vagina, 688  
   menopause, 699  
   prolapse, 701  
   sexually transmitted infections, 755
- vaginal discharge, pregnancy, 259
- vaginal route, 390
- values, de ned, 94
- Valuing People* (DoH 2001), 194
- valves, heart, 554, 556
- varдена l, 656
- varicella zoster vaccine, 916
- varicosities, pregnancy, 259
- VARK learning style inventory, 36
- vascular disorders  
   legs, 562–563  
   skin, 925–926
- vascular endothelial growth factor, 302
- vastus lateralis muscle, 391
- vegetables, vitamin K, 382
- vegetative state, 817
- veins, 559  
   brain drainage, 810  
   to kidneys, 664, 665
- venesection, 590
- venous eczema, 575
- venous insufficiency, 574–575
- venous lakes, 925
- venous leg ulcers, 364–365, 574, 575
- ventilation, Florence Nightingale on, 6
- ventilation (mechanical), 618  
   raised intracranial pressure, 823
- ventilation (pulmonary), 609–615
- ventouse, 262
- ventricles, heart, 554
- ventricular systole, 556
- venules, 558
- veracity, 98
- verbal scales, pain, 514
- verrucae *see* warts
- vertebral arteries, 810
- vesicles, 912
- vestibule, 854
- Victorian period, 5–7, 405
- video-EEG, 835
- vinca alkaloids, 295  
   constipation, 296
- violence, mental disorders, 244–245
- viral hepatitis, 648–650  
   hepatitis B, risk assessment, 753
- viral pneumonia, 623
- viral skin infections, 915–916
- virtue ethics, 96
- viruses, 484  
   orthomyxoviruses, 621
- visceral epithelium, 476
- vision (significance of), 851
- visitation (of hospital patients), 439
- visual acuity, 869
- visual analogue scale, 514
- visual cortex, 867
- visual evoked responses, 821
- visual fields, 870
- visual laser ablation of the prostate, 737
- visual system  
   assessments, 867–870  
   pathway, 866–867, 868
- vital capacity, 613
- vital signs, 818
- vitamin(s), 334  
   wound healing, 345
- vitamin B<sub>12</sub>, 584  
   deficiency anaemia, 491, 583, 588, 648  
   gastrectomy, 648  
   reference range, 933
- vitamin C, wound healing, 346
- vitamin D, 63, 334, 888  
   multiple sclerosis and, 838  
   older people, 339, 888
- vitamin K, 396  
   vegetables, 382
- vitamin K-deficiency bleeding, 266
- vitaligo, 491, 781, 912
- voluntary consent, 101
- volunteers, at meal times, 181
- vomiting  
   dying patients, 416  
   postoperative, 280–281  
   pregnancy, 259
- von Willebrand's disease, 600
- vulnerable adults, 207  
   *Health Care for All* (DoH 2008) on, 199, 201  
   *see also* adults at risk
- vulvodynia, 703
- Wales  
   government provision on domestic  
   abuse, 751  
   measles outbreak, 320
- Walsh, M., and P. Ford, on nursing  
 routine, 115
- war, 5–6
- Ward, J., on teaching by nurses, 135
- ward sisters, teaching and learning, 30–31

- warfarin, 396, 569–570  
 levothyroxine and, 786
- warts, 915  
 genital, 756–758, 759, 915
- washing, postoperative, 284
- watchful waiting, pelvic organ prolapse, 701
- water (physiology), 529
- Weber's test, 859
- weighing, 340  
 uid volume excess and, 535, 537  
 preoperative, 275–276
- weight gain  
 cancer treatment, 303  
 endocrine disorders, 781  
 menopause and, 698
- weight loss  
 cancer, 292, 303, 339  
 endocrine disorders, 781
- weight-bearing, 902
- well-being clinics, 440
- well-man clinics, 738
- Wernicke's area, 807
- wet combing, 919
- wheals, 912
- wheeze, 619
- whistle-blowing, 107–109, 207  
 alerts to abuse, 157, 158–159  
 defined, 208
- white blood cells (leukocytes), 582, 590–599, 932
- Wimpenny, Peter, on nursing models, 142
- Winter, G., moist wound healing, 370
- Winterbourne View (nursing home), 199
- women  
 as carers, 433  
 reproductive disorders, 686–716  
 assessment, 692–694  
 sexual history, 752  
 sexual symptoms, 751  
 sexually transmitted infections, 755, 760
- work of breathing, 611–613
- workhouses, 5
- working well (healthy living), 65–66
- work-related illnesses, musculoskeletal, 891
- World Health Organization  
 analgesic ladder, 397, 518  
 definition of mental health, 238  
 on health, 53  
 on palliative care, 409  
 Safer Surgery Checklist, 278
- wounds, 359–370  
 assessment, 360–363  
 bed preparation, 371  
 classification, 359–360, 363–364  
 cleansing, 371  
 healing, 345–346, 355–357, 497, 498  
 classification, 359  
 moist, 370  
 measurement, 360
- multiple pathology, 372–373
- nursing management, 370–372  
 quality agenda, 357–359
- nutrition and, 345–346
- psycho-socioeconomic aspects,  
 356–357
- surgical, 283–284, 285, 363–364, 901
- swabs, 326
- Wright, A.J., on uid intake, 536
- wrong site surgery, 277
- wrongdoing  
 negligence, 105–106  
 raising concerns *see* whistle-blowing
- X-linked inheritance, 471
- X-rays, 820  
 osteoarthritis, 894
- yellow card scheme, 393
- yoghurt, 483
- young people  
 as carers, 433–434  
 mental health nursing, 221–223  
 policy documents, 221  
 mental health services, 241  
*see also* adolescents
- zinc, reference range, 932
- zygotes, 466