

Index

Page numbers in *italic* refer to figures.
Page numbers in **bold** refer to tables.

- abdomen
 bowel obstruction, 288
 pain, 94
abscesses, neuraxial blocks, **117**, 120
absorbent dressings, **237**
Abstral buccal tablet, 101
acrolein, 178
Acti glide, **342**
activated charcoal, **239**
activities of daily living, 316
 limb compression therapy, 350
 PIP assessment, **321**
acupressure, 176
 dressing changes, **242**
acupuncture, 104–107
 dressing changes, **242**
 peripheral neuropathy, 103
acute kidney injury, **254**, 265
 neutropenic sepsis, 279
acute oncology, 253–310
adherence, oral chemotherapy, 157
adhesive tape, radiotherapy on skin, **248**
adjustable wrap compression systems, 340, 361–365
adjuvant drugs
 pain management, 98, 101
 spinal blocks, 112–113
Administration of Radioactive Substances
 Advisory Committee, 15
administration record sheets, ribavirin, 81
adrenaline, topical, **240**
advance directives, 405
adverse effects
 clinical trials, 190–193
 cytotoxic drugs, 175–184, 268–281
 on healthcare workers, 133
 patient education, 157
 pericardial effusions, 301
 peripheral neuropathy, 95, 102–103, 177
 sexual, 330
 pentamidine, 87
 ribavirin, 84
advice lines (telephone), 255, 256–257
aerobic exercise, 373
 for fatigue, 377
aerosol generators, 81, 84, 85
afatinib
 diarrhoea, 268
 preparation for swallowing difficulties, **159**
AFP (alpha-fetoprotein), **5**, 7
aftercare, 312
afterloading systems, 213, 214
 see also remote afterloading
Age UK, 326
ageing
 height loss, 338
 radiotherapy on skin, 247
agitated patient
 end of life, **407**
 sealed source therapy, 222
air embolism, 175
alarms, Selectron, **219**
alcohol consumption, radiotherapy on skin, 247
alert cards, chemotherapy, 137
alginates, dressings, **237**, **240**, **241**
alkaline phosphatase
 hypercalcaemia, 264
 placental, **6**
alkylating agents, **156**
allergies
 chemotherapy, 177
 compression garments, **361**
 nipple tattooing, 393
allodynia, tramadol on, 100
allogeneic stem cell collection, **73**
alopecia, 178–184
alpha-fetoprotein, **5**, 7
alprostadil, 333
Ambu-bags, 206
amenorrhoea, treatment-induced, 330
American College of Sports Medicine, on
 exercise, 374
American Society for Apheresis, Applications
 Committee, 72
anaemia
 after bone marrow harvest, 72
 from chemotherapy, 176
 Entonox, 123
anagen, hair follicles, 179
analgesic drugs, 97–102
 end-of-dose failure, 94
 sites of action, 92
 terminal illness, **407**
 see also adjuvant drugs; Entonox; non-steroidal anti-inflammatory drugs; opioids; paracetamol
analgesic ladder, 97–98
ankle to brachial pressure index, 341, 350
anorexia
 from chemotherapy, 176
 telephone triage tool, 257
anorgasmia, 331
antecubital fossa, chemotherapy, 139, 144
anterior roots, spinal nerves, 109
anthracyclines
 cardiotoxicity, 178
 scalp cooling and, 180, 181
anti-Xa levels, 259–260
antibiotics
 for diarrhoea, 271
 neutropenic sepsis, 277, 278, **279**
 prostate biopsy, 20–21, 22, 24
antibiotics (antitumour), **156**
anticipatory vomiting, 176, 272
anticoagulant citrate dextrose (ACDA), bone
 marrow harvest, 69
anticoagulants
 breast biopsy, 40–41
 catheter related thrombosis, 259–260
 fine-needle aspiration, 43
 flexible cystoscopy and, 26
 marrow procedures, 63–64
 apheresis, 76, **79**
 neuraxial blocks, catheter removal, 119
 prostate biopsy and, 19
antidotes, 146
antiemetics, 176, **276**
 iodine-131 therapy, 209
 principles, 275
antimetabolites, **156**
antiseptics
 catheters, 260
 fungating wounds, 237
 nipple tattooing, 394
anxiety
 bleeding wounds, 239
 management of, 382
 marrow procedures, 63, **66**
 nausea and vomiting, **276**
 pain, 241
 sleep disturbance and, 380
 unsealed source therapy, 207–208
apheresis, 58, 72–80
apnoea, neuraxial blocks, **116**
appeals, benefits (payments), **325**
application aids, limb compression therapy, **342–343**, 359
appointments, limb compression therapy, 350
approvals, clinical trials, 185
Approved Code of Practice 2000, radiation
 protection, 203
arachnoid mater, 109
areola tattooing, 390–395
argon plasma coagulation, bladder, 35
aroma stick inhalers, 369–371
aromatherapy, **242**
arrhythmias, hypomagnesaemia, 267
art (therapy), 103
arteries
 administration of cytotoxic drugs via, 173–175
 assessment for limb compression therapy, 341, 350
 rupture, 261–262
artificial hydration, 405
artificial larynx, 384
artificial sphincters, flexible cystoscopy
 and, 26
ascites, 281–287
aspiration
 bone marrow, 58–67
 chemotherapy extravasations, 148
 see also fine-needle aspiration
aspirin
 breast biopsy, 41
 prostate biopsy, 19
assisted suicide, 405

Association for Clinical Biochemistry and Laboratory Medicine (ACB), on tumour markers, 6–7

asthma

ribavirin and, 81
see also bronchospasm

Attendance Allowance, 316

address, 326
claiming, 323–324
eligibility/non-eligibility, **319**
how often paid, 320

audits

clinical trials, 190
nurse cystoscopists, 26

autoimmune colitis, 271

autologous bone marrow harvest, 72

autologous stem cell collection, **73**

autonomic dysfunction, 300

autonomic dysreflexia, 299, 300

autonomy, 314

axillary dissection, acupuncture and, 106

axitinib, preparation for swallowing difficulties, **159**

B lymphocytes, **60**

B₂M *see* beta₂-microglobulin

back pain, 290, 292, 299

neuraxial blocks, **117**

background pain flare, 94

background radiation, 202

bacteria, fungating wounds, 237

bacterial filters

Entonox, 122
spinal blocks, 113, 119

bag systems, dressings, **237**

balanced analgesia, 97

bandages, for lymphoedema, 340, 341, 348–357

basilic vein, chemotherapy, 139

basophils, **60**

lifespan, 176

beads, oral caesium-137 therapy, 212–213

Beck's triad, 301

becquerels, 202

bed linen

cytotoxic drug spillages, 136
fungating wounds and, **243**
after nuclear medicine investigations, 18

bedpans, iodine-131 therapy, 210

benefits (payments), 316–326

calculators, 321
eligibility/non-eligibility, 319–320
how often paid, **320**
making claims, 321–323
patients not claiming, **317**

benign breast disease, 37, **38**

bereavement

carotid artery rupture, 263
support, 415

Bereavement Benefits, 316

beta radiation, 202

beta₂-microglobulin, **5**

radionuclides on, **7**

betamethasone, 245

BETTER model, sexual concerns, 328

bevacizumab, neo-adjuvant chemotherapy, 234

biliary sclerosis, 175

bins, lead-lined, 16

biofilms, fungating wounds, 237

biological therapy, 132–133

biometric residence permit, 317

biopsy

bladder, 32–34
bone marrow, 58–67
breast, 40–47
punch biopsy, 45–47

prostate, 18–24

see also core biopsy

biopsychosocial models

breathlessness, 367
sexuality, 327

bisphosphonates, 94, 265, **266**

bladder (urinary), 24, 30

argon plasma coagulation, 35

biopsy, 32–34

cancer, 25

full, paracentesis, 285

haemorrhagic cystitis, 178

instillation of cytotoxic drugs, 169–172

irrigation, 27, 32, 33

blanching, extravasation, 145

bleeding

bone marrow harvest, **71**

carotid artery rupture, 261–262

after flexible cystoscopy, **36**

fungating wounds, 228, 239–240

marrow procedures, 63

nipple tattooing, prevention, **395**

paracentesis, 284

after prostate biopsy, 24

after radioactive source therapy, 222

telephone triage tool, 257

Blom-Singer voice prostheses, 385

blood-borne infections

dead patients, 410

specimen handling, 3–4

blood component transfusions, apheresis, 80

blood cultures, neutropenic sepsis, **279**

blood gases, neutropenic sepsis, **279**

blood pressure, superior vena cava

obstruction, 263

blood return, **144**, 145

blood tests

for apheresis, 77
bowel obstruction, 288

emesis, 274

fitness for chemotherapy, 138

healthcare workers, 136

hypercalcaemia, 264, **266**

hypomagnesaemia, 267

intravesical chemotherapy, 170

neutropenic sepsis, 277

nuclear medicine patients, 15

pneumonitis, 280

superior vena cava obstruction, 263

blood transfusion

for bone marrow donors, 69
component transfusions, apheresis, 80
effect on haemoglobin level, 176

reactions, 80

body fluids

Last Offices, 412

radioactive, 16, 205

body image, 330

breast carcinoma, 330

fungating wounds, 230

male, 333

Body Image Scale, 328

body mass index, 335–339, **338**

body surface area, 138

bolus injections

cytotoxic drugs, 138–139
spinal blocks, 112

bone marrow, 58

collection

after nuclear medicine investigations, 17
sites, 60–61

harvest, 58, 67–72

see also apheresis

procedures, 58–72

suppression, 176

bones

cancer-related pain, 94
metastases, exercise and, 374, **376**

nuclear medicine, **12**

Borg scale, 373

bosutinib, swallowing difficulties and, **159**

bowel habit, 338

bowel obstruction, 287–289

drugs for, **276**

bowel preparation, sealed source therapy, 216

bowel sounds, obstruction, 288

boxes, specimen transportation, 3

brachial plexus

block, **108**

invasion, 95

brachytherapy, 211–223

bradycardia, spinal cord compression, 299

BRAF status, 48

brain, 302

acupuncture, 104

plasticity, 93

ventricles, cytotoxic drugs, 165, 166–167

breakthrough cancer pain, 93–94, 102

analgesics, 101, 102

Entonox, 121

breakthrough vomiting, 272

breast, 36–37

clinical examination, 38–40

core biopsy, 40–43

diagnostic investigations, 36–48

fine-needle aspiration, 43–45

iridium-193 therapy, 212

punch biopsy, 45–47

breast carcinoma, 37

family history, 39

fungating wounds, 229

surgery, 234

nipple tattooing, 390–395

nutritional status, 334

oedema, 340

scalp cooling and, 180

sentinel node localization, **14**

sexual concerns, 329–330

breast-ovarian cancer syndrome, 330

breastfeeding, nuclear medicine, 15

breathing, 366–367

end of life, 404, **407**

breathing technique, relaxation, 381

breathlessness *see* dyspnoea

bridges (dental), iodine-131 therapy, 209

Brief Pain Inventory, 96

British Association of Urology Surgeons,

Prostate Biopsy information leaflet, 19

British Sign Language Video Relay Service,

322, 324

British Standards, compression garments,

358

bronchospasm, pentamidine, 85, 87

bruising, telephone triage tool, 257

brushes, voice prostheses, 389

buccal analgesia, 99, 101, 102

bullae, graft-versus-host disease, 245

bundles (therapies), neutropenic sepsis, 279

bupivacaine

regional nerve blocks, 109

spinal blocks, 112

buprenorphine, 101

burial, 409

burns, from heat therapies, 104

busulfan, preparation for swallowing difficulties, **159**

CA *see* carbohydrate antigens

cabinets, cytotoxic drug preparation, 134

cabozantinib, swallowing difficulties and,

159

cadexomer iodine, **238**

caesium-137, 212–213, 216–217

dead patients, **414**

Manchester applicator, 214

calcitonin, **5**, 264

calcitriol, 264

calcium, 264

- calculators, benefits (payments), 321
cancer antigens *see* carbohydrate antigens
cancer predisposition genes, 49
cancer-related fatigue *see* fatigue
cannabis, 101
cannulae
 apheresis, 74
 cytotoxic drug injections, 139, 143
 extravasation management, 150–152
 flushing, 145
 paracentesis, 285, 286, **287**
capecitabine, preparation for swallowing
 difficulties, **159**
capsaicin, 102
carbohydrate antigens
 factors affecting, **7**
 tumour markers, **5**, **7**
carcinoembryonic antigen, **5**
cardiac arrest
 sealed source therapy, 222
 unsealed source therapy, 205–206
cardiac failure, limb compression therapy and, 341
cardiac syncope, spinal cord compression, 300
cardiomyopathy, chemotherapy, 178
cardiopulmonary exercise testing, 373
cardiotoxicity, 178
cardiovascular system, NSAIDs on, 99
care plans, 314, 315, 320
Carer's Allowance, 316, **319**, 320
 enquiry service, 326
Carnet demand valve, 122
carotid artery rupture, 239, 261–263
cat litter, **239**
catagen, hair follicles, 179
catering staff, sealed source therapy and, 222
catheters
 neuraxial blocks, 113, 115–116, 119
 migration, 120
 obstruction, 259
 paracentesis, 284
 Tenckhoff catheter, 172
 thrombosis, 259–260
 see also central venous access devices
Cavilon No Sting Barrier spray, **246**, 248
CD markers, 132
cell cycle, 132
cell separators, 58, 74
 see also apheresis
cellular depletion, apheresis, **73**
cellulitis, compression garments and, 358, 362
central venous access devices
 apheresis, 74–75, 77, 80
 blood return, 145
 complications, 255, 259–261
 cytotoxic drug injections, 139, **140**
 extravasation, 143
 removal, 259–260
 sepsis, 260–261
 superior vena cava obstruction, 264
 uses and advantages, **259**
centrifugation, apheresis, 58
cephalic vein, chemotherapy, 139
cerebellum, lesions, 302
cerebral cortex, antiemetics targeting, **276**
certification of death, 409
cervical collars, 291, 298
cervix
 brooms, 9, 10
 caesium-137 therapy, 212
 sealed source therapy, 213–214
 smears, 8–12
chaperones, 8, 38
charcoal, **238**, **239**
checking, prior to chemotherapy, 138, 141
chemical mediators, pain, 92
Chemocap, 181–182
chemoreceptor trigger zone, 273
 antiemetics targeting, **276**
chemotherapy, 131–199
 administration by nurses, 137–156
 adverse effects, 175–184, 268–281
 on healthcare workers, 133
 pericardial effusions, 301
 peripheral neuropathy, 95, 102–103, 177
 sexual, 330
 extravasation, 142–156
 fitness for treatment, 138
 handling of drugs, 133–136
 hCG specimens, **7**
 intra-arterial, 173–175
 intramuscular, 162–164
 intraperitoneal, 172–173
 intrapleural, 168–169
 intrathecal, 165–168
 intravenous, 138–156
 intravesical, 169–172
 neo-adjuvant, 234–235
 oral, 156–162
 pericardial effusions from, 301
 peripheral neuropathy, 95, 102–103, 177
 research, 184–193
 sexual effects, 330
 sites of injection, 139
 subcutaneous, 162–164
 symptom assessment scales, 175–176
 topical, 164–165
 UKONS toxicity grading guide, **258**
 see also electrochemotherapy
chest pain, 94
chest X-ray
 pericardial effusions, 301
 pneumonitis, 280–281
children
 as bone marrow donors, 68
 of nuclear medicine patients, 15
 statutory benefits, 316
 Universal Credit, **320**
 as visitors, unsealed source therapy, 210
 see also paediatrics
chlorambucil, preparation for swallowing
 difficulties, **159**
cholestasis, on tumour markers, **7**
cholesterol (LDL apheresis), **73**
chromogranin A, **5**
Chvostek sign, 267
circumferential measurement, limbs, 344–348
cirrhosis, ascites, 282
cisplatin, intrapleural, 168
Citizen's Advice Bureau, 326
citrates
 apheresis, 76
 toxicity, **79**, 80
 see also anticoagulant citrate dextrose
claims, benefits (payments), 321–326
cleaning
 after pentamidine administration, 87
 after ribavirin administration, 82
 after unsealed source therapy, 211
 voice prostheses, 388–389
cleansing, fungating wounds, 237
cling film, limb measurement, **347**
clinical trials, 184–193
clobetasol, 245
clonidine, spinal blocks, 112
clopidogrel, breast biopsy, 41
closure, clinical trials, 190
clothing
 cytotoxic drug spillages, 136
 Last Offices, 413
 limb compression therapy, 350
 physical activity, 374
co-codamol, 100
co-trimoxazole, 84
coagulation defects, spinal blocks and, 111
codeine, 100
 paracetamol with, 99, 100
coeliac plexus
 block, **108**
 pain, 94
cognitive behavioural therapy, 381
cognitive impairment
 pain assessment, 97
 telephone triage tool, **257**
cold therapies, 104
 assessment of spinal blocks, 114
 see also cooling
colic, bowel obstruction, 288
colitis, autoimmune, 271
collars, cervical, 291, 298
colony-stimulating factors, 148, 176
 apheresis, 76
combs, 184
comfort measures, 103
common carotid artery, 261
Common Terminology Criteria for Adverse Events, grading of diarrhoea, **269**
communication
 in clinical trials, 190
 diagnostic investigations, 4
 end of life care, 405–406
 laryngectomy, 383–390
 competency standards, genetic testing, 50
complaints
 benefits (payments), **325**
 medical examinations, 326
complementary therapies
 fungating wounds, **242**
 sexual function, 332
 spinal cord compression, 292
 see also acupuncture
complex care management, 312
compression garments, 357–361
compression therapy, lymphoedema, 339–365
computed tomography, spinal cord
 compression, 290
confidentiality, 314
 genetic testing, 50
confirmation of death, 409
confused patient
 end of life, **407**
 sealed source therapy, 222
 telephone triage tool, **257**
congenital heart disease, prostate biopsy, 19
connectors, spinal blocks, 113
consciousness, end of life, 404
consent
 bone marrow harvest, 68
 chemotherapy, 137
 genetic testing, 50
 nipple tattooing, 392
 paediatrics, 62
 prostate biopsy, 19–20, 22
 specimen collection, 2–3
 unsealed source therapy, 207–208
 see also advance directives
consent forms
 chemotherapy, 137
 research, 184
Consequences of Cancer and its Treatment (CCaT), collaborative group, 314
constipation, 287, 288
 chemotherapy, 177
 end of life, **407**
 morphine, 100
 space-occupying lesions, 303
 spinal cord compression, 299
 telephone triage tool, **256**
 unsealed source therapy, 208
contact lenses
 iodine-131 therapy, 210
 ribavirin on, 81

- containers, specimen transportation, 3
- contamination
by cytotoxic drugs, 133, 141
by radioactive body fluids, 205
unsealed source therapy, 209
- contamination monitors, nuclear medicine, 16, 204
- continuous infusions, spinal blocks, 112
- continuous peripheral nerve blocks, 108
- contraception, 330
- contribution benefits, 316
- Control of Substances Hazardous to Health Regulations, 134
- controlled areas, radiation protection, 203–204
- cooling
chemotherapy extravasations, 148–149, 151
dressings, **243**
for peripheral neuropathy, 102
scalp, 179–184
machines, 181, 182
- cord blood transplantation, 67
- core biopsy
breast, 40–43
prostate, 18
- cornea donation, Last Offices, 412
- coroners, 409, 410
- corticosteroids *see* steroids
- cortisol, hypercalcaemia, 264
- costs, inpatient care, 254
- coughing, space-occupying lesions, 303
- Council Tax Reduction, 316, 318
- counselling checklist, oral chemotherapy, **158**, 161
- COX-2-specific NSAIDs, 99
- creatinine, 265
- cremation, after radioactive source therapy, 220
- crockery, unsealed source therapy, 210
- cryogel caps, 181–182
- cultural aspects, care after death, 409, 415
- Cushing's triad, 303
- cutlery, unsealed source therapy, 210
- cyclic acute pain, 241
- cyclophosphamide
preparation for swallowing difficulties, **159**
scalp cooling and, 180, 181
- CYFRA 21-1 (tumour marker), **6**
- cylinders, Entonox, 122
- cystectomy, 333
- cystitis, haemorrhagic, 178
- cystoscopy, flexible, 24–36
- cytokeratin fragment (tumour marker), **6**
- cytokines, sleep disturbance, 380
- cytology, 2
fine-needle aspiration of breast, 43–45
liquid-based, 8, 9–10
nipple discharge smears, 47–48
- cytotoxic drugs
adverse effects, 175–184, 268–281
on healthcare workers, 133
patient education, 157
pericardial effusions, 301
peripheral neuropathy, 95, 102–103, 177
sexual, 330
safe handling, 133–136
see also chemotherapy; systemic anticancer therapy
- dabrafenib, swallowing difficulties and, **159**
- daily living *see* activities of daily living
- daily living component, Personal Independence Payment, 316, 321
- dasatinib, preparation for swallowing difficulties, **159**
- DASHING (mnemonic), 302
- data collection tools, clinical trials, 186–189
- death
diagnosis of, 404–405
haemorrhage, 239, 261–263
neutropenic sepsis, 277
after radioactive source therapy, 205, 220, 222
rates from cancer, 254
see also end of life care; Last Offices
- debilitated patients, unsealed source therapy, 208
- debridement, 237
- debriefing, carotid artery rupture, 263
- Decon 90™, 203–204
- deconditioning, 367, 371
- deep cervical fascia, 261
- deep vein thrombosis
limb compression therapy and, 349
spinal cord compression, 301
- defibrillators (implantable), end of life care, **415**
- deflection, cystoscopes, 29
- dehydration
diarrhoea, 271
fungating wounds, 244
- delirium, end of life, **407**
- demand apparatus, Entonox, 122
- dementia, pain assessment, 97
- dendritic cells, collection, **73**
- Denonvilliers' fascia, 18
- dental assessment, before sealed source therapy, 220
- dental bridges, iodine-131 therapy, 209
- dentures
iodine-131 therapy, 209, 210
Last Offices, 412
- deodorants, 247, **248**
- Department of Health
guidelines for exercise, 374
Help with health costs (leaflet), 318
- Department of Work and Pensions, website, 321
- dependency oedema, 340
- dermatomes, 109, 111
- designated personnel, intrathecal chemotherapy, 165
- desquamation, 246, 248
- dexamethasone
space-occupying lesions, 303
spinal cord compression, 290
superior vena cava obstruction, 264
- dexrazoxane, 148, 149, 151, 178
- diabetes, limb compression therapy and, 341
- diagnostic investigations, 1–56
ascites, 286
see also blood tests
- diamorphine, 101
spinal blocks, 112
- diarrhoea
chemotherapy, 177, 268–271, 272
sealed source therapy, 216
telephone triage tool, 256
unsealed source therapy, 208
- diathermy, bladder, 32, 33, 35
- diclofenac, 99
- diet
diarrhoea, 270, 271
for hypercalcaemia, 266–267
magnesium, 267
nausea and vomiting, 275–277
after sealed source therapy, 223
- differentiation, stem cells, 58
- digital dosimeters, 208
- digital rectal examination
bowel obstruction, 288
prostate biopsy, 22
- Dignitana machine, 182
- 1,25-dihydroxy vitamin D, 264
- dilators, vagina, 331
- dimethyl sulfoxide, 148, 151
- Diprobase, 245
- Disability Living Allowance, 316
address, 326
- disabled persons, Equality Act 2010, 321
- discharge planning
intraoral sealed source therapy, 223
neuraxial blocks, 120
Selectron, 219
spinal cord compression, 300
unsealed source therapy, 210–211
- disease trajectories, 404
- distraction, from pain, 103, **242**
- distress thermometer, 314–315
- diuretics
ascites, 283
hypercalcaemia and, 265–266
- DNA
binding of vesicants, 142
cytotoxic drugs on, 134
radiation on, 202
synthesis, 132
- Dobbie applicators, 214
- docetaxel, scalp cooling and, 180
- doctors, certification of death, 409
- documents, clinical trials, 185, 186–189
- domestic staff, sealed source therapy and, 222
- donors
bone marrow, 67, 68, 69
post-procedure guidelines, 71
stem cells, apheresis, 72, **73**, 78–79
- dose limits, radiation, 202
- dosimeters
badges, 15, 204
digital, 208
- double checking, prior to chemotherapy, 138
- doxorubicin, scalp cooling and, 179, 180, 181
- dragging sensation, marrow procedures, absence, **66**
- drainage, ascites, 283–287
- draping, bone marrow harvest, 69
- dressings
for extravasation flush-out technique, 155, 156
fungating wounds, 230, 235, 236, **237**, **238**
bleeding, 239, **240**
procedure, 243–244
intra-arterial chemotherapy, 174, 175
Last Offices, 412
neuraxial blocks, 113, 115
pain, 241–243
paracentesis, **287**
- driving
Entonox, 121
limb compression therapy, 350
opioids, 101–102
- dry desquamation, 246, 248
- dry tap, marrow procedures, **66**
- DS1500 medical reports, 316, 323, 324
- DTPA-d-Phe-l-octreotide, ¹¹¹In-labelled, **13**
- duckbill Blom-Singer voice prosthesis, 385
- duloxetine, 102
- dura mater, 109
- dural puncture, 120
- Durogesic *see* fentanyl
- dysphagia, 334–335
- dyspnoea
complicating compression therapy, **357**
end of life, **407**
non-pharmacological management, 366–371
pericardial effusions, 301
telephone triage tool, 256
- Ease demand valve, 122
- Eastern Cooperative Oncology Group, performance status, 138
- Easy pad, **342**

- Easy-slide, **342**
 Easy-slide Magnide, **342**
 echocardiography, pericardial effusions, 301
 education
 benefits (payments), 326
 chemotherapy, oral, 157, 161–162
 compression garments, 361, 365
 diarrhoea, 271
 neutropenic sepsis, 279–280
 nipple tattooing, 392
 in pain management, 103
 on potential emergencies, 255
 procedures after death, 415–416
 sealed source therapy, prostate cancer, 220
 teachable moment, 374
 unsealed source therapy, 207–208
 Effentora buccal tablet, 101
 ejaculation
 changes, 333
 after sealed source therapy, 220
 ejection fraction, left ventricular, nuclear medicine, **13**
 elastic compression garments, 357–361
 elasticity, compression systems, 340, 348
 electrocardiography
 hypercalcaemia, **266**
 hypomagnesaemia, 267
 electrochemotherapy, fungating wounds, 235
 electromagnetic radiation, 202
 electronic devices, holistic needs assessment, 314
 elevation of limb, for chemotherapy
 extravasation, 149–150
 eligibility/non-eligibility, benefits (payments), 319–320
 embolism, intra-arterial chemotherapy, 175
 emergencies
 acute oncology, 253–310
 voice prostheses, 389–390
 emetogenic pathway, 273, 274
 EMLA cream, nipple tattooing, 393, 394
 emollients, 245
 compression therapy, 350
 see also moisturizers
 emphysema, Entonox and, 121
 Employment and Support Allowance, 316, **319**, 320
 claiming, 325
 empowerment of patient, chemotherapy, 137–138
 encephalopathy, methotrexate, 177
 end of dose failure, analgesics, 94
 end of life care, 404–417
 endocrine therapy *see* hormone agents
 endurance, physical activity, 373
 enemas, prostate biopsy and, 21
 enteric interneuronal system, bowel obstruction, 288
 enterocolitis, 271
 entitledto (website), 321
 Entonox, 120–125, **242**
 Selectron removal, 218
 EORTC CIPN20 (assessment tool), 95
 eosinophils, lifespan, 176
 epidermal growth factor receptors, 132
 inhibitors
 diarrhoea, 177, 268
 neo-adjuvant chemotherapy, 234
 rashes, 178, 247
 skin reactions, 247
 see also HER-2/neu
 epidural analgesia *see* neuraxial blocks
 epipodophyllotoxins, **156**
 epirubicin, scalp cooling and, 180, 181
 Equality Act 2030, 321
 erectile dysfunction, 333
 assessment, 329
 after sealed source therapy, 211, 220
 erlotinib, preparation for swallowing
 difficulties, **159**
 erythema
 extravasation, 145
 radiotherapy, 246, 248
 erythroderma, 245
 erythropoietin, bone marrow harvest, 72
 essential oils
 aroma stick inhalers, 369
 fungating wounds, **239**
 graft-versus-host disease, 245
 ethnicity, radiotherapy on skin, 247
 etoposide, 138, 139
 preparation for swallowing difficulties, **159**
 European Parliament, on exposure to cytotoxic drugs, 133
 euthanasia, 405
 evacuation, fire, after radioactive source therapy, 206, 222
 everolimus
 neo-adjuvant chemotherapy, 234
 preparation for swallowing difficulties, **159**
 Ewart's sign, 301
 exercise, 103, 373–374
 for fatigue, 373–374, 377, 379–380
 VO₂ max, 373
 see also physical activity
 exposure of health care workers, cytotoxic drugs, 133, 135–136
 exsanguination
 carotid artery rupture, 239, 261–263
 intra-arterial chemotherapy, 175
 extracorporeal photopheresis, 72, 245
 extrasegmental effects, acupuncture, 104
 extravasation kits, 146
 extravasation of cytotoxics, 139, 142–156
 intra-arterial chemotherapy, 175
 management flowchart, 146
 signs, 145
 telephone triage tool, 257
 exudates
 ascites, 282
 fungating wounds, 235–236, **237**
 eyes
 Last Offices, 412
 telephone triage tool, 257
 Ezy-As, **342**
 faecal impaction, spinal cord compression, 299
 faecaloid vomit, 288
 falls, exercise and, **377**, **380**
 families, Last Offices, 410, **414**, 415–416
 family history, 50, 51
 breast carcinoma, 39
 fans, handheld, 368–369
 fatal haemorrhage, 239
 carotid artery rupture, 239, 261–263
 fatigue, 377–383
 bone marrow harvest, 72
 chemotherapy, 176
 diarrhoea, 270
 exercise for, 373–374, 377, 379–380
 sleep disturbance, 380
 telephone triage tool, 257
 Fatigue Severity Scale, 378, 379
 feeding tubes, 157
 feet
 compression therapy, 354–356
 nuclear medicine, contamination monitors, 16
 Female Sexual Distress Scale – Revised, 328
 Female Sexual Functioning Index, 328
 femoral vein, central venous catheters, 75, 80
 fentanyl, 100, 101, 102
 bowel obstruction, 289
 buccal tablets, 101
 spinal blocks, 112
 fertility
 contraception, 330
 cytotoxic drugs, 133
 Entonox, 121
 male, 333
 preservation, 330
 fever
 neutropenic sepsis, 277
 telephone triage tool, 256
 fibrin sheaths, catheter related thrombosis, 259
 fibrinolytics, **240**
 fibrosis, pulmonary, 281
 Filita-Guard™, 84
 filtration
 apheresis, 58
 bone marrow harvest, 68, 70
 Entonox, 122
 neuraxial blocks, 113
 spinal blocks, 119
 financial needs, 315–316
 see also benefits (payments)
 fine-needle aspiration, breast, 43–45
 fingers, compression therapy, 350–353
 fire, evacuation after radioactive source therapy, 206, 222
 fistulae
 malignant, 229
 pharyngocutaneous, 261
 fitness (physical), 371, 373
 see also deconditioning
 5-HT₃, bowel obstruction, 288
 five Ps, on fatigue, 380
 five rights, chemotherapy, 138
 5-fluorouracil, 164
 diarrhoea, 268
 flare reaction, 142
 flat-knit compression garments, 358–359
 Fletcher applicators, 214
 flexible cystoscopy, 24–36
 flexible working, 321
 floor coverings, unsealed source therapy, 208
 fludarabine, swallowing difficulties and, **160**
 fluid overload, **79**, **80**, **357**
 fluid therapy
 apheresis, 76
 diarrhoea, 177, 271
 hypercalcaemia, 265
 iodine-131 therapy, 210
 neutropenic sepsis, 279
 renal failure, 178
 sealed source therapy, 217
 space-occupying lesions, 303
 see also oral rehydration
 fluorodeoxyglucose radiopharmaceutical, **13**
 fluoroquinolones, prostate biopsy, 20–21
 fluorouracil *see* 5-fluorouracil
 flush-out technique, for chemotherapy
 extravasation, 150, 152–155, 156
 flushing
 cannulae, 145
 intra-arterial chemotherapy, 175
 flushing (skin)
 acupuncture on, 104
 spinal cord compression, 299
 foam
 limb compression systems, 348, 349
 foam dressings, **237**
 folate, Entonox on, 123
 folic acid, diarrhoea, 268
 follow-up, after clinical trials, 190
 food disposal, unsealed source therapy, 210
 Foot slide, **343**
 formalin, 42
 four Ms, **266**

- fractures, marrow procedures, 67
 French Standards, compression garments, 358
 frontal lobe, lesions, 302
 Functional Assessment of Chronic Illness Therapy – Fatigue, 378
 funeral directors, information required by, 411
 fungating wounds *see* malignant fungating wounds
 furosemide, superior vena cava obstruction, 264
- G-CSF, apheresis, 76
 gabapentin, 102
 gallium citrate, radiopharmaceutical, 13
 gastrointestinal tract, 268
 antiemetics targeting, 276
 chemotherapy side-effects, 268–277, 338
 nuclear medicine, 14
 obstruction, 287–289
 drugs for, 276
 symptoms on nutritional status, 334, 338
 gefitinib, preparation for swallowing
 difficulties, 160
 gel packs, scalp cooling, 181–182
 gels
 dressings, 237
 metronidazole, 239
see also hydrogels
 gene therapy, specimen transportation, 4
 general anaesthesia, bone marrow harvest, 67
 genetic testing, 48–52
 UK regional services, 51
 genomes, 48
 gentamicin, prostate biopsy, 21
 German Standards, compression garments, 358
 germline mutations, 49
 germline testing, 48, 49
 Gilbert's syndrome, diarrhoea, 268
 glomerular filtration rate, nuclear medicine, 14
 gloves
 cytotoxic drug preparation, 134
 dressing changes, 243
 for limb compression therapy, 343, 359
 goggles, 135
 good clinical practice (GCP), defined, 184
 good death, 405
 gowns, cytotoxic drug preparation, 135
 grading
 bladder cancer, 25
 breast examination, 40
 chemotherapy extravasations, 155
 diarrhoea, 269
 exercise, 373
 lymphoedema, 358
 radiotherapy skin reactions, 246
 graduated pressure, limb compression therapy, 349
 graft-versus-host disease, 244–245
 vagina, 330
 granulocyte-colony stimulating factor (G-CSF), apheresis, 76
 granulocyte-macrophage colony stimulating factor, 148
 granulocytes
 collection, 73
 leucopenia, 176
 granulomas, neuraxial blocks, 117
 gravitational oedema, 340
 gray (unit), 202
 grief, 406, 415
 growth factors, haematopoietic, 58
 guided imagery, 103
- haematology, 57–90
 haematoma, neuraxial blocks, 117, 120
 haematopoiesis, 58
 haemospermia, after prostate biopsy, 24
 haematuria
 from chemotherapy, 178
 after flexible cystoscopy, 36
 after prostate biopsy, 24
 haemorrhage *see* bleeding
 haemorrhagic cystitis, 178
 haemostasis
 dressings, 240
 marrow procedures, 67
 hair, 178–179
 Last Offices, 412
 loss, 178–184
 hair care, radiotherapy, 247, 248
 hair-drying helmets, scalp cooling, 182
 hair pins, iridium-193, 211
 half-lives, radionuclides, 202
 handheld fans, 368–369
 hands, radioactive contamination, 16, 205
 haploidentical stem cell collection, 73
 hard lumps, after bone marrow harvest, 71
 harvest, bone marrow, 58, 67–72
see also apheresis
 Hazard Group 3 pathogens, specimen handling, 3–4
 hazardous drugs, safe handling, 133–136
 hazardous specimens, 3–4
 hCG (human chorionic gonadotrophin), 6, 7
 head and neck cancer
 carotid artery rupture, 239, 261–263
 iridium-193, 211–212
 late dysphagia, 334–335
 headaches
 acupuncture points, 105
 after neuraxial blocks, 116
 spinal cord compression, 299
 Health and Safety at Work Act 1984, 203
 health surveillance, healthcare workers, 134, 136
 heart
 function, pericardium on, 301
 nuclear medicine, 13
 valve disease, prostate biopsy, 19
see also entries beginning cardi...
 heat-moisture exchange systems (HME), 384–388
 heat therapies
 for chemotherapy extravasation, 149, 151
 for pain, 104
 heat transfer, scalp cooling, 179
 height, 335, 336, 338
 Help with health costs (leaflet), Department of Health, 318
 heparin
 neuraxial blocks, catheter removal, 119
see also low molecular weight heparin
 hepatitis, chemical, 175
 hepatitis B, from acupuncture, 107
 hepatotoxicity, 178
 HER-2/neu (tumour marker), 6
 HER2 status, 48
 herald bleeds, 261
 heritability, cancer, 49
 hereditary syndromes *see* inherited cancer syndromes
 Higdon and Higdon classification, 255
 Higginson, I.J., on pain assessment, 97
 high-absorbency dressings, 237
 high dose rate micro-Selectron unit, 215
 histology, 2
 history-taking, emesis, 274
 HIV, from acupuncture, 107
 holding tanks, radioactive waste, 203
 holistic needs assessment, 313–315, 320
 nutrition, 335
 sexuality, 327–328
 honey dressings, pain, 241
- hormone agents, 132–133
 fungating wounds, 235
 on nutritional status, 334
 sexual effects, 330
 hormone replacement therapy, 330, 331
 hot flushes, acupuncture on, 104
 Housing Benefit, 316
 human anti-mouse antibodies, 7
 human chorionic gonadotrophin, 6, 7
 human epididymis protein 4, 6
 human immunodeficiency virus, acupuncture, 107
 human papillomavirus, testing for, 8
 humidification, laryngectomy, 384–386
 hyaluronic acid, vaginal moisturizer, 331
 hyaluronidase, 146, 150, 152
 hydration, artificial, 405
 hydrofibres, dressings, 237
 hydrogel sheets, 243, 248
 hydrogels, 246
 dressings, 237
 morphine and, 242
 hydroxycarbamide, preparation for swallowing
 difficulties, 160
 hyoscine hydrobromide, terminal illness, 407
 hypercalcaemia, 254, 264–267
 hypercoagulability, 259
 hyperparathyroidism, 265
 hyperpigmentation, chemotherapy, 178
 hypertension
 autonomic dysreflexia, 299, 300
 space-occupying lesions, 303
 hyperventilation, 124
 hypnosis, dressing changes, 242
 hypocalcaemia, 80
 hypogastric plexus, block, 108
 hypokalaemia, 267, 268
 hypomagnesaemia, 267
 hyponatraemia, 268
 hypopharyngeal tumours, laryngectomy, 383
 hypotension, 79
 hypercalcaemia, 265
 neuraxial blocks, 116, 118, 119
 neutropenic sepsis, 277, 279
 paracentesis, 282
 pentamidine, 85, 87
 spinal cord compression, 299, 300
 hypothermia
 neutropenic sepsis, 277
see also cooling
 hysterectomy, sexual effects, 330
- ibrutinib, swallowing difficulties and, 160
 ibuprofen, 99
 ice caps, 181
 ice packs, assessment of spinal blocks, 114
 idarubicin, swallowing difficulties and, 160
 idiopathic pain, 93
 ifosfamide, neurotoxicity, 177
 ileus, 289
 iliac crests, marrow procedures, 61, 66
 imagery, 103, 242
 imatinib, preparation for swallowing
 difficulties, 160
 immigration control, 316–317
 immune-related adverse event gastrointestinal management algorithm, 271, 273
 immunoadsorption, from plasma, 73
 immunology, 132
 immunosuppression
 for alopecia, 179
 prevention of GvHD, 245
 immunotherapy, UKONS toxicity grading guide, 258
 implantable cardiac devices, end of life care, 415
 implantable pumps, intra-arterial
 chemotherapy, 174
 implantable systems, intrathecal analgesia, 110

- implanted ports
 central venous access, **140**
 peritoneum, 172
- implants
 brachytherapy, 211–223
 breast, 391
- incident pain, 93–94
- inclusion/exclusion checklists, patient selection, clinical trials, 191–193
- Income Support, 316
- incontinence, nuclear medicine, 15
- Independent Assessment Services, 326
- indium-111 octreotide, **13**, **207**
- infant oxygen hoods, ribavirin administration, 81
- infections
 acupuncture, 107
 bone marrow harvest, 72
 central venous access devices, 260–261
 dead patients, 410, 411
 repatriation, 409
 fungating wounds, 228, 237–239, 243
 neuraxial blocks (abscesses; meningitis), **117**, 120
 neutropenic sepsis, 277
 nuclear medicine, **13**
 prostate biopsy, 21, 24
 specimen handling, 3–4
 standard infection control, 3
 telephone triage tool, 256
 viral, 80
see also urinary tract infections
- infiltration, extravasation *vs*, 142
- inflammation
 bone pain, 94
 flare reaction, 142
 nipple tattooing, 393
- inflection, cystoscopes, 29
- infliximab, ipilimumab-induced diarrhoea, 269, 271
- influenza, virus detection, 80
- information
 carotid artery rupture, 262
 chemotherapy, 137
 oral, 157
 end of life care, 404
 on extravasation, 146, 156
 for mortuary staff, 411, 412
 nipple tattooing, 392
 in pain management, 103
 prostate biopsy, 19
 sealed source therapy, 215–216
 unsealed source therapy, 207–208
 instruction cards, 210–211
- informed consent forms (ICF), research, 184
- infusion pumps, 174
- infusions, cytotoxic drugs, 139
- inhalers (aroma stick inhalers), 369–371
- inherited cancer syndromes
 genetic testing, 52
 risk-reducing surgery, 330
- initial lymphatics, 339
- insomnia, 378, 380, 382
- Insomnia Severity Index Sleep Assessment, 382
- instruction cards, unsealed source therapy, 210–211
- insulinoma, nuclear medicine, **13**
- integrative biopsychosocial model, sexuality, 327
- intensity assessment, pain, 96
- interactive biopsychosocial model, sexuality, 327
- intercostal nerve blocks, 108
- International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use (ICH), 184
- International Index of Erectile Function, 329
- international normalized ratio (INR)
 breast biopsy, 40–41
 fine-needle aspiration, 43
 marrow procedures, 63–64
 paracentesis, 284
- interstitial fluid, 339
- interstitial implants, 211–213
- interventional techniques, for complex pain, 107–120
- intra-arterial administration, cytotoxic drugs, 173–175
- intracavitary applicators, 213
- intracranial pressure, raised, 302–303
- intramuscular administration, systemic anticancer therapy, 162–164
- intramuscular analgesia, 99
- intranasal analgesia, 99, 102
- intraoral sealed source therapy
see oral implants
- intraperitoneal instillation, cytotoxic drugs, 172–173
- intrapleural instillation, cytotoxic drugs, 168–169
- intrathecal administration, cytotoxic drugs, 165–168
- intrathecal analgesia *see* neuraxial blocks
- intravenous administration
 epidural drugs, prevention, 113
 systemic anticancer therapy, 138–156
 intrathecal chemotherapy and, 165
 sequence of drugs, 144
- intravenous immunoglobulin, respiratory infections, 84
- intravenous paracetamol, 99
- intravenous instillation, cytotoxic drugs, 169–172
- investigational medicinal products (IMP), 184, 186
- investigations (diagnostic), 1–56
 ascites, 286
see also blood tests
- investigator's brochure (IB), defined, 184
- iodine-125, prostate cancer, 211–213, 220
- iodine-131 mIBG, **207**, 209–210
- iodine-131 sodium iodide, **207**, 209
- iodine compounds
 dressings, **238**
 radioactive, dead patients, **414**
- Ionising Radiations (Medical Exposure) Regulations 2000, 203
- Ionising Radiations Regulations 1999, 203
- ionizing radiation, 202
- ipilimumab, diarrhoea, 268–269, 271
- iridium-193, 211–212
 dead patients, **414**
- irinotecan, diarrhoea, 268
- irrigation
 bladder, 27, 32, 33
 fungating wounds, 244
 Y-tube sets, 172
see also saline soaks
- isolation of patient
 brachytherapy, 208–210
 ribavirin administration, 82, 84
- isotretinoin, preparation for swallowing difficulties, **160**
- jewellery, Last Offices, 413
- Job Centre Plus, phone number, 326
- joints, graft-versus-host disease, 245
- Kegel's exercises, 332
- kidney
 acute injury, **254**, 265
 neutropenic sepsis, 279
see also nephrotoxicity
- Kold Kap, 181
- labelling, diagnostic specimens, 4
- lactate, neutropenic sepsis, **279**
- lactiferous ducts, 36–37
- lactose, diarrhoea, 270
- lapatinib
 formulation for swallowing difficulties, **160**
 neo-adjuvant chemotherapy, 234
- larvae, **238**
- laryngectomy, communication, 383–390
- larynx, 383
- Last Offices, 408–416
 after radioactive source therapy, 205
- lateral position, spinal cord compression, 292, 297
- lateral surface transfer, 291
- lavender, 383
- laying out *see* Last Offices
- LDL apheresis, **73**
- lead-lined equipment, 16
- lead shields, intraoral sealed source therapy, 221
- leakage
 fungating wounds, 236, 237
 intraperitoneal chemotherapy, **173**
 intravesical chemotherapy, 171–172
 iodine-131 therapy, 210
 Last Offices, 408, 411, 412, 413
 from voice prostheses, 389, 390
see also extravasation of cytotoxics; spillages
- learning disabilities, pain assessment, 97
- left ventricular ejection fraction, nuclear medicine, **13**
- legislation, radiation protection, 203
- lenalidomide, preparation for swallowing difficulties, **160**
- leucopenia, 176
- leucovorin, diarrhoea, 268
- lichen planus, 245
- lichen sclerosus, 245
- lidocaine
 for extravasation flush-out technique, 153
 paracentesis, 284, 285
 for peripheral neuropathy, 102
- lifestyle changes, 374
- limbs
 compression therapy, 348–357, 359–361, 363–364
 elevation for chemotherapy extravasation, 149–150
 measurements, 344–348
 straightening, Last Offices, 411
- liquid-based cytology, 8, 9–10
- liver failure
 opioids and, 102
 scalp cooling and, 180–181
see also hepatotoxicity
- liver function tests, hypercalcaemia, 264
- living wills, 405
- lobbied rooms, ribavirin administration, 81
- local anaesthesia
 breast biopsy, 42
 for extravasation flush-out technique, 153
 flexible cystoscopy, 27, 28
 hyaluronidase and, 146
 marrow procedures, 62, 63, 64
 nipple tattooing, 393, 394
 paracentesis, 284, 285
 prostate biopsy, 21, 22
- local anaesthetic agents
 regional nerve blocks, 108–109
 spinal blocks, 112, 113–114
 toxicity, **116**, 118
- log rolling, 291, 292, 293, 297
- lomustine, preparation for swallowing difficulties, **160**

- London Cancer Alliance
 counselling checklist, oral chemotherapy, **158**, 161
 holistic needs assessment, 314
 long-stretch bandages, 348
 long-term, defined (Equality Act 2010), 321
 loop diuretics, hypercalcaemia and, **266**
 loperamide, 270–271
 lorazepam, paracentesis, 284
 low-density lipoprotein apheresis, **73**
 low dose rate Selectron unit, 214–215, 217
 Low-Income Scheme, 318
 low molecular weight heparin
 catheter related thrombosis, 259–260
 neuraxial blocks, catheter removal, 119
 lower motor neurones, 289
 lubricants, vagina, 331
 Luer-Lok syringes, 141
 lumbar plexus, invasion, 94
 lumiracoxib, 99
 lungs, 280
 chemotherapy toxicity, 178
 pneumonitis, 178, 280–281
 nuclear medicine, **12**
 lymph nodes, 339
 fine-needle aspiration, 43
 retroperitoneal dissection, 332–333
 sentinel nodes, nuclear medicine, **14**
 in TNM classification, **26**
 lymphatic system, 339–340
 lymphatics
 ascites, 282
 manual drainage, 341
 lymphocytes, **60**
 collection, **73**
 lymphoedema
 compression therapy, 339–365
 physical activity, **376**
 lymphoid progenitor cells, 58, 59
 lymphomas, scalp cooling, 180
 lymphorrhoea, 349, 358
- Macmillan Cancer Support, 326
 macrophages, **60**
 nipple tattooing, 393
 maggots, **238**
 magnesium, 267
 magnetic resonance imaging, spinal cord
 compression, 290
 maintenance opioid therapy, 101
 male partners, 333
 after sealed source therapy, 220
 malignant fungating wounds, 228–252
 assessment, 230–232
 assessment chart, **231**
 carotid artery rupture, 261
 cleansing, 237
 malnutrition
 fungating wounds, 244
 radiotherapy on skin, 247
 malodour
 absorbers, **239**
 fungating wounds, 230, 236–239
 Manchester applicator, 213, 214
 mandatory reconsideration, benefits
 (payments), **325**
 mannitol, space-occupying lesions, 303
 manual afterloading systems, 214
 manual lymphatic drainage, 341
 Marjolin's ulcer, 229, 230
 masks, cytotoxic drug preparation, 135
 massage, spinal cord compression, 292
 maxillofacial injuries, Entonox and, 121
 maximum oxygen consumption during
 exercise (VO₂ max), 373
 McGill Pain Questionnaire Short Form, 96
 MD Anderson Symptom Inventory, 96
- means tested benefits, 316
 measurements
 height, 335, 336, 338
 limbs, 344–348
 prostate, 22
 weight, 335–339
 Medi Butler, **343**
 Medical and Dental Guidance Notes, radiation
 protection, 203
 medical certificates of death, 409
 medical examinations, complaints, 326
 medical examiners
 certification of death, 409
 referral to, 410
 medical exemption certificates, prescriptions,
 318
 Mediven 2 in 1, **343**
 melphalan, preparation for swallowing
 difficulties, **160**
 meningitis, neuraxial blocks, **117**, 120
 menopause
 on breast, 37
 from cancer treatment, 329, 330, 331
 menses
 cervical smears and, 8
 contraception and, 330
 tumour marker collection, **7**
 menstrual history, 39
 Mental Health Capacity Act 2005, on advance
 directives, 405
 menthol cream, 102, **243**
 Mepitel, 248
 mercaptopurine, preparation for swallowing
 difficulties, **160**
 metaiodobenzylguanidine
¹²³I-labelled, **13**
¹³¹I-labelled, **207**, 209–210
 metastases
 bones
 exercise, 374, **376**
 pain, 94
 brain, 302
 fungating wounds, 232–234
 scalp, 180
 spinal cord compression, **254**, 289–301, 374
 in TNM classification, **26**
 use of tumour markers, 7
 methadone, 100
 methicillin-resistant *S. aureus*, transrectal
 ultrasound, **20**
 methotrexate
 encephalopathy, 177
 preparation for swallowing difficulties, **160**
 methylene blue, 177
 metronidazole, 237–239
 gel, 237, 239
 with opioids, **242**
 micro-Selectron unit, high dose rate, 215
 microscopy, 2
 micturition, after sealed source therapy, 220
 midazolam, carotid artery rupture, 262, 263
 midstream urine test, prostate biopsy, 21
 migraine, acupuncture points, 105
 Mini Mental State Examination, 97
 minoxidil, 179
 mitosis, 132
 mitotane, preparation for swallowing
 difficulties, **160**
 mobility component, Personal Independence
 Payment, 316, 321
 mobilization, spinal cord compression, 298
 modified Stockholm applicators, 213–214
 modulation, pain, 92
 moist desquamation, 246, 248
 moisturizers, **246**, 247, **248**
 limb compression therapy, 359
 vagina, 331
 see also emollients
- molecular targeted therapy, 132
 monitoring, clinical trials, 190
 monoclonal antibodies
 diarrhoea, 268–269, 271
 skin reactions, 247
 monocytes, **60**
 morphine, 100
 hydrogels and, **242**
 mortuary staff, information required by, 411,
 412
 motivation
 fatigue management, **379**
 physical activity, **376**
 motor blockade, neuraxial blocks, 118, **119**
 mouth care
 Last Offices, 412
 after sealed source therapy, 223
 moving patient, spinal cord compression,
 291–300
 MRSA, transrectal ultrasound, **20**
 mucositis, chemotherapy, 177–178
 multidimensional tools, pain assessment,
 96–97
 multimodal analgesia, 97
 Multinational Association for Supportive Care
 in Cancer, risk assessment, 279, **280**
 multiple sclerosis, spinal blocks and, 112
 muscles, exercise, 373
 music, 103
 mutations, 48–49
 myelinated nerve fibres, 109
 myeloid progenitor cells, 58, 59
 myelosuppression, 176
 myocardial infarction, NSAIDs and, 99
 myocardium, nuclear medicine, **13**
 myofascial trigger point effect, acupuncture,
 104
- N-methyl-D-aspartate receptors, 121
 naloxone, 100–101
 name bands, Last Offices, 413
 naproxen, 99
 nasal congestion, spinal cord compression,
 299
 nasogastric tubes
 bowel obstruction, 289
 terminal illness, **407**
 nasopharyngeal aspirates, 80
 National Cancer Survivorship Initiative, 312
 National Chemotherapy Advisory Group, 137
 national guidance, care after death, 408
 National Institute for Health and Care
 Excellence, *NICE Support for
 Commissioning Spinal Cord
 Compression*, 290
 National Insurance, address and phone
 number, 326
 natural killer lymphocytes, **60**
 natural radiation, 202
 nausea
 bowel obstruction, 288
 from chemotherapy, 176, 271–277
 drugs for, **276**
 neuraxial blocks, 118, **119**
 telephone triage tool, 257
 terminal illness, **407**
 nebulizers, 81, 84, 85
 neck
 carotid artery rupture, 261
 see also head and neck cancer
- necrosis
 radiotherapy, 246, 248
 wound care, 228–252
 needles
 acupuncture, 106
 apheresis, 74
 chemotherapy, 143
 neuraxial blocks, 113

- nipple tattooing, 393
 oral caesium-137 therapy, 212
 needs assessment, 313–315, 320
 nutrition, 335
 sexuality, 327–328
 negative pressure, topical, 236
 negative-pressure rooms
 pentamidine, 84, 86
 ribavirin administration, 81, 82
 neo-adjuvant chemotherapy, fungating
 wounds, 234–235
 nephrotoxicity
 chemotherapy, 178
see also renal failure
 nerve blocks, 107–120
 nerve plexus invasion, pain, 94–95
 neuraxial blocks, 109–120
 catheters, 113, 115–116, 119
 migration, 120
 infections (abscesses; meningitis), **117**,
 120
 neurology
 nausea and vomiting, 273
 pain, 92–93
 space-occupying lesions, 302–303
 neuron-specific enolase, **6**
 neuropathic pain, 92–93, 102
 adjuvant drugs, 101
 assessment, 97
 neuropathy *see* peripheral neuropathy
 neuroplasticity, 93
 neurotoxicity, chemotherapy, 177
 neurotransmitters
 nausea and vomiting, 273
 nitrous oxide on, 121
 pain, 92
 neutropenia, sepsis, **254**, 277–280
 neutrophils
 lifespan, 176
see also granulocytes
 news, significant, 406
 next of kin, 410, **414**
*NICE Support for Commissioning Spinal Cord
 Compression*, 290
 nifedipine, 299
 nilotinib, preparation for swallowing
 difficulties, **160**
 nipples
 discharge smears, 47–48
 flap reconstruction, 391
 tattooing, 390–395
 nitrous oxide, 120–121
see also Entonox
 nociceptive pain, 92
 non-adherent dressings, **240**, **241**
 non-polyposis colorectal cancer, hereditary,
 330
 non-steroidal anti-inflammatory drugs, 99
 neutropenic sepsis, 277
 notifiable diseases, dead patients, 410
 NRFit™ connectors, 113
 NSE (neuron-specific enolase), **6**
 nuclear medicine, 12–18
see also radionuclides
 nurse cystoscopists, 26
 nursing guides, clinical trials, 186–189,
 190
 nutrition, 334–339
see also malnutrition
 obesity, 338
 radiotherapy on skin, 247
 occipital lobe, lesions, 302
 occupational exposure
 cytotoxic drugs, 133–134
 ribavirin, 81
 occupational therapy, for peripheral
 neuropathy, 102–103
 octreotide
 bowel obstruction, 289
 for diarrhoea, 271
¹¹¹In-labelled, **13**, **207**
 terminal illness, **407**
 odours
 absorbers, **239**
 cooking, 177
 fungating wounds, 230, 236–239
 nausea and vomiting, 277
 oedema, 340
 oesophageal voice, 384
 oestrogens
 on breast, 37
 deficiency, 331
 topical, 331
 oliguria, neutropenic sepsis, 277, 279
 Ommaya reservoir, 165, 166–167
 one-dimensional tools, pain assessment, 96
 opioids, 98, 99–102
 bowel obstruction, 289
 carotid artery rupture, 262
 spinal blocks, 109, 112, 113–114
 topical, **242**
 toxicity, **116**, 118
 Optia™ cell separator, 75
 oral administration, systemic anticancer
 therapy, 156–162
 oral analgesia, 98–99
 oral cavity assessment, 178
 oral implants, 220–222
 caesium-137, 212–213
 oral rehydration, 271
see also fluid therapy
 oral transmucosal fentanyl citrate, 101, 102
 organ donation, 409, 410, **414**
 orgasm, absence, 331
 orifices, Last Offices, 412
 orthostatic hypotension, 299, 300
 osmotic therapy, space-occupying lesions, 303
 osteoporosis, exercise on, 374
 out-of-hours medical examiners, certification of
 death, 409
 ovaries
 cancer, sexual effects, 330
 cancer treatment on, 330
 overflow diarrhoea, 270
 overweight, 338
 oxaliplatin, peripheral neuropathy, 177
 oxycodone, 100–101, 102
 oxygen
 in Entonox, 121
 neutropenic sepsis, **279**
 VO₂ max, 373
 P6 pressure point, 176
 paclitaxel, scalp cooling and, 180
 padding, compression systems, 348, 349, 354
 paediatrics
 catheter related thrombosis, 259, 260
 consent, 62
 local anaesthesia, 63
 marrow procedures, 63
 neutropenic sepsis, 278
see also children
 pain, 91–130
 acute, 93
 assessment, 95–97
 frequency, 97
 back, 290, 292, 299
 neuraxial blocks, **117**
 bone marrow harvest, **71**
 bowel obstruction, 288
 chronic, 93
 complex, 107–120
 cytotoxic drug injections, 139
 extravasation, **144**, 145
 definitions, 92, 93
 after flexible cystoscopy, **36**
 fungating wounds, 241–243
 dressing changes, 230, 241
 intraperitoneal chemotherapy, **173**
 intravesical chemotherapy, **171**
 limb compression therapy, **357**
 marrow procedures, **66**, 67
 neuraxial blocks not relieving, 120
 non-pharmacological management,
 103–104
 paracentesis, **287**
 telephone triage tool, 257
 terminal illness, **407**
 throat, pentamidine, 87
 untreated, 92
 palliative care
 end of life care, 404–417
 limb compression therapy, 349–350
 WHO on, 405
 palmar plantar syndrome, telephone triage
 tool, 257
 pamidronate, 265
 panel tests, genetic, 52
 paper claim forms, Personal Independence
 Payment, 322
 paracentesis, 282–287
 paracetamol, 99
 with codeine, 99, 100
 paralytic ileus, 289
 paraplegia, 289
 parathyroid hormone, 264
 parathyroids, nuclear medicine, **13**
 parietal lobe, lesions, 302
 paroxetine, **243**
 partners, patients as, 313
 patch testing, nipple tattooing, 393
 pathogenic variants, genetic, 49
 patient-controlled analgesia
 epidural, 112
see also Entonox
 patient generated subjective global
 assessment, 338
 patient information sheets (PIS), clinical trials,
 184
 patient selection for clinical trials, 189
 inclusion/exclusion checklists, 191–193
 patients
 moving in hospital, 221–222
 as partners, 313
 personal belongings, unsealed source
 therapy, 208
 telephone advice lines, 255, 256–257
 Paxman machine, 181
 pazopanib, swallowing difficulties and, **160**
peau d'orange, 228
 pedigrees, 50, 51
 pelvic floor exercises, 332
 pelvic twist, 291, 295–296
 pelvis
 exenteration, 333
 iridium-193 therapy, 212
 pain, 94
 radiotherapy, gastrointestinal symptoms,
 338
 penis, anatomy, 30
 Pension Credit, 316
 enquiries, 326
 pensions, address and phone number, 326
 pentamidine, 58, 84–87
 adverse effects, 87
 perception, pain, 92
 percussion, bowel obstruction, 288
 perforation, stercoral, 288
 performance status
 Eastern Cooperative Oncology Group, 138
 telephone triage tool, 256
 perfusion lung scans, **12**
 pericardiocentesis, 302

- pericardium, 301
 effusions, 301–302
- peripheral neuropathy
 chemotherapy, 95, 102–103, 177
 compression garments and, 358, 362
 telephone triage tool, 257
- peripherally inserted central catheters (PICC), **140**
 thrombosis, 259
- peritoneovenous shunts, 284
- peritoneum, 281, 282
 carcinomatosis, bowel obstruction, 288
 cytotoxic drugs into, 172–173
- periwound skin, 236
- permanent insertion, sealed source therapy, 213
- pernicious anaemia, Entonox, 123
- person-centred care, 313
- personal belongings of patients, unsealed source therapy, 208
- Personal Independence Payment, 316, **319**, **320**
 assessment criteria tool, 321
 helpline, 326
 making claims, 321–323
- personal protection equipment (PPE)
 cytotoxic drugs
 intravenous administration, 141
 preparation, 134–135
 ribavirin administration, 82
 specimen handling, 3
 unsealed source therapy, 208–209
- pertuzumab, neo-adjuvant chemotherapy, 234
- pharyngocutaneous fistulae, 261
- phosphodiesterase type 5 inhibitors, 333
- photographs, nipple tattooing, 392
- photopheresis, extracorporeal, 72, 245
- physical activity, 371–377
- physiotherapy, 103
 breathlessness, 367–368
- pia mater, 109
- pigmentation, chemotherapy, 178
- pigments, nipple tattooing, 391, 393, 394
- pillows, spinal cord compression, 292, 295, 297
- pincushion technique, 146
- piperacillin, 278
- PLaCE, compression systems, 340
- placental alkaline phosphatase (PLAP), **6**
- plasma, 58
- plasma exchange, **73**
 reactions, 80
- plastic surgery, for chemotherapy
 extravasation, 150
- platelets
 collection, **73**
 paracentesis, 284
see also thrombocytopenia
- plerixafor, 72
- pleural effusion, 168
- pleurodesis, 302
- PleurX™ drains, 284
- plexus nerve blocks, 108–109
- PLISSIT model, sexual concerns, 328
- pneumonia
Pneumocystis jirovecii, 84
 respiratory syncytial virus, 80
- pneumonitis, chemotherapy, 178, 280–281
- pneumothorax
 from acupuncture, 107
 central venous catheters, 75
 Entonox and, 121
- poikilothermia, 300
- polyhexamethylene biguanide, 237
- Polymem, **246**, 248
- pomalidomide, swallowing difficulties and, **160**
- ponatinib, swallowing difficulties and, **160**
- portal hypertension, 282
- ports
 peritoneal, 284
see also implanted ports
- positioning of patient
 apheresis, 78
 Last Offices, 411
 for pain, 103
 paracentesis, 285
 pentamidine, 86
 sealed source therapy, 216, 217
 spinal blocks, dressing changes, 115
 spinal cord compression, 290, 291, 292–294, 297
- post mortems, 410, **414**
- posterior reversible encephalopathy syndrome, 177
- posterior roots, spinal nerves, 109
- postoperative period
 analgesia, 97
 tumour marker collection, **7**
- potassium
 diarrhoea, 177
 hypomagnesaemia, 267
- povidone-iodine, **238**
- precipitated pain, 93–94
- predictive genetic testing, 49
- prednisolone, pneumonitis, 280, 281
- pregnancy
 cervical smears and, 8
 cytotoxic drugs on, 133
 nuclear medicine, 15
 pentamidine, 84
 ribavirin and, 81
- Pregnancy and Work in Diagnostic Imaging (RCR report), 203
- preloaded sources, sealed source therapy, 213
- prescribing
 chemotherapy, 138
 end of life care, 406
 Entonox, 122
- prescriptions, free, 317–318
- pressure points, P6, 176
- pressure-relieving mattresses, Last Offices, 411
- primary care, neuraxial blocks, 120
- priorities, end of life care, 406
- privacy
 apheresis, 78
 cervical smears, 9
- procarbazine, preparation for swallowing
 difficulties, **160**
- procedural pain, 241
- proctitis, after sealed source therapy, 220
- progesterone, on breast, 37
- prognosis, end of life care, 406
- prokinetic drugs, **276**
- prompt tools, holistic needs assessment, 314
- prostate, 18
 cancer
 iodine-125, 211–213, 220
 nutritional status, 334
 transrectal ultrasound biopsy, 18–24
 volume measurement, 22
- prostate-specific antigen, **6**, **7**
 specimen storage, **7**
- prostatectomy, 332
- prosthesis brushes, voice prostheses, 389
- prosthetic nipples, 391
- protective barriers (skin), 236, **242**, 244
- protective floor coverings, unsealed source therapy, 208
- prothrombin time, paracentesis, 284
- protocols, clinical trials, 184
- Provox laryngectomy tube, 386
- pruritus
 fungating wounds, 243
 neuraxial blocks, 118, **119**
- PSA *see* prostate-specific antigen
- pseudoaneurysm, from acupuncture, 107
- psychological interventions
 end of life care, 406
 pain, 103
- psychosocial functioning, 313
 alopecia on, 179
 fungating wounds, 229–230
 lymphoedema, 341
 unsealed source therapy, 207–208
- pubococcygeal muscle, 332
- pulmonary fibrosis, 281
- pulsus paradoxus, 301
- punch biopsy, breast, 45–47
- quadriplegia, respiratory function, 299
- quality of life
 fungating wounds, 229
 iodine-125 brachytherapy, 211
 sexuality, 327
- quinolones, prostate biopsy, 20–21
- radiation, 202
- radiation pneumonitis, 280
- radiation protection, 202–206
 dead patients, **414**
 sentinel node localization, **14**
- Radiation Therapy Oncology Group, grading of
 skin reactions, 246
- radiation warning notices, intraoral sealed source therapy, 221
- radical dissection of neck, carotid artery
 rupture, 261
- radioactive decay, 202
- Radioactive Substances Act 1993, 203
- radioactivity, 202
- radiology
 bowel obstruction, 288
 pericardial effusions, 301
 pneumonitis, 280–281
- radionuclides
 diagnostic, 12–18
 legal aspects, 15
 therapy with, 201–225
 on tumour markers, **7**
- radiotherapy
 carotid artery rupture, 261
 diarrhoea, 269
 fungating wounds, 235
 pelvis, gastrointestinal symptoms, 338
 pneumonitis, 280
 scalp cooling, 179
 sexual effects, 330
 skin, 245–249
 space-occupying lesions, 303
- radium-225, **207**
- Rasch-built overall disability scale, 95
- rashes
 EGFR inhibitors, 178, 247
 graft-versus-host disease, 245
 telephone triage tool, 257
- receptors, nausea and vomiting, 273
- reconstruction, breast, 391
- record-keeping, 156
 acupuncture, 106
 administration record sheets, ribavirin, 81
 chemotherapy
 consent, 137
 extravasations, 151, 156
 Last Offices, 413
 specimen collection, 3
- recovery package, 312–313
- recruitment, clinical trials, 189
- rectum
 bleeding after prostate biopsy, 24
 bowel obstruction, 288
 cancer
 iridium-193 therapy, 212
 pelvic exenteration, 333

- examination
 bowel obstruction, 288
 prostate biopsy, 22
 pain, 94
- red blood cells, nuclear medicine, **14**
- red marrow, 58
- redness, extravasation, **144**
- referrals
 genetic testing, 51
 to medical examiners, 410
- reflexes
 nausea and vomiting, 273
 see also autonomic dysreflexia
- refractory vomiting, 272
- refrigerated systems, scalp cooling, 182
- regional nerve blocks, 108–109
- registration, patients for clinical trials, 189
- regulations
 apheresis, 74
 clinical trials, 184–185
 radiation protection, 203
- rehabilitation, spinal cord compression, 300
- rehydration, 271
 see also fluid therapy
- relaxation, 380, 383
 breathing technique, 381
 for pain, 103
 spinal cord compression, 292
- religious care, 406–407, 410, 415
- remote afterloading, 214–216
- renal failure
 fluid therapy, 178
 methadone, 100
 opioids, 102
 on tumour markers, **7**
 see also acute kidney injury; nephrotoxicity
- renography, **12, 14**
- repatriation, dead patients, 409
- Replens (vaginal moisturizer), 331
- request forms, 4
- research, 184–193
- residence permit, biometric, 317
- resistance to antibiotics
 prostate biopsy, 21
- respiratory depression, 118
- respiratory function, spinal cord compression, 299
- respiratory secretions, end of life, **407**
- respiratory syncytial virus, 80
- resting positions, 367, 368
- restlessness, end of life, **407**
- retching, defined, 271
- retroperitoneal lymph node dissection, 332–333
- rhodium-187, **207**
- ribavirin, 58, 80–84
 adverse effects, 84
- rinsebacks, cell separators, 78
- risk-reducing surgery, inherited cancer syndromes, 330
- rituals, 408
- rofecoxib, 99
- Rolly (application aid), **343**
- round-knit compression garments, 358
- round magnums, nipple tattooing, 393
- Royal College of Nursing, on chemotherapy, 137
- Royal Marsden Nutrition Screening Tool, **338**
- Royal Marsden wound assessment chart, 233–234
- rubber gloves, for limb compression therapy, **343, 359**
- ruxolitinib, swallowing difficulties and, **160**
- Ryles tubes *see* nasogastric tubes
- S-100 (tumour marker), **6**
- saddle block, **108**
- safer connectors, 113
- safety checklists, neuraxial blocks, **119**
- safety reporting, clinical trials, 190–193
- salbutamol, 86
- saline soaks, 248
 see also irrigation
- saliva, on tumour markers, **7**
- salpingo-oophorectomy, sexual effects, 330
- samarium-153, **207**
- samples *see* specimens
- sanitary towels, sealed source therapy, 216
- scales
 chemotherapy
 extravasations, 155
 symptom assessment, 175–176
 disability, 95
 exertion, 373
 pain assessment, 96, 97
 sexual health assessment, 328–329
 scales (weighing), 335, 336, **337**
- scalp cooling, 179–184
 machines, 181, 182
- scalpel blades
 breast biopsy, 42
 marrow procedures, 65
 paracentesis, 285
- SCCA (squamous cell carcinoma antigen), **6**
- religions, intrapleural, 168
- sclerosis
 biliary, 175
 graft-versus-host disease, 245
- SCoR guidelines, radiotherapy skin care, 247
- screening
 cervical smears, 8
 nutritional, 335, 338
 patients for clinical trials, 189
- sea-bands, 176
- sealed source therapy, 211–223
 death after, **414**
 intraoral *see* oral implants
- sedation
 carotid artery rupture, 262, 263
 end of life, **407**
 marrow procedures, 62
- sedation (unwanted), neuraxial blocks, **116, 118**
- seeds, sealed source therapy, 211, 213
- segmental effects, acupuncture, 104
- seizures
 from acupuncture, 107
 space-occupying lesions, 302, 303
- selective serotonin reuptake inhibitors, sexual desire and, 331
- Selectron, 214–215, 217
 removal, 218–219
- self-administration
 pentamidine, 84, 86–87
 see also Entonox; patient-controlled analgesia
- self-assessment, fungating wounds, 230
- self-image *see* body image
- self-management, supported, 312
- semen, after sealed source therapy, 220
- sensitivity (tests), 5
- sensory-nociceptive model, breathlessness, 367
- sentinel bleeds, 261
- sentinel nodes, nuclear medicine, **14**
- sepsis
 central venous access devices, 260–261
 diarrhoea, 270
 emesis, 274
 neutropenia, **254, 277–280**
 spinal blocks and, 112
- sepsis six, 279
- septic screen, 277
- septicaemia, 260
- sequential circumferential measurement, limbs, 344–348
- serious adverse events (SAE), clinical trials, 190–193
- serotonin, sexual desire and, 331
- sexual activity after sealed source therapy
 prostate cancer, 220
 vagina, 220
- Sexual Activity Questionnaire, 328
- sexual concerns, 326–334
 men, 329, 332–333
 women, 329–332
- sexual desire
 loss (female), 331
 loss (male), 333
- sexual health
 assessment scales, 328–329
 WHO definition, 327
- Sexual Health Inventory for Men, 329
- shampoo, 184
- shared care, 312
- sharps
 cytotoxic drug preparation, 135
 nuclear medicine, 15
- sheets, Last Offices, 413
- shock, paracentesis, **287**
- short-stretch bandages, 348–357
- sievert (unit), 202
- silicone dressings, **240, 241**
- silks, oral caesium-137 therapy, 212
- silver caps, Manchester applicator, 214
- silver dressings, **238**
- silver nitrate sticks, **240**
- sinuses, malignant, 229
- site initiation visits (SIV), 185–186
- sites of clinical trials, 185
- siting, intravenous chemotherapy, 139, 143, 144
- skin
 chemotherapy toxicity, 178
 end of life, 404
 fungating wounds *see* malignant fungating wounds
 graft-versus-host disease, 244–245
 heat-moisture exchange systems, **387**
 limb compression therapy, 349, **357**
 nipple tattooing, 391
 occupational exposure to cytotoxic drugs, 133, 136
 periwound, 236
 radiotherapy, 245–249
 terminal illness, 404, **407**
- skin barriers, 236, **242, 244**
- skin-tunnelled catheters, **140**
- sleep, 377, 380–383
 fact sheet, 383
 sleep diary, 381
 sleep hygiene, 382, 383
- Sleeve on, **343**
- sleeves, limb compression therapy, 360–361
- Slide On Stocking, **343**
- slippage, compression garments, **361**
- smoking
 radiotherapy on skin, 247
 vaginal atrophy, 331
- Society and College of Radiographers, radiotherapy skin care guidelines, 247
- SOCRATES pain assessment framework, 97
- sodium lauryl sulphate, 247
- sodium restriction, ascites, 283
- somatic genetic testing, 48
- sorafenib, preparation for swallowing difficulties, **161**
- sorbitol, 271
- space-occupying lesions, 302–303
- special rules, terminal illness, 323, 324

- specificity (tests), 5
specimens, 2
 bladder biopsy, 34
 bone marrow, 61, 62, 65
 breast
 biopsy, 42, 47
 fine-needle aspiration, 44–45
 nipple discharge smears, 48
 clinical trials, 186
 after nuclear medicine investigations, 17
 prostate biopsy, 18
 selection, 4
 transportation, 3–4
 tumour markers, 7
 unsealed source therapy, 208, 210
spiking, infusion bags, 141
spillages
 body fluids, nuclear medicine, 16
 cytotoxic drugs, 135–136
 systemic effects, 134
 radiopharmaceuticals, 203–204
 specimens, 3
spinal blocks *see* neuraxial blocks
spinal braces, 291, 298
spinal cord, 109, 110
 compression, **254**, 289–301, 374
spinal nerve roots, 109, 111, 289
spinal shock, 289, 300
spiritual care, 406–407, 410, 415
spironolactone, ascites, 283
sporadic cancers, 49
squamous cell carcinoma antigen, 6
stadiometers, 335, 336
staging, bladder cancer, 25, **26**
standard infection control, 3
standard operating procedures, 190
Starling's hypothesis, 340
static stiffness index (SSI), compression
 systems, 340
Statutory Sick Pay, 316
stem cells, 58, 59
 collection, 58, 67–72, **73**, 78–79
 after nuclear medicine investigations, 17
 see also apheresis
 transplantation, 244
stents
 superior vena cava obstruction, 264
 ureters, removal, 30–31
stercoral perforation, 288
sternum, marrow procedures, 60–61, 67
steroids
 apheresis, 76
 for extravasation, 146–148
 graft-versus-host disease, 245
 ipilimumab-induced diarrhoea, 269, 271
 neutropenic sepsis, 277
 pneumonitis, 280, 281
 regional nerve blocks, 109
 space-occupying lesions, 303
 spinal blocks, 112
 topical, 245, **248**
Stockholm applicators, 213–214
stockinette, tubular, 350
stockings
 compression therapy, 359, 360
 application aids, **342**, **343**
 thromboembolic deterrent, 301
stomas, laryngectomy, 383
 shrinkage, **387**
stomatitis
 chemotherapy, 177–178
 telephone triage tool, 257
stools, bowel obstruction, 288
storage
 diagnostic specimens, 4
 prostate-specific antigen, 7
 oral chemotherapy agents, **158**
 stratified care, 312, 313
 stress management, 381
 strike-through, dressings, 244
 stroke, NSAIDs and, 99
 strontium-89, **207**
 study staff, clinical trials, 185
 subcutaneous administration, SACT, 162–164
 subcutaneous analgesia, 99
 subjective global assessment, nutrition, 338
 sublingual analgesia, 99, 101, 102
 sucralfate paste, **240**
 suicide
 assisted, 405
 tramadol on, 100
 sunitinib, preparation for swallowing
 difficulties, **161**
 superior vena cava, 262
 obstruction, **254**, 262–264
 supported self-management, 312
 surface area, body, 138
 surface measurements, limbs, 344–345
 surgery
 bowel obstruction, 289
 carotid artery rupture after, 261
 death within 24 hours, **414**
 fungating wounds, 232–234
 inherited cancer syndromes, 330
 after nuclear medicine investigations, 17–18
 space-occupying lesions, 303
 surgical voice restoration, 383
 emergencies, 390
 survivorship, 312
 sutures, nipple tattooing and, 392
 swallowing difficulties, oral chemotherapy,
 157–161
 sweating, spinal cord compression, 299, 300
 swelling, extravasation, 145
 syncope
 spinal cord compression, 300
 see also vasovagal syncope
 syngeneic stem cell collection, **73**
 syringes
 Luer-Lok, 141
 radiopharmaceuticals, 17
 systemic anticancer therapy (SACT), 132
 administration by nurses, 137–138
 biological, 132–133
 intramuscular administration, 162–164
 intravenous administration, 138–156
 intrathecal chemotherapy and, 165
 sequence of drugs, 144
 oral administration, 156–162
 subcutaneous administration, 162–164
 see also chemotherapy
 T lymphocytes, **60**
 tablets (electronic), holistic needs assessment,
 314
 tachycardia, neutropenic sepsis, 277
 tachypnoea, neutropenic sepsis, 277
 tamponade, cardiac, 67, 301, 302
 tape measures, 335, 346
 tapentadol, 101
 Targinact, 100–101
 taste, chemotherapy on, 176–177
 tattooing, 390–391
 nipples, 390–395
 taxanes
 hypersensitivity, 177
 scalp cooling and, 180
 tazobactam, 278
 teachable moment, 374
 telangiectasia, 249
 telephone advice lines, 255, 256–257
 telephone calls
 Employment and Support Allowance claims,
 325
 Personal Independence Payment claims, 322
 TELER system, assessment of fungating
 wounds, **231**
 telogen, hair follicles, 179
 temozolomide, preparation for swallowing
 difficulties, **161**
 temperature
 Entonox, 121, **124**
 scalp cooling, 179
 temperature (body)
 after death, 411
 intraperitoneal chemotherapy, 173
 neutropenic sepsis, 277
 thermoregulation, spinal cord compression,
 300–301
 temporal lobe, lesions, 302
 Tenckhoff catheter, 172
 tenesmus, 94
 tents, ribavirin administration, 81
 teratogenesis, ribavirin, 81
 terminal illness
 end of life care, 404–417
 statutory benefits, 316, 318, 323, 324
 testicular cancer, retroperitoneal lymph node
 dissection, 332–333
 testosterone supplements, 333
 tests, diagnostic, defined, 2
 tetraplegia, respiratory function, 299
 Teysumo, swallowing difficulties and, **161**
 thalidomide, preparation for swallowing
 difficulties, **161**
 Therakos Celex™ cell separator, 75
 therapeutic relationships, 103
 therapeutic touch, 292
 Thermocirculator, scalp cooling, 182
 thermoluminescent dosimeter badges, 15, 204
 thermoregulation, spinal cord compression,
 300–301
 thoracic pain, 94
 throat pain, pentamidine, 87
 thrombocytopenia
 after apheresis, 80
 from chemotherapy, 176
 marrow procedures and, 63
 paracentesis, 284
 thrombolytic therapy, catheter related
 thrombosis and, 260
 thrombosis
 catheters, 259–260
 intra-arterial chemotherapy, 175
 superior vena cava obstruction, 264
 see also venous thromboembolism
 thyroid, nuclear medicine, **13**
 time spent with patient, intraoral sealed source
 therapy, 221
 TIME wound bed preparation, 235
 tioguanine, preparation for swallowing
 difficulties, **161**
 tissue donation, 409, 410, **414**
 titration, opioids, 100, 101
 TNM classification, 25, **26**
 toes, compression therapy, 354–356
 topical anaesthesia
 fungating wounds, **242**
 marrow procedures, 63
 topical application
 adrenaline, **240**
 cytotoxic drugs, 164–165
 of negative pressure, 236
 oestrogens, 331
 opioids, **242**
 steroids, 245, **248**
 tranexamic acid, **240**
 treatments for peripheral neuropathy, 102
 topotecan, swallowing difficulties and, **161**
 total pain, 96
 total parenteral nutrition, bowel obstruction, 289
 touch screen tablets, holistic needs
 assessment, 314

- tourniquet effect, compression systems, 348, 358
- towels, cytotoxic drug spillages, 135
- tracheoesophageal puncture, 383
- tracheostomy, carotid artery rupture, 263
- training
 - cell separators, 74
 - chemotherapy, 137
 - Entonox, 121–122
 - nurse cystoscopists, 26
 - for spinal blocks, 112, **113**
- trajectories of disease, 404
- tramadol, 99–100
- tranexamic acid, **240**
- transcutaneous electrical nerve stimulation, 103–104, **242, 243**
- transdermal analgesia, 99, 100, 101
- transdermal patches, lidocaine, 102
- transfer packs, bone marrow harvest, 70, 71
- transfusion reactions, 80
- transmucosal analgesia, 99, 101, 102
- transperineal biopsy, prostate, 19
- transportation
 - blood cell collections, 78–79
 - dead patients, 413
 - specimens, 3–4
- transportation (patients), benefits (payments) for, 318
- transrectal ultrasound biopsy, prostate, 18–24
- transudates, ascites, 282
- trastuzumab, neo-adjuvant chemotherapy, 234
- trays, specimen transportation, 3
- Trendelenburg position, 24, **36**
- trephine biopsy, bone marrow, 58–67
- tretinoin, preparation for swallowing difficulties, **161**
- triage, by telephone, 255, 256–257
- trials (clinical), 184–193
- tricyclic antidepressants, **243**
- trigger points
 - nerve blocks, 108
 - see also* myofascial trigger point effect
- triple assessment, breast, 36
- triple-packaging system, specimen transportation, 3
- trocars, paracentesis, 285
- Trousseau sign, 267
- trusting therapeutic relationships, 103
- tubular stockinette, 350
- tumour lysis syndrome, 178, **254**
- tumour markers, 4–8
- tumour necrosis factor inhibitors, ipilimumab-induced diarrhoea, 269
- Tuohy needles, 113
- TumZus* (website), 321
- turning of patient
 - intrapleural chemotherapy, 169
 - spinal cord compression, 291–292
 - pelvic twist, 291, 295–296
- 12 core biopsy protocol, prostate, 18
- tyrosine kinase inhibitors, 132, **156**
- diarrhoea, 177, 268
- UKONS
 - grading of diarrhoea, **269**
 - telephone triage tool, 256–257
 - toxicity grading guide, 258
- ulcers
 - extravasation of cytotoxics, **144**
 - wound care, 228–252
- ulna length, 336, 337
- ultrasound
 - catheter related thrombosis, 259
 - paracentesis, 283, 284, 285
- umbilical cord, blood transplantation, 67
- unconsciousness
 - Entonox overdose, 125
 - epidural analgesia, **116**
- Universal Credit, 316, 320, **320**
- universal infection control, 3
- unmet needs, 313
- unmyelinated nerve fibres, 109
- unsealed radioactive sources
 - diagnostic *see* nuclear medicine
 - therapy with, 207–211
 - entering and leaving room, 208–209
- unstable spinal cord compression, 290, 291
- upper motor neurones, 289
- ureters, stent removal, 30–31
- urethra
 - bleeding after prostate biopsy, 24
 - trauma, **36**
- urinals, iodine-131 therapy, 210
- urinary residue, before prostate biopsy, 20
- urinary retention
 - after flexible cystoscopy, **36**
 - after intravesical chemotherapy, **171**
 - neuraxial blocks, 118, **119**
 - after prostate biopsy, 24
 - spinal cord compression, 299
- urinary tract, 24–25, 30
- urinary tract infections
 - before flexible cystoscopy, 26
 - after flexible cystoscopy, **36**
 - PSA collection, 7
- urination, after sealed source therapy, 220
- urine
 - acute kidney injury, 265
 - iodine-125 brachytherapy, 220
 - iodine-131 therapy, 210
 - telephone triage tool, 256
 - tests
 - prostate biopsy, 21
- uroflowmetry, before prostate biopsy, 20
- urokinase, 145
- urticaria, **144**
- uterus, 329
- cancers, sexual effects, 330
- sealed source therapy, 212, 213–214
- utility, genetic testing, 52
- vacuum, fine-needle aspiration, 44
- vacuum erection devices, 333
- vagina
 - dilators, 331
 - graft-versus-host disease, 330
 - lubricants, 331
 - moisturizers, 331
 - sealed source therapy, 212, 213–214, 219–220
 - symptoms, 330–331
 - topical oestrogens, 331
- vaginal speculums, 8–9, 10
- validity, genetic testing, 52
- Value Added Tax, 318
- vandetanib, preparation for swallowing difficulties, **161**
- variants, genetic, 49
- vascular access
 - apheresis, 74–75, 78
 - chemotherapy, 139–140
 - decision-making tool, 147–148
 - problems, **79**
 - spinal block patients, 114
 - see also* central venous access devices
- vascular endothelial growth factor inhibitors, diarrhoea, 268
- vasoconstriction, wounds, **240**
- vasodilators, 299
- vasomotor symptoms, menopause, 330, 331
- vasovagal syncope
 - after flexible cystoscopy, **36**
 - prostate biopsy, 24
- vectors, unsealed source therapy, 207
- Vega voice prosthesis, 385
- Velcro wraps (compression systems), 340, 361–365
- vemurafenib, swallowing difficulties and, **161**
- venography
 - catheter related thrombosis, 259
 - superior vena cava obstruction, 263
- venous access *see* central venous access devices; vascular access
- venous thromboembolism, 259
- see also* deep vein thrombosis
- ventilation lung scans, **12**
- ventricles (brain), cytotoxic drugs, 165, 166–167
- vesicants, 142, 143, 144
- intravenous administration, 139
- vessel health and preservation framework, 140
- Video Relay Service, British Sign Language, 322, 324
- video stacks, flexible cystoscopy, 27
- viewing rooms, dead patients, 409, 415
- vincristine, alopecia, 180
- vinorelbine, 138
- swallowing difficulties and, **161**
- viral infections, 80
- Virchow's triad, 259
- visitors
 - intraoral sealed source therapy, 221
 - unsealed source therapy, 210
- vismodegib, swallowing difficulties and, **161**
- Visual Analogue Fatigue Severity Scale, 379
- visualization, **242**
- vital signs monitors, iodine-131 mIBG therapy, 210
- vitamin B₁₂, Entonox on, 123
- VO₂ max, 373
- vocal folds, 383
- voice prostheses, 384, 385
- cleaning, 388–389
- emergencies, 389–390
- volume of limb, 345, 348
- vomiting
 - bowel obstruction, 288
 - from chemotherapy, 176, 271–277
 - oral, **158**
 - neuraxial blocks, 118, **119**
 - telephone triage tool, 257
 - terminal illness, **407**
- vomiting centre, 273
- antiemetics targeting, **276**
- vulvectomy, sexual effects, 330
- vulvo-vaginal symptoms, 330–331
- waist circumference, 335, 336, 338
- warfarin, 260
- washing
 - cytotoxic drug spillages, 136
 - fungating wounds, 237
 - Last Offices, 412
 - during radiotherapy, **248**
- waste, 4
- cytotoxic drug preparation, 135
- dressing changes, 244
- intraoperative chemotherapy, 173
- after pentamidine administration, 87
- radioactive, 15, 16, 203
- water, for hypercalcaemia, 266–267
- water bottle heart, 301
- weight, 335–339
- welfare advice, 315–326
- white blood cells, radionuclide-labelled, **13**
- wigs, 184
- benefits (payments), 318
- workplace controls, cytotoxic drugs, 133
- worksheets, apheresis, 75
- World Health Organization
 - analgesic ladder, 98
 - definition of sexual health, 327
 - on exercise, 374
 - on palliative care, 405

Index

432

Wound and Symptoms Self-Assessment chart, **231**
wound care
 fungating wounds, 228–252
 marrow procedures, 67
wound healing, carotid artery rupture, 261
wrapping, Last Offices, 413

wrinkling, compression garments, **361**, 363, **365**
wrist bands, 15, 17
writing equipment, intraoral sealed source therapy, 223
xerosis, graft-versus-host disease, 245

xerostomia, acupuncture, 104
Y-tube irrigation sets, 172
yellow marrow, 58
yellow wrist bands, 15, 17
zoledronic acid, 265