

# Index

Note: Page numbers in *italic* denote figures, those in **bold** denote tables.

- Abdominal exam, postpartum care 413  
Abdominal pain 561–564  
    abdominal trauma 563–564  
    appendicitis 562  
    cardiopulmonary resuscitation (CPR) 564  
    differential diagnosis 561–562, **562**  
    evaluation 561–562  
    gall bladder disease 562–563  
    OLD CAARTS mnemonic 561–562, 681, 684  
    pancreatitis 564  
Abdominal trauma 563–564  
    cardiopulmonary resuscitation (CPR) 564  
Abdominal wound infection, postpartum disorders 580–581  
Abortion  
    *see also* spontaneous pregnancy loss  
    counseling 150  
    elective 613  
    spontaneous 24, 43, 97, 279, 280, 303, **330**, 332, 464, 466, **571–572**, 613, 704, **714**, 729, 730, 736, 742, 748, 749, 750  
Abscess, breastfeeding problems 607  
Absolute risk 155, 160, **162**  
Acanthosis nigricans 237, **529**, 625, 629  
Accelerated starvation 33, 40  
Acetaminophen, prenatal exposure 218, 225, **265**  
Acidemia 197, 198, 207, 209, 210, 481, 490  
Acidosis 197, 204, 551, 552, 558, 665, **699**  
Acrosome reaction 19, 20  
Active labor 393, 394–395, 397–398  
Active listening 146, 216, 223, 341, 354, 359, 405  
Active transport 19, 23, **23**, 35, 111  
Activity and exercise, postpartum care 407–408  
Acuity, triage 385, 386–388, 390–391  
Acuity index, triage 385  
Acute appendicitis 562, 685–686  
Acute cystitis 673, 675, 676, 677, **677**  
Acute pustular psoriasis of pregnancy (PPP) 716–717  
    defining characteristics **712**  
Acute pyelonephritis 675, 678  
Adaptation 341  
Adaptations, psychosocial 341–359  
    maternal-newborn attachment and adaptation 343–346  
    trauma-informed care 342–343  
Addiction 271, 273  
Adequate intake (AI) 103, 104, 122  
Adolescent pregnancy, nutrition 121–122  
Adolescents, childbirth education 366  
Adoption 147, 149–150, 151, 357, 661  
Adoption counseling 149–150  
Adrenal function changes, pregnancy 46  
Adrenarche 5, 12  
Adult education principles, childbirth education 366–367  
Adverse drug effect 253, 260  
AEDs *see* antiepileptic drugs  
AFI *see* amniotic fluid index  
Afterbirth pain, postpartum care 409  
Afterpains 49, 50, 409  
AFV *see* amniotic fluid volume  
Age of viability, fetal 495, 505  
Ainsworth, Mary, maternal-newborn attachment and adaptation 344  
Alcohol use  
    pregnancy 279–280, 291  
    prenatal care 96–97  
Allantois 19, 27, 28, 483  
Alloimmunization/isoimmunization 651, 654–658  
Allostatic load 155, 156  
Alpha-fetoprotein (AFP) 24, 39, 181, 183–186, **184**, **475**, 485  
Alpha-linolenic acid (ALA) 107  
Alveolus 423, 431, **435**  
Amenorrhea 131, 133–134  
    presumptive sign of pregnancy 134  
American Registry for Diagnostic Medical Sonography (ARDMS) 167, 178  
Amniocentesis 189  
Amnion 483, 541, 542, 543  
Amnionicity, multifetal gestation 541, 542, 542  
Amniotic fluid, fetal growth disorders 481–492  
Amniotic fluid disorders  
    chorioamnionitis 487–488  
    oligohydramnios 484–486  
    polyhydramnios 486–487  
Amniotic fluid dynamics 482–483  
Amniotic fluid evaluation, ultrasound, prenatal 172–173  
Amniotic fluid index (AFI) 167, 172–173, **173**, 197, **207**, 481, 484, 484, 551, 553, **553**  
Amniotic fluid volume (AFV) 167, 197, 198, 206–210, **207**, **208**, 209, 481, 484–487, 490–491, 553  
    assessment, fetal well-being assessment 206  
    gestational age 482–484  
Amniotic membrane, placenta 22  
Amphetamines/methamphetamines, pregnancy 283  
Ampulla 5, 9, 11, 20  
Anabolic 33, 40  
Anagen 33, 42  
Anatomy  
    external genitalia 6–8  
    female reproductive system 6–11  
    internal genitalia 8–11  
Anechogenic, ultrasound 167  
Anemia 652–654  
    iron-deficiency anemia (IDA) 653–654  
Aneuploidy 173, **174**, 181, 189, 546  
    genetic screening 183–187  
Angiogenesis 19, 25, **26**, 33, 43  
Angiogenic factors 511, 515, 517, 518  
Anhedonia 637, **638**  
Ankyloglossia 401, 407, 413, 597, 602–604  
Anorexia nervosa 124  
Anovulatory cycle 551  
Antenatal care *see* prenatal care

*Prenatal and Postnatal Care: A Woman-Centered Approach*, Second Edition. Edited by Robin G. Jordan, Cindy L. Farley and Karen Trister Grace.  
© 2019 John Wiley & Sons, Inc. Published 2019 by John Wiley & Sons, Inc.  
Companion website: [www.wiley.com/go/jordan/prenatal](http://www.wiley.com/go/jordan/prenatal)

- Antibodies 43–44, **94**, 651, 654, 656–658, **688**, 690–692, 714–715, 721, 723, 725, 727, 729, 730, 731, 733–735, 741, 744, **744**, 745, 746
- Antibody screen 651, 656, 657–658
- Anticipatory guidance 215, 216, 287, 368, 406
- labor onset 395
  - multifetal gestation 546
  - triage 391
- Anti-D immunoglobulin 651, 657
- Antiepileptic drugs (AEDs) 698–701, **699**
- Anxiety 341, 342, 343, 348–350, 352, 358, 376, 377, 645–646
- preterm birth (PTB) 503
- Anxiety disorders 577, 578, 585–594
- medications 589–593, **590–592**
  - signs and symptoms **586**
- Apoptosis 19, 20, 33, 42–43
- Appendicitis 562, 681, 685–686
- Arterial Doppler flow studies 481, 490
- Arteriovenous (AV) nicking 511, 513
- Arthropathy 721, 722, 728, 729
- Artifacts, ultrasound 167, 169
- Artificial sweeteners 116, 224, 225
- as low as reasonably achievable (ALARA) 167, 177
- Asphyxia 197, 198, 199, **209**, 210
- Assisted reproductive therapies (ART) 541, 567, **570**
- Asthma 665–667
- differential diagnosis 666
  - environmental asthma management 667
  - patient education 668
  - preconception care 67, 68
  - smoking cessation 668
- Asymptomatic bacteriuria (ASB) **94**, 503, 673, 674–675
- see also* bacteriuria
  - medication regimens **677**
  - preterm birth (PTB) 503
- Atopic eruption of pregnancy (AEP) 710–712
- assessment 710–711
  - defining characteristics **712**
  - diagnosis 710–711
  - differential diagnosis 711
  - management 711–712
  - treatment 711
- Atresia 5, 11, 15
- Attachment 341, 342
- maternal-newborn attachment 343–349
  - partner attachment 354–357
- Attitude 117, 248, 316, 334, 341, 348–350, 352
- Attributable risk 155, 160
- Aura, migraine 697, **701**, 702
- Auscultated acceleration test (AAT) 197, 205
- Autosomal recessive disorder 64–65, 181, 187, 658
- Avidity testing 721, 730–731, 733
- Ayurvedic medicine 308, 313
- Background risk 253, 258, 260
- Back pain 216–218
- Bacterial infections, sexually transmitted infections (STIs) 742–744
- Bacterial vaginosis (BV) 495, **498**, 502, 741, 749–751
- pregnancy testing and treatment 750
  - preterm birth (PTB) 502
  - vaginal microbiome 751
- Bacteriuria 673, 674, 724–725
- see also* asymptomatic bacteriuria
- Ballantyne, John 81, 82
- Ballottement of the fetus, probable sign of pregnancy 136
- Bariatric surgery, pregnancy 124
- Barrier methods, contraception 455–456
- Bartholin glands 5, 6
- Basal body temperature (BBT) 131
- gestational age 144
  - probable sign of pregnancy 137
- Basal metabolic rate, pregnancy 40
- Behind-the-counter (BTC) drug 147, 253, 257, 445, 457
- Benzodiazapines **592**
- Benzodiazepines, pregnancy 282
- Bereavement *see* perinatal loss
- Bias 313, 314, 315, 316
- Binge drinking 271, 279
- Biochemical pregnancy 133, 463, 464, 467
- Biophysical profile (BPP) 481, 486, 551, 553, **553**, 553, 561, 562
- fetal well-being assessment 206–210
- Bipolar disorder **638**
- pregnancy 642–645
- Birth experience review 405
- Birth plan 305, 345, 351, 363, 367, 368–369, **370**, 547
- see also* plan of care
  - multifetal gestation 547
- Bisexual 356, **357**, 359
- Bishop score 522, 551, 555
- Black box warning, medication 253, **266**, 281, 453, **590–592**, 593
- Blastocyst 19, 20, 21, 21, 24, **464**
- Bleeding disorders 660–661
- inherited bleeding disorders 661
  - thrombocytopenia 660–661
- Bleeding during pregnancy 463–478
- benign causes 464, **464**
  - diagnostic testing 465
  - differential diagnosis 464, 474, **474**
  - early pregnancy bleeding 464–465
  - ectopic pregnancy 463, 464, 465, 470–472, 742, 743
  - evaluation 464
  - gestational trophoblastic disease (GTD) 463, 472–474, **558**, 691
  - beta-human chorionic gonadotropin ( $\beta$ -hCG) 465, **465**
  - laboratory evaluation 465
  - leiomyoma 463, 466, 466, **467**, **477**
  - physical examination 465
  - placental abruption 463, 470, 476–478, **519**, 521–522, 563–564
  - placenta previa 463, 474–476, 478, **544**
  - problem-focused history 464–465
  - second half of pregnancy 474–478
  - spontaneous pregnancy loss 466–470
  - subchorionic hemorrhage 463, 464, 466, 468
  - vasa previa 463, 474, 477, 478
- Bleeding gums 218–219
- Blood changes
- see also* hematologic disorders
  - pregnancy 34–35
- Blood glucose monitoring, gestational diabetes mellitus (GDM) 532
- Blood pressure, pregnancy changes 36–37
- Blood pressure measurement, hypertensive disorders in pregnancy 512
- Body image 124, 341, 359, 628
- psychosocial adaptations in pregnancy 352–354
- Body mass index (BMI) 40, 73, 76, 93, **96**, 103, 107, **112**, 457, 528, 625, 705
- Body piercing 353, 728
- Boggy 401, 413, 582
- Bone resorption 33, 45, 121
- Borg Rating of Perceived Exertion (RPE) 323, 328, 328
- Botanicals 253, 254–255, 257, 609–610
- Bowlby, John, maternal-newborn attachment and adaptation 344
- Bowlby and Ainsworth, maternal-newborn attachment and adaptation 344
- BPP *see* biophysical profile
- Brand names 253, 256
- topical steroids **711**
- Braxton Hicks contractions 136, 393, 394–395
- Brazelton, maternal-newborn attachment and adaptation 345
- Breast changes, presumptive sign of pregnancy 134
- Breast exam, postpartum care 412–413
- Breastfeeding 423–440
- see also* lactation
  - alcohol use 438

- anatomy 428–432  
 assessing intake 435–436  
 assessment 432–436  
 benefits 423–426, **424**  
 breastfeeding patterns 435  
 care of the breastfeeding  
   mother 436–440  
 checklist of maternal knowledge and  
   skills 428  
 colostrum 219, 319, 423, 424–425,  
   434–435, 597–600, 601–602,  
   607, 633  
 contraception 437  
 defense agents in human milk 426  
 employed nursing mothers 439–440  
 hospital discharge instructions  
   429, 430  
 illicit drugs 438  
 latch 433–434, 433  
 medications 438–439  
 milk production 434–435  
 neonatal abstinence syndrome  
   (NAS) 288  
 nutrition 436–437  
 nutritional properties of human  
   milk 424–426  
 physiology 428–432  
 position 432–433, 432  
 promoting breastfeeding 427–428  
 public health issue 426–427  
 smoking 437–438  
 substance use and abuse 289, **290**  
 successful 427  
 supporting breastfeeding 427–428,  
   432–436  
 telephone triage tool 428, 430  
 unique properties of human milk 424  
 workplace pumping 440
- Breastfeeding problems** 597–610  
   abscess 607  
   engorgement 604–606  
   fussy baby 598–599  
   insufficient milk supply 439, 597, 601,  
     607–610  
   latch difficulty 597  
   low milk supply 607–610  
   mastitis 604, 605, 606–607  
   plugged ducts 606  
   preterm and late term infants  
     600–602  
   sleepy baby 599–600  
   slow weight gain 600, **601**  
   sore nipples 602–604
- Breast tenderness** 219  
**Breckinridge, Mary** 81, 83  
**Bulimia nervosa** 124, **306**, 628, **642**  
**Buprenorphine** 285  
   vs methadone 285  
**Bupropion (Zyban®, Wellbutrin®),**  
   pregnancy 280–281
- B vitamins**  
   *see also* folate; folic acid  
   pregnancy requirements 35, 123  
   vegetarian/vegan diet  
     requirements 122–124
- Caffeine** **264**, **645**  
   headaches 225, 703  
   miscarriage risk 72, **115**, 116  
   sleep hygiene **239**
- Calcium requirement, pregnancy** 111  
**Campylobacteriosis** 116  
**Cancer survivors, preconception**  
   care 67–70, **69**
- Capacitation** 19, 20  
**Carbohydrate metabolism, pregnancy** 40  
**Carbohydrates, pregnancy** 108–109  
**Cardiopulmonary resuscitation (CPR),**  
   abdominal trauma 564  
**Cardiovascular disease, preconception**  
   care 68, **69**, 70  
**Cardiovascular system**  
   postnatal period 53–54  
   pregnancy adaptations 35–37
- Caries** 247, 249, 251  
**Carpal tunnel syndrome (CTS)** 220, 706  
**Carrier screening, genetic**  
   screening 187–189, **188**
- Catabolism** 33, 40  
**Cavitation** 167, 176  
**Cell free DNA testing** 181, 546  
**CenteringPregnancy, prenatal care** 88–89  
**Central nervous system, postnatal**  
   period 53
- Cervical cerclage** 495, 501–502, 502  
**Cervical changes, probable sign of**  
   pregnancy 135  
**Cervical insufficiency** 305, 325, 474, 495,  
   501–502  
**Cervical length measurement, preterm**  
   birth (PTB) 499–500  
**Cervical motion tenderness (CMT)**  
   463, 465  
**Cervical pain** 220  
**Cervical ripening** 469, 551, 554, 555  
**Cervix** 5, 8–10  
   postnatal period 51
- Chadwick's sign** 5, 10, 131, 135, **142**  
**Chancre** 741, 743  
**CHCs** *see* contraception  
**Chemical pregnancy** 133, 167, 170, 463,  
   464, 467  
**Chemicals/substances, environmental**  
   health 329–333, **330**
- Childbirth education** 363–373, 378  
   *see also* education and counseling;  
   health promotion and education  
   adolescents 366  
   adult education principles 366–367  
   Bradley approach 364  
   class education 366  
   cultural considerations 369  
   developmental  
     considerations 366–367  
   documentation of teaching 369  
   group prenatal care 366  
   health disparities 369  
   issues integral to prenatal  
     education 367–369  
   Lamaze approach 364  
   prenatal care guideline topics **370–372**  
   prenatal visit approach 365–366  
   prioritizing prenatal education  
     needs 368–369  
   quality 363–365  
   sources 363–365  
   trimester based approaches 369  
   vulnerable populations 369
- Childhood sexual abuse (CSA)** 305–307  
   sensitive care actions 307  
   signs and symptoms **306**
- Children's Bureau** 81, 82, 85  
**Chlamydia** **66**, **94**, **372**, **498**, 741,  
   742–743  
   pregnancy testing and  
     treatment 742–743
- Cholecystitis** 561, 562–563, 684–685  
**Cholelithiasis** 561, 562–563, 564, 681,  
   684–685  
**Chorioamnionitis** 481, 487–488  
**Choriocarcinoma** 463, 472, **473**  
**Chorion** 19, 22, 28, 466, 483, 541,  
   542–543  
**Chorion frondosum** 19, 22  
**Chorionicity** 541, 542, 542, 543, 546  
**Chorionic membrane, placenta** 22  
**Chorionic villi** 19, 21, 465, 483  
**Chorionic villus sampling (CVS)** 185, 189  
**Chorion leave** 19  
**Chromosomal complement** 181, 189  
**Chromosomal microarray analysis**  
   (CMA) 189–190  
**Chronic disease** 59, 60, 423  
   *see also individual diseases*  
   addiction 273  
   hepatitis B virus (HBV) 726–728  
   preconception care 67–72  
**Chronic hypertension** 70, 511, 512,  
   519–521, **519**  
   maternal–fetal potential problems **519**  
   preeclampsia 515, 518, 520–521  
   superimposed preeclampsia 520–521  
**Chronic hypertension with superimposed**  
   preeclampsia 511, 520–521  
**Chronic migraines** 697, 702  
**Class A1GDM** 527, 531–532  
**Class A2GDM** 527, 533  
**Class education, childbirth**  
   education 366  
**Cleavage** 19, 20, 21, 541, 542, 543

- Clinical trials 253, 255–260  
 Clitoris 5, 6, 6, 7, 8  
 Cloacal membrane 19, 25, 28, 29  
 Clotting factors, pregnancy changes 35, **36**  
 Cluster headaches 697, 702  
 Cocaine, pregnancy 282  
 Coelom 19, 22, 28, 29  
 Cognitive behavioral therapy (CBT) 337, 587, 637, 640, **645**, 647, **701**  
 Collaboration  
   postpartum care 417  
   triage 387  
 Collaborative or third-party assisted reproduction 567, **570**  
 Colostrum 219, 319, 423, 424–425, 434–435, 597–600, 601–602, 607, 633  
 Combined hormonal contraceptives (CHCs) 412, 437, 445, 446–447, 451–452  
 Communicating results, prenatal ultrasound 174–175  
 Communicating risk, risk assessment 160–162, *161*  
 Communication, cultural considerations 317  
 Comorbid conditions, substance use and abuse 275  
 Complementary and alternative therapies, depression 642  
 Complicated grief 613, 616  
 Conception 20–21  
 Conception information, preconception care 72  
 Condoms, contraception 455  
 Confidence for physiologic birth 375, 376–381  
 Confined placental mosaicism 181, 189  
 Congenital 721, 722–723, 728–734, 736  
 Congenital anomalies 230, 253, 258, 260, **330**, 543, 614, **614**, 675, 721, 730, 734  
 Congenital rubella syndrome (CRS) 730–732  
 Consanguinity 181, 187  
 Constipation 215, 220–221, **222**, 410  
   postpartum care 410  
 Consultation, postpartum care 417  
 Content of Prenatal Care - 84–85  
 Continuous labor support 393, 395  
 Contraception  
   barrier methods 455–456  
   combined hormonal contraceptives (CHCs) 412, 437, 445, 446–447, 451–452  
   condoms 455  
   diaphragms 455–456  
   emergency contraception (EC) 147, 445, 449, 455, 457  
   lactational amenorrhea method (LAM) 437, 445, 446, 448, 454–455  
   long-acting reversible contraceptive methods (LARC) 71, 445, 449–451  
   methods 448–457  
   method selection 446–448  
   permanent methods 448–449  
   postpartum care 412  
   postpartum period 445–458  
   progestin-only pills (POPs) 412, 445, 453–454  
   ‘Rule of Threes’ 446  
   tier one methods 448–451  
   tier three methods 455–457  
   tier two methods 451–455  
 Contractions 393, 394–398, 504–505, 554  
 Contraction stress test (CST), fetal well-being assessment 206  
 Controlled substance 253, 254–255, **255**, 256  
 Coombs test 651, 656  
 Coopers ligaments 423, 428  
 Coping 341, 348, 351, 363, **371**, 380–381, 388–390, 395, 396–398  
 Coping with Labor Algorithm 388, **389**  
 Cornua 5, 10, 11  
 Corona radiata 9, 15, *15*, 19, 20  
 Corticosteroids **266**, 505, 517, 522, **667**, 669, 670, 714, **714**, 715–716  
 Costovertebral angle tenderness (CVAT), postpartum care 413–414  
 Counseling  
   abortion 150  
   adoption 149–150  
   fetal well-being assessment 210–211  
   genetic counseling 190–193  
   Group B Streptococcus (GBS) 725  
   nutrition 121–122  
   preconception care 72–74  
   pregnancy diagnosis 146–149  
   pregnancy termination 150  
   toxoplasmosis 733  
   varicella zoster virus (VZV) 735  
 Couvade syndrome 355  
 Couvelaire uterus 463, 477  
 CPR (cardiopulmonary resuscitation), abdominal pain 564  
 Critical period, embryo 253, 259, *260*, 497  
 Critical window of vulnerability 323, 329  
 Cryobanking 567, **570**  
 CSA *see* childhood sexual abuse  
 Cultural competence 313, 316–317  
 Cultural considerations  
   childbirth education 369  
   communication 317  
   fetal well-being assessment 211  
   obesity 626  
   postpartum 579  
   postpartum care 415–416  
 Cultural humility 313, 317  
 Cultural influences, nutrition 117–118  
 Cultural sensitivity 313, 317, 356, 617  
 Cultural traditions 317–320  
   infant care 319–320  
   labor and birth care 318  
   postpartum 319  
   pregnancy 318  
 Culture 313, 314, 316–320, 341, 349, 351, 353  
   beliefs 72, 117, **118**, 122, 316–320, 415, 579, 617, **617**  
   childbirth 317–320  
   competence 316–317  
   food 117–118  
   humility 317  
   practices 316–320  
   ritual 318–319, 415–416, 615–617  
   sensitivity 313, 317, 356, 617  
 Cystocele 401, 414  
 Cytochrome P450 39, 253, **264**, 286, 586  
 Cytokines 33, 42, 43, 502, 503, 527, 606, 627  
 Cytomegalovirus (CMV) 722–723  
   assessment 722–723  
   clinical presentation 722–723  
   management 723  
   potential problems 722  
   prevention 723  
 Cytotrophoblast 19, 21, 22, 24, 27, 514  
 Date of conception, gestational age 144  
 Decidual reaction 19, 22, 25, 26  
 Deepest (maximal) vertical pocket (DVP or MVP) 172–173, 481, 484, 486, 553, 553  
 Deep vein thrombosis (DVT) 275, **415**, 577, 579, 584, *584*, **628**, 633, 661, 662  
   Homan’s sign 401  
   obesity 633  
 Delayed postpartum hemorrhage 387, 577, 581–582  
 Delayed lactogenesis II 434, 597, **601**, 602, 608  
 Depression  
   complementary and alternative therapies 642  
   medications 589–593, **590–592**  
   perinatal depression 637–642  
   postpartum depression (PPD) 414–415  
   preconception care 68  
   during pregnancy 637–642  
   preterm birth (PTB) 503  
 Dermatological disease, preconception care **69**  
 Dermatological disorders 709–719  
   *see also* skin  
   acute pustular psoriasis of pregnancy (PPP) 716–717



- atopic eruption of pregnancy (AEP) 710–712
- intrahepatic cholestasis of pregnancy (ICP) 717–718
- pemphigoid gestationis (PG) 714–716
- pruritic folliculitis (PF) 713–714
- pruritic urticarial papules and plaques of pregnancy (PUPPP) 712–713
- pustular psoriasis of pregnancy (PPP) 716–717
- systemic therapy 714
- Designer drugs, pregnancy 283–284
- Detection rate, fetal anomalies 172, 181, 185–186
- Detoxification 97, 271, 277, 282
- Developmental considerations, childbirth education 366–367
- DHA (docosahexaenoic acid) 72, 103, 107–108, **110**, 123–124, 263, **267**, 425, 545, 642
- Diabetes  
*see also* gestational diabetes mellitus (GDM); type 1 diabetes; type 2 diabetes  
 preconception care 68, **69**, 70–71
- Diagnosis, pregnancy 131–151
- Diagnostic prenatal genetic testing, genetic screening 189–190
- Diagnostic testing  
 bleeding during pregnancy 465  
 prenatal care 93–95
- Diaphoresis, postpartum care 410
- Diaphragms, contraception 455–456
- Diastasis 217, 401, 413
- Diastasis recti 49, 54, 54
- Dickinson's sign 131, 142
- Dick-Read, Grantly 8, 81, 376
- Diet and nutrition, postpartum care 408
- Dietary intervention, gestational diabetes mellitus (GDM) 531–532
- Dietary reference intake (DRI) 103, 104, **110**, 531
- Dietary supplements information, preconception care 72–73
- Dilation 393, 394, 395, 396, 505, 555
- Diploid 19, 20
- Direct immunofluorescence (DIF) 709, **712**, 713, 715
- Discrimination  
 physiologic effects 315–316  
 pregnancy discrimination in the workplace 336–337
- Diseases, fetal origins of disease 106
- Disorganized attachment 341, 345–346
- Disseminated intravascular coagulation (DIC) 511, 513, 521
- Diureseis, postpartum care 410
- Diversity 313–320
- Dizygotic gestation 541, 543
- Dizziness/syncope 221–222
- DNA methylation 323, **330**
- DNA testing, cell free DNA testing 181, 546
- Docosahexaenoic acid (DHA) 72, 103, 107–108, **110**, 123–124, 263, **267**, 425, 545, 642
- Documentation of teaching, childbirth education 369
- Doppler effect 167, 169
- Doppler ultrasonography, fetal well-being assessment 210
- Doppler velocimetry 210, 481, 490, 517, 522
- Down syndrome, trisomy 21: 181, 183–185, **184**, **600**
- Drug eruption 709, 714, 715, 716
- Dumping syndrome 124, 625, 632
- DVP *see* deepest (maximal) vertical pocket
- DVT *see* deep vein thrombosis
- Dyskeratosis 709, 713
- Dysuria 673, 675, 678
- Early childhood caries 247, 251
- Early labor 393, 394, 395, 397–398
- Early pregnancy loss 463, 466–470, 613, 616, 617, 618, 619
- Eating disorders  
 pregnancy 124–126  
 screening 124–126
- Ebola 736
- Echogenicity 167, 169
- Eclampsia 82, 511, 512, 513–519, 697, 696  
 postpartum preeclampsia/  
 eclampsia 577, 583  
 postpartum preeclampsia/eclampsia,  
 late (LPP) 577, 583
- Ectoderm 19, 21, 22, 25–28, 27, 28
- Ectopic pregnancy 463, 464, 465, 470–472, 742, 743  
 clinical presentation 471  
 diagnosis and management 471–472  
 risk factors 470–471  
 signs and symptoms **471**
- Ectropion 5, 10
- Eczema 709, 710
- EDB *see* estimated date of birth
- Edema 222–223
- Education and counseling  
*see also* childbirth education; health promotion and education  
 fetal well-being assessment 210–211
- Edward syndrome, trisomy 18: **174**, 181, 183–185, **184**
- Effacement 393, 395, 396, 505, 555
- EFW (estimated fetal weight) 491, 527, 535, 546–547
- Eicosapentaenoic acid (EPA) 107–108, 123–124, 642
- Embryo 25–30  
 organogenesis 28–30  
 vulnerable periods 28, **31**
- Embryology, multifetal gestation 541–543
- Emergency contraception (EC) 147, 445, 449, 455, 457
- Emergency Medical Treatment and Labor Act (EMTALA) 385, 390
- Emergency Severity Index (ESI) 385, 388, 391
- Emotional adjustment, postpartum care 404–407
- Emotional changes 223
- Emotional cushioning 613, 619
- Employment *see* working and breastfeeding; working and postpartum care; working and pregnancy
- Enamel 28, **31**, 247, 248
- Enamel erosion 247, 250
- Endocervical canal 5, 9, 10, 499
- Endocrine changes, postnatal period 53
- Endocrine disorders 687–695  
 iodine in pregnancy 692–693  
 pregestational diabetes 60, 200, 515, 537, **628**, 687, 693–695  
 thyroid disorders 687–692
- Endocrine-disrupting chemicals (EDCs), environmental health **330**, 332–333
- Endocrine disruptors 323, **330**
- Endocrine pregnancy tests 131, 137, **137**, **142**
- Endocrine synthesis and secretion, placental 24–25
- Endocrine system, pregnancy adaptations 45–46
- Endoderm 19, 21, 22, 25–28, 27
- Endometrial cycle, menstrual cycle 16–17
- Endometritis **415**, 468, 469, 577, 579, 580, **628**
- Endometrium 5, 9, 10–11, *13*, 16–17
- Endothelium 511, 514
- Engorgement, breastfeeding problems 597, **601**, 604–606
- Enhancement artifact, ultrasound 167
- Enlargement of the abdomen, probable sign of pregnancy 134–135
- Environmental health 329–333  
 chemicals/substances 329–333, **330**  
 endocrine-disrupting chemicals (EDCs) **330**, 332–333  
 environmental exposure assessment 329, **330**  
 metals/metalloids **330**, 331–332  
 organic solvents **330**, 332  
 pesticides **330**, 332  
 reducing exposures 333

- Enzyme-linked immunosorbent assay (ELISA) 715, 721, 729, 735, 736  
 EPA *see* eicosapentaenoic acid  
 Epigenetics 495, 496–497, 499  
 Epilepsy  
   *see also* seizure disorders  
   preconception care **69**  
 Epistaxis 229–230  
 Epulis 33, 39  
 Equity 313, 314  
 Eschar 51, 401, 409, **415**  
 Estimated date of birth (EDB) 90, 131, 132, 141–144, 716  
 Estimated fetal weight (EFW) 491, 527, 535, 546–547  
 Ethnicity 313  
 Ethnocentrism 313, 314  
 Evaluation 385–391  
 Exercise  
   advice 327–328  
   benefits 324  
   exercise activities 326–327  
   measuring exercise activities 326  
   motivation 325–326  
   physiologic changes 324–325  
   postpartum 328  
   pregnancy 323–328  
   prenatal care 97–98  
   safe strength training 327  
   strength training 73, 97, 326–328  
 Exercise and activity, postpartum care 407–408  
 Exercise therapy, gestational diabetes mellitus (GDM) 532  
 Expanded carrier screening 187, 189  
 Expectation 341, 342, 347, 349, 350–352, 405–407, 413  
 External genitalia, anatomy 6–8  
 Extraembryonic somatic mesoderm 19, 22  
 Extrinsic atopic dermatitis 709, 713
- Facilitated diffusion 19, 23, **23**  
 False negative rate 137, 181  
 False positive rate 159–160, 181, 185, 187, 192, 530  
 Family 341, 342, 343–348, 350–352, 354–357  
 Family adaptation, postpartum care 405–406  
 Family history, genetic screening 182  
 Family pedigree **91**, 92, 182  
 Fas/FasL 33, 42  
 Fatigue 223–224  
 Fat intake, pregnancy 107–108  
 Fat metabolism, pregnancy 40  
 Fear 341, 344, 348, 351, 352  
 Fear of childbirth 376  
 Female partners 356–357  
 Feminist movement 81, 83  
 Fernand Lamaze 81, 83  
 Fern test 481, 486  
 Ferritin 651, **652**, 653–654, **653**, 659, 703–704  
 Fertility 567, 568  
   return after childbirth 412, 445–446  
 Fertility awareness-based methods (FAMs) 445, **448**, 456–457  
 Fertility care 567, **568**, 569, **570**, 573  
 Fertilization 20–21  
 Fetal anatomy, ultrasound  
   screening 89–90, 171–172, 186–187, 490, 629, 698  
 Fetal death *see* stillbirth or fetal death  
 Fetal fibronectin (fFN) 495, 498, 499, 544  
 Fetal fraction 181, 186  
 Fetal growth assessment, multifetal gestation 546  
 Fetal growth disorders  
   amniotic fluid 481–492  
   determination of growth disorders 488–489  
   fetal growth restriction (FGR) 489–491  
   gestational age 488–491  
   macrosomia 491–492  
 Fetal growth restriction (FGR) 481, 484, 489–491, **519**, **543**, 544, **614**, 743  
 Fetal heart activity, positive sign of pregnancy 138  
 Fetal heart activity or fetal heart sounds 131, 138, 139, **142**  
 Fetal heart rate (FHR) accelerations 197, 202–206, 203, **207**, **208**, 481  
 Fetal heart rate baseline 197, 202–204, 206  
 Fetal heart rate variability 197, 287  
 Fetal movement, positive sign of pregnancy 93, 131, 138, **140**  
 Fetal movement counts (FMCs) 200–210  
 Fetal origins of disease 106  
 Fetal surveillance  
   gestational diabetes mellitus (GDM) 534–535  
   multifetal gestation 547  
   post-term pregnancy 553  
 Fetal well-being assessment 197–212  
   amniotic fluid volume assessment 206  
   biophysical profile (BPP) 206–210  
   contraction stress test (CST) 206  
   counseling 210–211  
   cultural considerations 211  
   Doppler ultrasonography 210  
   education and counseling 210–211  
   fetal death risk 199–200, **200**  
   fetal movement counts (FMCs) 200–210  
   health disparities 211  
   indications 199  
   legal and liability issues 211–212  
   nonstress test (NST) 202–206  
   physiologic principles 198–199  
   stillbirth or fetal death risk 199–200, **200**  
   vulnerable populations 211  
 Fetomaternal hemorrhage 564, 651, 656, 657  
 Fetoscope 131, 138, **142**  
 Fetus 30–31  
   vulnerable periods **31**  
 FGR *see* fetal growth restriction  
 Fiber, dietary 103, 109, **110**, 221–222  
 Fibrinolysis 33, 35, **36**  
 Fibroadenomas 215, 219  
 Financial insecurity 300  
 First polar body 5, 11, **12**  
 First-trimester genetic screening 182–183, **184**, 185, 186  
 Fish, safety 108, **109**, **115**, 126  
 Fish intake, pregnancy 107–108, **109**  
 Fish oil 107–108, 518  
   *see also* omega-3 fatty acids  
 Fitness trackers 323, 326  
 Flat or inverted nipple 597, 602, **604**  
 Flatulence 224  
 Flavor learning, prenatal 114  
 Fluid intake, pregnancy 106–107  
 Focal onset seizures 583, 697, 699  
 Folate **110**, 651, **652**, **653**  
 Folate deficiency 659–660  
 Folate requirements, pregnancy 35, 111  
 Folic acid 61, **62**, 72–73, **73**, 111, 121, 147, 183, **263**, 267, 471, **546**, 630, 651, 698  
   folate deficiency 659–660  
   folic acid supplementation, preconception care **72**, **73**  
 Follow-up, prenatal care 84–85  
 Food-borne illness 103, 113, **115**  
 Food-borne infections 113–116  
 Food deserts 103, 313, 315, 625, 626–627  
 Food groups **105**  
 Food insecurity 103, 110, 117, 297, 298–299  
 Food safety  
   fish, safety 108, **109**, **115**, 126  
   pregnancy 113–116  
 Foods to avoid during pregnancy **115**, 116  
 Food units and recommendations 104  
 Fornix (fornices) 5, 8, 9  
 Fortification 103, 111  
 Fourth trimester 401, 402  
 Fragile X syndrome 186, 187, **188**  
 Frenotomy 597, 602  
 Frequency, ultrasound 167, 168–169  
 Fundal height measurements 131, 141, 490, 629  
   gestational age 144–145  
 Fundus 401, 409, 413, 475  
 Fungal vaginitis 749

- Galactagogue 597, 609–610  
 Galactoceles 215, 219  
 Gall bladder disease, abdominal pain 562–563  
 Gametes 19, 20  
 Gaskin, Ina May 81  
 Gastroenteritis 681, 681–683  
   diagnostic testing 682–683  
   evaluation 682  
   interprofessional care 683  
   treatment 683  
 Gastroesophageal reflux 215, 225–226  
 Gastrointestinal disorders 681–686  
   acute appendicitis 562, 685–686  
   cholecystitis 561, 562–563, 684–685  
   cholelithiasis 561, 562–563, 564, 681, 684–685  
   gastroenteritis 682–683  
   ICP (intrahepatic cholestasis of pregnancy) 681, 683–684, 709–710, 717–718, 728  
 Gastrointestinal system, pregnancy changes 38–39  
 Gastrointestinal tract, postnatal period 55  
 Gastrulation 19, 25, 27  
 GBS *see* Group B Streptococcus  
 GBS bacteriuria *see* asymptomatic bacteriuria; bacteriuria  
 GDM *see* gestational diabetes mellitus  
 Gender 341, 347  
 Gender dysphoria 341, 358  
 Gender nonconforming 341, 358  
 Generalization 313, 317  
 Generalized anxiety disorder (GAD) 646–647  
   postpartum disorders 588  
 Generalized onset seizures 583, 697, 699  
 Genetic counseling 190–193  
 Genetics, preconception care 64–65  
 Genetic screening 181–193  
   aneuploidy 183–187  
   carrier screening 187–189, **188**  
   diagnostic prenatal genetic testing 189–190  
   first-trimester 182–183, **184**, 185, 186  
   genetic screening tests 182–183  
   informed consent 192–193  
   integrated genetic screening **184**, 185–186  
   multifetal gestation 546  
   neural tube defects (NTDs) 182, 183  
   noninvasive prenatal testing (NIPT) 186  
   prenatal care 93  
   second trimester 185–186, 187  
   sequential genetic screening **184**, 185–186  
   ultrasound, prenatal 186–187  
 Gestational age 90, 131–146, 325  
   amniotic fluid volume (AFV) 482–484  
   assessment 141–146  
   devices 141  
   fetal growth disorders 488–491  
   methods 141–146  
 Gestational carrier or gestational surrogate 567  
 Gestational diabetes mellitus (GDM) 527–537, 687, 693–695  
   *see also* pregestational diabetes  
   blood glucose monitoring 532  
   diagnosis 528–531  
   dietary intervention 531–532  
   exercise therapy 532  
   fetal surveillance 534–535  
   glyburide 534  
   insulin therapy 533–534  
   interprofessional care 536  
   labor and birth 535  
   management 531–532  
   metformin 534  
   pathophysiology 527–528  
   pharmacologic treatments 533–534  
   postpartum follow-up 535–536  
   potential problems 527–528  
   prenatal screening 528–531  
   screening 528–531  
   social considerations 534  
 Gestational hypertension 511, 512, 521, 583, 690  
 Gestational trophoblastic disease (GTD) 463, 472–474, **558**, 691  
   diagnosis and management 473–474  
   potential problems 472  
   presentation 472–473  
   risk factors **473**  
   types **473**  
 Gestational weeks 131, 139, 141–145, 259, **370–372**  
 Ghrelin and leptin, pregnancy 40  
 Gingivitis 218, 219, 247, 250  
 Glyburide, gestational diabetes mellitus (GDM) 534  
 Glycemic index 103, 106, 109, 126, 545–546  
 Goiter 687, 688, 689, 691, 692  
 Gonadarche 5, 12  
 Gonadostat 5, 11  
 Gonorrhea **62**, **66**, **94**, **372**, **498**, 741, 743  
   pregnancy testing and treatment 743  
 Goodell's sign 131, 135, **142**  
 Granulosa cells 5, 13, 14–15, 16  
 Graves' disease 43, 687, **688**, 691  
 Grief  
   prolonged grief reaction 613, 616  
   spontaneous pregnancy loss 469–470  
   stillbirth or fetal death 615–616  
 Grief response 613, 616  
 Ground substance 5, 9, 10  
 Group B Streptococcus (GBS) 724–725  
   assessment 724  
   counseling 725  
   management 724–725  
   potential problems 724  
 Group prenatal care 88–89  
   childbirth education 366  
 GTD *see* gestational trophoblastic disease  
 Hair changes, pregnancy 42, 237  
 Hair growth, postnatal period 52–53  
 Haploid 15, 19, 20  
 Harm reduction approaches 271  
   substance use and abuse 274–275  
 Hart's line 5, 7  
 Hashimoto's thyroiditis 687, 688, 689–690  
 HDN *see* hemolytic disease of the newborn  
 Headaches 225, 699, 699–702  
   *see also* migraines  
   cluster headaches 702  
   migraines 225, 700, 701–702  
   nonpharmacological headache management 701  
   pharmacologic treatment of migraine headaches 702  
   postpartum headaches 702  
   tension-type headache 699, **700**  
   trauma 700  
   triggers 701  
 Health disparities 60, 88, 297–308, 313  
   childbirth education 369  
   contributors 314–316  
   fetal well-being assessment 211  
   medical mistrust 316  
   obesity 626  
   physiologic effects of discrimination 315–316  
   postpartum care 416–417  
   socioeconomic conditions 315  
 Health education *see* childbirth education; education and counseling; health promotion and education  
 Health history  
   preconception care 61–62  
   prenatal care 90–92  
 Health literacy 363, 367, 369–370  
 Health promotion and education *see also* childbirth education; education and counseling  
   preconception care 72  
   pregnancy, throughout 98–99  
   prenatal care 84, 96–100  
 Heartburn 225–226  
 Heart palpitations 226–227  
 Hegar's sign 5, 10, 131, 135, 135, **142**  
 HELLP syndrome 521–523  
   diagnosis 522–523  
   interprofessional care 523  
   laboratory findings **522**  
   pathophysiology 521–522

- Hematologic disorders 651–661  
 alloimmunization/  
 isoimmunization 654–658  
 anemia 652–654  
 atypical blood group  
 incompatibilities 656–657  
 bleeding disorders 660–661  
 folate deficiency 659–660  
 hemoglobinopathies 658  
 Rh blood group system 656  
 sickle cell disease (SCD) 658–659  
 thalassemia **188, 198**, 651, 652,  
**653**, 659  
 vitamin B<sub>12</sub> deficiency 660  
 Hematologic system adaptations,  
 pregnancy 33–35  
 Hematoma, postpartum 577, 582  
 Hematuria 673, 675, 678  
 Heme iron  
 definition 110  
 food sources 654, **655**  
 Hemoglobinopathies 658  
 Hemolytic disease of the newborn  
 (HDN) 651, 656–658  
 Hemorrhoids 227  
 postpartum care 410  
 Hepatitis A virus (HAV) 725–726  
 assessment 725  
 management 725–726  
 potential problems 725  
 prevention 726  
 Hepatitis B virus (HBV) 726–728  
 assessment 727  
 management 727  
 potential problems 726–727  
 prevention 728  
 sexually transmitted infections  
 (STIs) 748  
 Hepatitis C virus (HCV) 728–729  
 assessment 728–729  
 management 729  
 potential problems 728  
 Herbals 253, 257, 410–411, 439, 554, 569,  
 586, 609–610, 642  
 Herd immunity 721, 732  
 Herpes simplex virus (HSV) 741,  
 744–746  
 Herpetiform 709, 710, 715, 716  
 Hertz (Hz) 167, 168  
 Hirsutism 215, 237  
 Homan's sign 401, 414, 584  
 Hospital discharge instructions,  
 breastfeeding 429, 430  
 Housing insecurity 299–300  
 HSV (herpes simplex virus) 741, 744–746  
 pregnancy testing and  
 treatment 745–746  
 Beta-human chorionic gonadotropin  
 ( $\beta$ -hCG), bleeding during  
 pregnancy 465, **465**  
 Human immunodeficiency virus  
 (HIV) 746–747  
 preconception care 68, **69**  
 pregnancy testing and treatment 747  
 Human papillomavirus (HPV) **75, 267**,  
 741, 747–748, 753  
 pregnancy testing and treatment 748  
 Human trafficking 297, 303–305  
 Hydatidiform mole 19, 24, 34, 463, 472,  
**473**, 474  
 Hydrops fetalis 651, 656, 729  
 Hyperchogenic 167, 169  
 Hyperemesis gravidarum (HG) 557–560  
 care and management 558–559  
 etiology 557, **558**  
 evaluation 558  
 potential problems 558  
 risk factors 557  
 Hyperemia 33, 38, 237  
 Hyperplasia 33, 38, 49, 218, 489  
 Hypertension, preconception care **68**,  
**69**, 70  
 Hypertensive disorders in  
 pregnancy 511–523  
 blood pressure measurement 512  
 classification 512  
 eclampsia 513–519  
 history 512  
 physical examination 513  
 preeclampsia-eclampsia 513–519  
 proteinuria 512–514  
 screening 512–513  
 Hypertrophy 49, 68, 70, 489, 693  
 Hypocholesterolemic 167, 169  
 Hypomania 637, **638**, 643, 644  
 Hypoxemia 197, 202, 204, 206–207, 489  
 Hypoxia 197  
 Iatrogenic 197  
 Iatrogenic prematurity 197, 199, 204, 488  
 Iatrogenic risk 155, 157  
 ICP *see* intrahepatic cholestasis of  
 pregnancy  
 Idiopathic 481  
 birth defects 258  
 oligohydramnios 484–486  
 IgG antibodies 44, 651, 721, 723,  
 725, 734  
 IgM antibodies 658, 721, 729, 730,  
 733, 744  
 Illicit drugs, prenatal care 97  
 Imaging, neurological disorders 704  
 Immigrant and refugee women,  
 preconception care 74  
 Immune response, postnatal period 53  
 Immune system, pregnancy  
 adaptations 42–44  
 Immunization  
*see also* vaccinations information  
 prenatal care 95  
 Immunoglobulins **23**, 43, 657, 710, 721,  
 735, 748  
 Impaired fecundity 567  
 Implantation 20–21  
 Implantation bleeding 19, 22  
 Incarceration during pregnancy 300–302  
 Inclusion/inclusiveness 313–320  
 Individual growth potential curve 481,  
 488–489  
 Infant feeding, postpartum care 407  
 Infant mortality, by race/ethnicity **315**  
 Infections  
 food-borne 113–116  
 preconception care 65  
 Infectious diseases 721–738  
 cytomegalovirus (CMV) 722–723  
 Ebola 736  
 emerging infectious diseases 735–737  
 Group B Streptococcus  
 (GBS) 724–725  
 hepatitis A virus (HAV) 725–726  
 hepatitis B virus (HBV) 726–728  
 hepatitis C virus (HCV) 728–729  
 parvovirus B19: 729–730  
 rubella 730–732  
 toxoplasmosis 732–733  
 varicella zoster virus (VZV) 734–735  
 Zika virus 736–737  
 Infertility  
*see also* pregnancy after infertility  
 context 568–569  
 course of 568–569  
 defined 567  
 prevalence 567–568  
 Influenza 668–670  
 Informed compliance 162, 193  
 Informed consent 93, 149  
 genetic screening 192–193  
 risk assessment 162–163  
 ultrasound, prenatal 174, 187  
 Inspiratory capacity **37**, 665  
 Intrinsic atopic dermatitis 709  
 Insufficient milk supply 439, 597, 601,  
 607–610  
 breastfeeding problems 607–610  
 Insulin, pregnancy 40–41  
 Insulin resistance 40–41, 527, 528, 533,  
 535, 625  
 Insulin therapy, gestational diabetes  
 mellitus (GDM) 533–534  
 Integrated genetic screening **184**,  
 185–186  
 Interconception and subsequent  
 pregnancy care, stillbirth or fetal  
 death 618–619  
 Interconception care 59, 618  
 Interdisciplinary care 300  
 Internal genitalia, anatomy 8–11  
 Internatal care 363  
 Interpersonal therapy 618, 637, 640



- Interpregnancy interval (IPI) 445, 454, 475, 477, 495, **498**, 501
- Interprofessional care  
HELLP syndrome 523  
mental health disorders 647  
obesity 633  
preterm labor 505
- Interprofessional considerations  
gestational diabetes mellitus (GDM) 536  
neurological disorders 704  
postpartum care 417
- Intertrigo 625, 628, 629
- Interval training, pregnancy 326
- Intimate partner violence (IPV) 297, 301  
assessment and planning **304**  
preconception care 64  
pregnancy 302–303  
prenatal care 95–96
- Intrahepatic cholestasis of pregnancy (ICP) 681, 683–684, 709–710, 717–718, 728  
assessment 717  
defining characteristics **712**  
diagnostic testing 683–684  
differential diagnosis 718  
evaluation 683  
interprofessional care 684, 718  
management 718  
treatment 684, 718
- Intrauterine contraception (IUC) 445, **448**, 449, 450
- Introitus 5, 6, 7, 8
- Invasive mole 463, 472, **473**
- Inverted or flat nipple 597, 602, **604**
- Involution 16, 49–50, 401, 402, **403**, 413, 582
- IPV *see* intimate partner violence
- Iris or target lesions 709, 713
- Iron  
food sources 654, **655**  
heme iron, definition 110  
heme iron, food sources 654, **655**  
nonheme iron, definition 110  
nonheme iron, food sources 654, **655**
- Iron absorption 110
- Iron-deficiency anemia (IDA) 653–654
- Iron requirements, pregnancy 34–35, 110–111
- Iron supplementation 110–111
- Isoimmunization *see* alloimmunization/  
isoimmunization
- Jacquemin's sign 131, 135, **135**, **142**
- Jaundice 681, 683, 684, 717, 718, 726
- Kegel exercises **218**, 241, 401, 408, 410, 414
- Kennell and Klaus, maternal-newborn attachment and adaptation 344–345
- Kernicterus **264**, 651, 656, **677**
- Ketonuria 393, 396, 531–532, 558
- Kidney stones (nephrolithiasis) **562**, 673, 678–679
- Kleihauer-Betke test 463, 478, 561, 562, 564, 651, 657
- Klinefelter syndrome 186
- Labia, postnatal period 51–52
- Labia majora 5, 6, 6, 7
- Labia minora 5, 6, 6, 7
- Labor 393
- Laboratory assessment, prenatal care 93, **94**
- Laboratory evaluation, bleeding during pregnancy 465
- Laboratory examination, preconception care 63
- Labor dystocia 393, 395
- Labor induction, post-term pregnancy 554–555
- Labor onset 393–398  
active labor 394–395, 397–398  
anticipatory guidance 395  
assessment of the woman 396–398  
determining onset 393–394  
'false' labor 394–395  
objective data 396–397  
plan of care 397–398  
subjective data 396  
timing of admission 394
- Labor-stimulating activities, post-term pregnancy 554
- Laceration, 1st degree 401, 410, 582
- Laceration, 2nd degree 401, 582
- Laceration, 3rd degree 401, 410, 414, 581, 582
- Laceration, 4th degree 401, 410, 414, 581, 582
- Lactation 423–440  
*see also* breastfeeding
- Lactational amenorrhea method (LAM) 437, 445, 446, 448, 454–455
- Lactiferous duct or ductule 423, 431, 605
- Lactobacilli 5, 8, 251, 502, 741, 750, 751
- Lactogenesis I 423, 428
- Lactogenesis II 423, 428, 434–436, 437, 446, 451, 453, 454
- Lacunae 19, 21
- Ladin's sign 131, 135, **142**
- Lamaze, Fernand 81, 83
- Lanugo 19, 30
- Laparoscopic gastric banding 625, 632
- LARC *see* long-acting reversible contraceptive methods
- Large for gestational age (LGA) 481, 488, 491, 527, 528, 535
- Last menstrual period (LMP), gestational age 141–144
- Latch 597–599, 602, **603**, 604, **605**, 608
- Late ovulation 551
- Lederman, Regina, maternal role development 348–352
- Legal and liability issues  
fetal well-being assessment 211–212  
obesity 633  
triage 390–391
- Legal requirements for reporting STI diagnosis 752
- Leg cramps 228
- Leg exam, postpartum care 414
- Legs, restless legs syndrome (RLS) 233–234, 703–704
- Leiomyoma, bleeding during pregnancy 463, 466, 466, **467**, **477**
- Leopold maneuvers 93, 131, 138, 139, **140**
- Leptin 5, 12, 40, 527, 632
- Lesbian relationships, pregnancy 356–357
- Leukonychia 215, 237
- Leukorrhea 134, 215, 227–228, 749
- Life course perspective 59, 60
- Likelihood ratio 167, 173
- Limited ultrasound 167, 169, 176
- Linea alba 33, 41, 49, 54
- Linea nigra 33, 41, 134, **207**, 215, 236
- Lipolysis 19, 24–25, 40
- Lipolytic 33, 40
- Listeriosis **24**, **62**, 113–114, 683
- Liver and biliary changes, pregnancy 39
- Lochia 49, 401, **403**, 408–409, **409**, 411, 417, **581**, 618  
postnatal period 50–51  
postpartum care 408–409, 411–412, 417
- Long-acting reversible contraceptive methods (LARC) 71, 445, 449–451
- Lordosis 33, 44, 215, 216, 324
- Low birth weight (LBW) 481, 488, 492
- Lower UTI 673, 675
- Low milk supply, breastfeeding problems 607–610
- Lumbar lordosis 215, 216
- Luteal phase defect 463, 470
- Macrocytic anemia 651, 660, 697–698
- Macronutrients 103, 107–110, **110**, 124, 531  
pregnancy 107–110
- Macrosomia 481, 486, 491–492, 527, 528, 535, 551, 552
- Male partners 355–356
- Mammary hypoplasia 423, 428
- Mania 637, **638**, 642–643, **644**
- Marijuana, pregnancy 283
- Mastitis 597, 604, 605, 606–607
- MAT *see* medication-assisted treatment
- Maternal attachment 53, 302, 346, 348, 349, 355, 619
- Maternal detachment 349

- Maternal Fetal Triage Index (MFTI) 385, 388–391, **389**
- Maternal identity 191, 341, 347–348, 405
- Maternal mortality 577, 578, 579
- acute appendicitis 685
  - cardiac disease 222
  - delayed postpartum hemorrhage 581
  - health disparities **298, 314**
  - motor vehicle accidents (MVAs) 563
  - multifetal gestation **544**
  - by race/ethnicity **314**
- Maternal-newborn attachment and adaptation 343–346
- Bowlby and Ainsworth 344
  - Brazelton 345
  - disorganized attachment 345–346
  - Kennell and Klaus 344–345
- Maternal reset hypothesis 49
- postnatal period 53
- Maternal role development 346–352
- Lederman, Regina 348–352
  - postpartum care 407
  - Rubin, Reva 346–348, 407, 417
- Maternal serum markers 182
- Maximal vertical pocket (MVP) *see* deepest (maximal) vertical pocket
- McBurney's point 681, 685
- McDonald's sign 131, 135–136, *136*, **142**
- Mean corpuscular hemoglobin (MCH) 651, 652–653, **652, 653**, 658, 659
- Mean corpuscular volume (MCV) 651, 652–653, **652, 653**, 658
- Meconium aspiration syndrome 551, 552
- Medical and psychosocial interventions, prenatal care 84–85
- Medical conditions, substance use and abuse 275
- Medical eligibility criteria (MEC) 445, 447–448, **448**
- Medical mistrust 313, 316
- Medical screening examination (MSE) 385, 390
- Medication-assisted treatment (MAT) 271, 278–279, 284–285, 289
- Medication use in pregnancy 253–267
- government oversight 254–255
  - pharmacokinetics 253, 255–256, **264**
  - pre-marketing drug testing 255–256
  - prescriptions 256–258
  - prescriptive authority 254
  - teratology 257–261
  - types of pharmaceutical agents 254
- Megaloblastic anemia 651, 659
- Melanonychia 215, 237
- Melasma 33, 41, 215, 236, 237
- Menarche 5, 10, 11–13, **14, 91**, 121
- Men's health, preconception care 76
- Menstrual cycle 11–17
- endometrial cycle 16–17
  - hypothalamic–pituitary–ovarian axis 14
  - menses resumption, postpartum care 411–412
  - ovarian cycle 14–16
  - phases 14–17
  - physiology 11–17
  - puberty onset 11–14
- Mental health
- preconception care **63, 69**
  - prenatal care 95
  - substance use and abuse 275
- Mental health disorders 637–648
- see also individual disorders*
  - anxiety 645–646
  - bipolar disorder in pregnancy 642–645
  - classifications **638**
  - definitions **638**
  - depression during pregnancy 637–642
  - generalized anxiety disorder (GAD) 646–647
  - interprofessional care 647
  - major depressive disorder (MDD) **638**
  - persistent depressive disorder **638**
  - pharmacologic considerations **642**
  - post-traumatic stress disorder (PTSD) 645–646
  - trauma-related disorders 645–646
- Mesoderm 19, 21, 22, 25–28, 27, **263**
- Metabolic system, pregnancy adaptations 39–41
- Metals/metalloids, environmental health **330**, 331–332
- Metformin, gestational diabetes mellitus (GDM) 534
- Methadone 284
- vs buprenorphine 285
- Methylation 33, 35, 323, **330**
- Metritis *see* endometritis
- Microaggressions 313, 314–315, 316
- Microcytic anemia 651, 653, 659
- Micronutrients 103, 106–107, 110–111, 124, 261, 500–501, 545, 632, 659–660
- Midwifery practice, prenatal ultrasound 178
- Migraines 225, 697, 700, 701–702
- see also* headaches
  - pharmacologic treatment 702
- Milk ejection reflex 423, 431, 438
- Miscarriage 466, 613, **616, 617**, 618
- Mittelschmerz 5, 16
- Modified biophysical profile (modified BPP) 481, 486, 487, 490, 551, 553, **553**
- fetal well-being assessment 206–210
- Monogenetic 181, 187
- Monounsaturated fats 103, 107
- Monozygotic gestation 541
- Montgomery glands 134, 423, 431
- Mood and anxiety disorder assessment/screening, postpartum disorders 589–593
- Morbidity, postpartum morbidity 578
- Morning-after pill 445, 457
- Mortality, postpartum mortality 578
- Morula 19, 20, *21*, 260, 542
- Mosaicism 181, 189
- Motivational interviewing (MI), substance use and abuse 271, 276–278, 291
- Mucin 5, 10
- Multifetal gestation 541–548
- anticipatory guidance 546
  - birth planning 547
  - diagnosis 543
  - embryology 541–543
  - fetal growth assessment 546
  - fetal surveillance 547
  - genetic screening 546
  - incidence 541
  - nutritional counseling 545, **546**
  - potential problems 543–544
  - prenatal care 545–547
  - psychosocial aspects 547
  - risks to the fetuses/neonates 543–544
  - risks to the woman 544
- Multiple sclerosis (MS) 702–703
- Murphy's sign 681, 684
- Musculoskeletal system
- postnatal period 54
  - pregnancy adaptations 44–45
- MVP *see* deepest (maximal) vertical pocket
- Myometrium 5, 9, 10, *21*, 22, 24, 25, **26**
- MyPlate 118, *120*, 126, 408, 418, 634
- Naegele, Franz Karl 81, 90
- Naegele's rule 143
- Nail changes, pregnancy 42, 237
- NAS *see* neonatal abstinence syndrome
- Nasal congestion 228–229
- Nausea and vomiting of pregnancy (NVP) 230–233
- Near-poverty 297
- Negative predictive value 155, 173, 197, 206, 499
- Neisseria gonorrhoeae **62, 66, 94, 372, 498**, 741, 743
- Neonatal abstinence syndrome (NAS) 64, 271, 280, 287–289
- Nephrolithiasis (kidney stones) **562, 673, 678–679**
- Neural tube defects (NTDs) 28, **31, 33**, 35, 60, 111, 181, *260*, 698
- screening 182, 183
- Neurological disorders 697–704
- antiepileptic drugs (AEDs) 696–699
  - carpal tunnel syndrome (CTS) 704

- headaches 699–702  
 imaging 704  
 interprofessional considerations 704  
 multiple sclerosis (MS) 702–703  
 restless legs syndrome (RLS) 233–234, 703–704  
 seizure disorders 697–699  
 Willis-Eckbom Disease (WED) 703–704
- Neurological system, pregnancy adaptations 44
- Neurulation 19, 27–28
- Nicotine, pregnancy 96, 280–282, 290
- Nicotine replacement therapy (NRT) 281
- NIPT (noninvasive prenatal testing) 186
- No call 181, 186
- Nocebo effect 158
- Nocturia 240, 673, 675
- Nonheme iron  
 definition 110  
 food sources 654, **655**
- Noninvasive prenatal testing (NIPT) 186
- Nonstress test (NST) 481, 486, 534–535, 551, **553**  
 fetal well-being assessment 202–206, **208, 209**
- Norepinephrine-dopamine reuptake inhibitors (NDRIs) **591–592**
- Nose bleed 229–230
- Notochordal 19, 25–26, 28
- NST *see* nonstress test
- NTDs *see* neural tube defects
- Nuchal translucency (NT) 167, 170–178, 181, **184**, 185, 629, 630, 698
- Nulliparous 5, 9, 51
- Nutrition 103–126  
 adolescent pregnancy 121–122  
 assessment 117–118  
 counseling 121–122  
 cultural influences 117  
 factors influencing nutritional intake 116–117  
 food safety 113–116  
 food units and recommendations 104  
 influences on 116–117  
 intervention 104, 121  
 nutritional assessment 117–118  
 nutrition resources 118–120  
 obesity 630  
 outcomes 104–106  
 pregnancy 106–116  
 prenatal care 96  
 prenatal nutrition and health outcomes 104–106, 121–126  
 preterm birth (PTB) 500–501  
 requirements 106–113  
 resources 118–120  
 vegetarian/vegan diets 122–124
- Nutritional assessment 117–118
- Nutritional counseling, multifetal gestation 545, **546**
- Nutritional/dietary supplements 72–73, 108, 111, **118**, 123–124, 221, **222**, 253, 254, **267**, 425, 426, 439, 518, 569, 586, 593, 594, 642, 654, 701
- Nutrition and diet, postpartum care 408
- Nutrition information, preconception care 72
- Nutrition resources 118–120
- Obesity **112**, 625–634  
*see also* overweight  
 assessment 628–629  
 bariatric surgery and pregnancy issues 632  
 comfort measures 631–632  
 comorbidities **628**  
 cultural considerations 626  
 deep vein thrombosis (DVT) 633  
 family considerations 626  
 health disparities 626  
 interprofessional care 633  
 intrapartum and postpartum issues 632–633  
 laboratory testing 629  
 legal and liability issues 633  
 low weight gain 631  
 management 628, 629, **630**  
 nondiscriminatory language 628  
 nutrition 630  
 personal considerations 626  
 physical activity 631  
 physical examination 629  
 physiology 626–627  
 potential problems 627, **628**  
 preconception care 68, **69**  
 pregestational obesity 628  
 pregnancy 111–113  
 pregnancy concerns 631  
 pregnancy weight gain and management issues 630–631  
 prevalence 626  
 problem-focused health history 628–629  
 prolonged pregnancy 632  
 risk factors 626–627  
 weight loss 631
- Obsessive-compulsive disorder (OCD), postpartum disorders 588
- Obstetric triage 385–391, **389**
- Occupational activity, preterm birth (PTB) 504
- Off-label, medications 232, 234, 253, 256, 282, 452, 645
- OLD CAARTS mnemonic, abdominal pain 561–562, 681, 684
- OLD CART mnemonic, symptom review 216
- Oligohydramnios 19, 22, **173**, 197, 207, **207, 262**, 481, 551, 552  
 idiopathic 484–486
- Omega-3 fatty acids 72, 103, 107–108, 123–124, **267**, 425, 501, 518, 545, **546**, 593, 642  
 docosahexaenoic acid (DHA) 72, 103, 107–108, **110**, 123–124, 263, **267**, 425, 545, 642  
 eicosapentaenoic acid (EPA) 107–108, 123–124, 642  
 alpha-linolenic acid (ALA) 107  
 pregnancy 107–108
- Omega-6 fatty acids 103, 124, 500
- Oocyte 11, 12, 14–16, 15, 19, 20, 67, **142**, 467, **570**, 732
- Oogenesis 5, 11, 12
- Oogonia 5, 11, 19, 30
- Opioid maintenance treatment (OMT) 271, 278–279, 284–285, 289
- Opioid replacement therapy (ORT) 271, 278–279, 284–285, 289
- Opioids  
 neonatal abstinence syndrome (NAS) 64, 271, 280, 287–289  
 pregnancy 284–285, 291
- Oral aversion 597, 598
- Oral health 247–251  
 anatomy 247, 248  
 assessment 248–249  
 conditions affecting oral health 250–251  
 gingivitis 218, 219, 247, 250  
 influence on pregnancy outcomes 249–250  
 periodontitis 247, 250  
 postpartum and newborn oral health 251  
 pregnancy (pyogenic) granuloma 247, 250  
 prenatal care 95
- Organic solvents, environmental health **330**, 332
- Organogenesis 19, 28–30, **714**
- Os, cervical 5, 9–10, 9
- Ovarian cycle, menstrual cycle 14–16
- Ovarian stimulation 567
- Overt diabetes 527, 528, 530, 535
- Over-the-counter (OTC) drug 137, **137**, 221, 224, 232, 253, 254, **371**, 398, 410, 439, 670, 677–678, 683
- Overweight **112**, 298, **529, 545**, 625, 626  
*see also* obesity  
 pregnancy 111–113
- Ovo-lacto vegetarians 103, 122, 123
- Ovulation resumption, postpartum care 411–412
- Oxytocin 393, 394, 395, 405, 409, 431, 438
- Oxytocin challenge test (OCT) 206

- Pain 341, 351–352  
 afterbirth pain 409
- Palpation of the fetus, probable sign of pregnancy 136
- Pancreatitis 564
- Pandemic 668, 721, 722, 735, 738
- Panethnic screening 187, 189
- Panic disorder, postpartum disorders 588
- Pannus 625, 629, 633
- Papilledema 511, 513
- Papule or Papula 709, 712–715, **712**
- Parasitic infection, sexually transmitted infections (STIs) 748–749
- Parasthesias 637, 703
- Parous 5, 9, 51
- Particulate matter 495, 499, 606
- Partner adaptation and attachment 354–357
- Partner role development 354–357
- Partner STI treatment 751–752
- Parvovirus B19: 729–730  
 assessment 729  
 management 730  
 potential problems 729
- Patau syndrome, trisomy 13: 181, **184**, 185, 186
- Paternal attachment 355
- Patient education  
 asthma 668  
 ultrasound, prenatal 176
- PCO<sub>2</sub> 33, 37
- Peak expiratory flow rate (PEF) 665, 666, 669
- Peak-flow meters 665, 666, 668
- Pedometers 323, 326
- Pedunculated 33, 41
- PEF (peak expiratory flow rate) 665, 666, 669
- Pelvic girdle 215, 216–218
- Pelvic inflammatory disease (PID) 470, **471**, 741, 750
- Pelvic rest 463, 466, 469, 473
- Pemphigoid gestationis (PG) 714–716  
 assessment 715  
 defining characteristics **712**  
 differential diagnosis 715  
 interprofessional care 716  
 management 715–716  
 treatment 715–716
- Peptide 19, 21, 23, 24, 40–41
- Perception 341, 351
- Percutaneous umbilical blood sampling (PUBS) 189
- Perinatal depression 637–642
- Perinatal loss 613–619  
 stillbirth or fetal death 613–618
- Perineal discomfort, postpartum care 410
- Perineal exam, postpartum care 414
- Perineal wound infection, postpartum disorders 580–581
- Perineum, postnatal period 51–52
- Periodontitis 247, 250  
 preterm birth (PTB) 502
- Peritoneum 5, 8
- Perspiration and warmth, increased 227–228
- Pessaries 495, 504  
 preterm birth (PTB) 504
- Pesticides, environmental health **330**, 332
- Pharmacodynamics 253, 255–256
- Pharmacogenetics 253
- Pharmacogenomics 253, 264
- Pharmacokinetics, pregnancy 253, 255–256, 261, **262–263**, **264**, 329
- Pharmacologic considerations  
 mental health disorders **642**  
 pregnancy after infertility 569
- Phenylketonuria (PKU), preconception care **70**, 71
- Photophobia **559**, 697, 699, **700**
- Physical abuse, preconception care 64
- Physical activity, obesity 631
- Physical activity information, preconception care 73
- Physical adjustment, postpartum care 404–407
- Physical assessment, prenatal care 92
- Physical dependence **255**, 271, 272–273, 282
- Physical examination  
 bleeding during pregnancy 465  
 hypertensive disorders in pregnancy 513  
 postpartum care 412–414  
 preconception care 63
- Physiologic birth 375–381  
 benefits 376  
 confidence for physiologic birth 375  
 healthcare system supports 380  
 individual strategies 380–381  
 prenatal care strategies 380, 381  
 system level supports 381
- Physiology  
 breastfeeding 428–432  
 menstrual cycle 11–17  
 obesity 626–627
- Pica 33, 39, 125, **126**, 653
- Piezoelectric crystals 167, 168
- Pinocytosis 19, 23, **23**
- Pituitary function changes, pregnancy 45–46
- Placenta 21–25  
 amniotic membrane 22  
 beginnings 21–22  
 chorionic membrane 22  
 endocrine synthesis and secretion 24–25  
 functions 22, 23  
 placental transport 23–24  
 sociocultural Uses 23  
 structure 21–22  
 umbilical cord 23
- Placenta accreta 19, 22, 173, 463, 475, **490**
- Placenta increta 463, 475
- Placental abruption 463, 470, 476–478, **519**, 521–522, 563–564
- Placental encapsulation 404
- Placental localization, prenatal ultrasound 173
- Placental site trophoblastic tumor 463, 472, **473**
- Placenta percreta 463, 475
- Placenta previa 463, 474–476, 478, **544**
- Placentation 33, 198, **198**, 470, 478, 481, 482, 485, 542  
 diagram 483  
 perinatal outcomes 483–484  
 process 42–43, 483–484
- Placentophagia 404
- Plan of care  
*see also* birth plan  
 labor onset 397–398
- Plaque 709, 712–716
- Plasma (blood), pregnancy changes 34
- Platelet-derived growth factor (PDGF) 33, 35
- Pneumonia 671
- Point of care (POC) ultrasound 167, 169, 178
- Polyhydramnios 19, 22, **173**, 197, 206, **207**, 482, 486–487
- Polymerase chain reaction (PCR) 721, 722–723, 731, 732, 733, 735, 736, 745, 746
- Polymorphic 709, 710, 712
- Polypharmacy 253, 260–261, **262**
- Polyunsaturated fats 103, 107, 108, 425
- Polyzygotic gestation 541, 543
- Ponderal index 482, 488
- Portion size, food 103, 104, **105**, 113, 118
- Positive predictive value 155, 157, 181, 186, 197, 199, 204, 206, 544
- Positive sign of pregnancy 131, 133, **133**, 137–139
- Positive signs of pregnancy **133**, 137–139
- Postconceptional weeks 131, 139, 260
- Postnatal care 401–418  
*see also* postpartum care
- Postnatal period 49–55  
 cardiovascular system 53–54  
 central nervous system 53  
 cervix 51  
 endocrine changes 53  
 gastrointestinal tract 55  
 hair growth 52–53  
 immune response 53



- labia 51–52
- lochia 50–51
- maternal reset hypothesis 53
- musculoskeletal system 54
- perineum 51–52
- physiological alterations 49–55
- rectal anatomy 52
- renal system 54–55
- uterus 49–50
- vagina 51
- weight loss 52
- Postpartum (or puerperal) infection 577, 578, 579–580, 584
- Postpartum anxiety disorders 577, **586**
- Postpartum blues 405, 577, 586
- Postpartum care
  - abdominal exam 413
  - activity and exercise 407–408
  - afterbirth pain 409
  - breast exam 412–413
  - collaboration 417
  - constipation 410
  - consultation 417
  - contraception 412
  - costovertebral angle tenderness (CVAT) 413–414
  - cultural considerations 415–416
  - diaphoresis 410
  - diet and nutrition 408
  - diureseis 410
  - emotional adjustment 404–407
  - employment 417–418
  - family adaptation 405–406
  - fertility return 445–446
  - health disparities 416–417
  - hemorrhoids 410
  - immediate care 402, **403**
  - infant feeding 407
  - interprofessional considerations 417
  - issues 402
  - later care 402–404, **403**
  - leg exam 414
  - lochia 408–409, 411–412, 417
  - maternal role development 407
  - menses resumption 411–412
  - ovulation resumption 411–412
  - perineal discomfort 410
  - perineal exam 414
  - physical adjustment 404–407
  - physical examination 412–414
  - placental encapsulation 404
  - placental phagia 404
  - postpartum depression (PPD) 414–415
  - recovery 417–418
  - rectal exam 414
  - referral 417
  - review of birth experience 405
  - sexuality 411
  - sibling adjustment 406–407
  - sleep 410–411
  - uterine exam 414
  - vaginal exam 414
  - warning signs **415**
- Postpartum cultural considerations 579
- Postpartum depression (PPD) 405, 414–415, 535–536, 577, 586–587, 588
  - medications 589–593, **590–592**
- Postpartum disorders 579–593
  - abdominal wound infection 580–581
  - delayed (secondary) postpartum hemorrhage 581–582
  - generalized anxiety disorder (GAD) 588
  - medications **590–592**
  - mood and anxiety disorder assessment/screening 589–593
  - obsessive-compulsive disorder 588
  - panic disorder 588
  - perineal wound infection 580–581
  - postpartum blues 586
  - postpartum depression 586–587
  - postpartum hematoma 582
  - postpartum mood and anxiety disorders 585–586
  - postpartum
    - preeclampsia–eclampsia 583
    - postpartum psychosis 588
    - postpartum thyroiditis 584–585
  - post-traumatic stress disorder (PTSD) 588–589
  - puerperal fever (pyrexia) 579
  - puerperal infection (postpartum infection) 579–580
  - secondary (delayed) postpartum hemorrhage 581–582
  - subinvolution 582
  - uterine infection 579–580, **581**
  - wound infection 580–581
- Postpartum eclampsia 577, 583
- Postpartum hematoma 582
- Postpartum mood and anxiety disorders 585–586
- Postpartum morbidity 578
- Postpartum mortality 578
- Postpartum period 49–55, 401
  - contraception 445–458
- Postpartum preeclampsia/eclampsia 577, 583
- Postpartum preeclampsia/eclampsia, late (LPP) 577, 583
- Postpartum psychosis 577, 585, 588, 643
- Postpartum/puerperium, defined 577
- Postpartum thyroiditis (PPT) 584–585, 687, **688, 692**
- Postpartum urinary retention 414, 674
- Postpartum visits
  - 2 week 64, 251, 402, **403**, 404, 407, 408, 414–415, 416–417, 735
  - 6 week 319, 402–404, **403**, 411, 412–413, 414–415, 416–417, 445, 535–536
- Post-term pregnancy 551–555
  - expectant management 553–554
  - fetal surveillance 553
  - intervention 552–555
  - labor induction 554–555
  - labor-stimulating activities 554
  - management 552–555
  - potential problems 552
  - prevention 552–555
- Post-traumatic stress disorder (PTSD) 645–646
  - postpartum disorders 588–589
- Poverty 297, 298–300
- Preconception care 59–77
  - asthma 67, 68
  - benefits 60
  - cancer survivors 67–70, **69**
  - cardiovascular disease 68, **69**, 70
  - challenges 59–60
  - chronic disease 67–72
  - conception information 72
  - counseling 72–74
  - depression 68
  - dermatological disease **69**
  - diabetes 68, **69**, 70–71
  - dietary supplements
    - information 72–73
  - epilepsy **69**
  - evidence supporting preconception health care 60–61
  - folic acid supplementation 72, **73**
  - genetics 64–65
  - health history 61–62
  - health promotion and education 72
  - HIV 68, **69**
  - hypertension 68, **69**, 70
  - immigrant and refugee women 74
  - infections 65
  - intimate partner violence (IPV) 64
  - laboratory examination 63
  - men's health 76
  - mental health 63, **69**
  - nutrition information 72
  - obesity 68, **69**
  - phenylketonuria (PKU) **70**, 71
  - physical abuse 64
  - physical activity information 73
  - physical examination 63
  - pregnancy loss information 74
  - preparation for pregnancy and childbirth 73
  - refugee and immigrant women 74
  - renal disease 68
  - reproductive life plan (RLP) 59, 73–74
  - rheumatoid arthritis 68, **70**
  - risk assessment 61–67
  - screening 59, 61–67

- Preconception care (*cont'd*)
- seizure disorders 68, 71
  - sickle cell disease **70**
  - substance use and abuse 63–64
  - systemic lupus erythematosus (SLE) 68, **70**, 71
  - teratogens 65–67
  - thrombophilias **70**, 71
  - thyroid disease 68, **70**, 71–72
  - vaccinations information 74, **75**
  - weight information 73
  - women with disabilities 74–76
- Preconception health, defined 59
- Preconception health care, defined 59
- Preconception wellness 59
- Precursors 19, 24, 25, **26**, 111, 425
- Preeclampsia 43, 511, 513–519, 697
- chronic hypertension 515, 518, 520–521
  - diagnosis **513**
  - headache 696, 699–700, 702
  - laboratory manifestations **516**
  - long-term sequelae 518
  - management 517
  - maternal symptoms 514
  - pathophysiology 514–515
  - postpartum preeclampsia/eclampsia 577, 583
  - postpartum preeclampsia/eclampsia, late (LPP) 577, 583
  - predicting 517–518
  - preventing 518
  - risk factors 515
- Pregestational diabetes 60, 200, 515, 537, **628**, 687, 693–695
- see also* gestational diabetes mellitus (GDM)
- Pregnancy
- adolescent pregnancy 121–122
  - adrenal function changes 46
  - bariatric surgery 124
  - basal metabolic rate 40
  - blood changes 34–35
  - blood pressure changes 36–37
  - calcium requirement 111
  - carbohydrate metabolism 40
  - carbohydrates 108–109
  - cardiovascular system
    - adaptations 35–37
  - diagnosis 131–151
  - eating disorders 124–126
  - endocrine system adaptations 45–46
  - fat intake 107–108
  - fat metabolism 40
  - fluid intake 106–107
  - folate requirements 35, 111
  - food safety 113–116
  - foods to avoid **115**, 116
  - gastrointestinal system adaptations 38–39
  - hair changes 42, 237
  - hematologic system adaptations 33–35
  - immune system adaptations 42–44
  - insulin 40–41
  - leptin and ghrelin 40
  - liver and biliary changes 39
  - macronutrients 107–110
  - maternal physiological
    - alterations 33–46
  - medication use 253–267
  - metabolic system adaptations 39–41
  - musculoskeletal system
    - adaptations 44–45
  - nail changes 42, 237
  - neurological system adaptations 44
  - nutrition 106–116
  - obesity 111–113
  - omega-3 fatty acids 107–108
  - overweight 111–113
  - pharmacokinetics 253, 255–256, 261, **262–263**, **264**, 329
  - pituitary function changes 45–46
  - positive signs of pregnancy **133**, 137–139
  - presumptive signs of pregnancy **133**, 134
  - probable signs of pregnancy **133**, 134–137
  - protein intake 109–110
  - protein metabolism 40
  - pulmonary function changes 37
  - renal system adaptations 37
  - respiratory system adaptations 37
  - risk assessment 155–163
  - sensory adaptations 44
  - signs and symptoms **133**
  - skin changes 41–42
  - supine hypotensive syndrome 37
  - thyroid function changes 46
  - toxoplasmosis 113–116
  - underweight 111–113
  - vaccines 261, **267**
  - vascular changes 36
  - vegetarian/vegan diets 122–124
  - vitamin D requirement 111
  - weight gain 111–113
  - working and pregnancy 98
- Pregnancy (pyogenic) granuloma 247, 250
- Pregnancy after infertility 567–574
- fertility care 567, **568**, 569, **570**, 573
  - lifestyle considerations 569–572
  - pharmacologic considerations 569
  - preexisting conditions 569
  - prior fertility treatments 569
  - psychological impacts 573
  - psychosocial and emotional care and support 573
  - subfertility 567, 568, 569, **571–572**
  - supporting gestational carriers 573
  - supporting the partner 573
  - transition to routine prenatal care 568
- Pregnancy loss
- complicated grief 613, 616
  - early pregnancy loss 463, 466–470, 613, 616, 617, 618, 619
  - grief, spontaneous pregnancy loss 469–470
  - grief, stillbirth or fetal death 615–616
  - grief response 613, 616
  - information, preconception care 74
  - prolonged grief reaction 613, 616
  - recurrent pregnancy loss (RPL) **330**, 463, 470, 567, 569
- Pregnancy of unknown viability (PUV) 167, 170
- Pregnancy termination counseling 150
- Prejudice 313, 316
- Prelacteal feeds 313, 319
- Prenatal care 81–100
- alcohol use 96–97
  - assessment 89–90
  - CenteringPregnancy 88–89
  - components 89–95
  - content 84–87
  - Content of Prenatal Care (CPC) 84–85
  - diagnostic testing 93–95
  - exercise 97–98
  - follow-up 84–85
  - genetic screening 93
  - goals 83–85
  - group prenatal care 88–89
  - health history 90–92
  - health promotion and education 84, 96–100
  - history 82–83
  - illicit drugs 97
  - immunization 95
  - intimate partner violence (IPV) 95–96
  - laboratory assessment 93, **94**
  - medical and psychosocial
    - interventions 84–85
  - mental health 95
  - multifetal gestation 545–547
  - nutrition 96
  - oral health 95
  - physical assessment 92
  - preventative care 95–96
  - quality of prenatal care 87–88
  - risk assessment 84
  - schedule of prenatal visits 86–87
  - structure 85–88
  - substance use and abuse 96–97
  - tobacco use 96
  - updates 85
  - working and pregnancy 98
- Prenatal care guideline topics **370–372**
- Prenatal diagnosis 181, 185, 191, 193, 487
- Prenatal flavor learning 114
- Prenatal nutrition and health
  - outcomes 104–106, 121–126

- Prenatal screening 181, 182, 186, 190, 193, 274, 275–278, 528–532, 724  
 gestational diabetes mellitus (GDM) 528–531  
 substance use and abuse 275–276
- Prenatal visit approach, childbirth education 365–366
- Preparation for pregnancy and childbirth, preconception care 73
- Prescription drugs 61, 253, 254, 272, 282, 659
- Prescriptions, medication use 256–258
- Prescriptive authority 253, 254, 255, 285
- Presumptive sign of pregnancy 131, 133–134, **133**
- Presumptive signs of pregnancy **133**, 134
- Preterm birth (PTB) 495–506  
 anxiety 503  
 asymptomatic bacteriuria (ASB) 503  
 bacterial vaginosis (BV) 502  
 cervical cerclage 501–502  
 cervical length measurement 499–500  
 complications **497**  
 defined 495  
 depression 503  
 fetal fibronectin (fFN) 499  
 infections 502–503  
 interpregnancy interval (IPI) 501  
 nutrition 500–501  
 occupational activity 504  
 pathophysiology 497  
 perinatal morbidity 497  
 periodontitis 502  
 pessaries 504  
 predicting 499  
 preterm birth rate 87–88, 495, **496**  
 primary prevention 500–504  
 progesterone therapy 501  
 racial disparities 496–497  
 risk factors 497–499, **498**  
 signs and symptoms of preterm labor 504  
 sleep disturbances 503  
 smoking cessation 500  
 social disparities 496–497  
 stress 503  
 substance use cessation 500  
 weight gain 500–501
- Preterm labor  
 diagnosis and management 505  
 interprofessional care 505  
 signs and symptoms 504
- Preventative care, prenatal care 95–96
- Primary infertility 567–568
- Primipara 393
- Primitive streak 19, 25, 27, 27, 28
- Probable sign of pregnancy 131, 133, **133**, 134–137
- Probable signs of pregnancy **133**, 134–137
- Progesterone therapy, preterm birth (PTB) 501
- Progestin-only pills (POPs) 412, 445, 453–454
- Prolonged grief reaction, pregnancy loss 613, 616
- Prostaglandins 16, 25, **26**, 393, 487, 497, 554, 555
- Protein intake, pregnancy 109–110
- Protein metabolism, pregnancy 40
- Proteinuria 511, 512–514, **513**, **516**, 520–521, 522, 583, 697
- Protozoa 24, **24**, 681, 721, 732, 741
- Prurigo 709, 710, 714
- Pruritic folliculitis (PF) 713–714  
 assessment 713–714  
 defining characteristics **712**  
 diagnosis 713–714  
 differential diagnosis 714  
 management 714  
 treatment 714
- Pruritic urticarial papules and plaques of pregnancy (PUPPP) 712–713  
 assessment 713  
 defining characteristics **712**  
 differential diagnosis 713  
 management 713  
 treatment 713
- Psoriasis 709, 710, 716–717
- Psychogenic nonepileptic seizure 697, 696
- Psychological impacts, pregnancy after infertility 573
- Psychophysiology 341, 342
- Psychosocial adaptations in pregnancy 341–359  
 body image 352–354  
 maternal role development 346–352  
 partner adaptation and attachment 354–357  
 partner role development 354–357  
 sibling preparation 354
- Psychosocial and emotional care and support, pregnancy after infertility 573
- Psychosocial aspects, multifetal gestation 547
- Psychosocial impact of STI diagnosis, sexually transmitted infections (STIs) 752–753
- Psychotropics 577, 587, 588, 589, 593, 627, 637, 647
- Ptyalism 33, 39, 215, 233, 557, 558
- Ptyalism gravidarum 215, 557, 558
- Puberty onset, menstrual cycle 11–14
- Puerperal (or postpartum) infection 577, 578, 579–580, 584
- Puerperal fever 577, 579
- Puerperal fever (pyrexia), postpartum disorders 579
- Puerperal infection (postpartum infection) 579–580
- Puerperium 401  
*see also* postnatal care; postnatal period
- Puerperium/postpartum, defined 577
- Pulmonary function, pregnancy changes 37
- Pulmonary hypoplasia 19, 22
- PUPPP *see* pruritic urticarial papules and plaques of pregnancy
- Puritic 709, 713–714, 749
- Purpura 237, 651, 660, 661, 730
- Pustular psoriasis of pregnancy (PPP) 716–717  
 assessment 716  
 defining characteristics **712**  
 differential diagnosis 716  
 interprofessional care 717  
 management 716  
 treatment 716
- Pyelonephritis 503, 673, 675, 678
- Pyuria 673, 678
- Qualified medical person (QMP) 385, 390
- Quality of prenatal care 87–88
- Quickening 19, 30, 131, 134, **142**, 201, 347, **370**
- Race 313–320
- Rapid cycling 637, 644
- Recommended daily allowance (RDA) 72–73, 103, 104, 107–110, 111
- Rectal anatomy, postnatal period 52
- Rectal exam, postpartum care 414
- Rectocele 401, 414
- Rectouterine pouch 5, 8
- Rectovaginal septum 5, 8
- Recurrent pregnancy loss (RPL) **330**, 463, 470, 567, 569
- Red blood cells, pregnancy changes 34
- Red cell indices 651, 652–653, 658
- Reference laboratory 721, 733, **733**
- Referral, postpartum care 417
- Refugee and immigrant women, preconception care 74
- Relative risk 155, 160, **162**, 528
- Renal colic 673, 678
- Renal disease, preconception care 68
- Renal system  
 postnatal period 54–55  
 pregnancy adaptations 37
- Reproductive coercion 303
- Reproductive life plan (RLP), preconception care 59, 73–74
- Requirement 103
- Residual risk 181, 192
- Resistin 527–528
- Resorption, bone 33, 45, 121

- Respiratory disorders 665–671  
 asthma 665–667  
 influenza 668–670  
 pneumonia 671  
 respiratory physiology 665  
 smoking cessation 668  
 upper respiratory infections (URIs) 670
- Respiratory system, pregnancy adaptations 37
- Restless legs syndrome (RLS) 233–234, 703–704
- Reticulocytes 651, 654, 730
- Reverberation artifact 167, 169
- Review of birth experience, postpartum care 405
- Rh blood group system 656
- Rh D antigen 651, 656
- Rheumatoid arthritis, preconception care 68, 70
- Rh incompatibility 44, 651, 656
- Rh sensitization 651, 656
- Rising, Sharon Schindler 81, 88
- Risk assessment  
 benefits 156  
 communicating risk 160–162, 161  
 disadvantages 156–157  
 explaining risk to women 160–162  
 informed consent 161, 162–163  
 limitations 156  
 misapplication 157–158  
 perspective 159–160  
 preconception care 61–67  
 pregnancy 155–163  
 prenatal care 84  
 process 155–156  
 purpose 155–156
- Risk communication 160–162, 163  
 Paling Palette Risk Communication Tool 161
- Risk evaluation, family history, genetic screening 182
- Risk factors 59, 61, 65, 66, 155, 156–157, 160  
 ectopic pregnancy 470–471  
 folic acid recommendations 73  
 gestational trophoblastic disease (GTD) 473  
 HG (hyperemesis gravidarum) 557  
 obesity 626–627  
 preeclampsia 515  
 preterm birth (PTB) 497–499, 498  
 sexually transmitted infections (STIs) 742  
 spontaneous pregnancy loss 467
- Risk misapplication 155, 157–159
- Role 341, 344, 345  
 maternal role development 346–352  
 partner role development 354–356
- Round ligament pain 234–235
- Roux-en-Y gastric bypass (RYGB) 625, 632
- Rubella 730–732  
 assessment 730–731  
 congenital rubella syndrome (CRS) 730–731  
 management 731  
 presentation 730–731  
 prevention 731–732
- Rubin, Reva, maternal role development 346–348, 407, 417
- Rugae, vaginal 5, 8, 9, 51, 414
- 'Rule of Threes', contraception 446
- Sacrococcygeal teratoma 20, 25
- Saturated fats 103, 122, 298
- Schedule of prenatal visits 86–87
- Scintillations 511, 514
- SCOFF tool, eating disorders 125
- Scotomata 511, 514
- Screening 59  
*see also* genetic screening  
 5 Ps screening tool for substance use 97  
 eating disorders 124–126  
 expanded carrier screening 187, 189  
 gestational diabetes mellitus (GDM) 528–531  
 hypertensive disorders in pregnancy 512–513  
 neural tube defects (NTDs) 182, 183  
 panethnic screening 187, 189  
 preconception care 61–67  
 prenatal screening, gestational diabetes mellitus (GDM) 528–531  
 prenatal screening, substance use and abuse 275–276  
 substance use and abuse 97, 275–276
- Secondary (delayed) postpartum hemorrhage 387, 577, 581–582
- Secondary infertility 567, 569
- Second trimester genetic screening 185–186, 187
- Seizure disorders 697–699  
*see also* epilepsy  
 antiepileptic drugs (AEDs) 696–699  
 preconception care 68, 71  
 safety precautions 699  
 teaching points 698
- Selective reduction 541
- Selective serotonin reuptake inhibitors (SSRIs) 238, 286, 587, 588–589, 590–592, 598, 627, 637, 640–641, 642, 644, 645
- Self-efficacy 375, 376–377
- Self-esteem 341, 348, 349, 350, 352, 417
- Self-silencing 567, 573
- Semiallograft 33, 42, 721, 737
- Sensitivity 181, 184, 185–186, 197, 199  
 risk 155, 159, 160
- Sensory adaptations, pregnancy 44
- Sequential genetic screening 184, 185–186
- Seroconversion 721, 723
- Seroprevalence 721, 722, 732
- Serotonin and norepinephrine reuptake inhibitors (SNRIs) 591, 593, 637, 645, 646
- Serving size, food portions 103, 104, 105, 113, 118
- Sex 341, 347
- Sex trafficking 297, 304–305, 304, 305
- Sexuality 333–335, 341, 356  
 postpartum care 411  
 pregnancy influences 334  
 sexual activity during pregnancy 334  
 sexual history 334–335
- Sexually transmitted infections (STIs) 92, 250, 302, 304–305, 306, 455, 456, 741, 751–753  
*see also individual infections*  
 bacterial infections 742–744  
 bacterial vaginosis (BV) 749–751  
 fungal vaginitis 749  
 legal requirements for reporting STI diagnosis 752  
 parasitic infection 748–749  
 partner STI treatment 751–752  
 prevention 753  
 psychosocial impact of STI diagnosis 752–753  
 risk factors 742  
 viral infections 744–748
- Shadowing artifact 167, 169
- Sheppard–Towner Maternity and Infancy Protection Act 81, 82
- Shift work 323, 335
- Shortness of breath 235
- SHS (supine hypotension syndrome) 239–240
- Sibling adjustment, postpartum care 406–407
- Sibling preparation, psychosocial adaptations in pregnancy 354
- Sickle cell disease (SCD) 70, 651, 652, 658–659  
 preconception care 70
- Sickle cell trait (SCT) 94, 651, 658, 674, 675, 676
- Simple diffusion 20, 23, 23
- Single deepest pocket 167, 173, 206, 207
- Skene glands 5, 6
- Skin  
*see also* dermatological disorders  
 connective tissue changes, pregnancy 41  
 pigmentation changes, pregnancy 41  
 pregnancy changes 41–42  
 sebaceous and sweat gland changes 41–42  
 vascular changes, pregnancy 41



- Skin changes 235–237  
presumptive sign of pregnancy 134
- Sleep, postpartum care 410–411
- Sleep disturbances 238–239  
preterm birth (PTB) 503
- Sleep hygiene 215, 238–239, **239**  
preterm birth (PTB) 503
- Small for gestational age (SGA) 482, 488–489, **519**
- Smoking, pregnancy 96, 280–282, 291
- Smoking cessation  
asthma 668  
preterm birth (PTB) 500
- Social considerations, gestational diabetes mellitus (GDM) 534
- Social issues 297–308  
substance use and abuse 275
- Soft markers, prenatal ultrasound 155, 157, 167, 173–174
- Sonographer 168, 169, 175, 178
- Specialized ultrasound 168, 170, 173
- Specificity 181, 186, 197, 199, 589, 733  
risk 155, 159, 160
- Spina bifida occulta 181, 183
- Spiral arteries 10–11, 21, 24, 511, 514–515, 581
- Spongiosis 709, 713
- Spontaneous pregnancy loss 466–470  
*see also* abortion  
age and early pregnancy loss rate **467**  
classification **467**  
diagnosis and management 468–469  
follow-up care 469  
grief 469–470  
recurrent pregnancy loss (RPL) **330**, 463, 470, 567, 569  
risk factors **467**  
signs and symptoms 468
- Squamocolumnar junction (SCJ) 5, 10
- Standard drink, alcohol 271, 279
- Standard ultrasound 168, 169, 187
- Station 393, 396, **555**
- Stereotype 313, 317
- Sterilization 445, 449, **448**
- Steroid 20, 21, 23, **23**, 24–25, 53, 76, **255**, 425, 454, 477  
*see also* corticosteroids  
topical steroids 711, **711**
- Stillbirth or fetal death 613–618  
breaking the news 614  
cultural considerations **617**  
etiology **614**  
evaluation 615  
follow-up care 618  
grief 615–616  
interconception and subsequent pregnancy care 618–619  
physical care 617–618  
rights of parents **616**
- Strength training 73, 97, 326–328
- Stress 341, 342–343, 348, 356, 495, 496–499  
preterm birth (PTB) 503
- Striae gravidarum 41, 215, 236, 715
- Stripping of the membranes 551, 554
- Subchorionic hemorrhage, bleeding during pregnancy 463, 464, 466, 468
- Subfertility 567, 568, 569, **571–572**
- Subinvolution **473**, 577, 580, 581, 582
- Subjective sensations, presumptive sign of pregnancy 134
- Substance abuse 96–97, 271, 272, 275, 301–302
- Substance dependence 271, 273, 275, 287
- Substance misuse 271, 273
- Substances/chemicals, environmental health 329–333, **330**
- Substance use and abuse 271–291  
5 Ps screening tool for substance use 97  
alcohol use 279–280  
amphetamines/  
methamphetamines 283  
breastfeeding 289, **290**  
cocaine 282  
comorbid conditions 275  
designer drugs 283–284  
diagnosing substance use disorders **274**  
harm reduction approaches 274–275  
historical approaches 273–274  
marijuana 283  
medical conditions 275  
mental health 275  
motivational interviewing (MI) 271, 276–278, 291  
nicotine 280–282  
opioids 284–285  
preconception care 63–64  
prenatal care 96–97  
prenatal screening 275–276  
prevalence 272  
screening 97, 275–276  
social issues 275  
terminology 272–273  
treatment types 278–279
- Substance use cessation, preterm birth (PTB) 500
- Substance use disorder 271, 271–280, **274**, 277, 283  
perinatal care 285–290  
postpartum care 289
- Succenturiate lobed placenta 463, 477
- Superficial venous thrombosis 414, 577, 584
- Supine hypotension syndrome (SHS) 239–240
- Supine hypotensive syndrome, pregnancy 37
- Supplements *see* nutritional/dietary supplements
- Symphysis pubis dysfunction 216–218
- Syncope/dizziness 221–222
- Syncytiotrophoblast 20, 21, 24
- Syphilis **24**, **66**, **94**, 741, 743–744  
pregnancy testing and treatment 744
- Systemic lupus erythematosus (SLE), preconception care 68, **70**, 71
- Tail of Spence 423, 428
- Talk test 323, 327–328
- Targeted ultrasound 482, 485, 490, 491
- Telangiectasias 33, 41
- Telephone triage tool, breastfeeding 428, 430
- Telogen 33, 42, 49, 52–53
- Telogen gravidarum 49, 52–53
- Tension-type headache 697, 699, **700**
- Tentative pregnancy 191
- Teratogens 20, 28, **31**, 61, 63, 65–67, 70, 71, **91**, **99**, **115**, 116, 253, 257–261, **262–263**, **265–266**, **490**  
preconception care 65–67
- Teratology 257–261
- Terminology 351  
substance use and abuse 272–273
- Thalassemia **188**, **198**, 651, 652, **653**, 659
- Thelarche 5, 11
- Therapeutic rest 393, 398
- Therapeutic window 253, 261
- Third-party assisted or collaborative reproduction 567, **570**
- Thrombocytopenia 511, 522, 660–661, **697**
- Thromboembolic disorders 661–663
- Thrombophilias 651, 662  
preconception care **70**, 71
- Thromboxane 33, 35, 518
- Throughput 385, 391
- Thyroid disease, preconception care 68, **70**, 71–72
- Thyroid function changes, pregnancy 46
- Thyroiditis 577  
postpartum thyroiditis (PPT) 584–585, 687, **688**, **692**
- Thyrotoxicosis (thyroid storm) **558**, 577, 585, 687, 691, 692
- Tissue factor (TF) 33, 35, **36**
- Tobacco use  
pregnancy 280–282, 291  
prenatal care 96
- Tocolytics 495, 499, 505, 632
- Tocophobia/tokophobia 159
- Tonic clonic seizures 511, 514, 697, 696
- Topical steroids 711, **711**
- Total lung capacity **37**, 665
- Total parenteral nutrition (TPN) 557

- Toxoplasmosis 732–733  
 assessment 732–733  
 clinical presentation 732–733  
 counseling 733  
 management 733  
 potential problems 732  
 pregnancy 113–116  
 prevention 733  
 serological tests 733
- Trans fats 103, 107
- Transgender men, pregnancy 358
- Transman, caring for a pregnant transman 358
- Trauma, headaches 700
- Trauma-informed care 342–343
- Trauma-related disorders, mental health disorders 645–646
- Triage 385–391  
 anticipatory guidance 391  
 best practice 388–390  
 breastfeeding, telephone triage tool 428, 430  
 collaboration 387  
 elements of triage 387–388  
 goals 385–386  
 healthcare provider evaluation 388  
 legal and liability issues 390–391  
 liability issues 390–391  
 objectives 385–386  
 obstetric triage 385–391, **389**  
 obstetric triage unit organization 387  
 quality measures 391  
 reasons for women seeking care 386–387
- Trichomoniasis **498**, 741, 748–749
- Tricyclic antidepressants **591**
- Trigone 33, 38
- Trisomy 13, Patau syndrome 181, **184**, 185, 186
- Trisomy 18, Edward syndrome **174**, 181, 183–185, **184**
- Trisomy 21, Down syndrome 181, 183–185, **184**, **600**
- Trophoblastic factors 511, 515
- Trophotropism 463, 475
- TTTS (twin-to-twin transfusion syndrome) 486, 487, 541, 543–544
- Tumor necrosis factor alpha (TNF $\alpha$ ) 527–528, 627
- Twin-to-twin transfusion syndrome (TTTS) 486, 487, 541, 543
- Type 1 diabetes **325**, 628, 687, 689, 693
- Type 2 diabetes 53, **424**, 528, 535–536, **536**, 630, 687, 693
- Ultrasound, targeted ultrasound 482, 485, 490, 491
- Ultrasound, prenatal 167–178  
 amniotic fluid evaluation 172–173  
 communicating results 174–175
- Doppler ultrasonography, fetal well-being assessment 210
- first trimester 170–171
- genetic screening 186–187
- gestational age 145–146
- interpreting results 174–175
- mechanics 168–170
- midwifery practice 178
- overuse 177
- patient education 176
- physics 168–170
- placental localization 173
- recreational prenatal ultrasound 177
- safety 176–177
- second trimester 171–173
- soft markers 155, 157, 167, 173–174
- third trimester 173–174
- woman's experience 175–176
- Ultrasound or X-ray, positive sign of pregnancy 138
- Ultrasound screening, fetal anatomy 89–90, 171–172, 186–187, 490, 629, 698
- Umbilical cord 23
- Underweight, pregnancy 111–113
- Unintended pregnancy **84**, 147–149, 299, 303, 349, 445–448, 454, 458, 637
- Upper respiratory infections (URIs) 670
- Upper urinary tract infection (UTI) 673, 675–677
- Urinary frequency 38, 240, **372**, 673, 675
- Urinary incontinence 240–241
- Urinary retention, postpartum 414, 674
- Urinary tract infection (UTI) 673–679  
 acute cystitis 673, 675, 676, 677, **677**  
 acute pyelonephritis 675, 678  
 asymptomatic bacteriuria (ASB) 674–675  
 care of women with UTIs 677–678  
 evaluation 675–677  
 health history 675  
 laboratory testing 676–677  
 nephrolithiasis (kidney stones) 678–679  
 pathogens 674  
 pathophysiology 674  
 physical examination 675–676  
 prevalence 673–674  
 pyelonephritis 675, 678  
 recurrent UTIs 678  
 risk factors 673–674
- Urinary urgency 673, 678
- Urticaria 544, 709, 710, 712–715, **715**
- Uterine changes, probable sign of pregnancy 135–136
- Uterine exam, postpartum care 414
- Uterine infection, postpartum disorders 579–580, **581**
- Uterotonic 49, 50
- Uterus, postnatal period 49–50
- Vaccinations information, preconception care 74, 75
- Vaccines, pregnancy 261, **267**
- Vagina, postnatal period 51
- Vaginal changes  
 presumptive sign of pregnancy 134  
 probable sign of pregnancy 135
- Vaginal exam, postpartum care 414
- Vaginal microbiome 495, 499, 502, 751
- Varenicline (Chantix®), pregnancy 281–282
- Varicella zoster virus (VZV) 734–735  
 assessment 734–735  
 clinical presentation 734–735  
 counseling 735  
 management 735  
 potential problems 734
- Varicose veins 241–242
- Varicosities (legs/vulva) 241–243
- Vasa previa 463, 474, 477, **478**
- Vascular changes, pregnancy 36
- Vasovagal response 5, 9
- Vegans 92, 103, 122–124, 425, 653, 660
- Vegetarians 103, 110, 111, 122–124, **601**, 653
- Vegetarian/vegan diets  
 B vitamins requirements 122–124  
 pregnancy 122–124
- Velamentous insertion 20, 22, 23
- Vellus hair 709, 714
- Vernix caseosa 20, 30
- Vertical transmission 85, 251, 721, 724, 727, 732, 733, 741, 744–749
- Very small for gestational age (VSGA) 482, 488
- Vesicouterine pouch 5, 8
- Vesicovaginal septum 5, 8
- Vestibule 5, 6, 6, 7, 7, 8
- Viral infections, sexually transmitted infections (STIs) 744–748
- Vision changes 243
- Vitamin B<sub>12</sub> deficiency 660
- Vitamin D requirement, pregnancy 111
- Von Willebrand's disease (vWD) 577, 581, 661
- VSGA (very small for gestational age) 482, 488
- Vulnerable populations  
 childbirth education 369  
 fetal well-being assessment 211
- Vulvovaginal candidiasis (VVC) 43, 741, 749
- VZV (varicella zoster virus) 734–735
- Warmth and perspiration, increased 227–228
- Warning signs, postpartum care **415**
- Weathering 155, 156
- Weight gain  
 distribution 112, 693

- excessive 112, 117, 124, **126**, 220, 298, 324, 531, **628**, 631
- inadequate 88, 113, **126**, 490, 500, 545, **601**, **639**
- pregnancy 111–113
- preterm birth (PTB) 500–501
- slow weight gain, breastfeeding problems 600, **601**
- Weight information, preconception care 73
- Weight loss, postnatal period 52
- Wernicke's encephalopathy 557
- Wharton's jelly 20, 23, 477
- White blood cells, pregnancy changes 34
- Willis-Eckbom Disease (WED) 233–234, 703–704
- Women with disabilities, preconception care 74–76
- Working and breastfeeding, workplace pumping 440
- Working and postpartum care 417–418
- Working and pregnancy 335–337
  - assessing occupational conditions 337
  - heavy lifting 335–336
  - long work hours 335–336
  - noise exposure 336
  - occupational activity, preterm birth (PTB) 504
  - pregnancy discrimination in the workplace 336–337
  - prenatal care 98
  - psychosocial stress 336
  - shift work 335
  - supporting pregnancy health in the workplace 337
- Wound infection, postpartum disorders 580–581
- X-ray or ultrasound, positive sign of pregnancy 138
- Zika virus 736–737
  - assessment 736–737
  - clinical presentation 736–737
  - management 737
  - potential problems 736
  - prevention 737
  - sexually transmitted infections (STIs) 748
- Zona pellucida 5, 15, 20
- Zygoty 541, 543, 662
- Zygote 20, **31**, 260, 541, 541–543, **570**

























