

# Index

Page numbers in *italics* refer to figures, and those in **bold** to tables or boxes.

- Abbey Pain Scale 454  
ABC protocol, basic life support 610–611  
abdomen  
  anatomy 37, 37  
  quadrants 38  
abdominal distension  
  bladder irrigation **224**  
  enterally fed patients 383  
abdominal examination 37–41  
  *procedure guideline* 39–41  
  rationale 38–39  
  techniques 37–38  
abdominal paracentesis *see* paracentesis, abdominal  
abducens nerve (VI) **804**  
ABG *see* arterial blood gases  
ABO blood group system 620–621, **621**  
ABO incompatibility 621  
abscess, epidural 478, **480**  
absolute humidity 553  
absorption, nutrient 352  
Abstral 461  
abuse 170–178  
  children *see* child abuse  
  perpetrators 174  
  prevalence 170–174, 174, 175  
  types 170, **170–173**  
  *see also* aggression; safeguarding  
accelerated Seldinger technique (AST), midline catheter insertion 1069  
acceptance and commitment therapy (ACT) 149, 486  
accessory muscles of respiration 766–767, 767  
  use of 300, 774  
accessory nerve (XI) **804**  
accommodation, suitability for discharge 50  
Accuhaler 857, 857  
aceclofenac 459  
ACE inhibitors 947  
aciclovir 863  
acid-base abnormalities **676**  
actinomycin D, extravasation 922, 926  
Action for Blind People 187  
Action on Hearing Loss 187  
Action on Smoking and Health (ASH) 943  
Actiq 461  
activated charcoal dressings **1139**  
active transport **338**, 339  
activities of daily living, assessment **19**  
activity, assessment **19**  
activity box 168  
acts of omission **170**  
acupuncture 488–491, 489  
  complications 491  
  end-of-life care 515  
  mechanisms of effects 488  
  *procedure guideline* 490  
  record keeping 490, 490  
acute coronary syndromes (ACS) 609, 624  
acute kidney injury 351  
acute lung injury, transfusion-related (TRALI) 643–644  
acute normovolaemic haemodilution (ANH) 626–627  
acute pain 449  
  assessment 451  
  epidural analgesia 469–481  
  management 457, 458–459  
  need for effective control 450–451  
  opioid-tolerant patients 453  
  *see also* post-operative pain  
acute-phase proteins 354  
A delta fibres 449  
adenosine triphosphate (ATP) 540  
ADH *see* antidiuretic hormone  
adherence, medicines 848  
adhesive island dressings **1139**  
adjustment, psychological 151–152, **152**  
administration of medicines *see* medicines  
  administration  
administration sets 901, 901–902  
  arterial, changing 1116  
  blood *see* blood administration sets  
  enteral feeding 367  
  extension sets 901–902, 902  
  gravity-controlled infusions 903  
  needleless connectors/injection caps 902, 902  
  parenteral nutrition 387, 901  
  platelet 633, 901  
  reducing risk of infection 899  
  solution 901  
  volumetric infusion pumps 905  
admissions and assessment 14–42  
adrenaline (epinephrine)  
  blood pressure regulation 759  
  fight-or-flight response 153, 154, 1166  
adult safeguarding  
  forms of abuse and neglect 170, **170–172**  
  legislation **178**  
  partnership working 175–176  
  principles 175, **175**  
  protocol 179  
  reviews 176, 177  
  *see also* abuse  
adults at risk (vulnerable adults)  
  care after death 528  
  definition 169  
pain assessment 454  
  *see also* learning disabilities  
advance care planning (ACP) 500–503  
advanced clinical practice 6, **6**, 16  
advance decision to refuse treatment (ADRT) **181**, 500–503  
advanced life support (ALS) **615**, 620  
advanced nurse practitioners 6–7  
advance statements **181**, **183**  
adventitious breath sounds 30, **31**  
adverse drug reactions (ADRs) 823, 831–832  
  allergic reactions 828–829, **829**, **830**  
  costs 832  
  predisposing factors 832  
  treatment of acute **830**  
  types A and B 831  
  Yellow Card Scheme 832  
Advisory Committee on the Safety of Blood, Tissue and Organs (SaBTO) 631  
aerobic bacteria **659**, 684  
aerosol containers, storage 827  
aerosol dosage forms 856–857, 857  
aerosol generators 555  
afferent (sensory) nerves 302, 303  
agar plates 69  
ageing  
  eye 415, **415**  
  skin 397  
age-related macular degeneration **415**  
Age UK 50, 329, 389  
aggression 161–164, 162  
  management 162–164, **163–164**  
  police involvement 164, **164**  
  prevention 162  
  verbal 161  
agitation, at end of life 526  
air  
  composition 540  
  temperature of inspired 553  
airborne precautions 104–105  
airborne transmission **104**  
air embolism 1095  
  prevention 1033, 1090–1091, **1095**  
air-in-line detectors 904, **917**  
air leaks, chest drainage systems 570, **570**, **574**  
airway  
  altered *see* altered airway  
  anatomy 27, 27, 302  
  assessment 773  
  basic life support 610–611, 611  
  mucociliary escalator 301, 302, 553  
  pre-operative assessment 945, 980, 980  
  secretions *see* respiratory secretions  
  stretch receptors 768  
  suctioning, basic life support 611

- airway management 777  
 anaesthesia and surgery 980  
 CPAP patients **560**  
 neurological patients 807  
 oxygen-treated patients **548**  
 post-anaesthetic recovery 996, 997  
 tracheostomy **579**
- airway obstruction  
 post-operative **998**  
 signs and symptoms 773  
 tracheostomy **579**
- airways, artificial  
 anaesthesia and surgery 980  
 laryngeal mask airway (LMA) 980, 997  
 loss of patency **298**  
 moving and positioning patients with  
 294–298  
 problem solving **298**  
[procedure guidelines](#) 295–297  
 nasopharyngeal airway 562  
 oropharyngeal or Guedel *see* oropharyngeal  
 airway  
 post-anaesthetic recovery **998**  
 supraglottic 980  
 types 294, 294, 295  
*see also* tracheostomy; ventilated patients
- Alaris GH plus syringe pump 509–510
- alarm systems, community pendant 50
- albumin  
 intravenous infusion, paracentesis 521  
 plasma 354, **661**, **952**, **975**  
 solution, human (HAS) 340–341, **629**
- alcohol  
 consumption, history taking 943  
 dependence, Mental Health Act 185, 186  
 intoxication, Mental Health Act 185, 186  
 units 22
- alcohol-based cleaning solutions 1032
- alcohol-based handrubs 78, 80  
 dispensers 77  
 hand decontamination 80–81  
[procedure guidelines](#) 80–81, 84–86  
 surgical hand antisepsis 81, 84–86
- aldosterone 337, 341, 760, 788
- alginate wound dressings **1139**
- Allen test 1112, 1112  
 modified 676, 677, 678
- allergic reactions/allergies  
 blood transfusions 645  
 classification **829**  
 documentation 828  
 drugs 828–829, **829**, **830**  
 eye medications 863  
 intravenous medication 930  
 pre-operative assessment 943  
 surgical wound site **1020**  
 treatment of acute **830**  
 urethral lubricating gels 208, 209
- allodynia 449, 453
- alpha antagonists 946
- altered airway 578  
 competencies 579–580  
 passport 580  
*see also* laryngectomy; tracheostomy
- alveolar pressure 766, 767, 768
- alveolar volume, non-invasive ventilation  
 and 555
- amalgam, dental **116**  
*Ambitions for Palliative and End of Life Care*  
 (2015) 499, 499
- ambulatory infusion devices 906–908
- advantages and disadvantages 907–908  
 battery-operated 907  
 mechanical 907, 907
- American Society of Anesthesiologists (ASA)  
 physical status classification 943, **945**
- American Spinal Injury Association (ASIA)  
 318, 329
- Ametop (topical amethocaine) 1052
- amikacin 687
- amino acids 385, 387
- aminoglycoside antibiotics 687
- aminophylline 947
- aminosalicylates 946
- amoebic dysentery 716
- amphetamines **836**
- ampoules 869–870, 870  
 powder preparation, [procedure guideline](#)  
 873–874  
 solution preparation, [procedure guideline](#)  
 872–873
- amputation 326–329  
 complications 328–329  
 levels 326  
 post-operative positioning 326–329  
 equipment 327, 327  
 problem solving **328**  
[procedure guideline](#) 327–328
- anabolic steroids **836**, **837**
- anaemia **660**  
 red cell transfusion 623–624, **628**, **634**  
 tolerance 623, 624
- anaerobic bacteria **659**, 684
- anaerobic threshold (AT) 953
- anaesthesia 977–979  
 care after *see* post-anaesthetic care unit  
 infusion pumps 906  
 monitoring 990  
 pain management 462  
*see also* general anaesthesia; local  
 anaesthesia; topical anaesthesia
- anaesthetic agents 978–979
- anaesthetic eye drops 862, 863
- anaesthetic history 943
- anaesthetic lubricating gel, urinary  
 catheterization 207–208, 209, 211
- anaesthetic machine 979, 990
- anaesthetic room 977, 979  
[procedure guideline](#) 979  
 Surgical Safety Checklist 977, 978
- anaesthetist  
 discharge from PACU 1000  
 latex allergy and 969  
 patient monitoring 977, 990  
 pre-operative assessment 945, 954, 955
- anal canal 725
- analgesia  
 breakthrough 460, 461  
 buccal or sublingual 458  
 epidural *see* epidural analgesia  
 inhalation *see* Entonox  
 intramuscular 458  
 intraoperative 978  
 intrathecal *see* intrathecal analgesia  
 intravenous 458  
 multimodal 456  
 oral 457–458  
 patient-controlled 458, **458**  
 post-anaesthetic care unit **999**, 1000  
 post-operative *see under* post-operative pain  
 sputum collection 718  
 subcutaneous 458
- transdermal 458  
*see also* pain management
- analgesic ladder, WHO 456, 456–457
- analgesics 458–462  
 adjuvant (co-analgesics) **457**, 461  
 mechanisms of action 449  
 methods of delivery 457–458  
 non-opioid 457, 458–459  
 opioid *see* opioid analgesics
- anaphylactic reactions, blood transfusions 645
- anastrozole 949
- anger 161–164, 162  
 management 162–164, **163–164**  
 prevention 162  
 warning signs **162**
- angiotensin II 760, 761
- angiotensin receptor II antagonists 947
- angular gyrus 142
- ankle  
 active movements 281, 281  
 oedema 350, 351  
 resting splint **308**
- anorexia **361**, **561**
- antecubital fossa  
 venous access 662, 662  
 vesicant drug administration 920
- anterior (ventral) root 469, 471
- anthracyclines, extravasation 922, 924, 926
- anti-arrhythmics 946
- antibacterial eye preparations 863
- antibiotics  
 appropriate use 687  
 blood cultures prior to 683  
 diarrhoea treatment 238–239  
 end-of-life care 505–506  
 intrathecal administration 878  
 ophthalmic administration 863  
 pain management **457**  
 resistance 72, **72**  
 sensitivity testing 69  
*see also* antimicrobial agents
- anticholinergic agents **519**
- anticoagulants  
 arterial blood sampling and 676  
 chest drainage and 566–567  
 epidural catheter removal and 478, 479  
 PICC-related thrombosis 1087  
 pre-operative management 947  
 thromboprophylaxis 959, 1022  
*see also* heparin; warfarin
- anticonvulsants (anti-epileptics)  
 pain management **457**, 461  
 perioperative use 948
- anti-dementia drugs 948–949
- antidepressants  
 anxiety disorders 158  
 depression 159–160, **160**
- antidiuretic hormone (ADH) 337, 340, 760, 788
- antiembolic stockings 959, 959–964  
 contraindications **962**  
 measuring for 963, 964  
 post-operative use 1022  
[procedure guideline](#) 963–964
- antiemetic drugs 518  
 classes **519**  
 receptor affinity sites **518–519**  
 surgical patients 978, **999**
- anti-epileptics *see* anticonvulsants
- antifungal agents 435–436, 863
- antihistamines **477**, **519**
- anti-hypertensives, centrally acting 946

- anti-inflammatory drugs, ophthalmic 863
- antimicrobial agents
- blood cultures and 683, 687
  - dressings impregnated with 1138, **1139**
  - wound cleansing solutions 1141
  - see also* antibiotics
- antimicrobial drug assays 687–689
- [procedure guideline](#) 688–689
- antimicrobial resistance 72, **72**
- antimicrobial stewardship 72
- antimotility drugs 238
- antipsychotics 158
- aggressive behaviour 163
  - antiemetic **519**
  - pre-operative management 948
  - terminal sedation 526
- antipyretics 787
- antiretroviral drugs 949
- antiseptics
- hand hygiene 77
  - pre-operative skin preparation 965–966, **966**
  - surgical hand antisepsis 81, 986
  - urethral catheterization 207–208
  - VAD site cleaning 1032, 1053
  - see also* chlorhexidine; povidone-iodine
- anti-siphonage valves, infusion pumps 904
- antispasmodics **457**
- antiviral eye preparations 863
- anxiety 153–158
- anticipatory 154
  - cognitive-behavioural model 156
  - compassion fatigue 1167
  - effective communication 146
  - management 155–158
  - peripheral venous cannulation 1053, **1058**
  - pharmacological therapy 157–158
  - physiological response 153–154, 154, 155
  - theories 154–155
  - venepuncture 666, **670**
- anxiety disorders 148, 158
- anxious attachment style 148–149
- aperients 244
- apex beat–radial pulse deficit 747–748
- aphasia 141–142, **143**
- apheresis, donor 627
- apical heart beat 748, 749
- apical impulse 35, 36
- apneustic breathing **807**
- apnoea 774
- appearance, patient's general 25, 354
- aprepitant **518**
- aprons, disposable 87
- [procedure guideline](#) 89–91
- aqueous humour 414
- arachis oil enema **244**, 250
- arm *see* upper limb
- armboards 985, 986
- arnica 1068
- arousal 801
- assessment 805, 808–810
- arrhythmias 747–748
- cardiac arrest 607, 608
  - complicating CVC insertion **1094**
  - complicating tracheal suctioning 592
  - pulse assessment **751**
  - pulse oximetry and 773
  - sinus 747
- arterial blood gases (ABGs) 675, **676**
- blood sampling 675, 1110
  - contraindications 676
  - indications 549, 675–676, 777
- arterial blood sampling 675–682
- arterial cannulas 678, 680–682, 1110
  - arterial puncture 676–680
  - complications 682
  - contraindications 676
  - equipment 682
  - indications 675–676
  - patient preparation 678
  - post-procedure care 682
  - [procedure guidelines](#) 678–682
  - risk management 677–678
- arterial cannulas 1110–1117
- blood pressure measurement 760–761
  - blood sampling 678, 1110
  - discard volumes 678
  - [procedure guideline](#) 680–682
  - choice of artery 1111
  - complications 1115–1117, **1116**
  - equipment 682
  - indications 1110–1111
  - insertion
    - arterial assessment prior to 1112, 1112
    - [procedure guideline](#) 1112–1114
  - ongoing care 1114
  - patient safety **1111**, 1111–1112
  - problem solving **1115**
  - removal 1115
  - [procedure guideline](#) 1114–1115
- arterial pressure
- monitoring 760–761, 1110
  - waveforms 1110, 1110
- arterial puncture 676–680, 678
- arterial cannulation vs 677, 1110
  - competencies 677
  - complications 682
  - equipment 682
  - inadvertent 671, 1068, **1094**, 1096
  - post-procedure care 680, 682
  - [procedure guideline](#) 678–680
- arterial spasm **1115**
- arteries 1110
- anatomy 675, 1030–1031, 1110
  - distinction from veins 663
  - pulse points 744, 745
  - selection for access 675, 1111
- arteriosclerosis 747
- arteriovenous fistulas, blood pressure measurement 760
- arthropods 70
- artificial eye *see* eye(s), artificial
- artificial larynx 604
- artificial tears 863
- art therapy 486–487
- ascites 520–525
- abdominal paracentesis *see* paracentesis, abdominal
  - causes and pathogenesis 520–521
  - investigations 522
  - management 522–525
  - symptoms 521
- ascorbic acid (vitamin C) **791**, 796
- asepsis, surgical 981, 986
- aseptic hand decontamination 76
- see also* surgical hand antisepsis
- aseptic non-touch technique (ANTT) 101, 101
- vascular access devices 1032
- aseptic technique 101–103
- equipment 101
  - examples **101**
  - intravenous drug administration 899
  - [procedure guideline](#) 102–103
- aspiration (of gastric contents)
- CPAP patients **560–561**
  - dysphagic patients 364, 365
  - enteral tube feeding-related 382–383
  - general anaesthesia-related 965, **965**
- aspirin **791**, 947
- assessment, inpatient 16–42
- complex discharges 56, **57–58**
  - comprehensive **17**
  - data collection 18
  - definition 16
  - documentation **23**, 42
  - focused **17**
  - interviews 18
  - methods 18, **23**
  - mini **17**
  - observation 18, 24
  - ongoing **17**, 22–23
  - physical examination 18, 24–42
  - pre-operative *see* pre-operative assessment
  - principles 16, **17**, **23**
  - process 18, **18–22**
  - structure 17, **23**
  - tools 16–17
  - types 17, **17**
- Assessment Notification forms 54, 54–55
- assisted reproductive techniques (ARTs) 695, 696
- assisted suicide 503
- ASSKING bundle **20**, 282, 1144, 1145–1147
- Association of Anaesthetists of Great Britain and Ireland (AAGBI) 467–468, 943, 955
- Association of Perioperative Registered Nurses 1022
- Association of Stoma Care Nurses 259
- asthma, peak expiratory flow 778, 779, 781
- asystole 607, 608
- ataxic breathing **807**
- atelectasis
- absorption 543, 551
  - non-invasive ventilation 555
- athlete's foot 399
- atmospheric pressure 540, 541
- atrial fibrillation 747–748
- blood pressure measurement 760
  - ECG tracing 758
  - pulse oximetry 773
- atrial natriuretic peptide (ANP) 759
- atrioventricular (AV) block, first degree 758
- atrioventricular (AV) bundle (bundle of His) 607, 747, 752
- atrioventricular (AV) node 607, 747, 752
- attachment 147–149, 151
- attentional strategies, pain management 486
- audiometry, pure tone **424**
- auditory ossicles 423, 423
- audits
- environmental cleanliness 111
  - food waste 363
- augmentative or alternative communication (AAC) 143, **143**
- aural sensations, when flushing PICCs **1086**
- auscultation 26
- abdomen 37, 38, 38, 40
  - blood pressure measurement 761–762
  - cardiovascular examination 35, 35, 36
  - respiratory examination 30, 30–31, **31**, 32, 33
- auscultatory gap 761–762, **765**
- autologous transfusion 626–627
- autolytic wound debridement **1138**

- automated external defibrillators (AEDs) 613, 614, 618–619
- autonomic dysreflexia 255, 256, **324**
- autonomic nervous system (ANS) 302, 303
- avoidant attachment style 148–149
- AVPU scale 810–811, 812
- awareness 805
- assessment 805, 808–810
- axillary temperature 784–785
- axillary vein 1031, 1032
- azapropazone 459
- Babinski response 806, 813
- back pain/backache
- epidural analgesia **480**
  - herniated disk 140
  - positioning during surgery and 985
  - post-lumbar puncture 694
  - work-related, reducing risk 1177, 1178–1179
- baclofen 306, 951
- bacteraemia 683, 684
- bacteria 66–69
- antimicrobial resistance 72, **72**
  - cell walls 68, 68
  - colonization 68
  - commensal 66, 67–68
  - culture and sensitivity testing 69
  - identification 69, 656–657
  - medically significant 69, **69**
  - morphology 68, 68–69
  - names 66
  - specimen handling 659, **659**
  - toxins 69
- bacterial(-viral) filters
- CPAP 558, 558
  - Entonox equipment 483
  - epidural/intrathecal 473
- bacterial infections 68
- phlebitis 1068
  - transfusion-transmitted 642, 643
- bacteriuria 710, 790
- significant 790, 790
- bad news, breaking 504–505, **506**
- bag valve mask (BVM) ventilation 612–613, 613–614, 618
- Baha'i faith **512**
- Bair Hugger blankets **1000**
- balance 303
- balloon catheters *see* Foley catheters
- BAPEN (British Association for Parenteral and Enteral Nutrition) 389
- barbiturates 835, **836**, **837**, 948
- Bard StatLock stabilization devices *see* StatLock stabilization devices
- baroreceptors 759–760, 767
- barrel chest **29**
- base excess/deficit **676**
- basic life support (BLS) 607–620
- ABC 610–611, 611–612
  - assessment 610–611
  - chest compressions 611–612, 613
  - contraindications 610
  - indications 610
  - methods 611–614
  - problem solving **619**
  - [procedure guideline](#) 617–619
  - rescue breaths 612–613, 613
  - see also* cardiopulmonary resuscitation
- basilic vein
- midline catheter insertion 1068
  - peripheral cannulation 1031, 1031, 1047
- PICC insertion 1073–1074
- venepuncture 662, 662
- basins, clinical handwash 76–77, 78
- bathing
- patients in isolation 105
  - pre-operative 965
  - see also* bedbathing
- bathrooms, cleaning 106
- beard care 398
- bed 409–413
- elevation of head of 296
  - linen *see* linen, bed
  - lower limb amputee positioning 328, 329
  - making a 409–413
  - occupied bed 412–413
  - [procedure guidelines](#) 410–413
  - unoccupied bed 410–411
- mitred hospital corners 410, 411
- moving and positioning in 284–289
- lying down to sitting up 288
  - side-lying 286–287
  - sitting up 285, 285–286
  - standing up 289–290
  - supine 284–285
- positioning in tonal problems 307–310
- equipment 307–308, **308**, 308
  - problem solving **314**
  - [procedure guideline](#) 309–310
- positions **409**, 409
- washing patient's hair in 397–398
- [procedure guideline](#) 403–405
- working with patients in 1177
- [procedure guideline](#) 1179
- bedbathing 401–405
- equipment 400
  - [procedure guideline](#) 401–403
- bedpans 201
- fluid output monitoring 347, 349
  - patients in isolation 105
  - [procedure guideline](#) 198
- bedrest, adverse effects 281
- Behavioural Pain Scale (BPS) 454
- beliefs, assessing patient's **21–22**
- bending, excessive work-related 1178
- benign prostatic hyperplasia, urethral catheters 205
- benzodiazepines
- aggressive patients 163
  - antiemetic effect **519**
  - anxiety disorders 158
  - drug interactions **831**
  - end-of-life care 515
  - legal controls 836, **836**, **837**
  - pain management **457**
  - pre-operative management 948
  - terminal sedation 526
- bereavement support 533
- best interests 181, **182**
- dementia 167
  - deprivation of liberty safeguards 182
  - documentation **183**
  - legal basis 178
  - safeguarding **181**
- beta blockers 946
- bicarbonate ions (HCO<sub>3</sub><sup>-</sup>) **676**
- bilevel positive airways pressure (BIPAP) 556
- bilirubin
- serum **661**, **975**
  - urine 791, **793**
- binary fission 68
- biochemistry, blood 661, **661**
- nutritional status 354
  - pre-operative **952**, **974–975**
- bioelectrical impedance analysis (BIA) 353–354
- biofeedback 247
- biohazard labels 659
- biopsy, liver 728–730
- biopsychosocial model 147
- bio-surgical debridement **1138**
- Biot's breathing 774
- bipolar diathermy 990–991
- bipolar disorder 148
- bisacodyl **244**, 245, 252
- bisphosphonates **457**, 950
- black triangle medicines 826
- bladder
- anatomy and physiology 196
  - cancer 234
  - lavage (washout) 221, **224**
  - neurogenic 1021
  - neuropathic 234
  - perforation **224**, 525
  - post-operative distension **999**
- bladder irrigation 221–224
- equipment **204**, 205, 222
  - fluids 222
  - indications 222
  - patient care during **224**
  - problem solving **224**
  - [procedure guideline](#) 223
  - recording chart 224, 225
- bleeding/haemorrhage
- abdominal paracentesis 525
  - arterial blood sampling-related 682
  - arterial cannulas 1116
  - cryoprecipitate 626
  - CVAD-related 1096
  - fluid homeostasis 337
  - fresh frozen plasma 626
  - laparoscopic surgery 982
  - laryngectomy stoma **606**
  - liver biopsy 729
  - lumbar puncture-related 694
  - minimizing, blood management 623
  - platelet transfusion **625**
  - post-colonoscopy 726
  - post-gastroscopy 725
  - post-operative 1002–1003
  - red cell transfusion **634**
  - regional nerve blocks 463, **469**
  - removal of skin-tunnelled catheters **1101**, 1102
  - surgical drains **1016–1017**
  - tracheal, tracheostomy patients **603**
  - venepuncture site 671
  - see also* blood loss
- bleomycin chemotherapy 551
- blindness 144, **144–145**, 414
- blink reflex 806, 813
- blocking behaviours **132**, **137**
- blogs, internet 139
- blood
- accidental spillages **670**
  - flow problems, venepuncture **670**
  - group and save 661, **952**
  - management, pillars 622, 623
  - spurting, venepuncture **670**
  - testing of donated 626
  - in urine **793**
- blood administration sets 633, 901, 902
- changing 899
  - occlusion **640**

- blood-borne infections
  - blood cultures 683
  - inoculation injuries 118, **118**
  - testing donated blood 626
  - transfusion-related 642–643
- blood collection tubes 658, 662
  - colour-coding and order of draw 664, **665**
  - importance of using correct 660
- blood component request 633
  - essential information **634**
  - [procedure guideline](#) 634–635
- blood components **628–630**
  - administration, [procedure guideline](#) 638–639
  - administration sets *see* blood administration sets
  - appropriate use 627
  - bacterial contamination 642
  - collection and delivery, [procedure guideline](#) 636–638
  - definition 620
  - donation 627
  - irradiation 642
  - leucodepletion 643
  - non-medical authorization 631
  - pre-transfusion checks 621–622, 634, 638, 645
  - return to laboratory **640**, 644
  - safety and quality in UK 627
  - traceability 627
  - transfusion *see* transfusion
  - warming 633
- blood cultures 683–687
  - collection bottles 664, **665**, 684
  - competencies 683–684
  - contaminated samples 687
  - CVAD-related infection 684
  - equipment 684
  - indications 683
  - methods of specimen collection 683
  - order of draw **665**
  - post-procedure care 687
  - [procedure guidelines](#) 684–686
  - risk management 684
  - skin preparation 684
  - storage and transportation 659, 687
  - volume of blood required 684
- blood donation 626–627
  - autologous 626–627
  - blood components 627
- blood glucose *see* glucose, blood
- blood groups 620–621
  - haemopoietic stem cell transplantation 621
  - incompatibility 621
  - testing 661
- blood investigations *see* blood tests
- blood loss
  - cardiopulmonary arrest 608
  - massive, management 631
  - minimizing 623
  - see also* bleeding/haemorrhage; hypovolaemia
- blood pack labelling 637
- blood pressure (BP) 758–766
  - across cardiovascular system 760
  - control 759–760
  - diastolic 758, 761–762
  - equation 758, **758**
  - factors affecting 758–759, 759
  - fluid imbalances **342**
  - management of abnormal 765
  - normal 758–759
  - systolic 758, 761–762
  - transfusion reactions **641**
  - see also* hypertension; hypotension
- blood pressure measurement 760–766
  - both arms 763
  - cautions 760
  - direct 760–761, 762
  - documentation 765–766
  - equipment 762–763
  - indications 760
  - indirect 761–762
  - intra-arterial *see* intra-arterial blood pressure monitoring
  - manual auscultatory 761–762, 763–765
  - methods 760–762
  - neurological patients 807, 813
  - orthostatic BP 762
  - patient positioning 763, 763, 764
  - problem solving **765**
  - [procedure guideline](#) 763–765
  - pulse oximetry and 773
  - sites 762
  - see also* sphygmomanometers
- blood products *see* blood components
- blood return, vascular access devices **921**, 1035, 1035–1036
  - see also* flashback
- Blood Safety and Quality Regulations 2005 627, 631, 642
- blood sampling 660–689
  - antimicrobial drug assay 687–689
  - arterial 675–682
  - blood cultures 683–687
  - blood tests **660**, 660–661, **661**
  - central venous access devices 671–675
  - equipment 658, 662
  - indications 660
  - methods 660
  - order of draw 664, **665**
  - peripheral vein 662–671
  - pre-transfusion 633, 661
  - [procedure guideline](#) 635–636
  - tubes *see* blood collection tubes
- blood tests **660**, 660–661, **661**
  - pre-operative **952–953**, **974–975**
- blood transfusion 620–645
  - see also* transfusion
- blood tubes *see* blood collection tubes
- blood urea nitrogen **952**
- blood-warming devices 633
- BLS *see* basic life support
- body, care after death *see* death, care after
- body bag 531
- body composition 336, 352
  - measurement 353–354
- body fluids
  - compartments 336, **336**
  - composition 336
  - high risk 118
  - patients in isolation 105
- body image
  - assessment **21**
  - effect of CVADs 1040
  - stoma patients 268
- body mass index (BMI) 353
  - from mid-upper arm circumference (MUAC) 357
- body temperature *see* temperature (body)
- bodyweight 353
  - fluid status assessment 340, **343**
  - measurement 353, 355, 359
  - equipment 355
  - problem solving **358**
  - [procedure guideline](#) 356–358
  - nutritional status assessment 352, 353
  - percentage weight loss 353
- Bohr effect 541
- bone conduction test **424**
- bone marrow failure (BMF) **625**
- Boorman Report (2009) 1164
- botulinum toxin injection 306
- bovine spongiform encephalopathy (BSE) 71
- bowel
  - anatomy and physiology 196–197, 197
  - measuring fluid output 349
- bowel function/habit 244
  - assessment **19**
  - post-operative 1021
  - spinal cord injury 316
  - see also* constipation; diarrhoea
- bowel obstruction 243, 247–249
- bowel perforation, iatrogenic 525, 726
- bowel preparation 262, 726
- bowel sounds 38, 40
- Boyle's Law 766
- BP *see* blood pressure
- brachial artery 675
  - blood pressure measurement 760, 762, 763, 764
  - cannulation 1111
  - pulse point 745
- brachial plexus 803
- brachial plexus block **463**
- brachial veins 1073–1074, 1075
- brachiocephalic vein 1031
- bradycardia 746, **999**
- bradypnoea 28, 774
- brain 302, 303, 800
- brain herniation, lumbar puncture **693**, 694
- brain injury
  - cardiac arrest survivors **620**
  - traumatic (TBI) **306**, 783
- brain stem 303, 801
- breaking potentially bad news 504–505, **506**
- breakthrough analgesia 460, 461
- breath, smell 40
- breathing
  - abnormal patterns 807, **807**
  - assessment 32, 774
  - basic life support 611
  - effort 28
  - ineffective post-operative 1003
  - laryngectomy patients **606**
  - mechanism of 766–767, 767, 768
  - work of, minimizing 299–300, **301**
  - see also* respiration
- breathing exercises, post-operative 1003
- breathlessness
  - at end of life 515–517
  - causes **515**
  - management 511, **515**, 515–516
  - [procedure guideline](#) 516–517
  - moving and positioning 300
  - see also* dyspnoea; respiratory compromise
- breath sounds 30–31, **31**
  - fluid status assessment **343**
- Brennan's social cognitive transition model 151
- Brief Pain Inventory (BPI) 454
- bright-light exposure, daytime 408
- Bristol Stool Chart 200, 716
  - constipation 243
  - diarrhoea **238**

- British Association for Counselling and Psychotherapy 187
- British Association of Dermatologists 1157
- British Committee for Standards in Haematology (BCSH) 633
- British Dietetic Association 389, 1173, 1181
- British Infertility Counselling Association 733
- British Lymphology Society 1157
- British Psychological Society 187
- British Society for Haematology (BSH) 645
- training and competency assessments 631
- transfusion guidelines 621, 624, 626, 627
- transfusion reactions 644
- British Society of Rehabilitation Medicine 329
- British Thoracic Society (BTS), chest drain guidelines 565, 566
- Broca's area 142, 142
- bronchial breath sounds 30
- bronchial tree 300–301, 302
- bronchoalveolar lavage (BAL) 718
- bronchodilators **515**, 558
- bronchoscopy, flexible fiberoptic 718
- Broviac catheters *see* skin-tunnelled catheters
- bruits
- abdominal 38, 38, 40
  - carotid 35, 36
- buccal analgesia 458
- buccal tablets 845
- Buddhism, care after death **512**
- Buddhist Centre **512**
- bundle branches 747, 752
- bundle of His (AV bundle) 607, 747, 752
- bupivacaine 464, 473
- buprenorphine 458, 460–461, **837**
- burial **512–514**, **532**
- Burial Society of the United Synagogue **514**
- burnout 1166, 1167
- burns, diathermy 991
- buspirone 158
- BuTrans 461
- butterfly devices *see* winged infusion devices
- caecum 725
- caffeine 1175
- calcium, plasma **661**, **974**
- calcium antagonists 946
- calculus, dental 429
- cancer *see* malignant disease
- cancer pain 450
- epidural analgesia 471, 478
  - intrathecal analgesia 469
  - intrathecal drug delivery 469
  - management 450, 456–457
  - see also* chronic pain
- Cancer Research UK 733
- candidiasis, oral 436, 861
- cannabinoids **519**
- cannabis (non-medicinal use) 835, **837**
- cannabis-based medicinal products 461–462, 835, **837**
- capacity, mental *see* mental capacity
- capillaries, movement of water and solutes 336
- capillary refill time 31, 34, 36, **343**
- capillary wound dressings **1139**
- capsule (bacterial) 68, 68
- capsules (medication) 845, 845
- opening 845
  - storage 828
- carbocisteine **515**
- carbohydrates
- parenteral nutrition 385, 387
  - recommended intakes 1174, **1174**
- carbon dioxide (CO<sub>2</sub>)
- control of respiration 27, 767–768
  - exchange 540–541, 541, 768–769
  - excretion 542
  - insufflation, laparoscopic surgery 981
  - narcosis 550–551
  - transport 766, 769, 772
  - see also* hypercapnia
- carbon dioxide partial pressure (PaCO<sub>2</sub>) **676**
- control of respiration 767–768, 769
  - gaseous exchange 540–541, 541, 771
  - respiratory failure 543
- carbon monoxide (CO) poisoning 773
- cardiac arrest 607–610
- arrhythmias causing 607, 608
  - complications **620**
  - documentation 620
  - induced hypothermia 783
  - informing next of kin, families and carers 620
  - in-hospital 610
  - management *see* cardiopulmonary resuscitation
  - post-resuscitation care 620
  - prevention 620
  - reversible causes 607–609, **608**
- cardiac arrest team **615**
- cardiac arrhythmias *see* arrhythmias
- cardiac conduction system 607, 747, 747, 752
- cardiac dysfunction, in fluid overload 351
- cardiac massage *see* chest compressions
- cardiac output (CO) 745–746, **746**
- blood pressure equation 758, **758**
  - factors increasing 746
- cardiac tamponade 609
- cardiopulmonary arrest 607–610
- reversible causes 607–609, **608**
  - see also* cardiac arrest
- cardiopulmonary exercise testing (CPET) 953–954, 954
- cardiopulmonary resuscitation (CPR) 607–620
- advance decision making 610
  - assessment 610–611
  - basic life support (BLS) *see* basic life support
  - complications **620**
  - defibrillation 613–614, 614, 615
  - documentation 616, 620
  - do not attempt (DNaCPR) 504, 610
  - equipment 616, 617
  - in-hospital team **615**
  - post-procedure care 620
  - problem solving **619**
  - [procedure guideline](#) 617–619
  - standards and training 614, **615**
  - see also* cardiac arrest
- cardiovascular examination 33–37
- basic **19**
  - [procedure guideline](#) 35–37
  - rationale 35
  - techniques 33–35
- cardiovascular function
- pulse monitoring 748
  - unconscious patients 294, **298**
- cardiovascular instability, moving patients with 283, **292**
- care
- commitment to compassionate **9**, 9–10
  - communicating **24**
  - evaluating 23, **24**
  - implementing 22–23, **24**
  - planning 22–23, **23**, **24**
  - process of 16–23
  - quality of 3–5
- Care Act (2014) 59–62, 175, 176, **178**
- care bundles 74
- care homes
- assessment **59**
  - covert drug administration 846
  - discharge to 56
- Care Quality Commission (CQC) 74, 362
- carers, informal 58–62
- CPR and 620
  - deceased patients 529
  - definition 58
  - discharge planning and 46, 59–62
  - dying patients 503
  - young 62
  - see also* family
- Carer Support Needs Assessment Tool (CSNAT) 503
- caries, dental 429
- caring roles 1164
- carotid bruits 35, 36
- carotid pulse, checking 34, 611, 612
- Carter double-barrelled wet colostomy 259, 259, 261, **267**
- cataracts **415**
- cathartics 244
- cather-to-vessel ratio, PICCs 1073
- catheter-associated urinary tract infection (CAUTI) 220–221
- catheter materials and 206
  - meatal cleansing 220–221
  - reducing risk 204, 220
  - urine sampling 711, 713
- catheter-related bloodstream infections (CRBSIs) 1087–1088, 1115–1116
- catheter specimen of urine (CSU) 713
- cauda equina 302
- CAUTI *see* catheter-associated urinary tract infections
- CDs *see* controlled drugs
- celecoxib 459
- cell salvage 626
- intraoperative 627
  - post-operative 627
- cellulitis **1016**
- Central Alerting System 622, 833
- central nervous system (CNS) 302, 800–801
- central neurogenic hyperventilation **807**
- central venous access device (CVAD)-related infections 1087–1088
- blood culture samples 684, 686
  - management algorithm 1088
- central venous access devices (CVADs) **1030**, 1073–1110
- accidental disconnection 1033
  - blood sampling 671–675
  - for antimicrobial drug assays 688
  - for blood cultures 684, 686
  - discard method 672, 673
  - problem solving **675**
  - [procedure guidelines](#) 672–674, 686
  - push-pull (mixing) method 672, 674
  - syringe 673–674
  - vacuum systems 672–673
- catheter tip positioning 1037, 1037
- blood sampling problems **675**
  - choice of vein 1031, 1031, 1032
  - clamping 1033

- complications 1046  
 consent to insertion 1038  
 damage and repair 1033  
 discharge home with *in situ* 1045, **1046**, 1046  
 documentation 1067  
 dressings 1033, 1039  
   changing, [procedure guideline](#) 1042–1043  
 extravasation 919, **920**  
 flushing/maintaining patency 1034, 1040  
   after blood sampling 672, 673, 674  
   after discharge home 1045, **1046**  
 implanted *see* implanted ports  
 occlusion 1035–1037  
   difficult blood sampling **675**  
   intravenous drug administration **917**  
   management 1035–1036, 1035–1037  
   unblocking, [procedure guideline](#)  
     1043–1045  
   urokinase instillation 1040, 1045  
 parenteral nutrition 387  
 patient education 1040, 1046, 1046  
 central venous catheters (CVCs) **1030**,  
   1073–1102  
   blood sampling 671–675  
   dressing change, [procedure guideline](#)  
     1042–1043  
   maintaining patency 1034  
   parenteral nutrition 387  
   peripherally inserted *see* peripherally inserted  
     central cannulas  
   skin-tunnelled *see* skin-tunnelled catheters  
   *see also* central venous access devices  
 central venous catheters (CVCs), short-term  
   percutaneous (non-tunnelled) **1030**,  
     1090–1097  
   complications 1095–1096  
   design 1091, 1091  
   dressings 1095  
   indications 1090  
   insertion 1090–1095  
     assisting with 1091  
     competencies 1091  
     problem solving **1094**  
     [procedure guideline](#) 1092–1094  
   ongoing care 1095  
   removal 1096–1097  
     [procedure guideline](#) 1096–1097  
   securing 1094, 1095, 1095  
   vein selection 1090  
 central venous pressure (CVP) **342**  
 cephalic vein  
   peripheral cannulation 1031, 1031, 1047  
   PICC insertion 1075, 1075  
   venepuncture 662, 662  
 cerebellum 303, 801  
 cerebral embolism **1115**  
 cerebral palsy (CP) **306**  
 cerebrospinal fluid (CSF) 689–690  
   abnormal appearances 690  
   cytology 690  
   leakage, lumbar puncture 694  
   pressure 690  
   sample collection 689–694  
 cerebrum 800, 801, 802  
 cerumen *see* ear wax  
 cervical broom 698  
 cervical collar 317  
   early mobilization 323  
   [procedure guideline](#) 318–319  
 cervical nerves 304, 803  
 cervical plexus 803  
 cervical screening 697–701  
   equipment 698, 698–699  
   liquid-based cytology (LBC) 698–700  
   problem solving **700**  
   [procedure guideline](#) 699–700  
   specimen storage 698–699  
   UK programme 698  
 cervical spinal instability  
   early mobilization in bed 323  
   hard collar 317, 318–319  
   log rolling 319–321  
   moving and turning methods 317  
 cervical spine 302, 304  
 cervix, uterine 697, 697  
 cestodes 70  
 C fibres 449  
 chain of infection 66, 66, **67**  
 chairs  
   lower limb amputees 328  
   neurologically impaired patients 310  
   office work 1177, 1180  
   patient positioning 290–291  
   positioning in tonal problems 310–313  
     equipment 310, **311–312**  
     problem solving **314**  
     [procedure guideline](#) 312–313  
   post-amputation positioning 328  
   standing up from 289–290  
   *see also* sitting position  
 challenging behaviour 161–164, 162  
   *see also* aggression; anger  
 chaperone 698  
 charities, disease-specific national 139  
 charrière (ch) 205  
 Chartered Society of Physiotherapy 329  
 chemoreceptors  
   blood pressure control 760  
   control of respiration 767–768, 769  
 chemoreceptor trigger zone (CTZ) 517  
 chemotherapy  
   drugs *see* cytotoxic drugs  
   induced nausea and vomiting 518  
   intra-peritoneal 522  
   intrathecal 690–691, 878, 879, **879**  
 chest  
   auscultation 30, 30–31, **31**, 32, 33, 36  
   bony anatomy 28  
   deformities 28, **29**  
   expansion, assessment 29, 30, 32, 774  
   inspection 28, 32, 34  
   palpation 29, 30, 32–33, 34–35, 36  
   percussion 30, 30, 32, 33  
   shape, assessment 774  
   trauma, CPR **620**  
 chest compressions 611–612, 613, 617  
   complications **620**  
   problem solving **619**  
 chest drainage systems 562, 565–566, 566  
   problem solving **574–575**  
 chest drains 562–577  
   ambulatory bag 566, 566  
   bubbling 569  
     absent **574**  
     clamping 571  
     continuous 570, **570**, **574**  
   clamping 571  
   complications 576  
   contraindications 564–565  
   documentation 575  
   equipment 565, 565–566, 566  
   indications 563–564  
 insertion 564–572  
   competencies 565  
   consent 565  
   patient positioning 567, 567, 568  
   [procedure guideline](#) 567–569  
   triangle of safety 567, 567  
 insertion site  
   dressings 569, 571  
   oozing or leakage **574–575**  
   monitoring 569, 570, **570**, 575  
   pain control 566, **575**  
   patient education 576  
   principles of care 565  
   problem solving **574–575**  
   removal 576–577  
     [procedure guideline](#) 576–577  
   securing 569, 570, 570, **575**  
   stripping/milking 571–572  
   suction 571, 572–573  
     [procedure guideline](#) 572–573  
   swinging of fluid 569, **570**, **574**  
   tube size 565, 565, 566  
   underwater-seal bottle 565–566, 566  
     changing, [procedure guideline](#) 573–574  
     monitoring 569, 570  
     problem solving **574**  
 chest pain, pleural effusions 563  
 chest secretions *see* respiratory secretions  
 chest wall, movement on inspiration 300  
 chest X-rays (CXR)  
   chest drainage 566, 570  
   CVAD catheter tip position 1037, 1037  
   nasogastric tube position 371, 372, 373  
   PICC tip position 1076, 1085, 1086  
   pre-operative 945–953  
 Cheyne–Stokes breathing 28, 774, **807**  
 child abuse 170, **172–173**  
   prevalence 175  
 children  
   disabled **173–174**  
   as informal carers 62  
   visiting patients in protective isolation 111  
   *see also* paediatric patients  
 child safeguarding 170  
   legislation **178**  
   partnership working 175–176  
   specific risks **173–174**  
   types of abuse and neglect 170, **172–173**  
 chin lift manoeuvre *see* head tilt/chin lift manoeuvre  
 chlorhexidine (gluconate)  
   denture care 430  
   hand hygiene 77, 82  
   hypersensitivity 207–208, 1032  
   impregnated dressings 1033, 1039  
   impregnated washcloths 400  
   oral care 430, **434**, 435  
   pre-operative skin preparation **966**  
   skin preparation 684, 685  
   urethral catheterization gels 207–208  
   VAD site cleaning 1032  
 chlorphenamine **477**  
 chlorpromazine **518**  
 chorioretinopathy, central serous 851  
 Christians, care after death **512**  
 Christian Scientists, care after death **512**  
 chronic obstructive pulmonary disease (COPD)  
   770–772  
   aerosol generators 555  
   control of respiration 27  
   non-invasive ventilation 556  
   oxygen therapy 543, 550–551

- chronic pain 450  
 assessment 454  
 cannabis-based medicines 461  
 definition 450  
 epidural analgesia 471  
 intrathecal drug delivery 469  
 management 456–457, 459–461  
 psychological interventions 486–487  
*see also* cancer pain
- Church of England, care after death **512**
- Church of Jesus Christ of the Latter Day Saints, care after death **513**
- chylothorax 564
- cimetidine 946
- circadian rhythms 782, 785
- circulating practitioners 980
- circulation  
 basic life support 611, *612*  
 lower limbs, assessment 748, *748*  
 unconscious patients 294
- circulatory overload *see* fluid (circulatory) overload
- cirrhosis of liver 520, 521
- Citizens Advice Bureau 534
- civil partnerships, at end of life 503
- CJD *see* Creutzfeldt-Jakob disease
- clarifying 131
- cleaning  
 environmental 111–112  
 hard surfaces, [procedure guideline](#) 112–113  
 isolation rooms 106, 109  
 meatal, catheterized patients 220–221  
 skin *see* skin cleaning/preparation  
 vascular access devices 1032  
 wounds 1141–1142
- clean intermittent self-catheterization (CISC) *see* intermittent self-catheterization
- clinical experience (E) 8
- clinical governance 7
- clinical handwash basins 76–77, *78*
- clinical reasoning model 25
- clinical supervision 132, **137**
- clinical waste 659
- Clinimed CliniFix 207
- clips, removal 1152–1153  
[procedure guideline](#) 1153–1154
- clonidine, epidural 473
- clopidogrel 947
- Clostridioides difficile* (*Clostridium difficile*) 66  
 antimicrobial resistance 72  
 environmental decontamination 109, 112  
 faecal microbiota transplant 68  
 faecal sampling 716  
 prevention and control 73  
 spores 68–69
- clothing 400–401  
 protective *see* personal protective equipment  
 surgical patients 965  
 surgical team 981
- cloths, wash- 400
- clozapine 948, 949
- cluster breathing **807**
- cluster care 408
- CME Medical (previously McKinley) T34  
 syringe pump 508, 509–510  
[procedure guideline](#) 886–889
- coagulase-negative staphylococci 683
- coagulation disorders  
 arterial puncture 682  
 chest drainage and 565, 566–567  
 epidural/intrathecal analgesia 471  
 lumbar puncture and 691  
 nasogastric feeding tube insertion 368
- coagulation tests **660, 665, 952, 974**
- co-analgesics **457**, 461
- cochlea 423
- co-codamol 459
- co-danthramer **244**, 245
- codeine phosphate 238, 458–459
- cognitive ability, assessment **18–19**
- cognitive-behavioural model of anxiety *156*
- cognitive-behavioural therapy (CBT) 149, 155, 486
- cognitive communication disorder 142
- cognitive impairment  
 chair positioning problems **314**  
 communication issues 143  
 discharge planning 46–47, 56  
 moving and positioning 283  
 personal care 397
- cold storage, medicines 827
- cold therapy  
 extravasation 925, 926  
 pain management 487
- cold water bubble humidifier 554
- Collaborating for Health 1181
- collagen, wound healing 1131, *1131*
- colloid fluids 341, 608
- collusion 152–153
- colon 196–197, *197*, 725
- colonic conduit 234, 258
- colonization 68
- colonoscope 725
- colonoscopy 725–726  
 indications 725  
 patient preparation 726
- Coloplast stoma bridge, removal 266, 267
- colorectal cancer **244**
- colostomy 257–258  
 Carter double-barrelled wet 259, *259*, *261*, **267**  
 dietary management 268, 269  
 end (permanent) 257, *258*  
 loop (temporary; defunctioning) 257–258, *258*  
 plugs 261, 268  
 post-operative function 268  
 pouches or bags 260, *260*, **267**  
*see also* stoma(s)
- Colostomy UK 272
- colposcopy 985
- comatose patients *see* unconscious patients
- comfort, patient 394–439  
 at end of life 511  
 intravenous drug administration 899  
 pain management 487  
 patient environment 409–413  
 sleep promotion 407–408  
*see also* end-of-life care; pain management; personal hygiene
- commensal micro-organisms 66, 67–68
- commode *201*  
[procedure guideline](#) 199
- common carotid artery, pulse point 745
- communication 126–147  
 anatomy and physiology 126–128  
 angry/aggressive patients 162, **163–164**  
 assessment **18**, 135  
 augmentative or alternative (AAC) 143, **143**  
 barriers 131–132, 142–143  
 brain areas involved 142, *142*  
 breaking significant news 504–505, **506**  
 care **24**  
 competencies 134, **134**  
 definition 126  
 delirious patients **166**  
 dementia patients 134, 167, **168–169**  
 depressed patients **160–161**  
 diagnostic testing 659  
 discharge planning and 46, 56  
 dying patients 504  
 effective 128–132  
 environmental aspects **134**, 134–135  
 facilitative 139  
 information provision 138–141  
 intercultural 132  
 language and cultural issues 133  
 laryngectomy patients 604–605  
 legal and professional issues 132–134  
 linear model 127  
 non-verbal 127, 128–130, *129*  
 principles 135, **136–137**  
 professional responsibility 132  
 skills 128–131  
 sleep promotion 408  
 specific populations 141–147  
 speech-impaired patients 143, **144**  
 supportive *see* psychological support  
 time issues 134  
 tracheostomy patients 586, **586**, *586*  
 transactional model 127, *127*  
 unconscious patients 293–294  
 verbal 129  
 worried/distressed patients 146, **146–147**
- communication aids 130, 143, **143**
- communication difficulties  
 acquired communication disorders 141–145  
 blood transfusion **640**  
 dementia 134  
 learning disabilities 134  
 neurological disorders 127, **314**  
 non-English speakers 133  
 non-invasive ventilation **561**  
 non-verbal communication 130  
 older patients 133–134  
 oxygen therapy **549**
- community-based services  
 discharge planning **57**, 58, **58**  
 intermediate care and re-ablement 53  
 voluntary sector 62, **62**
- community nurses, prescribing 824
- compartment syndrome 985
- compassionate care 132
- Compassionate Mind Foundation 187
- compassion fatigue 1167–1172  
 preventing 1168–1172  
 recovery from 1172  
 symptoms 1167–1168
- compassion-focused therapy 149
- Compassion in Practice* (2012) 132
- Compendium of Factsheets: Wellbeing across the Lifecourse 1181
- competency, professional 3–5
- complementary therapies 518, 831, *951*
- compliance aids 848, *848*
- compression stockings, graduated elastic *see* antiembolic stockings
- computed tomography (CT) **732**, 732–733  
 compatible PICCs 1086  
 power injection of contrast 1035, 1037
- concertina-type drains **1004**, *1005*
- condom catheters *see* penile sheaths
- confidentiality 132, 176–177
- conformable catheters 206

- confusion 808, **811**  
 connection and support 1171  
 consciousness 801–805  
   assessment 805  
     AVPU scale 810–811  
     basic life support 610, 611  
     Glasgow Coma Scale 808–810,  
       809–810, **811**  
     **procedure guideline** 812  
   decreased, neurological impairment **314**  
   defined 293  
   loss of *see* loss of consciousness  
   *see also* unconscious patients  
 consent 132–133  
   blood transfusion 631, 634  
   capacity to give 27, 133, 134, 957  
   chest drain insertion 565  
   competencies 957  
   diagnostic tests 657  
   information sharing **177**, 957  
   informed 133, **138**, 956–957  
   inpatient with a mental disorder 186  
   moving and positioning 281  
   obtaining 133, **141**  
   peripheral venous cannulation 1049  
   to physical examination 27  
   PICC insertion 1077, 1078–1080  
   refusal of 133  
   semen collection 696  
   for surgery 956–957  
   VAD insertion 1038  
   valid 133, 956–957  
   vesicant drug administration 922  
   written 133, 956  
 constipation 241–247  
   assessment 243  
   causes 242, 243  
   defined 241  
   digital removal of faeces 255–257  
     **procedure guideline** 256–257  
   enterally fed patients 383  
   functional 243  
   management 244–247, 252  
   opioid-induced 245, 460  
   primary (idiopathic) 243  
   red flag symptoms **244**  
   Rome IV Criteria 243  
   secondary 243  
 contact  
   direct and indirect **104**  
   precautions 104  
 contact lenses 416–417  
   hard, removal, **procedure guideline** 421  
   instillation of eye medications 862–863  
   soft, removal, **procedure guideline** 422  
 context, as source of evidence (C) 8  
 context of nursing 2–7  
   political 2–3  
   professional 3–7  
 continent cutaneous urinary diversion 235, **235**,  
   235  
 continent urinary diversion 234–237  
   self-catheterization 216, 235  
     **procedure guideline** 236–237  
   ureteric stents 225, 226  
 continuous intravenous infusions *see*  
   intravenous infusions, continuous  
 continuous peripheral nerve block (CPNB)  
   462–469  
   catheter removal, **procedure guideline**  
     464–465  
   complications 465–469, **469**  
   dressings 464  
   equipment 464  
   monitoring and care 465, **466**  
   patient education 465  
   training/competencies 464  
 continuous positive airway pressure (CPAP)  
   556, 557–562  
   complications 562  
   equipment 557–558, 558  
   monitoring 558, 562  
   problem solving **560–561**  
   **procedure guideline** 559–560  
 contractures 282  
   amputees 326, 327, 328–329  
   neurological impairment 307  
 contraindications, drug 823  
 contrast agents, radiological 730, 731–732  
 controlled drug register (record book) 838,  
   838–839  
   archiving 839  
   errors 839, 839  
   legal requirements **836, 837**  
   **procedure guideline** 842–843  
   receipt of drugs 838  
 controlled drugs (CDs) 835–843  
   accountability and responsibility 838  
   administration **837**, 839  
     **procedure guideline** 841–843  
     witnesses 838  
   emergency supplies **836**  
   key holding and access 838  
   legislation 835–838, **836, 837**  
   patients' own 839  
   prescribing 824, **824**, 840–841  
   prescriptions **836, 837**, 840  
   receipt 838  
   record keeping **836**, 838–839  
   requisition 838  
   return and disposal of unused 840  
   schedules 835–836, **836**  
   stationery 840  
   stock checks and discrepancies 839  
   storage 827, **836, 837**, 838  
   supply under patient group directions 826,  
     835, 840  
   transport 840  
 Controlled Drugs (Supervision of Management  
   and Use) Regulations (2006) 836  
 controlled-release tablets 843–845  
 Control of Substances Hazardous to Health  
   (COSHH) **75**  
 conus medullaris 803  
 Convatec Flexi-Seal Faecal Management  
   System 240, 240–241  
 Convatec stoma bridge, removal 266  
 Conveens *see* penile sheaths  
 cooling methods, hyperthermia 787–788  
 cool storage, medicines 827  
 Coordinate My Care 58, 500, 534  
 COPD *see* chronic obstructive pulmonary disease  
 coping, assessment **21**  
 copper **388**  
 cornea 413  
 corneal (blink) reflex 806, 813  
 coronary artery thrombosis 609  
 coroner, referral to 528, **528**  
 corrugated drains **1004**, 1005  
 corticosteroids (steroids)  
   antiemetic use **519**  
   extravasation injuries 924  
   hyperglycaemia due to 795  
   inhaled 859, 861  
   ophthalmic administration 863  
   pain management **457**  
   pre-operative 949  
   topical, systemic absorption 850–851  
   wound healing and 1138  
 cortisol 1166  
 coude (Tieman-)tip catheter 205, 205  
 coughing 768  
 Council for Allied Health Professionals  
   Research 329  
 counsellors 169  
 Counter Terrorism and Security Act  
   (2015) **178**  
 covert administration of medicines 846  
 COX II inhibitors 951  
 CPAP *see* continuous positive airway pressure  
 CPR *see* cardiopulmonary resuscitation  
 crackles **31**  
 cranial nerves 801, **804**  
 C-reactive protein (CRP) 354, **388, 661, 975**  
 creams  
   storage 827  
   topical 850  
   transdermal 852  
 creatinine, serum **343, 661, 952, 974**  
 cremation **512–514, 532**  
 Creutzfeldt-Jakob disease (CJD) 70, **70**  
   transmission risks 71  
   variant (vCJD) **70**, 71  
     patients at risk 626  
     transmission in blood 626, 643  
 Critical-Care Pain Observational Tool  
   (CPOT) 454  
 critically ill patients  
   blood pressure measurement 760–761  
   early warning systems 743  
   haemodynamic monitoring 339  
   mouth care 430–434, **434**  
   moving and positioning 293–294  
   pulse monitoring 748  
   sedation 293  
   temperature monitoring 784  
   *see also* unconscious patients  
 crockery, patients in isolation 105  
 cross-infection 71  
 Cruse Bereavement Care 533, 534  
 cryoprecipitate 626, **630**  
   administration rate 639  
   pathogen inactivated 626  
 crystalloid fluids 340–341, 608  
 CSF *see* cerebrospinal fluid  
 CT *see* computed tomography  
 cuff, blood pressure 762, 764  
   aiding venepuncture 664  
 cultural beliefs/issues  
   assessment **21–22**  
   care after death **512–514**, 528, 529  
   pain assessment 454–455  
   personal hygiene 397, 400  
 culture, microbiological 69  
 Cushing reflex 807  
 CVAD *see* central venous access devices  
 CVC *see* central venous catheters  
 cyanoacrylate tissue adhesive, securing VADs  
   1033, 1039  
 cyanosis 28, 774  
 cyclizine **518, 519**  
 cycloplegics 863  
 cystoscope 727, 727

- cystoscopy 726–728, 727  
 complications 728  
 equipment 727, 727, 728  
 cytology 656  
 cytomegalovirus (CMV) 643  
 cytotoxic drugs  
 crushing tablets 384  
 extravasation 919  
 intraperitoneal administration 521  
 intrathecal administration 690–691, 878, 879, **879**  
 vesicant **920**  
 waste disposal **115**  
*see also* chemotherapy
- Daily Drain Drill 1005, **1006**  
 dairy, low-fat 1174  
 Dalton's law 540  
 dantron 245  
 data  
 collecting 18  
 objective and subjective 18  
 data protection legislation **177**  
 daunorubicin, extravasation 926  
 Da Vinci surgical system 982–983, 983–984  
 DDAVP (desmopressin) 949  
 deafness *see* hearing impairment  
 death  
 arrival at hospital after **532**  
 care after (last offices) 528–534  
 family involvement 529  
 problem solving **531–533**  
 procedure guideline 529–530  
 religious and cultural needs **512–514**, 528, 529  
 certification 526–528, 529  
 'good' 528  
 immediate care 533  
 infectious patients 528, 529  
 informing next of kin **532**  
 informing other patients 529  
 legal issues 528  
 next of kin requirements 533  
 out of hours 529  
 radioactive patients **532**  
 referral to coroner 528, **528**  
 registration 533  
 staff support 534  
 sudden cardiac 609–610  
 suspicious or unexplained 528, **528**  
 unexpected **532**  
 unknown cause **532**  
 verification 526–528  
 procedure guideline 527  
 viewing the body 533, **533**  
*see also* dying patients; end-of-life care  
 debridement, wound **1132**, 1132–1137, **1138**  
 decannulation plug, tracheostomy 598, 598  
 decerebrate posturing **811**  
 decision aids, patient 139, 140  
 decision making  
 care planning 22, **24**  
 persons lacking capacity 181, **181**, **182**  
 shared **138**, 138–141  
 deconditioning syndrome 47  
 decontamination 71, 111  
 decorticate posturing **811**  
 decubitus ulcers *see* pressure ulcers  
 deep breathing exercises (DBEs), post-operative 1003  
 deep vein thrombosis (DVT) 958, 958  
 patient information sheet 962  
 prophylaxis *see* thromboprophylaxis  
 risk factors 958–959, 1022  
 signs **958**  
 unconscious patients 294  
*see also* venous thromboembolism  
 de-escalation, angry behaviour 162, **163**  
 defaecation  
 anatomy and physiology 197, 241–242  
 assisting, procedure guidelines 198–199  
 dyssynergic 243  
 positioning for 198, 199, 246, 246  
 defibrillation 613–614  
 electrode (pad) placement 614, 614, 615  
 problem solving **619**  
 procedure 618–619  
 safe practice 614  
 by untrained individuals 614  
 dehiscence, wound **1019**  
 dehydration 337–338, 351  
 diarrhoea 239  
 at end of life 504  
 healthcare staff 1175  
 ileostomy patients 268–269  
 infusion-related 931, **931**  
 signs and symptoms **342–343**, 351  
 venepuncture in 666  
 delirium 164–166  
 at end of life 165, 511  
 prevention and management 165–166, **166**  
 risk factors 165  
 deltoid muscle injections 890, 891  
 dementia 166–168  
 communication issues 134, 167, **168–169**  
 discharge planning 46–47, 56  
 environmental considerations **167–168**, 168  
 pain assessment 167, 454  
 personal care 397  
 readmission rates 53  
 Dementia UK 187  
 denial 152–153, **153**  
 dental amalgam **116**  
 dental decay 429  
 dental floss/tape 434, 435, 437  
 dentures 430  
 assessment 431  
 care 430, 433, 438  
 procedure guideline 437–438  
 deodorants, stoma 260, 261, **262**  
 depilation *see* hair removal  
 depression 158–161  
 co-morbid 158  
 diagnosis 158–159  
 management **159**, 159–160, **160–161**  
 symptoms 158, **158**, **159**  
 terminology 148  
 vs dementia 167  
 Depression Alliance 187  
 Depression UK 187  
 Deprivation of Liberty Safeguards (DoLS)  
 181–185  
 applications 183–185, 184  
 dementia 167  
 principles **185**  
 dermatitis, incontinence-associated (IAD) 197  
 dermatomes 313, 316, 469, 472  
 epidural blockade 474  
 dermis 396, 396, 1130  
 desmopressin (DDAVP) 949  
 detergents 78  
 devices, medical *see* medical devices  
 dexamethasone **519**  
 dexrazoxane 924  
 dextrocardia 755, 755  
 diabetes mellitus (DM) 794  
 blood glucose monitoring 796–800  
 continuous subcutaneous insulin  
 infusion 884  
 diagnosis 794  
 foot care 399  
 foot ulcers 399, **399**  
 glycaemic control **794**, 796  
 hyperglycaemia 794, 795  
 hypoglycaemia 795  
 patient education 800  
 pre-operative medication 950  
 type 1 794, 795, 796  
 type 2 794, 796  
 wound infections 1138  
 diabetic ketoacidosis 795  
 diabetic retinopathy **415**  
 diagnosis, nursing 22, **24**  
 diagnostic reagents, storage 827  
 diagnostic tests 654–733  
 consent 657  
 documentation 657  
 indications 656  
 methods 656–657  
 pre-operative 945–954, **952–953**, 969, **974–975**  
 request forms 658–659  
 risk management 657  
 specimen collection *see* specimen collection  
 specimen selection 657  
 diamorphine 460  
 epidural/intrathecal 473  
 patient group direction 840  
 routes of administration 458  
 safer practice guidance 841, **841**  
 diaphragm 299–300, 300, 766, 767  
 diarrhoea 237–239  
 acute 237, 238  
 antibiotic-associated 238–239  
 assessment 238, **238**  
 chronic 238  
 enterally fed patients 383  
 faecal incontinence 239  
 faecal sampling 715, 716  
 ileostomy patients 268  
 infection prevention and control 238  
 management 238–239  
 diastolic blood pressure 758, 761–762  
 diathermy (electrosurgery) 990–991, 991  
 bipolar 990–991  
 complications 982  
 monopolar 990  
 patient plate positioning 993, 994  
 diazepam 158, 306  
 diclofenac 459  
 diencephalon 801  
 diet  
 as cause of diarrhoea 239  
 constipation management 245–246  
 history 353, 354  
 modification 360, **361**  
 modified, provision in hospital 359–360  
 sodium-restricted, ascites 522  
 stoma patients 268–269  
*see also* food; nutrition  
 dietary supplements *see* nutritional  
 supplements, oral

- diethylpropion **837**
- Difficult Intravenous Access (DIVA) 1069
- diffusion **338**
- facilitated **338**
  - gases 540–541
- diflunisal 459
- digestion 352
- digital rectal examination (DRE) 253–255
- indications 243, 253–254
  - [procedure guideline](#) 254–255
- digital removal of faeces (DRF) 255–257
- [procedure guideline](#) 256–257
- digital veins, hand 1047
- dignity, maintaining 239, 283
- dimethylsulphoxide (DMSO) 922, 924, 926, 927
- dioctyl sodium sulphosuccinate *see* docusate sodium
- 2,3-diphosphoglycerate (2,3-DPG) 541, 541
- dipstick tests, urine *see* urine dipstick (reagent) tests
- dipyridamole 947
- director of infection prevention and control (DIPC) 74
- Disability Distress Assessment Tool (DisDAT) 454
- disabled children **173–174**
- discharge 45–62
- accommodation suitability 50
  - against medical advice 50, **53**
  - care 46–47
  - to care or nursing home 56
  - checklists 50, 51–52
  - clinical criteria for 47
  - complex 56, **57–58**
  - complications 55
  - criteria-led 47
  - delays 50
  - at end of life 56–58, 60–61, 500
  - enterally fed patients 49–50
  - equipment facilitating 49, 58
  - external processes 53–58
  - informal carers and 58–62
  - to intermediate care 53
  - internal procedures 47–49
  - local authority notices 54, 54–55, 55
  - medication on 49
  - neutropenic patients 111
  - nurse-led 47
  - to a nursing home 56, **59**
  - from PACU 1000
  - patients on nutritional supplements 360–362
  - readmission following 53
  - with *in situ* VAD 1045, **1046**
  - from source isolation 109
  - specific patient needs on 50
  - summaries 50
  - surgical patients 1022
- discharge co-ordinators 46, 56, **57**
- Discharge Notification forms 54, 55, 55
- discharge planning 46–62
- continuous epidural analgesia 478
  - continuous peripheral nerve blocks 463
  - definition 46
  - home enteral feeding 49–50, 383
  - legal, professional and safeguarding issues 46
  - person-centred approach 46
  - risk management 46–47
  - spinal cord injury 317
  - stoma patients 269, 270
  - surgical patients 943, 1022
  - voluntary services 62, **62**
- discriminatory abuse **171**
- disease-specific national charities 139
- disinfection, room 106, 112
- disk, herniated 140
- disorientation 812
- displacement values 872
- disseminated intravascular coagulation (DIC) **625**
- distressed patients 146, **146–147**
- Distress Thermometer 135, 135
- diuretics
- ascites 522
  - pre-operative 946, 947
  - pulmonary oedema 558
- DIVA (Difficult Intravenous Access) 1069
- diversity 133–134
- DMARDs (disease-modifying antirheumatic drugs) 951
- DMSO *see* dimethylsulphoxide
- documentation, nursing 23, **23–24**
- docusate sodium (dioctyl sodium sulphosuccinate)
- enema 250
  - laxative **244**, 245
- Doloplus-2 scale 454
- domestic abuse **171**
- domperidone **518**
- donepezil 948–949
- do not attempt cardiopulmonary resuscitation (DNACPR) 504, 610
- dopamine antagonists, antiemetic **519**
- dorsalis pedis artery (dorsal artery of foot)
- cannulation 1111
  - pulse 745, 748, 748
- dorsal respiratory group (DRG) 767
- dorsal venous network of hand 662, 1031, 1047
- dorsogluteal intramuscular injection site 890, 891
- dose calculations 830
- displacement values 872
  - injections 871–872
- dosette boxes 848, 848
- double-barrelled wet colostomy, Carter 259, 259, 261, **267**
- double checking, medicines 830
- double gloving 986
- doxorubicin, extravasation 922, 926
- 2,3-DPG (2,3-diphosphoglycerate) 541, 541
- drainage bags, urine *see* urine drainage bags
- drains, surgical 1004–1017
- closed 1004, **1004**
    - changing dressing, [procedure guideline](#) 1006–1007
    - changing vacuum bottle, [procedure guideline](#) 1007–1008
    - removal, [procedure guideline](#) 1008–1010
    - shortening, [procedure guideline](#) 1012–1014
  - closed non-suction (passive) **1004**
  - closed suction (active) **1004**
    - emptying 1005
    - leaking **350**, **1014**
    - measuring fluid output 347–348
    - monitoring 1004–1005
  - open 1004, **1004**
    - changing dressing, [procedure guideline](#) 1006–1007
    - shortening, [procedure guideline](#) 1010–1012
    - problem solving **1014–1017**
    - [procedure guidelines](#) 1006–1014
    - removal 1006
      - problems **1017**
      - [procedure guideline](#) 1008–1010
    - skin care **398**
- types 1004, **1004**, 1005
  - see also* chest drains; urinary catheters
- dressing packs, sterile 101, 102
- dressings 1142–1143
- antimicrobial-impregnated 1138, **1139**
  - categories **1139–1140**
  - changing 1143
    - CVAD site 1039
    - gastrostomy site 374, 375
    - jejunostomy site 379
    - nephrostomy tubes 226
    - peripheral intravenous cannulas 1064
    - PICC site 1086
    - [procedure guidelines](#) 102–103
    - surgical drain site 1006–1007
    - surgical wounds 1018
    - tracheostomy 587
      - VAD insertion site 1042–1043, 1045
  - chest drain insertion site 569, 571
  - continuous peripheral nerve blocks 464, **466**
  - epidural/intrathecal catheter site 473
  - extravasation injuries 929, 930
  - nephrostomy tube site 226
  - peripheral intravenous cannulas 1056, 1058, 1065
  - PICCs 1084, 1086
  - poor application/techniques **1137**
  - primary 1142
  - principles of use 1140–1141
  - [procedure guideline](#) 1142–1143
  - secondary 1142
  - selection 1140, 1141
  - short-term CVCs 1095
  - surgical wounds 993, 994, 1018, 1018
  - tracheostomy stoma 587–588
  - transparent 1033, 1039
  - VADs 1033, 1038–1039
- dressing trolleys 101, 102
- drinking
- assessment and recording tools 363–364
  - assistance with 362–363
  - clear fluids prior to surgery 965, **965**
  - difficulties **364**
  - healthcare staff 1173–1175, 1175
  - see also* eating; fluid intake
- drip rates *see* infusion flow rates
- drips *see* gravity infusion devices
- driving
- after Entonox use 482
  - after eye medications 865
  - opioid users 462
- Driving and Vehicle Licensing Agency (DVLA) 462
- droplet precautions 104
- droplet transmission **104**
- drug allergies 828–829, **829**, **830**
- drug dependence, Mental Health Act 185, 186
- drug interactions 823, 831
- pharmacodynamic **831**
  - pharmacokinetic **831**
- drug intoxication
- cardiopulmonary arrest 609
  - Mental Health Act 185, 186
- drugs *see* medicines
- dry mouth (xerostomia) 429
- care 433
  - CPAP patients **561**
  - critically ill patients 434
  - oxygen therapy **548**
  - pharmacological agents 435
  - problem solving **439**

- dry powder inhalers 857, 857, 858  
[procedure guideline](#) 858–860
- dullness **26**  
 abdomen 38, 41  
 chest 30
- duodenum 723–724
- dural puncture, inadvertent 478, **480**
- Durogesic *see* fentanyl
- DVT *see* deep vein thrombosis
- dyes, intravenous 773
- dying patients  
 care for *see* end-of-life care  
 communication issues 504  
 discharge home 56–58, 60–61, 500, 501–502  
 euthanasia and assisted suicide 503  
 identification 500  
 last will and testament 503  
 marriages 503  
 needs of carers 503  
 organ donation 503  
 physiological changes 498, **498**  
 symptoms 505  
*see also* death; palliative care
- dysaesthesias 453
- dysarthria 142, 143, **144**
- dysphagia 364–365  
 assessment 364, 365  
 assisted feeding 362–363  
 dietary modification **361**  
 high-risk patients **364**  
 nutritional care 365  
 oral medications 846, **850**
- dysphasia 141–142, 808, **814**
- dysphonia 142, 144, **144**
- dyspnoea 774  
 at end of life 515–517  
 causes **515**  
 management **515**, 515–516  
[procedure guideline](#) 516–517  
 transfusion-associated 644  
*see also* breathlessness
- dyspraxia of speech, acquired 142
- dysuria, catheterized patients **221**
- ear  
 anatomy 423, 423–424  
 assessment 425  
 care 399–400, 423–427  
 drug administration 867–869  
 hygiene 425  
 mechanism of hearing 126, 127, 423  
 piercings 400  
 swab sampling 702–703
- ear drop administration 867–869  
[procedure guideline](#) 868–869
- eardrum *see* tympanic membrane
- ear irrigation 425–427  
 contraindications and cautions **428**  
[procedure guideline](#) 425–427
- ear irrigators, electronic 425–427
- early warning scoring (EWS) systems 1002  
*see also* National Early Warning Score
- ear wax (cerumen) 423  
 impaction 424, **424**  
 removal (ear irrigation) 425–427  
 softeners 425  
 temperature measurement 786
- Eastern Cooperative Oncology Group (ECOG)  
 scale 353
- eating  
 assessment and recording 363–364  
 assistance with 360, 362–363  
[procedure guideline](#) 362–363  
 body temperature change 782  
 difficulties **364**  
 causes **353**  
 diet modifications **361**  
 healthcare staff 1173–1175, **1174**, **1175**  
 post-operative patients 1021  
*see also* food; meals
- eating disorders, enteral feeding 368
- ECG *see* electrocardiogram
- ECOG (Eastern Cooperative Oncology Group)  
 scale 353
- Effentora 461
- efferent (motor) nerves 302, 303
- effervescent tablets **844**, 845
- Einthoven triangle 752, 753
- ejaculation 694
- elastomeric balloon infusion devices 907, 907
- elderly *see* older adults
- electric razor, facial shaving, [procedure guideline](#) 406–407
- electro-acupuncture 488
- electrocardiogram (ECG) 751–758  
 3-lead 752  
 electrode sites 752, **753**, 753–754  
 5-lead 752, **753**, 753–754  
 12-lead 751, 751  
 electrode sites 752–753, 753  
 indications 754  
 machine calibration 754, 754  
 Mason–Likar system 753, 754  
 ambulatory 754  
 CVAD catheter tip position 1037, 1037  
 dextrocardia 755, 755  
 documentation 758  
 electrode placement 752–754  
 equipment 754–755  
 example tracings 758  
 female patients 755  
 filters 755  
 heart rate measurement 749  
 implanted port insertion 1104–1107  
 paper 754–755  
 patient education 755  
 PICC tip positioning 1076, 1077, 1084  
 pre-operative 945, 953  
 problem solving **757**  
[procedure guideline](#) 755–756  
 waveform 752, 752
- electrocautery unit 982
- electroejaculation 695
- electrolytes 336  
 body fluids 336, 337  
 homeostatic mechanisms 337  
 membrane transport 336, **338**  
 monitoring, parenteral nutrition **388**  
 parenteral nutrition solutions 385  
 renal handling 788, 789  
 serum **343**, **952**
- electronic ear irrigators 425–427
- Electronic Palliative Care Co-ordination Systems (EPaCCS) 58, 500
- electronic patient identification systems  
 633–634
- electronic prescribing and medicines  
 administration (EPMA) systems 828
- electrosurgery *see* diathermy
- elemental feeds 368
- elimination 194–272  
 assessment **19–20**  
 assisting patient with 197–199  
 equipment 197, 201  
[procedure guidelines](#) 198–199  
 faecal *see* faecal elimination  
 normal 196–199  
 oxygen therapy and **549**  
 urinary *see* urinary elimination
- elixirs 846
- embolism  
 distal, arterial cannulation **1116**, 1117  
*see also* air embolism; pulmonary embolism;  
 venous thromboembolism
- EMC (Electronic Medicines Compendium) 932
- EMLA cream 461, 1052
- emollients 400
- emotional abuse **172**
- emotional support *see* psychological support
- emotions 149, **149**
- empathy 131, **137**, **141**  
 psychological costs 1166, 1167
- empyema, pleural 564
- emulsions, oral 846
- endocrine system, effects of opioids 462
- end-of-life care (EoLC) 498–526  
 advance care planning 500–503  
 artificial hydration 503–504  
 ascites 520–525  
 communication issues 504  
 co-ordination 58, 500  
 definitions 498  
 delirium 165, 511  
 discharge home 56–58, 60–61, 500, 501–502  
 discharge planning 56–58  
 dyspnoea 515–517  
 legal and ethical issues 503–504  
 mouth care 430  
 nasogastric drainage tube insertion 520  
 nausea and vomiting 517–520  
 non-pharmacological interventions 510–515  
 patient's choices 500  
 pharmacological interventions 505–510, **508**  
 physical 511  
 principles 505, 507, 508  
 psychosocial issues 511  
 spiritual and religious 511–515  
 staff support 534  
 strategy and ambitions 498–499, 499  
 symptom control 505, 515–526  
 terminal sedation 525–526  
*see also* dying patients; palliative care  
*End of Life Care Strategy* (2008) 498–499
- endoscope 724, 983
- endoscopic investigations 723, 723–728
- endoscopic mucosal resection 726
- endoscopic submucosal dissection 726
- endoscopists, nurse 724
- endoscopy 983–985, 984
- endotoxins 69
- endotracheal intubation  
 anaesthesia and surgery 980, 996  
 prolonged **579**
- endotracheal tube (ETT)  
 occlusion **298**  
 oral care **434**  
 tracheostomy emergencies 602  
 vacuum-assisted aspirates 718, 718
- #EndPJPparalysis initiative 281
- enemas 249, 249–251, 854  
 contraindications 249–250  
 evacuant 250, 251  
 indications 249

- problem solving **253**
- [procedure guideline](#) 250–251
- retention 250, 251
- energy
  - oral supplements **361**
  - requirements, calculation 354, **354**
  - sources, parenteral nutrition 385
- ENFit system 367, 368
- Enhanced Recovery Partnership Programme 954, **955**
- enteral feeding pumps 367
  - problem solving **382**
  - [procedure guideline](#) 381–382
- enteral feeding tubes 365
  - administration of feed *see* enteral tube feeding
  - administration of medication 372, 379, 383
    - contraindications 383
    - problem solving **385**
    - [procedure guideline](#) 384–385
  - blocked **376, 382, 383, 385**
    - problem solving **386**
    - unblocking, [procedure guideline](#) 386
  - buried bumper 380
  - care 372, 374–379
  - checking position 381
  - complications **376, 380**
  - cracked/split **376, 386**
  - displacement 374, **376**
  - ENFit system 367, 368
  - insertion 368–374
    - clinical governance 368–369
    - contraindications 368
    - indications 368
    - patient preparation 369
    - problem solving **371**
    - [procedure guidelines](#) 369–371
  - inspection 380
  - removal 374
  - social and psychological impact 369
  - types 366–367
  - see also* nasogastric feeding tubes
- enteral feeds 367–368
- enteral route of drug administration *see* oral drug administration
- enteral tube feeding 365–385
  - administration 381–383
    - methods 367, **367**
    - problem solving **382**
    - [procedure guideline](#) 381–382
  - bolus **367**
  - complications 373–374, 382–383
  - continuous 367, **367**
  - definition 365
  - discharge planning 49–50, 383
  - equipment 366–368
  - gravity drip 367, **367**
  - home 49–50, 383
  - indications 353, 366
  - intermittent **367**
  - monitoring 382
  - post-operative 1021
  - rationale 365–366
  - termination 385
- enteric-coated tablets 384, 843, **844**
- enteric precautions 104
- enteric transmission **104**
- Enterobacter cloacae* 72
- Entonox (nitrous oxide and oxygen) 461, 481–485
  - cautions 482
  - complications 485
  - contraindications 482
- duration and frequency of use 483
- equipment 482–483, 483
- indications 482
- mechanism of action 481
- patient assessment 483
- prescribing 482
- problem solving **485**
- [procedure guideline](#) 484
- storage temperature 481, **485**
- environment (healthcare)
  - cervical screening 699
  - delirium and 165
  - dementia patients **167–168, 168**
  - at end of life 511
  - noise and light 408
  - patient 409–413
  - supportive communication **134, 134–135**
  - temperature *see* temperature (ambient)
  - venepuncture 666
- environmental hygiene 111–118
- epidermis 396, 396, 1130
- epidural abscess 478, **480**
- epidural analgesia 458, 469–481
  - adjuvant drugs 473
  - assessing sensory blockade 474, 478
    - problem solving **480–481**
    - [procedure guideline](#) 475
  - assessment of pain 478
  - bolus injections 472
  - complications 478
  - continuous infusion 472
    - discharge planning 478
    - volume of infusion 476
  - contraindications 471–472
  - drug-related side-effects 476, **477**
  - drugs used 473–474
  - equipment 473, 474, 906, 907
  - indications 471
  - mechanism of action 449
  - monitoring 476
  - patient-controlled (PCEA) 472
  - patient preparation 474
  - problem solving **480–481**
  - [procedure guidelines](#) 475–476, 479
  - safety checklist 478, **478**
  - training/competency 473, **474**
- epidural catheters 473, 474
  - bacterial filters 473
  - exit site dressings 473
    - [procedure guideline](#) 475–476
  - migration 478, **480**
  - positioning 474, **474**
  - removal 478–479
    - haematomas after 479
    - [procedure guideline](#) 479
- epidural haematoma 478, 479, **480**
- epidural space 469, 470, 471
- epinephrine *see* adrenaline
- epirubicin, extravasation 922, 926
- epithelializing wounds 1141
- equality 133–134
- Equality Act (2010) 133, **178**
- equipment
  - cleaning and decontamination 111
  - traceability 101
- erectile dysfunction 269
- ergonomic work systems 1175–1181
- erythrocytes *see* red blood cells
- erythrocyte sedimentation rate (ESR) **665**
- Escherichia coli* 66, 72, 73
- ESPN 389
- ESR (erythrocyte sedimentation rate) **665**
- ethnic minorities 133
- ethyl chloride spray 475, 1052
- etorocoxib 459
- eupnoea 774
- European Pressure Ulcer Advisory Panel 329, 1157
- European Union Tissues and Cells Directives (EUTCD) 696
- European Wound Management Association 1157
- eustachian tube 423
- euthanasia 503
- evacuant enemas 250, 251
- evidence
  - hierarchies 7, 7, 7
  - sources 8, **8**
  - types 7–8
  - typologies 7, 7
- evidence-based nursing (EBN) 8
- evidence-based practice (EBP) 7–8
- examination *see* physical assessment/examination
- excipients 845
- exercise
  - assessment **19**
    - body temperature change 782
    - constipation management 247
    - healthcare staff 1171, 1178
    - pain management 487
  - exercise testing, cardiopulmonary 953–954, 954
  - exhalation *see* expiration
  - existential concerns, at end of life 511
  - expiration 300, 768
    - mechanism of 766, 767
  - expiratory reserve volume (ERV) **770, 770**
  - extension, normal and abnormal 810, **811, 811**
  - extension sets 901–902, 902
  - external acoustic canal 423, 423
    - irrigation using electronic irrigators 425–427
  - external ear 423, 423
  - external jugular vein 1032, 1090
  - extracellular fluid (ECF) 336, **336**
    - osmolarity and fluid balance 337–338, 340
  - extravasation **917, 918–932**
    - assessment and grading 930, **930**
    - causes **920**
    - complications 930–932
    - decision-making tools 922, 923–924
    - definition 918
    - documentation 930, **931**
    - flush-out technique 925
      - [procedure guideline](#) 928–929
    - incidence 919
    - informing patient 929, 930
    - kits 922
    - management 922, 922–930
    - monitoring for/early recognition 920, **921**
    - patients at risk 919, **920**
    - prevention **919, 919–920**
    - [procedure guidelines](#) 925–929
    - signs and symptoms 919, 919, **921**
- exudate, wound *see* wound exudate
- eye(s)
  - ageing changes 415, **415**
  - anatomy and physiology 413–415, 414, 415
  - artificial (prosthetic) 417
    - insertion, [procedure guideline](#) 420
    - removal, [procedure guideline](#) 420–421
  - assessment 416
  - inspection 32, 34, 36, 40
  - opening, Glasgow Coma Scale 808, **811**
  - topical drug administration 861–866

- eyebrows 414
- eye care 413–422
  - CPAP patients **561**
  - fluids 416
  - indications 415–416
  - light source 417
  - patient position 417
  - principles 416
  - [procedure guidelines](#) 417–422
- eye contact **130**
- eye drops 861–863
  - anaesthetic 862, 863
  - containers and droppers 862
  - instillation 861–862, 862, 865
  - oil-based solutions 862
  - preservatives and sensitizers 862
  - storage 827, 863
- eye irrigation 416
  - Morgan lens 416, 416
  - [procedure guideline](#) 418–419
- eyelashes 414
- eyelids 414
- eye medications, topical 861–866
  - contact lens wearers 862–863
  - equipment 862
  - instillation 861–862, 862, 863
  - [procedure guideline](#) 864–865
  - self-administration 862, 865–866
  - storage 827, 863
  - systemic absorption 862
  - types 863
- eye ointments 862
  - instillation 862, 863, 865
  - storage 827
- eye patches 865
- eye protection (goggles) 87
  - [procedure guideline](#) 93
  - source isolation 107
- eye swabbing
  - eye care 416
  - [procedure guideline](#) 417–418
  - sampling, [procedure guideline](#) 703
- eye swabs 416
  
- fabricated illness, in children **174**
- face
  - inspection 34
  - protection 87
- face-masks *see* masks
- face-mask ventilation 980
- face-shields 87
  - [procedure guideline](#) 93
- faces scales, pain assessment 452, 452
- facial artery, pulse 745
- facial expressions **130**
- facial nerve (VII) **804**
- faecal elimination 196–197
  - altered 237–272
  - anatomy and physiology 196–197, 197
  - assisting normal 197–199
    - equipment 197, 201
    - [procedure guidelines](#) 198–199
  - definition 196
  - moving patients and **292**
  - see also* defaecation
- faecal incontinence 239–241
  - faecal sampling 716
  - high-risk groups **239**
  - skin care 197
- faecal management systems 239–241, 240
  - indications 240
  - insertion, [procedure guideline](#) 240–241
  - problem solving **241**
- faecal microbiota transplant 67–68
- faecal–oral transmission **104**
- faecal sampling 715–717
  - containers 658
  - indications 715–716
  - [procedure guideline](#) 716
  - storage and transportation 717
- faecal (stool) softeners **244**, 245
- faeces (stools) 197
  - assessment 716
  - Bristol Stool Chart 200, 716
  - collection devices *see* faecal management systems
  - digital removal 255–257
    - [procedure guideline](#) 256–257
  - measuring fluid output 349
  - patients in isolation 105
  - specimen pots 658
  - see also* defaecation
- fainting (syncope)
  - acupuncture-associated 491
  - positioning changes causing **293**
  - urinary catheterization **218**
  - venepuncture-associated 671
- falls 283–284, **293**
  - discharge planning and 50
  - opioid-treated patients 462
  - risk factors 283–284, **284**
- family
  - adjustment 152
  - bereavement support 533
  - CPR and 620
  - deceased patients 529, **531–532**, 533
  - delirious patients 166
  - dementia patients 167
  - discharge planning and 46
  - patients in isolation 109, 111
  - safeguarding issues 175–176
  - systems 149–151, 150
  - as translators/interpreters 133
  - viewing the body 533, **533**
  - see also* carers, informal; next of kin
- family history 943
- fan therapy 515, 787
- fasting
  - pre-operative 965, **965**
  - prior to gastroscopy 724
- fat
  - body 352
  - dietary requirements **1174**
  - emulsions 385
  - oral supplements **361**
- fat-free mass 352
- fatigue 283, **314**
- febrile non-haemolytic transfusion reactions **640**, 644
- feeding, assisted 360, 362–363
  - [procedure guideline](#) 362–363
  - see also* eating
- feet *see* foot
- female genital mutilation (FGM) **171**
- female genitourinary system 196
- female patients
  - cervical screening 697–701
  - cystoscopy 727, 727
  - ECG electrode placement 755
  - intermittent self-catheterization, [procedure guideline](#) 217–218
  - perineal/perianal care 397, 402
- pre-operative care 967–968, 975
- sexual dysfunction 269
- urinary catheterization
  - anaesthetic lubricating gels 208, 211
  - catheters 205, 206
  - problem solving **218**
  - [procedure guideline](#) 210–213
  - urine sampling 712, 790
- female urethra 205, 727
- femoral artery
  - bleeding 682
  - blood sampling 675, 678
  - cannulation 1111
  - pulse point 745
- femoral nerve block **463**
- femoral vein 1031, 1090
- fentanyl (Durogesic)
  - buccal or sublingual tablet 461
  - epidural/intrathecal 473
  - intravenous 458
  - oral transmucosal (OTFC) 461
  - transdermal patches 458, 460, **460**
- fetor 40
- fever 783
  - blood cultures 683
  - management 787–788
  - non-infectious causes **783**
  - see also* pyrexia
- fibre, dietary 245, 269
- fibreoptic endoscopic evaluation of swallowing (FEES) 365
- fibrin
  - infusion device occlusion **917**
  - VAD occlusion 1033–1034, 1034, 1035
- fibrinogen 626
- fibrinolytic agents *see* thrombolytic agents
- fibroblasts 1131, 1131
- fight-or-flight response 153–154, 154, 1166
- Figley, Charles 1167
- financial abuse **171**
- finger pricking, blood glucose monitoring 798, 799
- fire hazards, oxygen therapy 543, 550
- first impression 25
- first-pass metabolism 853
- fissure, cerebral 802
- fist clenching, venepuncture 663
- fistulas, catheterized patients **221**
- Five Year Forward View* (NHS England) 2–3
- flaccidity (low muscle tone) 305, **306**, 307
- flagellae 68, 68
- flail chest, traumatic **29**
- flammable fluids and gases, storage 827
- flare reaction 918–919, **921**
- flashback (of blood)
  - arterial cannulation 1113
  - CVC insertion 1093, **1094**
  - peripheral venous cannulation 1049, 1056, 1056, **1059**
- flatus (wind), stoma patients 269
- flexion, normal and abnormal 810, **811**, 811
- Flexi-Seal Faecal Management System 240, 240–241
- floor cleaning, source isolation rooms 106
- floor-level working, [procedure guideline](#) 1178–1179
- flossing, dental 434, 435, 436, 437
- flow rates
  - infusion *see* infusion flow rates
  - oxygen *see* oxygen flow rates
  - peripheral intravenous cannulas 1050, **1050**
  - PICCs 1075

- fluid administration sets 901, 901
- fluid balance 336–351
- abnormalities 343–351
  - assessment 339–340, **342–343**
  - physiological mechanisms 336–338, 340, 341
  - post-operative management **1003**, 1003–1004
- fluid balance chart 345
- fluid balance charting 338–351
- accuracy 339
  - acute kidney injury 351
  - bladder irrigation 223, 224, **224**, 225
  - ileostomy patients 268
  - incorrect calculations 340, **350**
  - indications 341–342
  - nephrostomy tubes 226
  - problem solving **350**
  - [procedure guidelines](#) 345–350
- fluid deficit *see* dehydration
- fluid intake (input)
- constipation 245–246
  - healthcare staff 1175, 1175
  - measuring 342, 363–364
  - problem solving **350**
  - [procedure guideline](#) 345–346
  - pre-operative 965, **965**
  - requirements, calculation 354, **354**
  - routes and sources **342**
  - urostomy patients 269
- fluid output (losses)
- insensible 339, **350**
  - monitoring/measuring 342, 346–350
    - bowels 349
    - catheterized patients 346
    - gastric outlets, nasogastric tubes, gastrostomy 348
    - non-catheterized patients 347
    - problem solving **350**
    - [procedure guidelines](#) 346–350
    - stoma sites 349–350
    - surgical drains 347–348  - routes **342**
  - third space 351
- fluid (circulatory) overload 338, 343–351
- bladder irrigation 222, **224**
  - intravenous infusions 930–931, **931**
  - parenteral nutrition 389
  - post-operative **999**
  - signs and symptoms **342–343**, 350–351
  - transfusion-associated 624, 624, 644
  - see also* overinfusion
- fluid replacement
- assessing responsiveness 339, 343
  - dehydration 351
  - diarrhoea 239
  - at end of life 504
  - post-operative 1003–1004
  - see also* intravenous fluids; intravenous infusions; subcutaneous infusions
- fluid requirements, calculation 354, **354**
- fluid resuscitation
- hypovolaemia 608
  - intraosseous route 893
  - NICE guidance 344
  - recommended fluids 340–341
- fluids *see* body fluids; infusion fluids; water
- fluid status *see* fluid balance; hydration
- flukes 70
- flumazenil 725, **841**
- fluoride 435
- flushing
- CVADs *see under* central venous access devices
- CVCs 1034
- enteral feeding tubes 382, 384, 385, 386
- implanted ports 1034, 1103, 1108, 1109, 1109
- intravenous infusion lines 898
- nephrostomy tube 226
- peripheral intravenous cannulas 1056, 1057, 1064
- problem solving **1059**
- PICCs 1034, **1046**, 1086
- skin-tunnelled catheters 1034, **1046**
- surgical drains **1014**
- VADs *see under* vascular access devices
- flush-out technique, extravasation injury 925
- [procedure guideline](#) 928–929
- foam sticks, oral care 434
- foam wound dressings **1139**, 1142
- Foley (balloon) catheters 204–205
- balloon deflation problems **221**
  - balloon inflation 204–205, 209, 211
  - balloon size 204
  - three-way irrigation **204**, 205, 222
  - two-way **204**, 205
  - see also* urinary catheterization
- Foley stabilization device, Bard StatLock™ 206–207, 208, 210, 212
- food
- benchmarks **360**
  - charts 363–364
  - digestion and absorption 352
  - disguising medication in 846
  - drug interactions 831, **831**
  - hygiene 109, 111
  - ingestion 351–352
  - intake, recording 363–364
  - mood and 1174, **1175**
  - oral medication and **844**
  - provision in hospital 360, **360**
  - supplies, discharge planning 50
  - waste, audits 363
  - see also* diet; meals; nutrition
- Food Safety Act (1990) **75**
- foot
- care 398–399, 403
  - diabetic 399
  - oedema 350, 351
  - see also* ankle
- foot-drop 305
- foot ulcers, diabetic 399, **399**
- footwear, surgical team 981
- forced expired volume in 1 second (FEV<sub>1</sub>) 778–779
- forced marriage **171**
- forced vital capacity (FVC) 778
- fosaprepitant **518**
- Fowler position **409**, 409, **548**, 549
- fraction of inspired oxygen (FiO<sub>2</sub>) 542, 543
- fractures
- moving and positioning patients with 282
  - opioid-treated patients 462
- Francis Report (2013) 132
- Free Church, care after death **512**
- fremitus, tactile 29, 30, 33
- fresh frozen plasma (FFP) **629**
- administration rate 639
  - indications 626
  - pathogen-inactivated 626
  - solvent detergent treated (SD-FFP) **630**
- frontal lobe 303, 800, 802
- fruit and vegetables 1174
- full blood count (FBC) 660, **952**
- fully weight bearing (FWB) 291
- functional health patterns, Gordon's 17, **17**, **23**
- functional residual capacity (FRC) **770**, 770
- non-invasive ventilation 555
- funeral arrangements 533
- funeral directors **532**, **533**
- fungaemia 683
- fungal infections 70
- feet 398–399
  - oral 435–436
  - skin scrapings 706, 707
- fungi 70
- funnel chest **29**
- furosemide **515**
- Future Nurse: Standards of Proficiency for Registered Nurses (NMC) 4–5, 5, 5, 1183–1184*
- Fybogel **244**
- gabapentin **836**, **837**
- gag reflex 806, 813
- galantamine 948–949
- gas and air *see* Entonox
- gaseous exchange 540–541, 541, 766, 768–769
- gases, medical, storage 828
- gastric distension, CPR **620**
- gastric outlets, measuring fluid output 348
- gastrocolic reflex 197
- gastroenteritis, viral 237
- gastrointestinal (GI) disorders
- dysphagia **364**
  - endoscopic investigations 723–726
- gastrointestinal (GI) endoscopy 985
- gastrointestinal infections, faecal sampling 715–717
- gastrointestinal (GI) tract
- anatomy 37, 37, 196, 197
  - assessment **19**
  - non-functioning or inaccessible **353**
  - passage of food 352
  - perforation, iatrogenic 725, 726
- gastro-resistant capsules 845
- gastroscopy 723, 723–725
- complications 725
  - indications 724
  - surgical 985
- gastrostomy 366–367, 374–380
- balloon 374, 376
  - [procedure guideline](#) 378
  - complications 380
  - low-profile devices (buttons) 367, 367
  - measuring fluid output 348
  - post-operative care 374, 379
  - silicone stoma plugs 380
  - insertion, [procedure guideline](#) 380–381
- gastrostomy tubes 365, 366, 366–367
- buried bumper 380
  - care 374–380
  - problem solving **376**
  - [procedure guidelines](#) 375, 376–378
  - inspection 380
  - unplanned removal 380
  - see also* percutaneous endoscopically placed gastrostomy (PEG) tubes; radiologically inserted gastrostomy (RIG) tubes
- GCS *see* Glasgow Coma Scale
- general anaesthesia 977–979
- airway management 980
  - fasting prior to 965, **965**
  - see also* anaesthesia

- general practitioner (GP)  
 discharge summaries 50  
 end-of-life care 500  
 general survey 25  
 gene therapy, specimens 659  
 genitourinary assessment **19**  
 genogram 150  
 gentamicin 687  
 Get Self-Help 187  
 gingivitis 429  
 Glasgow Coma Scale (GCS) 808–810, 809–810  
 procedure guideline 812  
 scoring 810, **811**  
 glasses *see* spectacles  
 glaucoma 414, **415**, 863  
 Global Enteral Device Supplier Association 367  
 Global Patient Safety Challenge, WHO 832  
 global view of the patient 25  
 globe (of eye) 413–414  
 glomerular filtration 788, 789  
 glossopharyngeal nerve (IX) **804**  
 glottic reflexes, delayed return **579**  
 gloves, disposable 87  
 disposal of used 88  
 intravenous drug administration 899  
 latex 87, 968  
 non-sterile 87  
 aseptic technique 101  
 procedure guideline 88–89  
 operating theatre staff 986  
 sterile 87, 93  
 closed technique 94–98  
 open technique 98–100  
 procedure guidelines 94–100  
 vascular access devices 1032  
 venepuncture 664  
 gloving, double 986  
 glucagon  
 hypoglycaemia 795  
 regulation of glucose 793–794, 794  
 glucose  
 administration, in hypoglycaemia 795  
 parenteral nutrition 385  
 testing strips 797, 798  
 in urine 791, **793**  
 glucose, blood 793–800  
 diabetes diagnosis 794  
 monitoring 796–800  
 conditions affecting accuracy 796  
 equipment 797  
 indications 796  
 methods 796  
 principles 796  
 problem solving **800**  
 procedure guideline 797–799  
 self- (SMBG) 796  
 training and quality control 797  
 normal target ranges 793, **794**  
 regulation 793–794, 794  
*see also* hyperglycaemia; hypoglycaemia  
 glucose meters, blood 796, 797  
 calibration 798  
 inaccurate results **800**  
 glycerol (glycerine) suppositories 245, 252  
 glyceryl trinitrate (GTN)  
 aiding venous access 663, 1048  
 autonomic dysreflexia **324**  
 transdermal delivery 852  
 glycopeptide antibiotics 687  
 glycosylated haemoglobin (HbA1c) 796, **952**  
 goggles *see* eye protection  
 Gordon's functional health patterns 17, **17**, **23**  
 gowns  
 disposable 87  
 sterile 87  
 donning, procedure guideline 94–98  
 surgical team 986  
 surgical patients 965  
 graduated elastic compression stockings *see*  
 antiembolic stockings  
 graft-versus-host disease (GVHD), transfusion-  
 associated (TA-GVHD) 642  
 gram-negative bacteria 68, 68  
 endotoxins 69  
 healthcare-associated infections 72  
 medically significant **69**  
 gram-positive bacteria 68, 68  
 medically significant **69**  
 Gram staining 68, 656–657  
 granisetron **519**  
 granulating wounds 1141  
 granulation tissue 1131  
 granulocyte-macrophage colony-stimulating  
 factor (GM-CSF) 924  
 granulocytes, for transfusion **628**  
 grapefruit juice **831**  
 gravity drip rate controllers 904  
 gravity infusion devices 902–903  
 Groshong catheter 1099, 1099  
 Group A *Streptococcus pyogenes* 66  
 growth hormones **836**  
 Guedel airway *see* oropharyngeal airway  
 gums, assessment 430, 431  
 gut flora **67**  
 gynaecology, endoscopy 985  
 gypsum waste **116**  
 gyrus 802  
 H<sub>2</sub> antagonists 946  
 haematology tests 660, **660**  
 blood collection tubes **665**  
 pre-operative **952**, 969, **974–975**  
 haematomas  
 abdominal wall 525  
 arterial puncture-related 682  
 epidural 478, 479, **480**  
 lumbar puncture-related 691, 694  
 peripheral venous cannulation-related 1065–1068  
 surgical site **1020**  
 venepuncture-related 671  
 haematopoiesis, optimizing 623  
 haematuria, bladder irrigation **224**  
 haemodilution, acute normovolaemic (ANH)  
 626–627  
 haemodynamic instability, post-operative  
 1002–1003  
 haemodynamic monitoring, critical care 339  
 haemoglobin (Hb)  
 carbon dioxide transport 769  
 concentration **660**, **974**  
 glycosylated (HbA1c) 796, **952**  
 malnourished patients 354  
 oxygen transport 541, 541, 769  
 transfusion thresholds 624, **634**  
 haemolytic disease of the foetus and newborn  
 (HDFN) 621  
 haemolytic transfusion reactions  
 acute 644–645  
 delayed 645  
 haemoperitoneum 525  
 haemopneumothorax 564  
 haemopoietic stem cell transplantation 621  
 haemorrhage *see* bleeding/haemorrhage  
 haemostasis, wound 1130, 1131  
 haemothorax 564  
 haemovigilance 627  
 hair care 397–398, 403  
 hairdryers 398  
 hair removal  
 surgical site 966, **966**  
 VAD insertion site 1053  
*see also* shaving  
 hair washing, bed-bound patient 397–398  
 procedure guideline 403–405  
 hallucinogenic drugs 835  
 haloperidol **518**  
 hand(s)  
 care, healthcare workers 79  
 dorsal venous network 662, 1031, 1047  
 drying 78, 80, 84  
 inspection 34  
 transmission of infection 75–76  
 venepuncture 662  
 venous cannulation 1031, 1047  
 hand antisepsis 76  
 hand decontamination *see* hand hygiene  
 hand hygiene 75–86  
 5 moments for (WHO) 76, 77  
 alcohol-based handrubs 80–81  
 bare below the elbows 76  
 definition 75  
 equipment 76–78, 78  
 evidence-based approaches 73–74  
 patient education 101  
 procedure guidelines 79–81, 82–86  
 protective isolation 109, 110  
 source isolation 107, 108  
*see also* hand washing; surgical hand  
 antisepsis  
 handover 23, **24**  
 handrubs, alcohol-based *see* alcohol-based  
 handrubs  
 hand sanitizers, alcohol-based 77  
 hand splints **308**  
 handwash basins, clinical 76–77, 78  
 hand washing 76  
 areas commonly missed 76  
 equipment 76–78, 78  
 mindful 1173  
 procedure guideline 79–80  
 technique 78, 78  
*see also* surgical hand antisepsis  
 hate crime **172**  
 HCAI *see* healthcare-associated infections  
 headache  
 post-dural puncture 478, **480**  
 post-lumbar puncture (PLPH) 691, 694  
 head and neck  
 anatomy 578, 578  
 endoscopy 985  
 lymph nodes, examination 29, 29, 32  
 head and neck cancer  
 dysphagia **364**, 365  
 enteral feeding 366  
 head lice 398  
 head position, work tasks 1177, 1177  
 head tilt/chin lift manoeuvre 610–611, 611, 616  
 healing, wound *see* wound healing  
 health, definition 147  
 health and safety, occupational  
 angry patients **163**, **164**  
 blood-borne viruses 118  
 infection prevention and control 75, 118

- issues affecting NHS staff 1164  
 specimen handling 658  
 venepuncture 664  
*see also* inoculation injuries; personal protective equipment; wellbeing
- Health and Safety at Work, etc. Act (1974) 75  
 Health and Safety Executive (HSE) 529  
 Health and Social Care Act (2008) 74  
 Health and Social Care Act (2012) 132, 138  
 healthcare assistants **23**  
 healthcare-associated infections (HCAs) 71–74  
   antimicrobial resistance 72  
   defined 66  
   patient education 101  
   prevalence 71–72, 72  
   prevention *see* infection prevention and control  
   transmission via hands 75–76  
   urinary tract 710
- Healthcare Improvement Scotland: Tissue Viability 1157
- Health Foundation: Patient Safety Resource Centre 329
- health management, assessment **22**  
 health perception, assessment **22**  
 healthy eating, healthcare staff 1173–1175, **1174, 1175**
- hearing  
   mechanism 126, 127, 423  
   tests **424, 813**  
   vs listening 128
- hearing aids **145**  
   cleaning 402, 425  
   surgical patients 976
- hearing impairment 133–134, 424  
   principles of communication 145, **145**
- heart 607  
   anatomy 33, 33, 607  
   auscultation 35, 35, 36  
   conduction system 607, 747, 747, 752
- heart failure 521
- heart murmurs  
   auscultation 35, 36  
   palpation 34
- heart rate (HR) 744–751  
   factors affecting 746, 746  
   fluid imbalances **342**  
   normal ranges **745**  
   transfusion reactions **641**  
   *see also* pulse(s)
- heart rhythm 746–748  
   *see also* arrhythmias
- heart sounds 35, 36
- heart valves 607
- heat and moisture exchangers (HMEs) 554, 554  
   laryngectomy 554, 554, 604  
   tracheostomy 554, 554, 585–586
- heat therapies  
   aiding venous access 663, 666, 1048  
   extravasation injuries 925, 927  
   pain management 487
- heaves, chest 34
- height measurement 355, 359  
   equipment 355  
   problem solving **358**  
   *procedure guideline* 356–358  
   from ulna length 355, 355, 357
- Heimlich manoeuvre 773
- helmets  
   CPAP 558, 560, **561**  
   non-invasive ventilation 557, 557
- helminths 70
- helper therapy principle 1164
- heparin  
   epidural catheter removal 478, 479  
   flushing implanted ports 1103, 1109  
   ‘lock’ 1034  
   low-molecular-weight (LMWH) 478, 947  
   maintaining VAD patency 1034, 1040
- hepatitis B 118, 643  
 hepatitis C 118, 643
- herbal medicines 831, 943
- Hickman lines *see* skin-tunnelled catheters
- high-dependency unit (HDU), CPAP 552
- high-flow oxygen via nasal cannula (HFN) 551, 551–553  
   defibrillation safety 614  
   humidification 553–555  
   problem solving **553**  
   *procedure guideline* 552
- Hindus  
   care after death **513**  
   washing and personal hygiene **400**
- hirudoid 1068
- histamine 1130
- histology 657
- history taking 24, 25  
   pre-operative 942–943
- HLA (human leucocyte antigen) 621
- Holistic Needs Assessment (HNA) 135, 135–136
- home  
   end-of-life care 56–58, 60–61, 500, 501–502  
   enteral feeding 49–50, 383  
   oxygen therapy 49, **57, 550**  
   parenteral nutrition 387–389  
   suitability for discharge 50  
   *see also* discharge
- homeless patients 50
- Home Oxygen Order Form (HOOF) 49
- homeopathic medicines 951
- honesty **141**
- honour-based violence **172**
- hormone replacement therapy (HRT) 950
- Horner’s syndrome 32
- hospital-acquired infections *see* healthcare-associated infections
- hospitals, as systems 151
- host, susceptible 66, **67**
- hot packs *see* heat therapies
- HOUDINI protocol 204, **204**
- housing, suitability for discharge 50
- 5-HT4 receptor agonists **244, 245**
- human factors 3
- Human Factors Model 3, 4
- Human Fertilisation and Embryology Acts 695
- Human Fertilisation and Embryology Authority (HFEA) 695, 733
- human immunodeficiency virus (HIV) 118, 643
- human leucocyte antigen (HLA) 621
- Human Medicines Regulations (2012) 823, 847
- human microbiome 66, **67, 67–68**
- human papillomavirus (HPV) testing 697, 698
- Human Rights Act (1998) **177, 178, 610**
- human T-cell leukaemia/lymphoma virus type 1 (HTLV-1) 642–643
- human trafficking **172**
- humidification 301, 553–555  
   equipment 554, 554–555  
   laryngectomy 554, 554, 604  
   oxygen therapy 550  
   problem solving **553**  
   *procedure guideline* 552
- rationale 553  
   tracheostomy 554, 585–586
- humidifiers 554, 554–555
- humidity 553
- humour, using 486
- hyaluronidase  
   extravasation injuries 922, 922–924, 926, 929  
   subcutaneous infusions 884
- hydration  
   artificial, at end of life 503–504  
   assessment **20, 339–340, 342–343**  
   healthcare staff 1175, 1175  
   respiratory secretion sampling 718  
   subcutaneous route 884  
   *see also* fluid balance; fluid intake
- hydrocolloid wound dressings **1139**
- hydrocortisone 927, 949
- hydrofibre wound dressings **1139**
- hydrogel-coated catheters 206
- hydrogel wound dressings **1139**
- hydrostatic pressure 336
- hydroxyethyl starch 341
- 5-hydroxytryptamine type 3 (5-HT3)  
   antagonists **519**
- 5-hydroxytryptamine type 4 (5-HT4) receptor  
   agonists **244, 245**
- hygiene  
   definition 396  
   environmental 111–118  
   food 109, 111  
   personal *see* personal hygiene  
   *see also* cleaning
- Hygiene Code 74, **74, 75, 111**
- hyoscine hydrobromide **518**
- hyperalgesia 449, 453, 462
- hypercalcaemia **661, 974**
- hypercapnia 770–772  
   oxygen-treated patients 550–551  
   signs and symptoms 550
- hyperglycaemia 794–795  
   causes **795**  
   diabetes mellitus 794, 795  
   negative feedback regulation 794  
   parenteral nutrition 389, 795
- hypergranulation, gastrostomy/jejunostomy  
   site 380
- hyperkalaemia **661, 974**  
   cardiopulmonary arrest 608–609  
   transfusion-associated 645
- hyperlipidaemia, blood glucose monitoring 796
- hypernatraemia **661, 974**
- hyper-resonance **26, 30**
- hypertension 759  
   factors causing 759  
   management 765  
   post-operative **999**  
   primary 759  
   secondary 759
- hyperthermia 783, **784**  
   malignant 943, 944, **1000**  
   management 787–788  
   non-infectious causes **783**  
   post-operative **1000**  
   *see also* pyrexia
- hyperthyroidism 784
- hypertonic fluid contraction 931, **931**
- hyperventilation 774  
   acute anxiety, management 157  
   central neurogenic **807**  
   Entonox users **485**  
   rebreathing technique 157, **157, 157**

- hypervolaemia 343–351  
*see also* fluid (circulatory) overload
- hyphae, fungal 70
- hypoesthesia 453
- hypocalcaemia **661, 974**
- hypodermis 1130
- hypodermoclysis (subcutaneous fluid administration) 883–884  
 at end of life 504  
[procedure guideline](#) 885–886
- hypoglossal nerve (XII) **804**
- hypoglycaemia 795  
 causes **795**  
 negative feedback regulation 794  
 parenteral nutrition 389
- hypokalaemia **661, 974**  
 cardiopulmonary arrest 608–609
- hyponatraemia **661, 974**
- hypotension 759  
 epidural analgesia-related 476, **477, 480**  
 management 765  
 orthostatic *see* orthostatic hypotension  
 post-operative **999**, 1002–1003
- hypothalamus  
 damage to 807  
 fluid balance regulation 337, 340  
 thermoregulation 782, 782
- hypothermia 783  
 cardiopulmonary arrest 609  
 inadvertent perioperative 783, **1000**, 1001  
 management 788  
 therapeutic 783  
 transfusion-associated 645
- hypothyroidism 784
- hypotonic fluid contraction 931, **931**
- hypoventilation 774, **998–999**
- hypovolaemia 351  
 arterial cannulation-related 1116  
 cardiopulmonary arrest 608  
 post-operative **999**, 1002–1003  
*see also* blood loss; dehydration
- hypovolaemic shock  
 post-operative 1002–1003  
 pulse monitoring 748
- hypoxaemia 542–543, 769  
 cardiopulmonary arrest 608  
 oxygen therapy 549, 550
- hypoxia 540, 769–770  
 anaemic 769  
 histotoxic 769  
 hypoxaemic 769  
 ischaemic 769  
 oxygen therapy and **548**  
 tracheal suctioning 592  
*see also* oxygen therapy
- IBCT (incorrect blood component transfused) 642, 644
- ibuprofen 459
- idarubicin, extravasation 922, 926
- IDDSI (International Dysphagia Diet Standardisation Initiative) 359, 359
- I-DECIDED 1051, 1051
- identification, patient  
 administration of medicines 828  
 after death 531  
 blood transfusion 633–634, 638, **640**  
 electronic systems 633–634  
 surgery 979
- identity bands (name bands)  
 blood transfusions 633
- medicines administration 828  
 surgical patients 957–958, **958**, 976
- ileal conduit 234, 234, 258–259  
 post-operative function 268  
 Turnbull's loop 258–259  
 ureteric stents 225, 226  
 urine sampling, [procedure guidelines](#) 265–266, 713–714  
*see also* urinary diversion; urostomy
- ileostomy 258, 258  
 dietary restrictions 268, 269  
 permanent (end) 258, 258  
 post-operative function 268  
 pouches **267**  
 temporary (loop) 258  
*see also* stoma(s)
- Ileostomy & Internal Pouch Association 272
- ileus, paralytic 243, 1021
- illness memoirs 139
- imaging  
 investigations *see* radiological investigations  
 system, laparoscopy 981, 982
- immobility  
 complications 281, 294  
 post-operative patients 1022  
*see also* moving and positioning
- immune-modulating enteral feeds 368
- immune system, effects of opioids 462
- immune thrombocytopenia **625**
- immunocompromised patients  
 fungal infections 70  
 healthcare-associated infections 71  
 pre-operative medication 950–951  
 protective isolation 109–111  
 scabies 70  
 subcutaneous injections 882  
 temperature monitoring 784  
 wound infections 1138
- implanted devices  
 deceased patients 527, **533**  
 magnetic resonance imaging 731
- implanted ports **1030**, 1102, 1102–1110  
 accessing 1103, 1109  
 problem solving **1109**  
[procedure guideline](#) 1107–1109  
 complications 1110  
 flushing 1034, 1103, 1108, 1109, 1109  
 indications 1102  
 insertion 1102–1103  
[procedure guideline](#) 1104–1107  
 non-coring needles 1103, 1103  
 ongoing care 1109  
 removal 1110  
 types and designs 1103, 1103  
 urokinase instillation **1045**
- Improving Access to Psychological Therapies (IAPT) program 169
- Improving Medication Error Incident Reporting and Learning* (2014) 832
- inattention, sensory/motor **314**
- incident pain 449
- incontinence  
 moving and positioning **292**  
 pressure ulcer prevention 1152  
 skin care 197, **398**  
*see also* faecal incontinence; urinary incontinence
- incontinence-associated dermatitis (IAD) 197
- incorrect blood component transfused (IBCT) 642, 644
- independent double checking, medicines 830
- Independent Mental Capacity Advocate (IMCA) 181
- independent prescribers (IPs) 823–824, 840  
 controlled drugs 824, **824**
- indications, drug 823
- indicator tape 112
- indomethacin 459
- induced illness, in children **174**
- induction anaesthetics 978
- infection(s) 66–71  
 arterial cannulas 1115–1116  
 assessing risk of transmission 103–104  
 blood-borne *see* blood-borne infections  
 causes 66–71  
 chain of 66, 66, **67**  
 continuous peripheral nerve blocks **469**  
 current challenges 72, 73  
 CVAD-related *see* central venous access device (CVAD)-related infections  
 endogenous 71  
 exogenous 71  
 gastrostomy/jejunostomy site 380  
 healthcare-associated *see* healthcare-associated infections  
 indicators and effects 71  
 lumbar puncture-related 694  
 paracentesis-related 525  
 post-operative **1000**  
 pulse monitoring 748  
 pyrexia 783  
 reservoir of **67**  
 source isolation *see* source isolation  
 sources 71  
 spinal cord injury 315  
 susceptibility to 66, **67**  
 symptoms 71  
 temperature monitoring 784  
 tracheostomy patients **603**  
 transfusion-transmitted 642–643  
 transmission precautions 104–105  
 venepuncture site 671  
 wound *see* wound infections  
*see also* sepsis
- Infection Control in the Built Environment **75**
- infection prevention and control 64–119  
 aseptic technique 101–103  
 assessment of infection risk 103–104  
 blood components for transfusion 626  
 care bundles 74  
 changing bed linen 409  
 contact lenses 417  
 deceased patients 529  
 definitions 66  
 diarrhoea 238  
 environmental hygiene 111–118  
 evidence-based approaches 73–74  
 hand hygiene 75–86  
 high-impact interventions 74  
 inoculation injuries 118–119  
 intravenous drug administration 899  
 legislation and regulation **74**, 74–75, **75**  
 operating theatre 981, 986  
 patient education 101  
 personal protective equipment 87–100  
 protective isolation 109–111  
 source isolation 105–109  
 specimen handling 658  
 standard precautions 101  
 tracheal suctioning 589  
 transmission precautions 104–105  
 vascular access devices 1032–1033

- venepuncture 663
- waste management 113–117
- infection prevention and control team (IPCT) 74, 104
- infectious agents 66–71
  - defined **67**
  - modes of transmission **67, 104**
  - see also* bacteria; fungi; parasites; prions; viruses
- infectious diseases
  - deceased patients with 528, 529
  - source isolation 105–109
- infectious waste **114**
- inferior epigastric artery pseudoaneurysms 525
- infertility, male 695, 696
- infiltration (drugs/solutions into tissues) **917, 918–932**
  - definition 918
  - management 925
  - prevention 919–920
- inflammation, wound **1132, 1137–1138**
- inflammatory phase, wound healing 1130–1131, 1131
- information
  - assessing ability to comprehend **18**
  - confidentiality 132
  - provision 138–141
    - about a clinical procedure **140–141**
    - blind or partially sighted people 144, **145**
    - blood transfusion 631
    - breaking bad news 504–505, **506**
    - cardiac arrest 620
    - discharge planning 46
    - pain management 486
    - pre-operative 955–956, **956, 957**
    - principles 139, **140–141**
    - see also* communication; patient education
  - sharing
    - discharge planning 46, 56
    - legal basis 132
    - safeguarding 176–177, **177**
    - sources, for patients 139
    - written 139, **141**
- infra-red thermometers 784, 785
- infusion(s) 869–918
  - defined 869
  - dosage forms 869–870, 870
  - equipment 870, 870–871, 871
  - intra-arterial 878
  - intra-articular 878
  - intravenous *see* intravenous infusions
  - medication preparation 871–872
  - parenteral 872
  - patient preparation 872
  - routes 869, **869**
  - subcutaneous *see* subcutaneous infusions
- infusion containers/bags
  - adding drugs to 898
  - changing 899
  - height 903, **916**
- infusion devices 902–908
  - ambulatory 906–908
  - blood transfusion 633
  - gravity 902–903
  - improving safety 901
  - MHRA classification 908, **909**
  - occlusion by fibrin **917**
  - paediatric patients 908
  - problem solving **916–918**
  - selection criteria **901, 908, 908**
  - subcutaneous infusions 884–885
- user errors and safe use 899–900, **900**
- winged *see* winged infusion devices
- see also* infusion pumps
- infusion flow rates
  - flow control complications 900, **900**
  - gravity drip rate controllers 904
  - gravity infusions 903
  - infusion pumps 904, 905
  - problem solving **916–917**
  - syringe pumps 905
- infusion fluids
  - effects on flow rate 903
  - preventing contamination 898
  - visual inspection 898, 899
  - see also* intravenous fluids
- infusion pumps 904–908
  - accuracy of delivery 904
  - air-in-line detectors 904
  - alarms 904, 905, **917–918**
  - ambulatory 906–908, 907
  - anaesthesia 906
  - anti-siphonage 904
  - continuous peripheral nerve block
    - infusion **466**
  - enteral feeding 367
  - epidural analgesia 472, 906, 907
  - flow control complications 900
  - improving safety 901
  - MHRA categories 908, **909**
  - occlusion response and pressure 904, **917**
  - parenteral nutrition 387
  - patient-controlled analgesia 906, 906
  - safety software (smart pumps) 904–905
  - specialist 906–908
  - syringe *see* syringe pumps
  - user errors and safe use 899–900, **900**
  - volumetric 905, 905
- inhalation *see* inspiration
- inhalational anaesthetics 978–979, 990
- inhalation analgesia *see* Entonox
- inhalation route of drug administration *see* pulmonary drug administration
- inhalers 858
  - complications 861
  - difficulties in using 858
  - pre-operative management 947
  - [procedure guideline](#) 858–860
  - types 856–857, 857
- Initial Home Oxygen Risk Mitigation Form (IHORM) 49
- injection caps, needle-free 902, 902
- injection pens 870
- injections 869–918
  - administration, [procedure guideline](#) 877–878
  - defined 869
  - dosage forms 869–870, 870
  - equipment 870, 870–871, 871
  - intra-arterial 878
  - intra-articular 878
  - intradermal 879–881
  - intramuscular *see* intramuscular injections
  - intrathecal *see* intrathecal drug delivery
  - intravenous *see* intravenous injections
  - medication preparation 871–872
    - calculations 871–872
    - [procedure guidelines](#) 872–876
  - multidose preparations 872
  - patient preparation 872
  - reducing pain of 872, **872**
  - routes 869, **869**
  - single-dose preparations 872
- subcutaneous 881–883
- vesicant drugs 920, 924–925
- inner ear 423, 423–424
- inoculation injuries 118–119
  - management **118**
  - prevention **118, 899**
  - during venepuncture 664, **670**
- inpatient assessment *see* assessment, inpatient
- INR (international normalized ratio) **660, 974**
- insects
  - infestations 70
  - vector transmission 105
- inspection, visual 25–26
  - abdomen 38, 40
  - cardiovascular examination 33–34, 36
  - lower limb perfusion 748
  - pressure areas 1151
  - respiratory examination 28, 31–32
  - veins 663
- inspiration 299–300, 300, 768
  - mechanism of 766, 767
- inspiratory capacity (IC) **770, 770**
- inspiratory reserve volume (IRV) **770, 770**
- Institute for Healthcare Improvement 932
- instruments
  - traceability 101
  - transmission of prions 71
- insufflation system, laparoscopic 981
- insulin
  - continuous subcutaneous infusion 884
  - deficiency 794
  - overdose, due to abbreviations or incorrect device 833
  - pre-operative use 950
  - regulation of glucose 793–794, 794
  - resistance 794
  - subcutaneous injection 882
  - syringes 870
  - therapy 795
- intellectual disabilities *see* learning disabilities
- intentionality 1169
- intercostal and interpleural block **463**
- intercostal muscles 299, 766, 767
- intercultural communication 132
- interdental cleaning 434, 435, 436, 437
- intermediate care 53
- intermittent pneumatic compression devices 959, 962
  - intraoperative use 989, 990
- intermittent self-catheterization (ISC) 215–217
  - continent urinary stoma 216, 235
  - [procedure guideline](#) 236–237
  - equipment 216
  - indications 216
  - problem solving **218**
  - [procedure guidelines](#) 216–217
- internal jugular vein 1031, 1032
  - catheterization 1090, 1098
  - location 34, 34
  - ultrasound localization 1074, 1090
- International Association for the Study of Pain (IASP) 448
- International Dysphagia Diet Standardisation Initiative (IDDSI) 359, 359
- international normalized ratio (INR) **660, 974**
- International Skin Tear Advisory Panel 1157
- International Wound Infection Institute 1157
- internet blogs 139
- interpreters 133, 455
- interstitial fluid **336, 337**
- interstitial space 336

- interviews, assessment 18
- intestinal failure 386–387
- intoxications  
cardiopulmonary arrest 609  
Mental Health Act 185, 186
- intra-arterial blood pressure monitoring  
760–761, 762
- intra-arterial drug administration 878  
accidental 1116
- intra-articular injections and infusions 878
- intracellular fluid (ICF) 336, **336**, 337
- intracranial pressure (ICP) 325, 325  
raised 325–326  
moving and positioning 325–326  
risks of lumbar puncture 691, **693**, 694  
tracheal suctioning 592
- intracytoplasmic sperm injection (ICSI) 695, 696
- intradermal injections 879–881  
needles 871, 879  
[procedure guideline](#) 879–881
- intramuscular (IM) injections 890–893  
analgesics 458  
needles 871, 891  
[procedure guideline](#) 891–893  
sites 890, 890–891  
technique 891  
volume 890–891  
Z-track technique 891
- intraoperative care 977–1001  
airway management 980  
anaesthesia 977–979  
defined 977  
infection control and asepsis 981, 986,  
986–988  
objectives 977  
post-anaesthetic care unit 995–1001  
Surgical Safety Checklist 977, 978  
theatre 980–994
- intraoperative cell salvage (ICS) 627
- intraosseous drug administration 893–897  
complications 897  
equipment 893  
indications 893  
needle insertion, [procedure guideline](#)  
894–896  
needle removal, [procedure guideline](#) 897
- intrapertitoneal drug administration 522
- intrapleural drains *see* chest drains
- intrapleural pressure 562–563, 766
- intrapulmonary (alveolar) pressure 766,  
767, 768
- intrathecal analgesia 469–481  
combinations of drugs 473–474  
complications 478  
drugs used 473  
equipment 473  
monitoring 476–478  
problem solving **480–481**  
[procedure guidelines](#) 475–476  
training/competency 473
- intrathecal catheters 473  
removal 478–479
- intrathecal central nerve blocks *see* spinal  
blocks
- intrathecal drug delivery (ITDD) 469, 878–879  
chronic pain 469  
indications 878  
lumbar puncture 690–691  
safety 691, 870, 878–879, **879**
- intrathecal (subarachnoid) space 469, 470,  
471, 689
- intravascular space 336, 337
- intravenous access *see* venous access
- intravenous bolus or push 898  
[procedure guideline](#) 914–916
- intravenous cannulation, peripheral *see*  
peripheral venous cannulation
- intravenous drug administration 897–918  
asepsis/prevention of infection 899  
complications **900**, 918–932  
drug compatibilities 899  
equipment 901–908  
errors 846, 899–900  
improving safety 901  
methods 898  
monitoring 918  
nurse's responsibilities 897–898  
patient comfort 899  
problem solving **916–918**  
[procedure guidelines](#) 909–916  
safe practice 899–900, **900**  
*see also* intravenous infusions; intravenous  
injections
- intravenous fluids  
administration sets 901, 901  
fluid status assessment 340  
infection prevention 899  
maintenance 344  
NICE guidance 340, 341, 344, 1003–1004  
post-operative 1003–1004  
recommended 340–341  
selection 340–341  
visual inspection 899  
warmed, for hypothermia 788  
*see also* fluid replacement; fluid resuscitation;  
infusion fluids
- intravenous infusions 897–918  
blood pressure measurement 763  
bolus or push injections *see* intravenous  
bolus or push  
complications 918–932  
continuous 898  
changing administration sets 899  
flow rate calculations 903  
to keep vein open 1034  
pain management 458  
[procedure guideline](#) 909–911  
drug compatibilities 898  
drug injections into 898  
equipment 901–908  
errors and safe practice 899–901, **900**  
flow control complications 900, **900**  
groups at risk **900**  
problem solving **916–917**  
flow rate calculations 903  
intermittent 898  
changing administration sets 899  
flow rate calculations 903  
[procedure guideline](#) 911–913  
line flushing 898  
monitoring 918  
patient-controlled analgesia *see* patient-  
controlled analgesia  
post-anaesthetic care 998  
problem solving **916–918**  
reducing risk of infection 899  
vesicant drugs 920, 924–925
- intravenous injections 897–918  
direct intermittent 898  
[procedure guideline](#) 914–916  
reducing risk of infection 899
- intravenous push *see* intravenous bolus or push
- intravenous systems, maintaining closed 1033
- intraventricular drug administration 878, 878
- investigations *see* diagnostic tests
- Ionizing Radiation (Medical Exposure)  
Regulations (IR(ME)R) 730
- ipratropium bromide **515**
- iron deficiency anaemia 624
- iron overload 645
- iron status, parenteral nutrition **388**
- irrigation/aspiration unit, laparoscopic  
surgery 982
- irritability phase, compassion fatigue  
1167–1168
- irritation, surgical drain exit site **1016**
- ischaemic complications, arterial cannulation  
1116–1117
- Islam  
care after death **513**  
washing and personal hygiene **400**
- Isogel 245
- isolation 105–111  
protective 109–111  
source 105–109
- isopropyl alcohol 684, 685
- isothermic point 553
- isotonic fluid expansion 930–931, **931**  
*see also* fluid (circulatory) overload
- ispaghula husk 245
- IT (information technology) systems **177**
- Jackson silver tracheostomy tube 586
- jargon 133, 139, **141**
- jaw thrust 611, 611, 616
- Jehovah's Witnesses  
blood transfusion 631  
care after death **513**
- jejunostomy 367
- jejunostomy tubes 365, 367  
care, [procedure guideline](#) 379  
inspection 380  
unplanned removal 380
- jewellery  
deceased patients 531  
healthcare staff 79, **81**, 82, 84  
surgical patients 976
- joints 280  
restricted range of movement 282
- Judaism, care after death **514**
- jugular venous pressure (JVP), measurement  
32, 34, 34, 36
- Karnofsky Performance Scale 353
- KDIGO grading system 351, **351**
- keep vein open (KVO) 1034  
alerts **918**
- ketones **793**, 795
- ketoprofen 459
- ketorolac 459
- kidneys  
anatomy and physiology 196, 196, 788, 789  
blood pressure regulation 760  
fluid balance regulation 337, 340, 341  
physical examination 41  
urine formation 788, 789
- Klebsiella pneumoniae* 72
- knee-jerk reflex 813
- kneeling position, work tasks 1178–1179
- Knowledge and Skills Framework*,  
communication 134, **134**
- Korotkoff sounds 761–762, **762**, 762  
auscultatory gap 761–762, **765**

- in children 760
- problem solving **765**
- Kussmaul breathing 28, 774
- kyphoscoliosis, thoracic **29**
- labelling
  - blood pack 637
  - specimen 659
- laboratory specimen collection *see* specimen collection
- laboratory tests, pre-operative 945, **952–953**
- labour, epidural analgesia 472
- lacrimal apparatus 414, 415
- lactation, Entonox use 482
- lactic acid 540
- lactulose **244**, 245
- lancets 797
- language
  - brain areas 142, 142
  - disorders 141–142
  - technical 133, 139, **141**
  - written information 139
- language barriers/difficulties 133
  - blood transfusion **640**
  - neurological assessment 808, **814**
- laparoscopic surgery 981, 981–982
  - electrosurgery complications 982
  - equipment 981–982, 982, 983, 991
- large bowel endoscopy 985
- large intestine 725
- larvae, wound debridement **1138**
- laryngeal mask airway (LMA) 980, 997
- laryngeal pathology **579**
- laryngeal spasm, post-operative **998**
- laryngectomy 603–606
  - anatomy 578, 578
  - bed signage 580, 583
  - care 605–606
    - [procedure guideline](#) 605–606
  - communication 604–605
  - competencies 579–580, **580**
  - defined 578
  - devices 603, 604, 607
  - dysphagia **364**
  - emergency management 580, 582, 605
  - humidification 554, 554, 604
  - indications 579, **579**
  - problem solving **606**
  - risk management 580
  - tubes 603, 604
  - see also* tracheostomy
- laryngectomy box **584**
- laryngectomy stoma 578–579, 603
  - bleeding **606**
  - covers 604, 604
  - shrinkage **606**
- larynx 578
  - artificial 604
- lasting power of attorney (LPA) **181**
- last offices *see* death, care after
- last will and testament 503
- lateral position, surgical patients 993
- latex 968
  - allergy 899, 968–969
    - classification **968**
    - history taking 943
    - pre-operative actions 969, **969**
    - risk factors 969
  - gloves 87, 968
  - urinary catheters 206
- laundry *see* linen, bed
- laxatives **244**, 244–245
  - abuse 244
  - bulking agents **244**, 245
  - classification **244**
  - for constipation 247
  - opioid-treated patients 460
  - osmotic agents **244**, 245
  - stimulant **244**, 245
  - stool softeners **244**, 245
- Laxido **244**
- laying out *see* death, care after
- L-dopa **791**
- Leading Change, Adding Value: A Framework for Nursing, Midwifery and Care Staff* (NHS England) 2, 2, 9
- learning disabilities
  - communication issues 134
  - discharge planning 56
  - hearing problems 424
  - information giving 139
  - pain assessment 454
  - personal care 397
- Leeds Assessment of Neuropathic Symptoms and Signs (LANSS) 453
- leg *see* lower limbs
- legionella **75**, 76
- Legs Matter 1157
- leucocytes *see* white blood cells
- leucocytosis **660**
- leucopenia **660**
- leukaemia **660**, 660
- Levine technique, wound swabs 1138–1140
- levomepromazine **518**
- levothyroxine 950
- Liberal Judaism **514**
- Liberty Protection Safeguards 183
- lice 70
  - head 398
- lidocaine
  - intra-dermal injection 522, 928–929, 1052
  - patches 461
- lifestyle issues, healthcare staff 1164, 1178
- lifts, chest 34
- ligaments 280
- light, pupillary responses 805–806, 812
- lighting
  - eye care 417
  - operating theatre 991, 992
  - pulse oximetry 773
  - sleep and 408
  - venepuncture 666
- light microscopy *see* microscopy
- limbs
  - assessment, neurological 806
  - elevation, extravasation injuries 925
  - positioning
    - operating table 985, 986
    - unconscious patients 296, 297
  - see also* lower limbs; upper limb
- linctuses 846
- linear model of communication 127
- linen, bed 409
  - changing 409–413
    - occupied bed 412–413
    - [procedure guidelines](#) 410–413
    - unoccupied bed 410–411
  - foul, infected or infested 117
    - [procedure guideline](#) 117–118
  - infected patients 105
  - soiled 117, 409, 410, 412
- lipidaemia, in diabetes 795
- lipid emulsions 467–468, 899
- lip reading **145**
- lips 427, 428
  - assessment 429, 431
- liquid-based cytology (LBC), cervical screening 698–700
- liquid medications
  - oral administration 845–846
    - babies and young children **844–845**, 848
    - preparation for injection 871–872
    - dose calculations 871–872
    - storage 828
    - via enteral feeding tubes 372, 384
    - see also* reconstituted liquid medications
- liquid paraffin **244**, 245
- liquid soap dispensers 77
- listening 128, **128**, **130**, **137**
- lithium 948
- lithotomy position 985, 985
- liver 728
  - dysfunction, parenteral nutrition 389
  - examination 38, 41
- liver biopsy 728–730
  - complications 729–730
  - equipment 729, 729
  - methods 728–729
- liver flap 40
- liver function tests **388**, 661, **952**
- Lloyd-Davies position 985–986, 986
- local anaesthesia 462–469
  - abdominal paracentesis 522
  - arterial cannulation 1113
  - arterial puncture 678, 679
  - chest drain insertion 568
  - extravasation injuries 928–929
  - implanted port insertion 1105
  - liver biopsy 729
  - mechanism of action 449
  - peripheral intravenous cannulation 1052–1053
  - PICC insertion 1077
  - removal of skin-tunnelled catheters 1100
  - see also* topical anaesthesia
- local anaesthetic nerve blocks 462–469
- local anaesthetics 461
  - epidural/intrathecal 473
    - side-effects 476, **477**
  - eye 862, 863
  - infiltration 461
  - infusions 462–469
  - regional nerve blocks 463–464
  - systemic toxicity 465–466, **466**, 467–468
  - topical use *see* topical anaesthesia
- local authorities
  - Deprivation of Liberty Safeguards
    - applications 183–185
    - notification of discharge 54, 54–55
    - safeguarding 175, 176, **176**
- Loc-Strap™ 207
- log rolling 317
  - cervical spinal instability 319–321
  - [procedure guidelines](#) 319–322
  - thoracolumbar spinal instability 321–322
- London Child Protection Procedures 170
- long-chain triglycerides (LCTs) 367–368
- long line (mid-clavicular catheter) 1073
- loop of Henle 788, 789
- loperamide 238, 268
- lorazepam
  - abdominal paracentesis 522
  - anxiety 158
  - end-of-life care **515**, **518**

- loss of consciousness
  - Entonox users 485
  - epidural analgesia **480**
  - positioning changes causing **293**
  - see also* fainting; unconscious patients
- lotions 850
- lower limbs
  - amputation 326, 326, 327
    - equipment 327, 327
    - [procedure guideline](#) 328
  - assessing perfusion 748
  - examination 34
  - inspection 28, 36
  - oedema 350, 351
  - spasticity **306**
  - unconscious patients 296, 297
  - venous drainage 1031
  - see also* ankle; foot
- low-level working, [procedure guideline](#) 1178–1179
- low-molecular-weight heparin (LMWH) 478, 947
- lozenges 845
- LSD (lysergic acid diethylamide) 835, **837**
- lubricants, ocular 863
- Luer-Lok fittings 1033
- Luer-Lok syringes 870, 870, 884
- Luer-Slip syringes 870, 870
- lumbar nerves 304, 803
- lumbar plexus 803
- lumbar plexus block **463**
- lumbar puncture 689–694
  - anatomy 689, 689, 690
  - competencies 691
  - complications 694
  - contraindications 691
  - drug administration 690–691
  - indications 690–691
  - needles 691, 871, 871
  - post-procedural care 691–694
  - problem solving **693**
  - [procedure guideline](#) 692–693
  - risk management 691
- lumbar spine 302, 304
- lumiracoxib 459
- lung(s)
  - anatomy 27, 28
  - compliance (elasticity) 555
  - complications of transfusions 643–644
  - irritant receptors 768
  - ventilation 766–767, 767
  - ventilation/perfusion matching 299, 299
  - volumes and capacities 768, **770**, 770
- lying position in bed
  - lower limb amputees 328, 329
  - sitting up from, [procedure guideline](#) 288
  - working with patients 1177
    - [procedure guideline](#) 1179
    - see also* prone position; side-lying position; supine position
- lymph nodes
  - head and neck, examination 29, 29, 32
  - supraclavicular, inspection 40
- lymphocytes
  - CSF 690
  - total count 354
- Macmillan Cancer Support 733
- macrogols 245
- macrophages 1130–1131, 1131
- macula lutea 414
- macular degeneration, age-related **415**
- magnesium salts, laxative **244**, 245
- magnetic resonance imaging (MRI) 730–732, **731**
- Mainz II urinary diversion 235, 235
- major incidents, blood transfusions **640**
- making safeguarding personal (MSP) 175
- malaria 643
- male external catheters *see* penile sheaths
- male genitourinary system 196
- male patients
  - cystoscopy 727, 727
  - facial shaving 403, 405–407
    - [procedure guidelines](#) 405–407
  - intermittent self-catheterization, [procedure guideline](#) 216–217
  - midstream specimen of urine 711–712
  - penile sheaths 201–203
  - penis swab sampling 705
  - perineal/perianal care 397, 402
  - semen collection 694–697
  - urinary catheterization 207–208
    - catheters 205
    - problem solving **218**
    - [procedure guideline](#) 208–210
- male urethra 205, 727
- malignant disease
  - ascites 520, 521
  - bowel obstruction 243
  - hypercalcaemia **661**
  - laryngectomy **579**
  - pain *see* cancer pain
  - pleural effusions 563
  - pre-operative medication 950–951
  - semen collection 695
  - spinal cord compression 315
  - terminal phase 498
- malignant hyperthermia 943, 944, **1000**
- Mallampati test 980, 980
- malnutrition
  - assessment 353
  - biochemical tests 354
  - clinical features 354
  - poor wound healing **1137**
  - pressure ulcer risk 1152
  - screening tools 355
- Malnutrition Universal Screening Tool (MUST) 355
- Management of Health and Safety at Work Regulations 162
- manganese **388**
- manual handling
  - guidance and policies 281–282
  - operating theatre 989
  - pressure area care 1152
  - reducing risk of injuries 1175–1177, 1178
  - risk assessment 281, **282**, 1175–1176
  - workplace injuries 280
  - see also* moving and positioning; transfers
- marketing authorization 823, 826
- marriages, at end of life 503
- masks
  - CPAP 558, 560, **561**
  - disposable surgical 87
    - [procedure guideline](#) 91–92
    - theatre staff 981
  - Entonox 483
  - non-invasive ventilation (NIV) 557, 557
  - oxygen *see* oxygen masks
  - personal protective equipment 87
  - respirator *see* respirators
  - source isolation rooms 107, 108
- Mason-Likar 12-lead ECG system 753, 754
- mass peristalsis 197
- masturbation, semen collection 695
- mate crime **172**
- material abuse **171**
- mattresses 409
  - cleaning 410, 412
  - pressure-relieving 1151–1152
- mattress sutures, chest drains 570, 570
- maxillofacial injuries 482
- McGill Pain Questionnaire (MPQ) 454
- McKinley T34 syringe pump *see* CME Medical T34 syringe pump
- meals 359–360
  - oral drug administration and **844**
  - patients in isolation 105
  - see also* eating; feeding, assisted; food
- mealtimes, protected 362
- mean arterial pressure (MAP) 759
- mechanical ventilation 294
  - heat and moisture exchanger 554, 554
  - see also* ventilated patients
- mechanical wound debridement **1138**
- median cubital vein
  - PICC insertion 1074–1075, 1075
  - venepuncture 662, 662
- medical adhesive-related skin injury (MARS) 1039
- Medical Certificate of Cause of Death (MCCD) 526–527, 529
- medical devices
  - deceased patients 530
  - defined 822–823
  - diagnostic testing 657
  - infections associated with 70
  - moving and positioning aspects 283
  - skin care **398**
  - see also* implanted devices
- Medical Devices Agency (MDA) 900, **900**
- medical emergency team **615**
- MediAlert 272
- medical history 942–943
- medically unstable patients, mobilizing 283
- medication
  - adverse effects on skin **398**
  - checks 830
  - on discharge 49
  - discharge considerations **58**
  - at end of life 505–506
  - pre-operative, management 943, 946–951
  - see also* medicines; medicines administration
- medication errors 832–833
  - controlled drugs 841
  - dose calculations 830
  - intrathecal chemotherapy 879
  - intravenous drugs 899–900
  - Never Events 833
  - oral medicines 846
  - reporting 832–833
  - types **832**
- medicinal products 822–823
- medicine pots 847, 847
- medicines 820–932
  - adverse reactions *see* adverse drug reactions
  - black triangle 826
  - checks 830
  - containers 827
  - contraindications 823
  - controlled *see* controlled drugs
  - definition 822
  - dose calculations 830

- governance 832–833  
indications 823  
legislation 823–826  
licensed 823, 826  
off label 824, 826  
patient's own 827  
prescribing *see* prescribing  
reconciliation 826–827  
risk management 832–833  
safe and secure handling 828  
safety 832–833  
security 827  
single or double checking 830  
stock control 827  
storage 827–828  
supply 826–828  
unlicensed 824, 826, 847  
waste disposal **115–116**
- Medicines Act (1968) 631, 823, 835  
medicines administration 828–833  
accountability for 828  
allergy status checks 828–829  
controlled drugs **837**, 839, 841–843  
covert 846  
delegation 830–831  
enteral feeding tube 372, 379, 383,  
384–385, **385**  
errors 832–833, 846  
intraosseous 893–897  
intrathecal *see* intrathecal drug delivery  
intravenous *see* intravenous drug  
administration  
legislation 823  
medication checks 830  
nasal 866–867  
ophthalmic 861–866  
oral 843–850  
otic 867–869  
parenteral **844**, 869–918  
parenteral nutrition administration sets 387  
patient identification 828  
pulmonary **844**, 856–861  
record of 830  
rectal 854–855  
‘rights’ 828, **829**  
routes *see* routes of administration  
self-administration 833–835, 834–835  
single or double checking 830  
topical **844**, 850–852  
transdermal (percutaneous) **844**, 852–854  
vaginal 855–856  
*see also* infusion(s); injections; medication
- medicines administration record (MAR) 49, 49  
Medicines and Healthcare products Regulatory  
Agency (MHRA) 823, 932  
blood glucose testing 797  
classification of infusion devices 908, **909**  
diagnostic testing 657  
intrathecal chemotherapy 879  
safe use of infusion devices 899–900  
thermometers 785  
transfusion safety 627  
unlicensed and off-label medicines 826  
Yellow Card Scheme 832
- medicines management 822–833  
legislation and regulation 823–826  
medicines optimization 820–932  
patient-centred approach 822  
meditation 1172, 1173  
medium-chain triglycerides (MCTs) 368  
medulla oblongata 767, 769, 801
- meloxicam 459  
membranes, cellular  
structure 337  
transport and movement across 336, **338**, 339  
men *see* male patients  
Menghini needle 729  
meninges, spinal 689  
meningitis  
complicating epidural analgesia 478, **480**  
complicating lumbar puncture 691  
lumbar puncture 690  
mental capacity 133, 178–181  
assessment 56, 181, 182  
covert drug administration and 846  
CPR 620  
decision making for persons lacking 181,  
**181**, **182**  
definition 178  
delirium 165  
dementia 167  
documentation **183**  
emergency situations 178  
enteral feeding and 368  
to give consent 27, 133, 134, 957  
inpatient with a mental disorder 186  
last will and testament 503  
patients lacking 56  
safeguarding concerns **181**
- Mental Capacity Act (2005) 178–181  
advance decisions to refuse treatment 500  
capacity to consent 133, 134  
delirium 165  
dementia 167  
Deprivation of Liberty Safeguards 181–185  
enteral feeding 368  
interface with Mental Health Act  
185–186, **186**  
safeguarding **178**, **181**
- Mental Capacity (Amendment) Bill (2018) 183  
mental disorders 148, **185**, 185–186  
mental health 147  
Mental Health Act (1983) **185**, 185–186, **186**  
Section 2 assessment 186  
Section 5(2) detention 186  
Mental Health Act (2007) 186  
mental health services 169  
mental ill health, healthcare staff 1164  
mental illness 147, 148  
menus 359  
mercury-containing devices 762, 785  
mesenteries **521**  
metabolic acidosis **676**  
metabolic alkalosis **676**  
metabolic disorders, cardiopulmonary arrest  
608–609  
metacarpal veins  
cannulation 1031, 1031, 1047  
venepuncture 662, 662  
metered dose inhalers (MDIs) 856–857, 857, 858  
*procedure guideline* 858–860  
metformin 950  
methadone 460  
methaemoglobinaemia 773  
methotrexate overdose, non-cancer  
treatment 833  
methylaltraxone bromide **244**, 245  
meticillin-resistant *Staphylococcus aureus*  
(MRSA)  
prevention and control 72, 73  
vancomycin therapy 687  
metoclopramide **519**
- MHRA *see* Medicines and Healthcare products  
Regulatory Agency  
Michigan Appropriateness Guide for  
Intravenous Catheters (MAGIC) 1039,  
1051, 1069  
microbiological tests 656–657  
blood cultures 683  
blood samples 661  
cerebrospinal fluid 690  
culture and sensitivity testing 69  
faeces 715  
pleural fluid 722  
respiratory secretions 717  
swab samples 702  
urine 710  
microbiome, human 66, **67**, 67–68  
microepididymal sperm aspiration (MESA) 695  
Microlax enema **244**  
micro-organisms 66–70  
blood cultures 683  
cerebrospinal fluid 690  
storage and transportation 659, **659**  
*see also* bacteria; fungi; parasites; viruses  
microscopy 656, 657  
urine 791  
midazolam  
endoscopic investigations 724  
legal controls **837**  
mis-selection of high-strength 833  
safety guidance 841, **841**  
mid-clavicular catheter (long line) 1073  
middle ear 423, 423  
midline catheters **1030**, 1068–1073  
choice of vein 1068  
complications 1073  
insertion 1069–1072  
accelerated Seldinger technique 1069  
modified Seldinger technique (MST)  
1069, 1070  
problem solving **1072**, **1086**  
*procedure guideline* 1069–1072  
materials and sizes 1069  
ongoing care 1072–1073  
rationale 1068–1069  
removal 1073  
midstream specimen of urine (MSU)  
711–712, 790  
female patients 712  
male patients 711–712  
*procedure guidelines* 711–712  
mid-upper arm circumference (MUAC) 357, 358  
Milpar **244**  
MIND 187  
mindfulness 1172–1173  
Mindfulness-Based Cognitive Therapy  
(MBCT) 1172  
Mindfulness-Based Stress Reduction (MBSR)  
1172  
minerals 354, 360, 385  
mini assessment **17**  
minimally invasive surgery 981  
Mini Nutrition Assessment (MNA) 355  
mini-Wright peak flow meter 779  
minute volume (MV) **770**  
miotics 863, 864  
mirroring (reflecting back) 130  
mirtazapine 948  
Misuse of Drugs Act (1971) 835, 840  
Misuse of Drugs and Misuse of Drugs (Safe  
Custody) (Amendment) Regulations  
(2007) 836–838

- 1212** Misuse of Drugs Regulations (2001) 835–836  
 Misuse of Drugs (Safe Custody) Regulations (1973) 827, 835  
 mitomycin C, extravasation 922, 926  
 Mitrofanoff urinary diversion 235, 235  
 self-catheterization 216, 235  
 mixtures of medicines 845  
 mobility  
 assessment **19**  
 effects of decreased 281  
 nutritional status and 354  
 pressure ulcer prevention 1152  
 see also immobility; movement(s)  
 modern slavery **171**  
 modified-release tablets 384, 845  
 modified Seldinger technique (MST)  
 implanted port insertion 1104–1107  
 midline catheter insertion 1069, 1070  
 PICC insertion 1077, 1082–1085  
 moisture, excess 1152  
 moisture balance, wound **1132**, 1140  
 moisture vapour transmission rate (MVTR) 1033  
 monitored dosage systems 848, 848  
 monoamine oxidase inhibitors (MAOIs)  
 depression 159, **160**  
 food interactions 831  
 pre-operative 943, 949  
 monocytes, in CSF 690  
 monopolar diathermy 990  
 mood  
 food and 1174, **1175**  
 low 158, **160**  
 in undernutrition 354  
 Morgan lens 416, 416  
 Mormon Church, care after death **513**  
 morphine 459–460  
 conversion to fentanyl patch **460**  
 patient group direction 840  
 routes of delivery 458  
 safer practice guidance 841, **841**  
 mortuary **533**  
 motor blockade, epidural analgesia 476, **477**  
 motor function 800  
 assessment 806  
 motor (efferent) nerves 302, 303  
 motor response, Glasgow Coma Scale 808–810, **811**  
 moustache care 398  
 mouth  
 anatomy 427–428, 428  
 assessment see oral assessment  
 dry see dry mouth  
 inspection 32, 36, 40  
 mouth care 427–439  
 contraindicated agents 435  
 CPAP patients **561**  
 critically ill patients 430–434, **434**  
 denture wearers 430, 437–438  
 equipment 434  
 indications 429  
 oxygen therapy **548**  
 patients needing assistance 429, 430–434  
 pharmacological agents 435–436  
 post-anaesthetic unit 998  
 principles 429–430  
 problem solving **439**  
 procedure guidelines 436–438  
 unconscious patients 430–434  
 xerostomia 429  
 Mouth Care Assessment Guide 431  
 Mouth Care Pack 430, 432–433  
 mouth care sticks, pre-moistened 434  
 mouth coating agents 435  
 mouthpieces, Entonox 483  
 mouthrinses 435  
 mouth-to-face-mask ventilation 612, 613  
 mouth-to-mouth ventilation 612  
 mouth ulcers 433  
 mouthwashes 435  
 movement(s)  
 abnormal 304–306, **305**, 806  
 active, immobile patients 281, 281  
 neuromuscular control 303–304  
 passive, unconscious patients 294  
 pulse oximetry and 773, **777**  
 see also mobility  
 Movicol **244**  
 moving and positioning 278–329  
 amputees 326–329  
 assessment prior to 282–283  
 in bed 284–289  
 benefits of optimal 281  
 blood pressure measurement 763, 763, 764  
 in chair/wheelchair 290–291  
 chest drain insertion 567, 567, 568  
 documentation 283  
 eye care 417  
 falls prevention 283–284  
 indications 280  
 infusion flow rates and 903, **916**  
 lumbar puncture 691, 692  
 lying down to sitting up 288  
 in neurological impairment 301–313  
 non-invasive ventilation 558, 559  
 operating table 985, 985–986, 986, 992, 993  
 oxygen therapy **548**, 549, 550  
 pain management 487  
 patient explanation/instruction 283  
 patient with artificial airway 294–298  
 pressure ulcer prevention 290, 1152  
 principles 280–281  
 privacy and dignity 283  
 problem solving **292–293**  
 in raised intracranial pressure 325–326  
 rationale 280  
 respiratory assessment 775  
 in respiratory compromise 298–301  
 respiratory secretion sampling 718  
 risk assessment 281, **282**  
 side-lying 286–287  
 sitting to standing 289–290  
 sitting up in bed 285–286  
 spinal cord compression/injuries 313–324  
 supine 284–285  
 unconscious patients 293–298  
 walking 291–292  
 websites 329  
 see also posture  
 MRSA see meticillin-resistant *Staphylococcus aureus*  
 MSU see midstream specimen of urine  
 mucociliary escalator 301, 302, 553  
 mucus, airway 553  
 Multidisciplinary Association for Spinal Cord Injury Professionals 329  
 multidisciplinary teams, as systems 151  
 multidose preparations 872  
 powder preparation using a venting needle 874–875  
 powder preparation using equilibrium method 876–878  
 multiple sclerosis (MS) **306**  
 muscle(s), skeletal 869  
 atrophy, unconscious patients 294, **298**  
 biomechanical properties 303  
 co-ordination testing 806, 813  
 effects of immobility 294  
 function 280  
 reciprocal innervation 303  
 muscle reflexes 303  
 muscle relaxants 979  
 muscle strength  
 assessment 806, 813  
 loss of, unconscious patients 294  
 muscle tone 303  
 altered see tonal problems  
 high 305–306  
 low (flaccidity) 305, **306**, 307  
 testing 806, 813  
 muscle weakness  
 intensive-care-acquired **298**  
 neurological impairment **305**  
 musculoskeletal disorders, work-related 280, 1164  
 risk factors 1178  
 risk reduction 1175–1181  
 procedure guidelines 1178–1180  
 role of stress 1166  
 musculoskeletal system 280  
 music therapy 486  
 Muslim Council of Great Britain **513**  
 mycelium 70  
 mycobacteria 69  
*Mycobacterium tuberculosis* see tuberculosis  
 mycoses 70  
 see also fungal infections  
 mydriatics 863, 864, 865  
 myelinated nerve fibres 469  
 myocardial infarction (MI) 609  
 myofascial trigger points 488  
 myotomes 313, 316  
 nabilone **519**, **837**  
 N-acetylcysteine 718  
 nail care  
 healthcare workers **81**, 82, 84  
 patients 398–399, 403  
 nails  
 artificial 79, **81**, 82, 84  
 inspection 31, 34, 36, 40  
 nail varnish/polish  
 hand hygiene and 79, **81**, 82, 84  
 pulse oximetry and 773  
 nalidixic acid **791**  
 naloxone  
 administration 843  
 opioid-induced pruritus **477**  
 oxycodone combination 460  
 post-operative **998**  
 name bands see identity bands  
 naproxen 459  
 nasal cannulas, oxygen therapy 544, 544, **546**  
 application 547  
 flow rates 544, **544**  
 high-flow oxygen therapy see high-flow oxygen via nasal cannula  
 problem solving **548**  
 nasal care 399–400, **548**  
 nasal drops, procedure guideline 866–867  
 nasal drug administration 866–867  
 nasogastric (NG) drainage tubes 247  
 checking position 248

- insertion 247–248  
 contraindications 247  
 end-of-life care 520  
[procedure guideline](#) 247–248  
 measuring fluid output 348  
 NEX measurement 248  
 removal, [procedure guideline](#) 249
- nasogastric feeding tubes 365, 366, 366  
 checking position 370–371, 372, 373  
 complications 373–374  
 displacement 374  
 gastric aspiration via 371, **371**, **372**  
 incorrect placement **371**  
 insertion 368–374  
 clinical governance 368–369  
 contraindications 368  
 indications 368  
 patient preparation 369  
 problem solving **371**  
[procedure guideline](#) 369–371  
 methods of securing 370  
 NEX measurement 370, **371**, **372**  
 ongoing care 372  
 patient education 373  
 removal 374  
[procedure guideline](#) 374  
 social and psychological impact 369  
*see also* enteral feeding tubes
- nasojejunal feeding tubes 365, 366, 366  
 nasopharyngeal airway 562  
 nasopharyngeal samples (washes) 717  
 syringe method, [procedure guideline](#) 719–720  
 vacuum-assisted aspirate method, [procedure guideline](#) 721–722
- National Back Exchange 1181  
 National Blood Transfusion Committee (NBTC) 622, 633, **634**  
 National Confidential Enquiry into Patient Outcome and Death (NCEPOD) 1002  
 National Council of Hindu Temples **513**  
 National Early Warning Score (NEWS) 742  
 AVPU scale 810–811  
 chest drains 570  
 oxygen therapy 547, 549–550  
 version 2 (NEWS 2) 742, 743
- National Framework for NHS Continuing Healthcare and NHS-Funded Nursing Care 53
- National Institute for Health and Care Excellence (NICE)  
 aggression and violence 163  
 anxiety management 155  
 cannabis-based drugs 461  
 cervical screening 698  
 covert drug administration 846  
 depression 159, **159**  
 diabetic foot care 399  
 discharge planning 46, 56  
 intravenous fluid therapy 340, 341, 344, 1003–1004  
 medication adherence 848  
 medicines reconciliation 826–827  
 pre-operative preparation 965, 966  
 shared decision making 138  
 psychotherapy 487  
 transfusion guidance 622, 624  
 venous thromboembolism 958  
 wound management 1018, 1157
- National Palliative and End of Life Care Partnership 56, 500
- National Patient Safety Agency (NPSA)  
 arterial cannulation errors 1111, **1111**  
 epidural, spinal and regional anaesthesia 473  
 intrathecal chemotherapy guidance 879  
 medicines safety 832, 833  
 midazolam guidance 841, **841**  
 opiate guidance 841, **841**
- National Reporting and Learning System (NRLS) 832, 833
- National Safety Standards for Invasive Procedures (NatSIPPs) 981
- nausea and vomiting 517–520  
 assessment **20**  
 cannabis-based medicines 461  
 dietary modification **361**  
 end-of-life care 517–520  
 assessment 518  
 causes **517**  
 management 518  
 nasogastric drainage tube 520  
[procedure guideline](#) 519–520
- enterally fed patients 383  
 epidural analgesia-related 476, **477**  
 mobilizing patients **292**  
 pathophysiology 517–518, 518  
 post-operative (PONV) 518, 978, **999**, 1000  
*see also* antiemetic drugs; vomiting
- nebulization  
 drug 856, 858  
 sputum sampling 718, 719
- nebulizers  
 cleaning before reuse 861  
 clearance of secretions 301  
 drug delivery 857, 857–858  
 prior to moving patients 300  
[procedure guideline](#) 860–861  
 tracheostomy humidification 585
- neck *see* head and neck  
 neck breather 578  
 necrotic wounds 1141  
 needle biopsy guns, liver biopsy 729  
 needle-free injection caps 902, 902  
 needleless connectors, administration sets 902, 1034–1035  
 needle phobia 154, 666, **1058**
- needles  
 acupuncture 490  
 for injections 871, 871  
 intraosseous 893  
 liver biopsy 729, 729  
 lumbar puncture 691, 871, 871  
 non-coring, implanted ports 1103, 1103  
 safety 871, 871  
 sizes (gauges) 871  
 spinal 871, 871  
 venepuncture 664, **665**
- needlestick injuries *see* inoculation injuries
- negative pressure technique, unblocking  
 occluded catheter 1037
- negative pressure wound therapy (NPWT) 1140, 1154–1157, 1155  
 contraindications 1154–1155  
 indications 1154  
[procedure guideline](#) 1155–1157  
 single-use 1157
- neglect  
 child **173**  
 prevalence 170–174, 174, 175  
 sensory/motor **314**  
 types 170, **170–171**
- Negus silver tracheostomy tube 586
- Neisseria meningitidis* 69
- Nelaton catheters **204**, 205, 205  
 intermittent self-catheterization 216
- nematodes 70
- neobladder, orthotopic 235–236, 236
- neonates  
 intravenous infusions 904, 908, **909**  
 thermoregulation 782
- nephrostomy passport 227
- nephrostomy tubes 224–231, 226  
 contraindications 226  
 drainage bags 227, 234  
 emptying 226–227  
 dressing and bag changes 226  
[procedure guideline](#) 227–228  
 flushing 226  
[procedure guideline](#) 229–230  
 indications 225–226  
 principles of care 226  
 problem solving **228–229**  
 removal 226  
[procedure guideline](#) 230–231  
 sample collection, [procedure guideline](#) 227–228
- nephrotoxic antimicrobial agents 687
- nerve blocks, peripheral *see* peripheral nerve blocks
- nerve injuries, iatrogenic  
 continuous peripheral nerve blocks **469**  
 surgical patients 985  
 venous access 671, 1068
- nerve root pain, epidural analgesia **480**
- nerve roots, spinal 469, 471
- nervous system 302–303, 303, 800–801
- neurogenic bladder 1021
- neurological assessment/observations 800–814  
 assessment and recording tools 808–811  
 conscious level 801–805  
 documentation 809–810, 814  
 equipment 807–808  
 frequency 807  
 indications 807  
 initial inpatient **19**  
 limb function 806  
 problem solving **814**  
[procedure guideline](#) 811–814  
 pupillary activity 805–806  
 spinal cord compression/injuries 317–318  
 vital signs 807, 812–813  
*see also* Glasgow Coma Scale
- neurological impairment  
 acquired communication disorders 141–142  
 causes **305**  
 dysphagia **364**  
 epidural/intrathecal analgesia 471  
 movement problems 304–306, **305**  
 moving and positioning 301–326  
 consequences of incorrect 306–307  
 factors to consider **307**  
 problem solving **314**, **324**  
[procedure guidelines](#) 309–310, 312–313, 318–323  
 raised intracranial pressure 325–326  
 spinal cord compression/injury 313–324  
 tonal problems 307–313  
 post-cardiac arrest **620**  
 postural problems 306, **306**  
 speech difficulties 127, **305**  
 tonal problems *see* tonal problems  
*see also* unconscious patients
- neuromuscular blockade, persistent **999**

- 1214 neuropathic bladder 234  
 neuropathic pain 449  
   assessment **19**, 452–453  
   management **457**, 461  
 neuro tips 808, 813  
 neutropenia 109, 111  
 neutrophils  
   CSF 690  
   wound healing 1130–1131, *1131*  
 Never Events, medication related 833  
 new nursing roles 5–7  
 NEWS *see* National Early Warning Score  
 NEX measurement  
   nasogastric drainage tube 248  
   nasogastric feeding tube 370, **371**, **372**  
 next of kin (NOK)  
   cardiac arrest 620  
   deceased patients 529, **532**, 533  
   *see also* family  
 NHS Blood and Transplant (NHSBT) 631, 642, 645  
 NHS Cancer Screening Programme 733  
 NHS Continuing Healthcare 53  
 NHS England 329, 389  
 NHS Improvement (NHSI) 329, 932, 1157  
   discharge planning toolkit 47  
   medicines safety 832, 833  
   oxygen therapy via cylinders 543  
   safety of surgical patients 957  
 NHS Information Centre 733  
 NHS Live Well 1181  
 NHS Long Term Plan 3, **4**  
 NHS Organ Donation 534  
 NICE *see* National Institute for Health and Care Excellence  
 nicotine patches 852  
 nifedipine **324**  
 Nightingale, Florence 397, 511  
 nitrates  
   pre-operative medication *946*  
   urinary **793**  
 nitrogen  
   dietary requirements, calculation 354  
   parenteral nutrition 385, 387  
   partial pressure 540  
 nitrous oxide and oxygen *see* Entonox  
 NMC *see* Nursing and Midwifery Council  
 nociceptive pain 448–449  
 nociceptors 449  
 noise, environmental 408  
 non-invasive ventilation (NIV) 555–562  
   assessment 556  
   contraindications 556  
   end-of-life care 515–516  
   equipment 556–558, *557*, *558*  
   indications 555, **555**  
   monitoring 558  
   pharmacological support 558  
   *see also* continuous positive airway pressure  
 non-Luer-Lok connectors *see* NRFit connectors  
 non-steroidal anti-inflammatory drugs (NSAIDs)  
   COX-2-specific 459  
   pain management 457, **457**, 459  
   pre-operative *951*  
 non-verbal communication 127, 128–130, *129*  
 non-weight bearing (NWB) 291  
 noradrenaline 759  
 noradrenaline reuptake inhibitors 159  
 Normacol **244**, 245  
 normal saline *see* sodium chloride, 0.9% solution  
 norovirus 237  
 Northumberland, Tyne and Wear NHS Foundation Trust: Self-Help 187  
 Norwegian scabies 70  
 nose  
   care 399–400, **548**  
   drug administration 866–867  
   erosion, complicating nasogastric feeding 373  
   inspection 32, 40  
   piercings 400  
   Swedish *554*  
 nosocomial infections *see* healthcare-associated infections  
 NPSA *see* National Patient Safety Agency  
 NRFit connectors 464, 473, 871  
 NSAIDs *see* non-steroidal anti-inflammatory drugs  
 numerical rating scales (NRSs), pain assessment 451  
 Numeric Pain Rating Scale 454  
 nurse endoscopists 724  
 Nurse Prescribers' Formulary 824  
 nurse prescribing 823–826  
   independent 823–824, **824**  
   supplementary 824–825  
   unlicensed and off-label medicines 826  
   *see also* prescribing  
 nursing  
   context of *see* context of nursing  
   new roles 5–7  
 Nursing and Midwifery Council (NMC)  
   Standards of Proficiency for Nursing Associates 5–6, **6**  
   Standards of Proficiency for Registered Nurses 4–5, 5, 6, 1183–1184  
 Nursing and Midwifery Council (NMC) Code  
   confidentiality 132  
   consent 133  
   independent prescribing 823  
   professional competency 3, 75  
 nursing assessment *see* assessment, inpatient  
 nursing associates 5–6, **6**  
 nursing care *see* care  
 nursing diagnosis 22, **24**  
 nursing home  
   assessment **59**  
   discharge to 56  
 nursing interventions, formulation 22, **24**  
 nursing models 17  
 nursing process 16, **16**, 16  
 Nursing Strategy 2016–2018, Royal Marsden 2, **2**  
 nutrients  
   deficiencies of specific 354  
   digestion and absorption 352  
   parenteral nutrition 385, 387  
   requirements 354, **354**, 1174, **1174**  
 nutrition 334–389  
   anatomy and physiology 351–352  
   assessment **20**  
   benchmarks **360**  
   calculating requirements 354, **354**  
   healthcare staff 1173–1175  
   post-operative 1021  
   pressure ulcer prevention 1152  
   provision in hospital 360, **360**  
   *see also* diet; eating; food; malnutrition  
 nutritional status 351–359  
   assessment **20**, 353–359  
   biochemical investigations 354  
   clinical examination 354  
   equipment 355  
   methods 353–354  
   problem solving **358**  
   procedure guidelines 356–358  
   tools 355  
   body composition and 352  
   defined 351  
   skin appearance **398**  
 nutritional supplements, oral 360–362, **361**  
   discharge planning 360–362  
   pressure ulcer prevention 1152  
   specialist 360  
 nutritional support 359–389  
   discharge planning 49–50  
   enteral *see* enteral tube feeding  
   indications 352–353  
   oral 359–364  
   parenteral *see* parenteral nutrition  
   post-operative 1021  
 obesity  
   NHS staff 1164  
   nutritional status assessment 353  
   positioning on operating table 985  
   surgical wound complications **1019**, **1020**  
   Turnbull's loop ileal conduit 258–259  
   urethral catheters 205  
   waist circumference **358**  
 observations 740–814  
   blood glucose 793–800  
   blood pressure 758–766  
   definitions 24, 742  
   electrocardiogram 751–758  
   equipment 744  
   indications 742  
   initial assessment 18  
   neurological 800–814  
   nutritional status assessment 354  
   peak flow 777–781  
   post-anaesthetic care 997–998  
   post-operative 1002, **1002**  
   pre-operative 976  
   professional accountability 742–744  
   pulse (heart rate) 744–751  
   respiration and pulse oximetry 766–777  
   temperature 781–788  
   urinalysis 788–793  
 obsessive compulsive disorder *148*  
 obstructive sleep apnoea (OSA) 556  
 occipital lobe 303, 800, *802*  
 occupational health and safety *see* health and safety, occupational  
 occupational history 943  
 occupational therapy 50, 291  
 Octaplas **630**  
 oculocephalic reflex 806  
 oculomotor nerve (III) **804**  
 odour (smell)  
   breath 40  
   stomas 260, 269  
   urine 788, **791**  
 oedema  
   fluid overload 350, *351*  
   nutritional status assessment 353, 354  
   patient positioning 282, 291  
 oesophageal cancer 366  
 oesophageal voice 604  
 oesophagogastrroduodenoscopy (OGD) *see* gastroscopy  
 oesophagus 723, 985  
 oestradiol, transdermal 852

- off-label medicines 826  
 independent prescribers 824  
 patient group directions 826
- ointments  
 storage 827  
 topical 850  
 transdermal 852
- olanzapine **519**
- older adults  
 benefits of mobilizing 281  
 communication difficulties 133–134  
 delirium 165  
 dementia 166, 167  
 discharge planning 46–47, 50  
 eye changes 415, **415**  
 falls prevention 283  
 intermediate care 53  
 mouth care 430  
 opioid-induced respiratory depression **477**  
 pain assessment 454  
 peripheral venous cannulation 1047,  
 1048, 1049  
 readmission 53  
 skin changes 397  
 subcutaneous fluid administration 884  
 temperature regulation 782  
 wound healing **1137**
- olfactory nerve (I) **804**
- oliguria, post-operative **1000**, 1020–1021
- olive oil, ear wax softening 425
- omental tags 570, 570, **575**
- Ommaya reservoir 878, 878
- ondansetron **519**
- one-handed technique, peripheral venous  
 cannulation 1049
- One Million Global Catheters study 1047
- one-step technique, peripheral venous  
 cannulation 1049
- onychomycosis 399
- operating department practitioners (ODPs)  
 980, 993  
 handover in PACU, [procedure guideline](#)  
 996–997
- operating lights 991, 992
- operating room *see* operating theatre
- operating table 990, 991  
 patient positioning 985, 985–986, 986,  
 992, 993  
 transfers to/from 989, 989, 992
- operating theatre 980–994  
 accompanying patient to 977  
 equipment 990–992  
 gowns and gloves, donning 93–100  
 closed technique 94–98  
 open technique 98–100  
[procedure guidelines](#) 94–100  
 infection prevention and control 981, 986  
 pre-operative checklist 969, 970–973  
 pre-surgery (skin incision) actions 980–981,  
 986–989  
[procedure guideline](#) 992–994  
 team 980, 980–981  
 transfer to PACU from 995  
 WHO Surgical Safety Checklist 978, 980–981  
*see also* intraoperative care; post-anaesthetic  
 care unit
- ophthalmic drug administration 861–866  
 equipment 862  
[procedure guideline](#) 864–865  
 techniques 861–862, 862, 863  
*see also* eye medications, topical
- opioid analgesics 459–461  
 assessment of pre-existing use 453  
 buccal or sublingual 461  
 chronic non-cancer pain 459–461  
 constipation induced by 245, 460  
 driving and 462  
 drug interactions **831**  
 end-of-life care 515, **515**  
 epidural/intrathecal 458, 473  
 side-effects 476, **477**  
 high-dose, safety guidance 841, **841**  
 intramuscular injections 458  
 intravenous 458  
 legal aspects 835, **836**, **837**  
 mechanism of action 449  
 medication errors 841  
 mild to moderate pain 457, 459  
 moderate to severe pain 457, 459–461  
 oral 457–458  
 oral transmucosal 461  
 paracetamol combinations 458–459  
 pre-operative management 948  
 prescribing 840–841  
 in renal failure 460, 462  
 side-effects 462, 476, **477**, 843  
 subcutaneous 458  
 tolerance 453  
 toxicity 843  
 transdermal patches 458, 460–461
- opioid receptor antagonists, peripheral  
**244**, 245
- opportunistic infections 66, 70
- optic nerve (II) 414, 415, **804**
- option grids 139, 140
- optometrists, prescribing 824, **824**, 826
- OR (operating room) *see* operating theatre
- Orabase paste **262**
- oral analgesia 457–458
- oral antidiabetic agents 950
- oral assessment 429–430, **430**  
 inpatient admission **20**  
[procedure guidelines](#) 436, 437, 438  
 tools 430, 431–433
- oral cavity 427, 428  
*see also* mouth
- oral contraceptive pill 943, 950
- oral drug administration 843–850, **844**  
 considerations **844–845**  
 covert 846  
 defined 843  
 equipment 847–848  
 errors 846  
 liquid dosage forms 845–846  
 patient preparation 848–849  
 problem solving **850**  
[procedure guideline](#) 849–850  
 solid dosage forms 843–845, 845  
 swallowing difficulties 846
- oral health 428–429  
 assessment **20**  
 recommendations **429**
- oral hygiene  
 denture wearers 430  
 equipment 434  
 importance 428–429  
 patients needing assistance 429, 430–434  
 pharmacological support 435  
 problem solving **439**  
[procedure guidelines](#) 436–438  
*see also* mouth care
- oral irrigation 434
- oral mucosa coating agents 435
- oral nutritional supplements *see* nutritional  
 supplements, oral
- oral nutritional support 359–364
- oral rehydration solution 239, **268**
- oral syringes **844–845**, 848, 848
- oral temperature 784
- orbit (eye socket) 413
- Orem's self-care model 17
- organ donation **532**  
 cultural and religious beliefs **512–514**  
 discussion with patient 503  
*see also* transplantation  
*An Organisation with a Memory* (2000)  
 832, 879
- organizational abuse **171**
- organizational systems 151
- organ of Corti 127, 423
- orientation  
 cues, providing **167**  
 evaluation 808, **811**
- oro-dispersible tablets 845
- oropharyngeal airway (OPA) 612  
 insertion, [procedure guideline](#) 616–617  
 sizing 612, 616
- Orthodox Churches, care after death **512**
- orthopnoea 774
- orthoses 307–308
- orthostatic blood pressure, measurement 762
- orthostatic hypotension 759, 762  
 management 765  
 spinal cord lesions **324**
- orthotopic neobladder 235–236, 236
- oscillometric blood pressure devices 760, 761
- osmolarity 336  
 enteral feeds 368  
 fluid balance and 337–338, 340  
 serum **343**  
 urine **343**
- osmoreceptors 337
- osmosis 336, **338**
- osmotic laxatives **244**, 245
- osmotic pressure 336
- ossicles, auditory 127, 423, 423
- osteoporosis 282
- otic drug administration 867–869
- ototoxic antimicrobial agents 687
- Our Health, Our Care, Our Say* (2006) 138
- outcomes, patient 22, **22**
- overinfusion 338, 900  
 complications **900**  
 monitoring **931**  
 prevention 930–931  
*see also* fluid (circulatory) overload
- overweight, NHS staff 1164
- ovulation 782
- oxycodone 458, 460
- oxygen  
 control of respiration 27, 768  
 exchange 540–541, 541, 768–769  
 fraction of inspired (FIO<sub>2</sub>) 542, 543  
 toxicity 551  
 transportation 540, 541–542, 766, 769, 772  
 utilization 540, 542  
 wound healing 1131  
*see also* hypoxia
- oxygenation  
 cellular 540  
 tissue 540–542
- oxygen consumption 542
- oxygen cylinders 543, 544, 547

- oxygen flow rates  
 high-flow oxygen via nasal cannula 551  
 nasal cannulas 544, **544**  
 Venturi masks 545, **545**
- oxygen masks  
 application 547  
 fixed performance/high-flow (Venturi) 545, **545**, **545**, **546**  
 problem solving **548**  
 reservoir (non-rebreathing) 544–545, **545**, **546**  
 simple 544, **544**, **544**, **546**  
 tracheostomy 545, **546**, **546**
- oxygen partial pressure (PaO<sub>2</sub>) 540, **676**  
 control of respiration 768  
 gaseous exchange 540–541, **541**, **771**  
 oxygen saturation and 542  
 respiratory failure 543
- oxygen saturation **676**, **772**–**773**  
 effects of moving patients 300  
 neurological assessment 807  
 non-invasive ventilation 556  
 oxygen therapy and **548**  
 physiology 541, 542  
 pulse oximetry (SpO<sub>2</sub>) **775**
- oxygen therapy 542–553  
 competencies 543  
 complications 550–551  
 delivery systems 544–545  
 discharge planning 49  
 discontinuation 550  
 documentation 550, **550**  
 domiciliary 49, **57**, 550  
 at end of life 515, **515**  
 endoscopic procedures 724, 726  
 equipment 543–545, **544**, **545**, **546**, **546**  
 governance 543  
 high-flow *see* high-flow oxygen via nasal cannula  
 humidification 553–555  
 indications 542–543, **777**  
 monitoring 547, 549–550, **550**, **773**  
 moving and positioning 300  
 nasal care 399–400  
 nebulizer therapy with 861  
 patient education 546, 550  
 peak flow measurements and 781  
 pharmacological support 545–546  
 post-anaesthetic recovery 995, 997, **998**  
 post-operative 1003  
 precautions 543  
 prescription 543, 547  
 problem solving **548**–**549**  
 procedure guidelines 546–547  
 risk management 543  
 safety measures 543–544  
 weaning from 550
- oxygen uptake 540–541  
 maximum (VO<sub>2</sub> max) 953
- oxyhaemoglobin dissociation curve **541**, **541**–**542**
- pacing, in respiratory compromise 300  
 PaCO<sub>2</sub> *see* carbon dioxide partial pressure  
 PACU *see* post-anaesthetic care unit
- paediatric patients  
 blood pressure measurement 760  
 cannabis-based medicines 461  
 diabetic, blood glucose ranges **794**  
 enteral feeds 368  
 infusion devices 908  
 intrathecal chemotherapy **879**
- nutritional assessment 353  
 nutritional requirements 354  
 oral drug administration **844**–**845**, 848  
 semen collection 696  
 temperature measurement 784  
 urethral catheters 205  
 venepuncture 666  
*see also* children; neonates
- pain 448–491  
 acupuncture-associated 491  
 acute *see* acute pain  
 arterial blood sampling 678  
 bladder irrigation **224**  
 breakthrough 461  
 cancer *see* cancer pain  
 categories 449  
 chest drains 566, **575**  
 chronic *see* chronic pain  
 definition 448  
 descriptors 452–453  
 extravasation **921**  
 factors affecting sensitivity to 449, **454**  
 gastrostomy tube-related 379  
 injection-related 872  
 intensity, assessment 451–452  
 liver biopsy 729  
 location, assessment 451, **451**  
 lumbar puncture **693**  
 mechanisms 448, 448–449  
 modulation 449–450  
 moving/positioning patients in 282, **292**  
 in neurological impairment **314**  
 neuropathic 449, 452–453, 461  
 nociceptive 448–449  
 perception 449  
 peripheral venous cannulation 1065  
 phantom limb 326, 329  
 post-operative *see* post-operative pain  
 referred 450, **450**  
 residual limb, in amputees 326, **328**  
 sensation, testing 813  
 somatic 452  
 spinal cord lesions 316, **324**  
 transduction 449  
 transfusion reactions **641**  
 transmission 449  
 venepuncture **670**  
 visceral *see* visceral pain
- Pain and Discomfort Scale (PADS) 454
- pain assessment **19**, 451–456  
 acute pain 451  
 chronic pain 454  
 cultural influences 454–455  
 dementia 167, 454  
 epidural analgesia 478  
 key components **453**  
 learning or intellectual disabilities 454  
 pre-existing pain 453  
 procedure guideline 455–456  
 spinal cord compression/injury 318  
 unconscious patients 454  
 vulnerable and older adults 454
- pain assessment tools 451–452, 453  
 chronic pain 454  
 criteria for effective **451**  
 special patient groups 454
- painful stimuli  
 applying 805  
 mechanisms of response 449  
 response, Glasgow Coma Scale 808–810
- Pain in Advanced Dementia (PAINAD) scale 454
- pain management 456–491  
 acute pain 457, 458–459  
 anaesthetic techniques 462  
 cancer pain 450, 456–457  
 cannabis-based medicines 461–462  
 chest drainage 566, **575**  
 chronic pain 456–457, 459–461  
 drug delivery methods 457–458  
 inhalation analgesia *see* Entonox  
 injections 872, **872**  
 multimodal approach 456  
 need for effective 450–451  
 non-pharmacological methods 485–491  
 patient education 462  
 peripheral venous cannulation 1052–1053  
 pharmacological 458–462  
 spinal cord compression/injury 318  
*see also* analgesia; analgesics
- palate 428, **428**  
 assessment 430, **431**
- palliative care  
 ambitions 499, **499**  
 co-ordination systems 58, 500  
 defined 498  
 discharge home 56–58, **60**–**61**, **501**–**502**  
 evidence base 499  
 nutritional status assessment 353  
 opioid analgesics 459  
 principles 505, **507**, **508**  
 prognostication 504–505  
 subcutaneous infusions 884  
 symptom control 505, 515–526  
 terminal sedation 525–526  
*see also* dying patients; end-of-life care
- palm protector **308**
- palpation 26  
 abdomen 38, 39, 41  
 cardiovascular examination 34–35, 36  
 chest 29, **30**, 32–33  
 head and neck lymph nodes 29, **29**, 32  
 lower limb pulses 748, **748**  
 veins 663, 667, **669**
- panic attacks 153, **153**  
 management 157, **157**, **157**  
 physiology 153–154, **155**
- PaO<sub>2</sub> *see* oxygen partial pressure
- paper towels  
 dispensers 77  
 disposal of used 77, 80, 84  
 drying hands 78, 80, 84
- paracentesis, abdominal 520, 521–525  
 complications 525, **525**  
 continuous 521, 522  
 contraindications 521–522  
 diagnostic 520, 521, 522  
 equipment 522, 523  
 indications 521  
 problem solving **525**  
 procedure guideline 523–524  
 therapeutic 520, 521, 522
- paracentesis-induced circulatory dysfunction (PICD) 521, 525
- paracetamol 458–459, **948**
- paralysis **305**
- paramedics, prescribing 824, **824**
- paranoia 148
- paraphimosis, catheterized patients **218**
- paraphrasing 130
- paraplegia 315, **317**
- paraquat poisoning 551
- parasites 70, 643

- parasympathetic nervous system 157  
 parathormone-related polypeptide (PTHrP) **661**  
 paravertebral block **463**  
 parecoxib 459  
 parenteral drug administration **844**, 869–918  
   dosage forms 870  
   equipment 870, 871  
   legislation 823  
   medication preparation 871–872  
   patient preparation 872  
   [procedure guidelines](#) 872–878  
   *see also* infusion(s); injections  
 parenteral infusions 872  
 parenteral nutrition (PN) 385–389  
   administration of medicines 387  
   administration sets 387, 901  
   choice of regimen 387  
   complications 389  
   contraindications 387  
   defined 385  
   home 387–389  
   hyperglycaemia 389, 795  
   indications 353, 387  
   methods of administration 387  
   monitoring 387, **388**  
   nutrient content 385, 387  
   post-operative 1021  
   reducing risk of infection 899  
   termination 389  
 parenteral transmission **104**  
 parietal lobe 303, 800, 802  
 Parkinson's disease 948  
 partially sighted patients, communication with 144, **144–145**  
 partially weight bearing (PWB) 291  
 partial pressure, gases 540–541, 541  
 partial withdrawal occlusion (PWO) **675**, 1035, 1035–1036  
 passive leg raise 339, 343  
 Passy Muir speaking valve 586  
 pastes 850, 852  
 pastilles 845  
 patella hammer 808  
 paternalistic model 138  
 pathogenicity 66  
 pathogens 66  
 patient(s)  
   comfort 394–439  
   environment 409–413  
   general appearance 25, 354  
   identification *see* identification, patient  
   illness memoirs 139  
   information giving *see* information, provision  
   involvement in discharge planning 46  
   observation 18, 24  
   own medications 827  
   relationships, assessment **21**  
   self-administration of medicines 833–835, 834–835  
   self-assessment 17  
   shared decision making **138**, 138–141  
   as source of evidence (P) 8  
   tampering with infusion devices 903  
   twiddler's syndrome 1110  
 patient-controlled analgesia (PCA) 458, **458**  
   infusion pumps 906, 906  
 patient-controlled epidural analgesia (PCEA) 472  
 patient education  
   abdominal paracentesis 522–523  
   cardiac arrest prevention 620  
   catheterized patients 220  
   cervical screening 699, 700  
   chest drainage 576  
   continuous peripheral nerve blocks 465, **466**  
   CPAP 559  
   diabetes mellitus 800  
   electrocardiogram 755  
   enteral tube feeding 373, 379, 383  
   extravasation injuries 930  
   fluid balance monitoring 342, **350**  
   infection prevention and control 101  
   infertility treatment 696  
   moving and positioning 283  
   opioids and driving 462  
   oxygen therapy 546, 550  
   pain management 486  
   peak flow measurement 779, 781  
   pressure ulcers 1152  
   pulmonary drug delivery 858  
   smoking cessation 777  
   stomas 264  
   subcutaneous injections 883  
   surgical patients 955–956, **956**, 1022  
   tracheostomy 587  
   urinalysis 792  
   VADs 1040, 1046, 1046  
   *see also* information, provision  
 patient group directions (PGDs) 825–826  
   controlled drugs 826, 835, 840  
 patient hygiene *see* personal hygiene  
 patient safety 3–5  
 Patient Safety Alerts 833  
 Patients on Intravenous and Nasogastric Nutrition Therapy (PINNT) 389  
 patient zone 76  
 peak flow (peak expiratory flow, PEF) 777–781  
   cautions 779  
   factors determining 777–778  
   indications 779  
   normal values 778  
   problem solving **781**  
   [procedure guideline](#) 780–781  
   timing of readings 779  
 peak flow meters 779  
 PecFent 461  
 pectus carinatum **29**  
 pectus excavatum **29**  
 PEEP *see* positive end-expiratory pressure  
 peer support groups 139  
 PEG tubes *see* percutaneous endoscopically placed gastrostomy (PEG) tubes  
 penicillin **831**  
 penile sheaths 201, 201–203  
   problem solving **203**  
   [procedure guideline](#) 202–203  
   sizing and fitting 202  
 penis  
   pain on erection, catheterized patients **221**  
   swab sampling 705  
 Penrose drains 1004, **1004**, 1005  
 pen torch 807  
 peptide feeds 368  
 perceptual ability, assessment **18–19**  
 percussion 26, **26**  
   abdomen 38, 39, 40–41  
   chest 30, 30, 32, 33  
 percutaneous dilatational tracheostomy (PDT) 579  
 percutaneous drug administration *see* transdermal drug administration  
 percutaneous endoscopically placed gastrostomy (PEG) tubes 366  
   blockage **376**  
   care 374–379  
   problem solving **376**  
   [procedure guideline](#) 375  
   cracked **376**  
   displacement **376**  
   red flag symptoms 375  
 percutaneous epididymal sperm aspiration (PESA) 695  
 perianal care/hygiene 397  
 pericarditis, constrictive 521  
 perineal care/hygiene 397  
 perioperative care 940–1022  
 peripheral intravenous cannulas (PIVCs) **1030**, 1046–1068  
   assessment and recording tools 1051, 1051–1052  
   choice of vein 1031, 1031, 1046–1047  
   complications 1047, 1065–1068  
   direct injections of drugs 898  
   discharge home with *in situ* 1045  
   displaced, intravenous infusions **917**  
   documentation 1065, 1066  
   dressings 1056, 1058  
   extravasation of vesicants **920**  
   management 925  
   minimizing risk 919–920  
   [procedure guidelines](#) 925–929  
   flow rates 1050, **1050**  
   flushing 1056, 1057, 1064  
   problem solving **1059**  
   insertion *see* peripheral venous cannulation  
   integrated closed systems 1050, 1051  
   materials 1050  
   occlusion **917**  
   ongoing care 1064  
   over the needle 1050  
   ported 1050, 1051  
   pros and cons 1047  
   removal 1064–1065  
   safety non-ported 1050, 1051  
   securing 1056, 1058, 1064, 1064, 1065  
   sizing 1050, **1050**  
   subcutaneous infusions 884  
   types 1050  
   winged *see* winged infusion devices  
 peripherally inserted central cannulas/catheters (PICCs) **1030**, 1073–1090  
   catheter tip position 1037, 1073  
   checking 1076, 1077, 1084, 1085, 1086  
   malpositioning **1086**  
   choice of vein 1073–1075, 1074, 1075  
   complications 1087–1088  
   consent 1077, 1078–1080  
   contraindications 1076  
   discharge home with *in situ* 1045, **1046**  
   documentation 1085, 1087  
   dressings 1084, 1086  
   flow rates 1075  
   flushing 1034, **1046**, 1086  
   indications 1076  
   insertion 1076–1086  
   competencies 1076–1077  
   complications 1087  
   local anaesthesia 1077  
   methods 1076  
   problem solving **1086**  
   [procedure guideline](#) 1082–1085  
   length measurement 1076, **1076**, 1082

- peripherally inserted central cannulas/catheters (PICCs) (*continued*)
- ongoing care 1086–1087
  - parenteral nutrition 387
  - patient education 1046
  - pros and cons 1075–1076
  - removal 1088, 1088–1090
    - [procedure guideline](#) 1089
  - securing 1084, 1085, 1086, 1086
  - types 1077, 1081
  - urokinase instillation **1045**
  - Zone Insertion Method (ZIM) 1073, 1074
- peripheral nerve blocks 462–469
- continuous infusions *see* continuous peripheral nerve blocks
  - drugs used 463–464
  - examples **463**
  - single shot 462, 463
- peripheral nerve catheters
- complications 466, **469**
  - dressings 464, **466**
  - insertion 464
  - removal
    - indications **466**
    - [procedure guideline](#) 464–465
- peripheral nerve injuries *see* nerve injuries, iatrogenic
- peripheral nerves 801
- peripheral nervous system (PNS) 302, 303, 801
- peripheral opioid receptor antagonists **244**, 245
- peripheral perfusion, pulse oximetry and 773
- peripheral vascular access devices **1030**, 1046–1073
- see also* midline catheters; peripheral intravenous cannulas
- peripheral vascular resistance 759
- peripheral venous cannulation 1047–1059
- aseptic technique **101**
  - competencies 1049–1050
  - complications 1065–1068
  - consent 1049
  - contraindications 1047
  - direct vein puncture 1049
  - improving venous access 1048, 1048
  - indications 1047
  - indirect vein puncture 1049
  - local anaesthesia 1052–1053
  - methods 1048–1049
  - one-handed technique 1049
  - one-step technique 1049
  - pain management 1052–1053
  - problem solving **1058–1059**
  - [procedure guideline](#) 1053–1058
  - psychological preparation 1053
  - skin preparation 1053, 1053
  - stabilizing the vein 1049, 1049
  - ultrasound-guided 1048, 1048
  - [procedure guideline](#) 1059–1064
  - vein visualization devices 1048, 1048
  - see also* peripheral intravenous cannulas
- peristalsis 196
- peritoneal cavity 520
- peritoneal port-catheter 522
- peritoneovenous shunts 522
- peritoneum 520, **521**, 521
- peritonitis 379, 525, 729
- personal hygiene 396–407
- assessment **19**
  - bedbathing *see* bedbathing
  - cultural and religious factors 397, 400, **400**
  - definition 396
  - ear care 399–400, 423–427
  - equipment 400
  - eye care 413–422
  - hair care 397–398
  - mouth care 427–439
  - nails and feet 398–399
  - nose care 399–400
  - nurse's role 397
  - oxygen therapy and **549**
  - perineal/perianal care 397
  - privacy 397
  - [procedure guidelines](#) 401–407
  - skin care 397, **398**
- personality disorder 148
- personal protective equipment (PPE) 87–100
- intravenous drug administration 899
  - [procedure guidelines](#) 88–93
  - protective isolation 110
  - removal 87
  - source isolation 105, 106, 107
  - specimen collection/handling 658
  - see also* aprons, disposable; eye protection; gloves, disposable; gowns
- person-centred care 56
- pessaries, vaginal 855–856
- PGD *see* patient group directions
- pH
- blood **676**
  - control of respiration 767–768, 769
  - enteral feeding tube placement 381
  - nasogastric drainage tube position 248
  - nasogastric feeding tube position 371, **371**, 372, 373
  - scale **372**
  - urine 791, **793**
- phantom limb pain 326, 329
- pharmacists
- covert drug administration and 846
  - patient group directions 826
  - power to change prescriptions 823
  - prescribing 823–824, **824**, 826
- pharmacodynamic interactions **831**
- pharmacodynamics 823
- pharmacokinetic interactions **831**
- pharmacokinetics 823
- pharmacology 823
- pharmacovigilance 832
- phenazopyridine **791**
- phenobarbitone **837**
- phlebitis 1068
- infusion flow rate and 903
  - midline catheter-related 1073
  - scales 1052, 1052
- phlebotomy *see* venepuncture
- phosphate enemas **244**, 250
- phosphate preparations, laxative 245
- photographic waste **116**
- physical abilities, assessment **19**
- physical abuse **170**
- child **172**
- physical activity *see* exercise
- physical assessment/examination 18, 24–42
- abdominal 37–42
  - cardiovascular system 33–37
  - definition 24
  - equipment 27
  - framework 25
  - methods 25–26
  - patient consent 27
  - patient preparation 27
  - pre-operative 945
  - [procedure guidelines](#) 31–33, 35–37, 39–41
  - respiratory system 27–33
- physical intervention
- challenging behaviour 162–163, **163**
  - delirium 165–166
- physical wellbeing, healthcare staff 1175–1181
- physiotherapists, independent prescribing 824, **824**
- physiotherapy
- amputees 326
  - immobile patients 294
  - post-operative 1022
  - soft tissue and joint restrictions 282
  - sputum collection 718
  - unconscious patients 296
  - walking problems 291
- PICCs *see* peripherally inserted central cannulas/catheters
- piercings, ear and nose 400
- pigeon chest **29**
- pili 68, 68
- pinch-off syndrome **675**, 1033, 1034
- pinna 423
- piroxicam 459
- PIVCs *see* peripheral intravenous cannulas (PIVCs)
- Plain English Campaign 139, 187
- plantar reflexes 806
- plaque, dental 429
- plasma (and serum) 336, **336**
- collection tubes **665**
  - electrolyte composition 337
  - fresh frozen (FFP) *see* fresh frozen plasma
  - investigations **660**, 660–661, **661**
  - osmolarity 336
  - oxygen transport 541
- plasma proteins 336, 354
- plasma volume, regulation 340
- Plasmodium falciparum* 643
- plaster-cast waste **116**
- plastic surgery, extravasation injuries 925
- platelet count **660**, **952**, **974**
- platelets
- for transfusion **629**
  - wound healing 1130, 1131
- platelet transfusions
- administration rate 639
  - administration sets 633, 901
  - contraindications 625–626
  - indications 624–625, **625**
- pleura 562, 562–563
- pleural effusions 563
- chest drains 564, 569, 571
  - exudative 563, **563**
  - malignant 563
  - needle aspiration 564
  - signs and symptoms 563
  - specimen collection 722
  - transudative 563, **563**
- pleural fluid 563
- sampling 722–723
- pleural space (cavity) 562, 563
- PleurX drain 522
- plugholes, handwash basin 79, 82
- pneumatic compression devices, intermittent
- see* intermittent pneumatic compression devices
- Pneumocystis jirovecii* 70
- pneumonia
- pleural fluid sampling 722
  - respiratory secretion sampling 718
  - ventilator-associated (VAP) 430–434
  - see also* respiratory tract infections

- pneumoperitoneum  
gastrostomy patients 380  
laparoscopic surgery 981, 981
- pneumothorax 563–564  
causes **563**  
chest drainage 564, 569, 571  
suction 572  
complicating acupuncture 491  
complicating CVC insertion **1094**, 1095–1096  
complicating liver biopsy 730  
needle aspiration 564, 609  
signs and symptoms **564**  
spontaneous **563**, 564  
tension 564, **564**, 609
- pocket mask ventilation 612, 613
- podiatrist independent prescribers (IPs)  
824, **824**
- poisoning *see* intoxications
- police involvement  
aggressive behaviour 164, **164**  
safeguarding concerns **180**
- political context of nursing 2–3
- polydipsia 795
- polyethylene glycol 245
- polypectomy syndrome 726
- polytetrafluoroethylene (PTFE)-coated  
catheters 206
- polyuria 795
- polyvinyl chloride (PVC) urinary catheters 206
- pons 767, 801
- popliteal artery, pulse 34, 745, 748
- popliteal nerve block **463**
- porridge test 235
- portal of entry **67**
- portal of exit **67**
- portal cannulas 1050, 1051
- Portex tracheostomy tubes 584, 585
- positioning *see* moving and positioning
- positioning aids 308, 308
- positive end-expiratory pressure (PEEP) 556  
complications 562  
valves 556, 557, 558
- positive pressure technique, flushing VADs  
1034, 1035, 1043
- post-anaesthetic care 995
- post-anaesthetic care unit (PACU) 995–1001  
complications 1000–1001  
discharge from 1000, **1001**  
documentation **996**  
equipment 995, 995–996  
handover, [procedure guideline](#) 996–997  
problem solving **998–1000**  
[procedure guideline](#) 997–998  
staff 996  
transfer to 995
- post-dural puncture headache 478, **480**
- posterior (dorsal) root 469, 471
- posterior tibial pulse 748, 748
- post-lumbar puncture headache (PLPH) 691, 694
- post-mortem examination **528**  
cultural and religious issues **512–514**
- post-operative care 1001–1022  
analgesia *see under* post-operative pain  
bowel function 1021  
discharge planning 1022  
fluid balance **1003**, 1003–1004  
haemodynamic instability 1002–1003  
immobility 1022  
ineffective breathing pattern 1003  
nutrition 1021  
observations 1002, **1002**
- pulse monitoring 748
- stoma patients 267–269
- surgical drains 1004–1017
- surgical wounds 1018–1020
- temperature monitoring 784
- urinary output and catheters 1020–1021  
*see also* post-anaesthetic care unit; wound  
management
- post-operative cell salvage 627
- post-operative complications **1001**
- post-operative nausea and vomiting (PONV)  
518, 978, **999**, 1000
- post-operative pain  
epidural analgesia 458, 469, 471  
intramuscular analgesia 458  
management 978, 1022  
opioid analgesics 459  
patient-controlled analgesia 458  
post-anaesthetic care unit **999**, 1000  
*see also* acute pain
- postural hypotension *see* orthostatic hypotension
- posture  
defaecation 198, 199, 246, 246  
in neurological impairment 306, **306**  
office work 1177, 1177  
pulse rate and 745
- potassium  
bodily fluids 336, 337  
membrane transport 336, 339  
replacement, hypokalaemia 608–609  
serum **343**, **661**, **974**  
solutions, medication errors 833
- potassium channel activators 947
- povidone-iodine  
hand hygiene 77  
pre-operative skin preparation **966**
- powders, reconstitution for injection  
calculations 871–872  
[procedure guidelines](#) 873–876
- PPE *see* personal protective equipment
- PQRST pain assessment framework 453
- prasugrel 947
- prealbumin 354
- precordial thump 614
- precordium, inspection 36
- prednisolone enema 250
- pregabalin 461, **836**, **837**
- pregnancy  
Entonox use 482  
Rh incompatibility 621  
testing, pre-operative **953**, 967  
X-ray safety 730
- pre-medication 976
- pre-operative assessment (POA) 942–955  
ASA physical status classification 943, **945**  
clinics 942, 954  
further referrals 954  
history taking 942–943  
investigations 945–954, **952–953**  
objectives 954  
physical examination 945  
training and competencies 954–955, **955**
- pre-operative autologous (blood) donation  
(PAD) 626
- pre-operative care 942–977  
consent to surgery 956–957  
fasting 965  
identity bands 957–958, **958**  
latex sensitivity and allergy 968–969  
marking skin 966, 966–967, **967**  
patient information and education 955–956
- physical preparation (patient safety) **957**,  
957–969
- pregnancy testing 967  
[procedure guideline](#) 975–977
- skin preparation 965–966
- stoma surgery 262–264
- tampon users 968
- test results 969, **974–975**
- theatre checklist 969, 970–973
- thromboembolism prophylaxis 958–964  
*see also* pre-operative assessment
- preoptic area 782
- presbyopia **415**
- prescribing  
controlled drugs 824, **824**, 840–841  
independent 823–824  
legislation 823–826  
nurse *see* nurse prescribing  
supplementary 824–825  
unlicensed and off-label medicines 824, 826
- Prescribing Competency Framework, Royal  
Pharmaceutical Society 824–825, **825**
- prescriptions  
controlled drugs **836**, **837**, 840  
power of pharmacists to change 823
- preservatives, eye drops 862
- pressure area care 282, 1151–1152  
at end of life 511  
intraoperative 989, 990  
moving and positioning 290, 1152  
spinal cord lesions **324**  
support surfaces 1151–1152  
unconscious patients **298**  
*see also* skin care
- pressure necrosis, gastrostomy/jejunostomy  
site 380
- pressure-relieving cushions/mattresses 290,  
291, 1151–1152
- pressure ulcers 1143–1152  
classification 1143, 1144  
common sites 1151  
management 1152  
patient/carer education 1152  
prevention **398**, 1144, 1145–1147, 1150,  
1151–1152  
risk assessment 1144–1151, 1148, 1149  
risk factors **398**, 1151  
spinal cord injury **324**  
undernourished patients 354
- primary care  
interface with secondary care 53–58  
mental health services 169
- primary wound contact layer dressings **1139**
- prion diseases **70**, 70–71, **643**  
transmission in blood 643
- prions 70–71
- PRISMA-7 Questionnaire 353
- privacy 146, 283, 397
- probenecid **831**
- probiotics 239
- procedural pain 449
- procedure, giving information about a clinical  
**140–141**
- process of care 16–23
- prochlorperazine **519**
- professional competency 3–5
- professional context of nursing 3–7  
*Professional Guidance on the Administration of  
Medicines in Healthcare Settings* (2019) 828
- prognosis, end of life 504–505
- progressive muscle relaxation 486

- prokinetic agents **244**, 245  
promethazine **519**  
prone position  
  lower limb amputees 329, 329  
  surgery 993  
  ventilated patients 299  
propofol 978  
proprioception, testing 814  
prostheses  
  eye *see* eye(s), artificial  
  surgical patients 976  
  voice 604–605, **606**  
protective isolation 109–111  
  definition 109  
  **procedure guidelines** 109–111  
protective isolation rooms 109  
  entering, **procedure guideline** 110–111  
  preparation, **procedure guideline** 109–110  
protein  
  dietary  
    requirements 354, **354**, 1174, **1174**  
    supplements **361**  
  plasma 336, 354  
  urine **793**  
proton pump inhibitors 946  
protozoa 70, 656  
ProTrach DualCare valve 586  
prucalopride **244**, 245  
pruritus, opioid-induced 476, **477**  
*Pseudomonas aeruginosa* 72, **75**  
psychiatric disorders *see* mental disorders  
psychiatrists 168  
psychological abuse **170**, **172**  
psychological factors  
  pain sensitivity 451, **454**  
  workplace stress 1166  
psychological interventions 169  
  anxiety 155  
  pain management 486–487  
psychological support  
  adjustment to illness **152**  
  anxious patients 155, **156**  
  assessment of needs 135, 135–136  
  barriers to communication 131–132  
  communication skills 128–131  
  depressed patients 159, **159**, **160–161**  
  at end of life 511  
  environment **134**, 134–135  
  healthcare staff 534, 1171  
  legal and professional issues 132–134  
  panic attacks 156, **156**  
  patients in denial **153**  
  peripheral venous cannulation 1053  
  principles 135, **136–137**  
  referrals 168–169  
  stoma patients 263–264, 268  
  time available 134  
  tracheostomy/laryngectomy patients 578  
  worried/distressed patients 146, **146–147**  
psychological wellbeing 126, 147–169  
  adjustment 151–152  
  anger, aggression and violence 161–164  
  anxiety and panic 153–158  
  delirium 164–166  
  denial and collusion 152–153  
  depression 158–161  
  healthcare staff 1164–1172  
  related theories 147–149  
  safeguarding 169–178  
  terminology 147, 148  
psychologists 169  
psychosocial aspects  
  end-of-life care 511  
  wound healing **1137**  
psychotherapists 169  
pulmonary drug administration **844**, 856–861  
  aerosol dosage forms 856–857, 857  
  complications 861  
  equipment 857–858  
  patient education 858  
  **procedure guidelines** 858–861  
pulmonary embolism (PE) 958, 958  
  cardiopulmonary arrest 609  
  prophylaxis *see* thromboprophylaxis  
  risk factors 958–959  
  signs **958**  
  unconscious patients 294  
pulmonary oedema 351  
pulse(s) 744–751  
  amplitude 747  
  basic life support 611, 612  
  bounding 34  
  documentation 751  
  fluid imbalances **342**  
  gross irregularity 748, **751**  
  indications for monitoring 748–749  
  methods of measuring 749  
  neurological patients 807, 813  
  palpation 34, 36  
  paradoxical 748  
  points 744, 745  
  problem solving **750–751**  
  **procedure guideline** 749–750  
  rate **745**, 745–746  
  rhythm 746–748  
  *see also* heart rate  
pulseless electrical activity (PEA) 607, 608  
pulse oximeter 775  
pulse oximetry 772–773, 774–777  
  complications 777  
  contraindications 773  
  definition 766  
  indications 773  
  post-operative 1003  
  problem solving **776–777**  
  **procedure guideline** 775–776  
pulse pressure 759  
pupils, examination **805**, 805–806, 806, 812  
pure tone audiometry (PTA) **424**  
purgatives 244  
Purkinje fibres 747, 752  
purulent discharge, surgical drain exit  
  site **1016**  
pus, specimen collection 702  
push–pause technique, flushing VADs 1034, 1043  
P wave 752, 752  
pyelonephritis 226  
pyrexia 783  
  grades **784**  
  management 787–788  
  transfusion reactions **641**, 644  
  *see also* fever  
QRS complex 752, 752  
quadriplegia/tetraplegia 315, **317**  
quality of care 3–5  
questioning 130  
questions  
  closed 130, **131**, **137**  
  open 130, **131**, **137**  
Quincke spinal needles 691, 871  
radial artery 675  
  Allen test *see* Allen test  
  blood pressure monitoring 760–761  
  cannulation 677, 1111, 1113  
  pulse 744, 744, 745, 750  
  puncture for blood sampling 678–680  
  **procedure guideline** 678–680  
radiation protection 730  
radioactive contamination, deceased  
  patients **532**  
radioactive waste **117**  
radiographers, prescribing 824, **824**  
radiological investigations 730–733  
  *see also* chest X-rays; computed tomography;  
  ultrasound  
radiologically inserted gastrostomy (RIG) tubes  
  366, 366  
  care 374  
  **procedure guideline** 376–377  
  T-fasteners 366, 366  
  checking 376  
  removal, **procedure guideline** 377  
rapid tranquillization 163  
re-ablement services 53  
reagent sticks, urine *see* urine dipstick (reagent)  
  tests  
rebreathing technique, panic attacks 157,  
  **157**, 157  
reconstituted liquid medications  
  preparation for injection 871–872  
  **procedure guidelines** 873–876  
  preparation for oral administration 846  
  storage 828  
record keeping *see* documentation,  
  nursing  
recovery position 611, 612  
rectal bladder, continent 235, 235  
rectal bleeding  
  after colonoscopy 726  
  cancer referral criteria **244**  
  faecal management systems **241**  
  rectal drug administration 854–855  
  *see also* enemas; suppositories  
rectal examination *see* digital rectal  
  examination  
rectal irrigation 247  
rectal temperature 784  
rectal tube, measuring fluid output 349  
rectum 725  
  swab sampling 705–706  
rectus femoris injections 890, 891  
Red and Green Bed Days 47, 48  
red blood cells (RBCs)  
  counts **660**, **974**  
  in CSF 690  
  frozen **628**  
  in optimal additive solutions (SAGM) **628**  
  oxygen transport 541  
  salvage *see* cell salvage  
  washed **628**  
red cell transfusions  
  administration rate 639  
  blood-warming devices 633  
  clinical indication codes **634**  
  co-administration of drugs 641  
  contraindications 624, 624  
  indications 623–624  
Redivac drainage system **1004**, 1005  
referred pain 450, 450  
reflecting back 130  
reflection (on own practice) **137**

- reflexes 806  
 muscle 303  
 testing 813
- Reform Judaism **514**
- refrigerators, storage of medicines 827
- refusal of treatment/care  
 advance decisions **181**, 500–503  
 blood transfusion 631  
 competent adults 133  
 Mental Health Act considerations 186  
 person lacking capacity 181
- regional analgesia 462–469  
 complications 465–469  
 drugs used 463–464  
 equipment 464  
 examples **463**  
 mechanisms of action 463  
 methods of administration 463  
 monitoring and care 465, **466**  
 nerve blocks 463, **463**  
 patient education 465  
 rationale 463  
 training/competencies 464  
*see also* epidural analgesia; peripheral nerve blocks
- Regulan 245
- rehydration solution **268**
- relationships, assessing patient's **21**
- relative humidity 553
- relatives *see* family
- relaxation techniques, pain management 486
- reliability, designing for 3
- religious beliefs/practices  
 assessment **21–22**  
 care after death **512–514**, 528, 529  
 end-of-life care 511–515, **512–514**  
 personal hygiene 397, 400, **400**
- renal clearance 791–792
- renal failure  
 biochemical tests **661**  
 opioid analgesia 460, 462
- renin-angiotensin-aldosterone system 337, 341, 760, 761
- reproductive health, assessment **21**
- request forms, diagnostic test 658–659
- rescue breaths 612–613, 613–614
- research evidence (R) 8
- reservoir of infection **67**
- residual limb (stump)  
 pain **328**  
 support board 327, 327, 328  
 wound breakdown **328**, 329
- residual volume (RV) **770**, 770
- resonance 26, **26**  
 chest 30  
 vocal 31
- ReSPECT process 504, 505
- respiration 766–777  
 anaerobic 540  
 control 27, 767–768, 769  
 definitions 766  
 depth 774  
 external 766, 768, 771  
 internal (cellular) 540, 766, 769, 771  
 rhythm 28, 774  
*see also* breathing
- respirators 87, 104, 104  
 fit testing 87  
 procedure guideline 91–92  
 source isolation 107, 108
- respiratory acidosis **676**
- respiratory alkalosis **676**
- respiratory assessment 542, 766–777  
 basic **19**  
 documentation 777  
 equipment 775  
 indications 773  
 methods 773–775  
 neurological patients 807, **807**, 812  
 patient preparation 775  
 peak flow 777–781  
 physical *see* respiratory examination  
 post-operative 1003  
 problem solving **776–777**  
 procedure guideline 775–776  
 unconscious patients 294
- respiratory care 540–620
- respiratory centres 767, 769
- respiratory compromise 298–301  
 causes 298  
 management 777  
 non-invasive ventilation 555–562  
 positioning 298–301  
 maximizing drainage of secretions 300–301  
 maximizing ventilation/perfusion matching 299, 299  
 minimizing work of breathing 299–300
- respiratory depression  
 after gastroscopy 725  
 epidural opioids 476, **477**, **480**  
 intravenous opioids 458  
 post-operative **998**, 1003
- respiratory distress  
 signs and symptoms 773, 774  
 transfusion-associated 643–644  
*see also* respiratory compromise
- respiratory examination 27–33  
 procedure guideline 31–33  
 rationale 31  
 techniques 27–31
- respiratory failure 543  
 non-invasive ventilation 555, **555**  
 type 1 (hypoxaemic) 543, **543**  
 type 2 (hypercapnic) 543, **543**
- respiratory function  
 post-operative 1003  
 spinal cord lesions 316, **324**  
 unconscious patients 294, **298**
- respiratory muscles 299–300, 766–767  
 accessory *see* accessory muscles of respiration  
 regulation 27  
 spinal cord injury involving 316
- respiratory observations *see* respiratory assessment
- respiratory problems 540–620  
 assessment 542  
 domiciliary oxygen therapy 550  
 dysphagia **364**  
 peak flow 778
- respiratory rate 774  
 assessment 776  
 fluid imbalance **343**  
 inspection 28  
 transfusion reactions **641**
- respiratory secretions  
 effects of low humidity 553  
 end-of-life care 511, 517  
 oxygen therapy **548**  
 positioning to maximize drainage 300–301  
 sampling 717–722
- equipment 718, **718**, 718  
 indications 717  
 methods 717–718  
 procedure guidelines 719–722
- tracheostomy patients  
 excessive **602**  
 suctioning 588–592  
*see also* sputum
- respiratory system 766  
 anatomy 27, 27, 28, 540, 540  
 conducting zone 766  
 humidification function 553  
 physiology 27, 540–542  
 respiratory zone 766
- respiratory therapy 540–542
- respiratory tract infections  
 laryngectomy patients **606**  
 sputum/secretion sampling 717–722  
 tracheostomy patients **603**  
*see also* pneumonia
- respiratory volumes and capacities 768, **770**, 770
- rest, assessment **21**
- restlessness, terminal 165
- restrictive intervention (restraint) 162–163, **163**, 185
- resuscitation committee **615**
- Resuscitation Council UK (RCUK) 504, 607
- resuscitation team, in-hospital **615**
- resuscitation training officer (RTO) **615**
- retention enemas 250, 251
- reticular activating system (RAS) 801
- retina 414
- retinol binding protein 354
- revitalization 1171–1172
- rewarming methods, hypothermia 788
- Rh D blood group 620–621
- Rh D incompatibility 621
- rhonchi **31**
- rib fractures **29**, **620**
- ricketts 354
- rifampicin **791**
- rigor mortis 529
- rigors **641**, 783
- RIG tubes *see* radiologically inserted gastrostomy tubes
- risk assessment  
 falls 283–284  
 home oxygen therapy 550  
 infection prevention and control 103–104  
 moving and handling patients 281, **282**  
 physical work tasks 1175–1176  
 pre-operative 957  
 pressure ulcers 1144–1151, 1148, 1149  
 self-harm and suicide 159, **160–161**  
 venous thromboembolism 958–959, 960–961
- risk management  
 discharge planning 46–47  
 medicines administration 832–833  
 oxygen therapy 543  
 tracheostomy care 580
- rivastigmine 948–949
- RNIB: See It Right 187
- Roberts catheter 205, 205
- Robinson's drain **1004**, 1005
- robotic surgery 982–983, 983–984
- robot phase, compassion fatigue 1168
- rofecoxib 459
- role(s)  
 assessment of patient's **21**  
 caring 1164  
 new nursing 5–7

- roller clamps 901, 901, 903  
 Roman Catholics, care after death **512**  
 Rome IV Criteria, constipation 243  
 Roper's activities of daily living model 17  
 roundworms 70  
 routes of administration 843–918  
   allergy risks **830**  
   considerations for specific **844–845**  
   parenteral 869, **869**  
   types 843, **844**  
   wrong 833  
 Royal College of Nursing (RCN)  
   consent 133  
   patient safety 3, 4  
   safeguarding 175  
 Royal College of Occupational Therapists 187  
 Royal College of Physicians (RCP) 742  
 Royal College of Speech and Language Therapists 187  
 Royal Marsden *Nursing Strategy 2016–2018* 2, **2**  
 Royal Marsden Nutrition Screening Tool 355  
 Royal National Orthopaedic Hospital 329  
 Royal Pharmaceutical Society (RPS)  
   monitored dosage systems 848  
   patients' own drugs 827  
   Prescribing Competency Framework  
     824–825, **825**  
   self-administration of medicines 833  
 rumination 1166  
 Rusch speaking valve 586
- SABRE reporting system 627, 642  
 Sackett, David 7  
 sacral nerves 304, 803  
 sacral plexus 803  
*The Safe and Secure Handling of Medicines:  
 A Team Approach* (2018) 828  
 safeguarding 169–178  
   care after death 528  
   contextual 174  
   definitions 169–170  
   discharge planning 46  
   government principles 174–175, **175**  
   information sharing 176–177, **177**  
   legislation 177, **178**  
   partnership working 175–176, **176**  
   responding to concerns 177–178, 179, **180–181**  
   see also abuse; neglect  
 safeguarding adults review (SAR) 176, 177  
 safeguarding lead **176**  
 SAFER patient flow bundle 47, 48  
 safety  
   culture, developing a 3  
   patient 3–5  
 SAGE & THYME model 146, **146–147**  
 St John's wort, drug interactions 831  
 salbutamol **515**  
 salicylates **791**  
 saline, normal see sodium chloride, 0.9%  
   solution  
 saliva 428  
   artificial 429, 435  
 salmeterol **515**  
 Samaritans 187  
 samples see specimens  
 sarcopenia 352  
 satiety, early **361**  
 Sativex **836**  
 Savene see dexrazoxane  
 SBAR (Situation-Background-Assessment-  
 Recommendation) tool 742, 744
- scabies 70  
 scales, weighing 355, 356, **358**  
 scar formation 1132  
 scavenging system, anaesthetic gases 990  
 schizophrenia 148  
 sciatica, positioning during surgery and 985  
 sciatic and popliteal nerve block **463**  
 sclera 413  
 scotoma 414  
 Scotts catheter **204**  
 scrubbing up see surgical hand antisepsis  
 scrub practitioner (nurse) 980, 993  
   handover in PACU, [procedure guideline](#)  
     996–997  
 seated position see sitting position  
 seating see chairs; wheelchairs  
 secondary stress disorder 1167  
 SecurAchat 1033, 1039, 1086  
 removal 1088, 1089, 1089  
 sedation  
   chest drain insertion 568  
   conscious  
     endoscopy 724, 725, 726  
     medication errors 833  
   critically ill patients 293  
   in delirium 166  
   epidural analgesia 476, **477, 480**  
   magnetic resonance imaging 732  
   non-invasive ventilation 558  
   pre-operative 976  
   terminal 525–526  
     [procedure guideline](#) 526  
 segmentation, intestinal 196  
 Seldinger technique  
   accelerated (AST), midline catheter insertion  
     1069  
   chest drain insertion 567–569  
   modified see modified Seldinger technique  
 selective serotonin reuptake inhibitors (SSRIs)  
   158, 159–160, **160, 948**  
 selenium **388**  
 self-administration of medicines 833–835,  
   834–835  
 self-assessment, patient 17  
 self-care (healthcare staff) 1162–1181  
   eating and drinking 1173–1175  
   mindfulness 1172–1173  
   musculoskeletal health 1175–1181  
   preventing compassion fatigue 1171–1172  
   strategies for enhancing 1168–1172  
 self-compassion 1170–1171  
 self-esteem, assessment **21**  
 self-harm, patients at risk 159, **160–161**  
 self-monitoring of blood glucose (SMBG) 796  
 self-neglect **170**  
 self-perception/concept, assessment **21**  
 self-regulation 1168–1169  
 semen  
   collection 694–697  
   methods 695  
   patient preparation 696  
   [procedure guideline](#) 696–697  
   rationale 694  
   composition 694  
   cryopreservation 695  
   specimen labelling 696  
 semi-circular canals 423, 423  
 semi-Fowler's position **409, 409**  
 semi-permeable films, wound management  
   **1140**  
 semi-permeable membrane 336, **338**
- senna **244, 245**  
 sensory function 800  
   assessment 806  
 sensory loss, patient positioning 282  
 sensory-motor feedback and feed-forward  
   mechanisms 303  
 sensory (afferent) nerves 302, 303  
 sepsis  
   blood cultures 683  
   CVAD-related see central venous access  
     device (CVAD)-related infections  
   epidural/intrathecal analgesia and 471  
   PICC-related 1087–1088  
   transfusion-associated 643  
   see also infection(s)  
 septicaemia 1087  
 Serious Adverse Blood Reactions and Events  
   (SABRE) reporting system 627, 642  
 serious adverse event, transfusion-related 627  
 serious adverse reaction, transfusion-related 627  
 Serious Hazards of Transfusion (SHOT)  
   620–622, 622, 624, 642, 645  
 serology 657  
 seromas, surgical site **1020**  
 serotonin–norepinephrine reuptake inhibitors  
   (SNRIs) 158, 159, 160, **160**  
 serotonin syndrome 459  
 serum see plasma  
 sexual abuse **170**  
   child **173**  
 Sexual Advice Association 272  
 sexual exploitation **172**  
 sexual function  
   stoma patients 269  
   urinary diversion patients 236  
 sexuality, assessment **21**  
 shampooing, hair 397–398, 403–405  
 shared decision making **138, 138–141**  
 sharp debridement **1138**  
 sharps containers (bins) **115, 117, 118**  
 sharps disposal **118**  
 sharps injuries see inoculation injuries  
 shaving  
   facial, male patients 403, 405–407  
   dry electric shaver 406–407  
   [procedure guidelines](#) 405–407  
   wet shave 405–406  
   peripheral cannulation site 1053  
   see also hair removal  
*Shigella* infections 717  
 shivering 783  
   post-operative **1000, 1001**  
 shock  
   complicating paracentesis **525**  
   venepuncture in 666  
 SHOT see Serious Hazards of Transfusion  
 shoulder subluxation 305, 306, 307  
   positioning in a chair 310  
 sickness absences, NHS staff 1164  
 sick role 151  
 side-effects, drug 823  
   see also adverse drug reactions  
 side-lying position 286–287  
   lumbar puncture 692, 693  
   minimizing work of breathing **301**  
   neurological patient with tonal problems  
     309, 310  
   patient with artificial airway 296–297  
   [procedure guideline](#) 286–287  
   unconscious patients 296–297  
   ventilation/perfusion matching 299, 299

- Sikh Chaplaincy **514**  
 Sikhs  
   care after death **514**  
   washing and personal hygiene **400**  
 silicone catheters 206  
 silicone elastomer-coated catheters 206  
 silicone gastrostomy stoma plugs 380  
   insertion, [procedure guideline](#) 380–381  
 silver-containing wound dressings 1138, **1139**  
 silver tracheostomy tubes 586  
 Simpla G-Strap 206, 210, 212  
 single-dose preparations 872  
   powder preparation, [procedure guideline](#) 873–874  
   solution preparation, [procedure guideline](#) 872–873  
 single-occupancy rooms  
   end-of-life care 526  
   infected patients 104  
   protective isolation 109–111  
   source isolation 105, 106–107  
 sinoatrial (SA) node 607, 747, 747, 752  
 sinus arrhythmia 747  
 sinus rhythm 747  
 siphonage 904  
 sitting position  
   clinical procedures, [procedure guideline](#) 1180  
   lower limb amputees 328  
   lumbar puncture 692  
   minimizing work of breathing **301**  
   office work (healthcare staff) 1177, 1177  
     [procedure guideline](#) 1180  
   poor tolerance **293**  
   standing from 289–290  
   ventilation/perfusion matching 299, 299  
   *see also* chairs  
 sitting up in bed 285, 285–286  
   neurological patient with tonal problems 309, 310  
     [procedure guideline](#) 285–286  
     spinal cord injuries 323  
 sitting up on side of bed, [procedure guideline](#) 288  
 Situation-Background-Assessment-Recommendation (SBAR) tool 742, 744  
 skin  
   ageing 397  
   anatomy 396, 396–397, 869, 1130  
   assessment **20**, 397, **398**  
   frail and papery **398**  
   functions 396  
   fungal infections 398–399  
   health 397  
   inspection 31, 34, 36, 40, 1151  
   marking for surgery 966, 966–967, **967**  
   redness **398**  
   scrapings 706, 707  
   swab sampling 706–707  
   topical drug administration 850–852  
   transdermal drug administration 852–854  
 SKIN acronym 1144  
 skin barrier products  
   incontinence 197  
   stoma care **262**  
   wound dressing film **1140**  
 skin care 397  
   assessment 282  
   diarrhoea 239  
   equipment 400  
   incontinence 197, **398**  
   soap/emollients 400  
   special considerations **398**  
   stoma site 261, **262**  
   tracheostomy stoma 587  
   when using splints 313  
   *see also* personal hygiene; pressure area care  
 skin cleaning/preparation  
   blood cultures 684  
   intramuscular injections 892  
   lumbar puncture 691  
   peripheral venous cannulation 1053, 1053  
   pre-operative 965–966, **966**  
   stoma site 261  
   subcutaneous injections 882  
   surgical wound site 986  
   VAD insertion site 1032  
   venepuncture 663, 667, 669  
 skin clips *see* clips, removal  
 skin colour, assessment 28, 774  
 skin flora **67**  
 skinfold thickness 353  
 skin injury  
   hands of healthcare workers 82, 84  
   medical adhesive-related (MARS) 1039  
 skin preparation *see* skin cleaning/preparation  
 skin reactions  
   subcutaneous drug infusions 1009–1010  
   topical medications 852  
   transfusions **641**, 644  
 skin-tunnelled catheters (STCs) **1030**, 1097–1102, 1098  
   discharge home with *in situ* 1045  
   flushing 1034, **1046**  
   indications 1098  
   insertion 1098, 1102  
   parenteral nutrition 387  
   patient education 1046  
   removal 1098–1099  
     methods 1098  
     problem solving **1101**  
     [procedure guideline](#) 1099–1101  
   tip position 1037, 1097, 1098  
   types and design 1099, 1099  
   urokinase instillation **1045**  
 skin turgor **343**  
 slavery, modern **171**  
 sleep 407–408  
   assessment **21**, 408  
   factors interfering with 408  
   habits, healthy 1171–1172  
   promotion, hospitalized patients 408, **408**  
 Sleepio 1181  
 sleep rounds 408, **408**  
 sliding sheets 284  
 slipper bedpan 201  
   [procedure guideline](#) 198  
 sloughy wounds 1141  
 small intestine 196, 197  
 smell *see* odour  
 smoking  
   cessation advice 777, 943  
   oxygen therapy and 550  
   surgical patients 943  
 snacking, healthcare staff 1174, **1174**, **1175**  
 sneezing 768  
 Snellen chart 808  
 soap  
   dispensers 77  
   hand washing 77–78, 79  
   patient care 400  
   surgical hand antisepsis 81, 82–84  
 social cognitive transition model (Brennan) 151  
 social history 943  
 social services  
   complex discharges **57**, **58**  
   Deprivation of Liberty Safeguards  
     applications 183–185  
     discharge arrangements 53–55, 54, 55  
   social workers, safeguarding **176**  
 society, changes in 2  
 SOCRATES pain assessment framework 453  
 sodium  
   bodily fluids 336, 337  
   dietary restriction, ascites 522  
   membrane transport 336, 339  
   osmolality and fluid balance 337  
   serum **343**, **661**, **974**  
   tubular reabsorption 788, 789  
 sodium chloride, 0.9% solution (normal saline)  
   bladder irrigation 222  
   extravasation injury management 925, 929  
   eye care 416  
   flush, intravenous injections 898  
   flushing implanted ports 1103, 1108, 1109  
   maintaining VAD patency 1034, 1040  
   respiratory secretion sampling 718  
   risks of over-administration 340, 930–931  
   subcutaneous infusion 884  
   wound cleaning 1141  
 sodium/potassium pump 336, 339  
 soft tissue changes, limiting movement 282  
 SOLER acronym 128, 129  
 soluble tablets **844**, 845  
 solutes  
   in bodily fluids 336  
   transport and movement 336, **338**  
 solution administration sets 901  
 solutions  
   oral 845  
   preparation, single-dose ampoules 872–873  
 somatic nervous system (SNS) 302, 303  
 somatic pain 452  
 somatosensory nervous system 449  
 sore mouth, dietary modification **361**  
 source isolation 105–109  
   attending to patient in 105  
   definition 105  
   discharge from 109  
   [procedure guidelines](#) 106–108  
   transporting patients, [procedure guideline](#) 108  
 source isolation rooms 105  
   cleaning 106, 109  
   entering, [procedure guideline](#) 107  
   leaving, [procedure guideline](#) 108  
   preparation, [procedure guideline](#) 106–107  
 spacer devices 858, 858  
   cleaning before reuse 861  
   [procedure guideline](#) 859  
 spasticity 305–306, **306**  
 Speakability 187  
 speaking valves 586, 586  
   applying 596–598  
     complications 598  
     [procedure guideline](#) 597–598  
 specific gravity, urine **793**  
 specimen collection 657–723  
   blood *see* blood sampling  
   cerebrospinal fluid 689–694  
   cervical screening 697–701  
   clean technique 657  
   communication 659  
   equipment 657

- specimen collection (*continued*)
- faeces 715–717
  - good practice 656, **656**
  - nurse's role 656
  - pleural fluid 722–723
  - respiratory secretions 717–722
  - semen 694–697
  - swab samples 701–710
  - timing 657
  - urine 710–715
- specimens
- containers 657, 658, 659
  - hazardous 659
  - labelling 659
  - methods of investigation 656–657
  - operating theatre 993
  - request forms 658–659
  - safe handling 658
  - selection 657
  - storage 659
  - transportation 659–660
- spectacles 402, 976
- speculum, vaginal 698, 699
- speech
- for communication 130
  - evaluation, Glasgow Coma Scale 808, **811**
  - production 126, 126, 127
- speech and language therapist (SLT) 143, 365, 578
- speech impairments 142
- neurological disorders 127, **305**
  - supporting communication 143, **144**
- speech perception test **424**
- speed shock 931–932
- spermatogenesis 694
- sphygmomanometers 762–763
- blood pressure measurement 761–762, 764–765
  - cuffs 762, 764
  - post-anaesthetic recovery 996
- SPiCT (Supportive and Palliative Care Indicators Tool) 500
- SPIKES strategy 505, **505**
- spillages
- blood **670**
  - source isolation rooms 105
- spinal analgesia 462
- see also* epidural analgesia; intrathecal analgesia
- spinal blocks (intrathecal central nerve blocks) **463**, 469
- spinal brace 317, 323
- spinal column *see* spine
- spinal cord
- anatomy 302, 304, 313, 315, 800–801, 803
  - epidural and intrathecal analgesia 469, 470
  - lumbar puncture 689, 690
  - pain processing 449, 449
- spinal cord compression (SCC) 313–324
- classification 315
  - clinical presentation 315–316
  - metastatic (MSCC) 315
  - moving and positioning 313–324
    - complications 323
    - equipment 317
    - principles of care 316–317
    - problem solving **324**
    - [procedure guidelines](#) 318–323
- spinal cord injury (SCI) 313–324
- assessment and recording tools 317–318
  - clinical presentation 315–316
  - complete 315
  - digital removal of faeces 255, 256–257
  - incomplete 315
  - moving and positioning 313–324
    - complications 323
    - equipment 317
    - pain management 318
    - principles of care 316–317
    - problem solving **324**
    - [procedure guidelines](#) 318–323
  - non-traumatic 313–315
  - rehabilitation 317
  - sacral sparing 315
  - traumatic 313
- spinal cord tumours 315
- spinal instability 315
- braces and hard collars 317
  - moving and positioning 283, 285, 316–324
  - equipment 317
  - principles of care 316–317
  - problem solving **324**
  - [procedure guidelines](#) 318–323
- spinal needles 473, 871, 871
- spinal nerve roots 469, 471
- spinal nerves 313, 801
- anatomy 304, 469, 471
  - dermatomes 316
  - external anatomy 803
- spinal shock 313
- spine
- degenerative conditions 315
  - stability, checking 283
  - stable 315, 316
  - unstable *see* spinal instability
  - work-related bending and twisting 1178
- spiritual beliefs, assessment **21–22**
- spiritual care 511–515
- spirogram 770
- spirometers 779
- spironolactone 522
- spleen, examination 41
- splints
- neurological patients 307–308
  - problem solving **314**
  - resting **308**
  - skin care 313
  - unconscious patients 296
- spores 68–69, 70
- Sprotte needle 871
- sputum 717
- inspection 28
  - sampling 717, 718, 722
  - indications 717, 777
  - [procedure guideline](#) 719
- self-expectoration 717
- SSKIN acronym 1144
- stadiometer 355
- standard precautions 101
- Standards of Proficiency for Nursing Associates 5–6, **6**
- Standards of Proficiency for Registered Nurses 4–5, **5**, **6**, 1183–1184
- standard wire gauge (swg) 1050
- standing position
- assistance with moving to 289–290
  - minimizing work of breathing **301**
- Staphylococcus aureus*
- healthcare-associated infections 72, 73–74
  - meticillin-resistant *see* meticillin-resistant *Staphylococcus aureus*
  - toxic shock syndrome 968
  - vancomycin-resistant 687
- Staphylococcus epidermidis* 687
- Starling's law of the heart 760
- StatLock stabilization devices
- Foley catheters 206–207, 208, 210, 212
  - vascular access devices 1033, 1064
- STEEP programme 283
- sterculia 245
- sterile dressing packs 101, 102
- sternal fractures, CPR **620**
- sternal rub 805
- steroids *see* corticosteroids
- stethoscope
- auscultation 26, 26
  - blood pressure measurement 763, 764
  - heart rate assessment 749
  - post-anaesthetic recovery 996
- stimulant laxatives **244**, 245
- stimulants, CNS **836**, **837**
- stitches *see* sutures
- St John's wort 831
- stockings, antiembolic *see* antiembolic stockings
- Stockley's Drug Interactions 932
- stoma(s)
- body image 268
  - cleaning 261
  - complications 270, 271
  - defined 257
  - deodorants 260, 261, **262**
  - dietary management 268–269
  - laryngectomy *see* laryngectomy stoma
  - measuring fluid output 349–350
  - observational index 270, 271
  - observations 267
  - odour prevention 260, 269
  - plug systems 261
  - post-operative function 268
  - sexual function and 269
  - siting 262
    - [procedure guideline](#) 262
  - support groups 272
  - types 257–259
  - see also* colostomy; gastrostomy; ileostomy; urostomy
- stoma appliances 260, 260–261
- bag change, [procedure guideline](#) 264–265
  - post-operative period 267
  - selection 261, **267**
  - size 260
- stoma bridges or rods 258, 258
- removal, [procedure guideline](#) 266–267
- stoma care 257–272
- discharge planning 269, 270
  - equipment 260–261, **262**
  - indications 259
  - patient education 264
  - post-discharge supplies 269
  - post-operative 267–269
  - pre-operative 262–264
  - [procedure guidelines](#) 263, 264–267
  - products for managing problems **262**
  - training and competency 259
- stomach 723, 985
- stoma pouches 260, 260–261
- one- or two-piece systems 261
  - selection 261
- stools *see* faeces
- stool softeners **244**, 245
- stopcocks 902

- storage  
 controlled drugs 827, **836**, **837**, 838  
 Entonox 481, **485**  
 medicines 827–828  
 specimens 659
- stories, patient 139
- Streptococcus pyogenes* 66, 968
- stress  
 assessment **21**  
 eating and 1174  
 physiology 153–154, 154, 1166  
 psychological factors 1166  
 reduction, provision 486  
 work-related, healthcare staff 1165–1166  
*see also* anxiety
- stridor **31**, 32
- stroke 142, 305
- Stroke Association 187
- stroke volume (SV) 745–746
- strontium 950
- stump *see* residual limb
- subarachnoid analgesia *see* intrathecal analgesia
- subarachnoid haemorrhage 690
- subarachnoid (intrathecal) space 469, 470, 471, 689
- subclavian vein 1031, 1032  
 catheterization 1090, 1098  
 ultrasound localization 1090
- subcutaneous analgesia 458
- subcutaneous infusions 883–890  
 complications 889–890  
 drugs 884  
 at end of life 506–510, **508**, 508, 509–510  
 problem solving **889**  
 procedure guideline 886–889  
 syringe pump volumes **889**
- equipment 884–885
- fluids (hypodermoclysis) 883–884  
 at end of life 504  
 procedure guideline 885–886
- monitoring 889
- sites 885
- subcutaneous injections 881–883  
 complications 883  
 needles 871, 882  
 procedure guideline 882–883  
 self-administration 883  
 sites 881, 881  
 skin preparation 882
- subcutaneous layer 396, 396–397, 1130
- subdural space 470, 689
- Subjective Global Assessment (SGA) 354, 355  
 patient-generated (PG-SGA) 354, 355
- sublingual analgesia 458
- sublingual tablets **844**, 845
- substance misuse, Mental Health Act 185, 186
- sucralfate 435
- suction  
 basic life support 611, **619**  
 chest drainage systems 571, 572–573  
 post-anaesthetic recovery 996, 997  
 tracheal *see* tracheal suctioning  
 tracheostomy 588–592
- suction catheters  
 respiratory secretion sampling 718, **718**  
 tracheostomy 589, **590**, 590
- suction units  
 operating theatre 990, 990  
 thoracic 571, 572  
 tracheostomy 589
- sudden cardiac death 609–610
- suicide  
 assisted 503  
 risk assessment 159, **160–161**
- sulcus 802
- summarizing 131
- superficial temporal artery, pulse 745
- superior vena cava (SVC) 1031  
 CVAD catheter tip position 1037, 1097  
 thrombosis 1087
- supine position  
 abdominal examination 40  
 bed **409**, 409  
 cardiovascular examination 35  
 neurological patient with tonal problems 309, 310  
 patient with artificial airway 295–296  
 procedure guideline 284–285  
 sitting up from 285–286  
 unconscious patients 295–296
- supplementary prescribers 824–825, 840
- Supportive and Palliative Care Indicators Tool (SPICT) 500
- supportive care *see* psychological support
- suppositories 251–253, 854  
 indications 251  
 methods of administration 251–252  
 procedure guideline 252–253  
 types available 252
- supraclavicular lymph nodes, inspection 40
- supraorbital pressure, neurological assessment 805
- suprapubic catheterization 213, 213–215  
 indications 213  
 post-procedure care 214
- suprapubic catheters, changing 214  
 procedure guideline 214–215
- surfaces, cleaning, procedure guideline 112–113
- surgery 939–1022  
 cell salvage/autologous transfusion 626–627  
 consent for 956–957  
 death within 24 hours of **532**  
 for extravasation injuries 925  
 hypothermia risk 783, 1001  
 poor technique **1137**  
*see also* intraoperative care; post-operative care; pre-operative care
- surgical debridement **1138**
- surgical drains *see* drains, surgical
- surgical hand antisepsis (surgical scrub) 76, 81–86  
 alcohol-based handrubs 81, 84–86  
 equipment 76–78  
 operating theatre 986, 986–988  
 procedure guidelines 82–86  
 soap and water 81, 82–84  
 steps in preparing for **81**
- surgical history 943
- surgical pre-assessment *see* pre-operative assessment
- Surgical Safety Checklist, WHO 977, 978, 980–981
- surgical site  
 hair removal 966, **966**  
 post-anaesthesia care 998  
 pre-operative cleaning 965–966  
 pre-operative marking 966, 966–967, **967**
- surgical site infection (SSI) **1019**
- surgical team 980, 980–981
- surgical voice restoration (SVR) 604–605
- surgical wounds 1018, 1152–1154  
 closure methods 1018, 1152  
 complications 1018, **1019–1020**  
 dressings 993, 994, 1018, 1018  
 procedure guideline 1153–1154  
 suture/clip removal 1152–1154  
*see also* drains, surgical
- susceptible host 66, **67**
- suspensions, oral 845
- sustained-release tablets 845
- sutures 1152  
 removal 1152–1153  
 procedure guideline 1153  
 securing chest drains 570, 570  
 securing PICCs 1086  
 securing VADs 1033  
 tracheostomy 585
- swabbing, eye *see* eye swabbing
- swabs  
 packing, surgical patients 993, 997  
 for sampling 658, 702
- swab sampling 701–710  
 ear 702–703  
 equipment 658, 702  
 eye 703  
 indications 701  
 penis 705  
 principles 701–702  
 procedure guidelines 702–710  
 rectum 705–706  
 skin 706–707  
 storage and transportation 659, 710  
 throat 707–708  
 vagina 708–709  
 wound 709–710, 1138–1140
- swallowing  
 assessment 365  
 process 351–352, 352, 365  
 swallowing difficulties 364–365  
 oral medications 846, **850**  
*see also* dysphagia
- swallow reflex 806
- Swedish nose 554
- swelling  
 extravasation site **921**  
 patient positioning and 282
- sympathetic nervous system 153, 157, 746
- symptom control, end of life 505, 515–526
- syncope *see* fainting
- Syner-KINASE *see* urokinase
- syphilis serology 690
- syringe pumps 905, 905–906  
 anaesthesia 906  
 occlusion response 904  
 patient-controlled analgesia (PCA) 906  
 pros and cons 905–906  
 siphonage 904  
 subcutaneous drug infusion 884–885  
 at end of life 506–510, **508**, 508, 509–510  
 problem solving **889**  
 procedure guideline 886–889  
 volumes **889**  
 user errors 899
- syringes  
 blood sampling from CVADs 673–674  
 CVAD rupture 1033  
 flushing VADs 1035  
 for injections 870, 870  
 nasopharyngeal sampling 719–720  
 oral drug administration **844–845**, 848, 848

- syringes (*continued*)  
 pre-filled 870  
 subcutaneous drug infusions 884
- syrups 846
- systematic approach to work 3
- systemic vascular resistance (SVR) 759
- systems  
 family 149–151, 150  
 hospital and multidisciplinary teams as 151  
 overlapping 151
- systolic blood pressure 758, 761–762
- tablet crushers 847, 847–848
- tablet dispensers 49, 49
- tablets 843–845, 845  
 considerations for administering **844**  
 crushing or breaking **844**, 845, 847–848  
 problem solving **850**  
 storage 828  
 via enteral feeding tubes 372, 384–385
- tablet splitters 847, 847
- tachycardia 746, **999**
- tachypnoea 28, 774
- tamoxifen 949
- tamponade, cardiac 609
- Tampon Alert 1022
- tampons 968
- tape measure 355
- tapentadol 460
- tapeworms 70, 716
- taps, for hand washing 77
- Targinact 460
- taxane administration sets 901
- tears 414  
 artificial 863
- TED stockings *see* antiembolic stockings
- teeth 427–428, 428  
 assessment 430, 431  
 decay 429  
 surgical patients 976
- Teflon coated catheters 206
- temazepam **837**
- temperature (ambient)  
 inspired gases 553  
 storage of medicines 827  
 venepuncture and 666  
 wound healing and **1137**, 1141
- temperature (body) 781–788  
 circadian rhythms 782, 785  
 core 781–782, 784  
 defined 781  
 fluid status assessment **343**  
 measurement **21**, 784–788  
 equipment 785–786  
 indications 784  
 methods 784–785  
 problem solving **787**  
[procedure guideline](#) 786–787  
 neurological patients 807, 813  
 regulation 781–782, 782  
*see also* fever; hyperthermia; hypothermia;  
 pyrexia
- temporal artery temperature 785
- temporal lobe 303, 800, 802
- tenoxicam 459
- tension pneumothorax 564, **564**, 609
- terbutaline **515**
- terlipressin 521
- terminal care 498  
*see also* end-of-life care
- terminal restlessness 165
- terminal sedation 525–526  
[procedure guideline](#) 526
- testicular sperm extraction (TESE) 695
- tetracycline **831**
- tetraplegia 315, **317**
- T-fasteners 366, 366  
 checking 376  
 removal, [procedure guideline](#) 377
- theatre, operating *see* operating theatre
- theophylline **515**, 947
- therapeutic drug monitoring **665**, 687–689
- therapeutic radiographers, prescribing 824, **824**
- therapeutic relationships, trusting 486
- thermometers 785–786
- thermoregulation 781–782, 782
- thermotherapy 487
- thiamine deficiency 354
- third space fluid losses 351
- thirst **342**  
 thirst response 337, 340
- thoracic nerves 304, 803
- thoracic spine 302, 304
- thoracic suction units 571, 572
- thoracocentesis 722, 723
- thoracolumbar spinal instability  
 log rolling 317, 321–322  
 spinal brace 317
- thorax *see* chest
- thoughts 149
- threadworms 706
- thrills 34
- throat, swab sampling 707–708
- thrombocytopenia **660**, 691, **974**  
 chest drain insertion 565  
 platelet transfusions 624, **625**
- thrombocytosis **660**, **974**
- thromboembolic deterrent stockings *see*  
 antiembolic stockings
- thrombolytic agents, VAD occlusion 1035, 1036,  
 1037, 1044, **1045**
- thromboprophylaxis  
 patient information sheet 962  
[procedure guideline](#) 963–964  
 surgical patients 958–964, 989, 990, 1022  
*see also* antiembolic stockings
- thrombosis  
 cardiopulmonary arrest 609  
 PICC-related 1087  
*see also* deep vein thrombosis; venous  
 thromboembolism
- thrombotic thrombocytopenic purpura **625**
- thrombus 958
- thyroid disorders 784
- thyroid function tests **953**
- tidal volume (TV) **770**, 770
- Tieman-tip catheter 205, 205
- TILE mnemonic 281
- Tilley's forceps **584**, 604, 605
- TIME principles, wound management **1132**,  
 1132–1140
- tiotropium **515**
- tissue(s)  
 extravasation of vesicants into *see* extravasation  
 oxygenation 540–542  
 viability, wound healing and **1132**, 1132–  
 1137, 1137
- tissue adhesives, securing VADs 1033, 1039
- Tissue Viability Society 1157
- T lymphocytes, inactivation in blood  
 components 642
- toileting, assessment **19**
- toilets, patients in isolation 105
- tonal problems 282–283, 305–313  
 positioning in bed 307–310  
 equipment 307–308, **308**, 308  
 problem solving **314**  
[procedure guideline](#) 309–310
- positioning in chair 310–313  
 equipment 310, **311–312**  
 problem solving **314**  
[procedure guideline](#) 312–313
- tone *see* muscle tone
- tongue 428, 428  
 assessment 430, 431
- tongue depressor 807
- tooth *see* teeth
- toothbrushes 434  
 foam handles 430, 434
- tooth brushing 436  
 problem solving **439**
- toothpaste 435
- topical anaesthesia 461  
 gastroscopy 724  
 peripheral intravenous cannulation 1052  
 urinary catheterization 207–208, 209, 211  
 venepuncture 666  
*see also* local anaesthesia
- topical antibiotics, wound management 1138
- topical drug administration **844**, 850–852  
 adverse effects 850–851, 852  
 dosage forms 850  
 eye 861–866  
[procedure guideline](#) 851–852
- topical negative pressure therapy (TNP) *see*  
 negative pressure wound therapy
- torch, pen 807
- total intravenous anaesthesia 978
- total lung capacity (TLC) **770**, 770
- totally implanted vascular access device  
 (TIVAD) *see* implanted ports
- total pain concept 511
- total parenteral nutrition (TPN) *see* parenteral  
 nutrition
- touch perception, testing 813
- tourniquets  
 peripheral cannulation 1048, 1053
- venepuncture 663, 664, 667
- towels, paper *see* paper towels
- TOXBASE 645
- toxic shock syndrome (TSS) 968
- toxins, bacterial 69
- traceability  
 blood or blood components 627  
 equipment and instruments 101
- trace elements, parenteral nutrition 385
- Tracey v Cambridge University Hospitals* 504
- trachea 578  
 palpation 32
- tracheal damage, tracheostomy patients  
 bleeding **603**  
 failed decannulation 599  
 suctioning 592
- tracheal dilators 583
- tracheal suctioning  
 specimen collection 718  
 via tracheostomy *see* tracheostomy,  
 suctioning
- tracheal toilet **579**
- tracheo-oesophageal puncture (TEP) 604–605
- tracheostomy 578–606  
 anatomy 578, 578  
 bed signage 580, 583

- communication methods 586, **586**, 586  
 competencies 579–580, **580**  
 contraindications 579  
 decannulation 598–600  
   complications 600  
   indications 598–599  
   **procedure guideline** 599–600  
 decannulation plug 598, 598  
 dressing and tube tape/tie change 587–588  
   **procedure guideline** 587–588  
 dysphagia **364**  
 emergency care 600–602, **603**  
   algorithm 580, 581  
   **procedure guideline** 601–602  
 equipment 580–586, **583**  
 high-flow oxygen therapy 551  
 humidification 554, 585–586  
 indications 579, **579**  
 moving and positioning 294–298  
   emergency situations 295  
   problem solving **298**  
   **procedure guidelines** 295–297  
 neurological observations 808  
 oxygen masks 545, **546**, 546  
 patient education 587  
 percutaneous 579  
 permanent 578–579  
 problem solving **602–603**  
 recannulation 600–602  
 risk management 580  
 speaking valves *see* speaking valves  
 suctioning 588–592  
   complications 592  
   equipment 589, 590  
   indications 588  
   infection risk 589  
   method 589, 589  
   **procedure guideline** 590–591  
 surgical 579  
 sutures 585  
 temporary 578  
 types 578–579  
*see also* laryngectomy  
 tracheostomy box **583**  
 tracheostomy tubes 295, 580–585  
   changing 593–596  
   complications 596  
   first 594  
   problem solving **603**  
   **procedure guideline** 594–596  
   changing inner cannula 592, 592–593  
   complications 593  
   **procedure guideline** 592–593  
   cuffed 580, 584  
   fenestrated 583  
   with subglottic port 583  
   cuff pressure manometer 584  
   cuff pressures 580  
   dislodgement **603**  
   dual lumen 580  
   fenestrated 583, 585  
   heat and moisture exchanger 554, 554,  
   585–586  
   laryngectomy patients 603  
   longer length 584–585, 585  
   metal 585, 586  
   occlusion **298**, **602**  
   removal *see* tracheostomy, decannulation  
   speaking valves *see* speaking valves  
   tapes or ties 587  
   uncuffed 583, 585
- TrachPhone 554, 586  
 tramadol 459, **836**, **837**  
 tranquilization, rapid 163  
 transactional model of communication 127, 127  
 transcellular space 336  
 transcutaneous electrical nerve stimulation  
   (TENS) 487, 487  
 transdermal analgesia 458  
 transdermal drug administration 852–854  
   advantages and disadvantages **844**, 853  
   **procedure guideline** 853–854  
 transdermal patches 852, 852  
 disposal of used 854  
 transfers  
   to operating theatre 977  
   to PACU 995  
   post-cardiac arrest 620  
   spinal instability 316–317  
   stable spinal injuries 317  
   to/from operating table 989, 989, 992  
   *see also* manual handling; moving and  
   positioning; transportation  
 transfusion 620–645  
   appropriate use 627  
   autologous 626–627  
   bedside/pre-transfusion checks 621–622,  
   623, 634  
   blood components used **628–630**  
   blood sampling prior to 633, 661  
   **procedure guideline** 635–636  
   clinical indication codes 633, **634**  
   competencies and training 627–631, **632**  
   complications 642–645  
   consent 631, 634  
   definition 620  
   equipment 633  
   errors and their prevention 621–622, 622  
   hospital policy 621  
   incompatible 621  
   indications 623–626  
   massive 631  
   methods 626–627  
   non-medical written instruction 631  
   observations during/after 639, 641, 748, 784  
   patient preparation 633–634  
   problem solving **640**  
   **procedure guidelines** 634–639  
   rationale 622–626  
   refusal 631  
   reporting adverse effects 627, 642  
   request *see* blood component request  
   safety and quality regulations in UK 627  
 transfusion-associated circulatory overload  
   (TACO) 624, 624, 644  
 transfusion-associated dyspnoea (TAD) 644  
 transfusion-associated graft-versus-host disease  
   (TA-GVHD) 642  
 transfusion reactions  
   delayed 641, 645  
   febrile non-haemolytic **640**, 644  
   haemolytic 644–645  
   initial management 642, **642**  
   major 644–645  
   minor 644  
   monitoring for 641  
   post-operative **1000**  
   reporting 642  
   signs and symptoms **641**  
 transfusion-related acute lung injury (TRALI)  
   643–644  
 transgastric feeding 367
- transillumination devices, visualization of veins  
   1048, 1048  
 transjugular liver biopsy 729  
 translation services 133  
 transmissible spongiform encephalopathies  
   (TSEs) **70**, 70–71, 643  
 transmission of infectious agents  
   modes/routes **67**, **104**  
   precautions 104–105  
 transplantation  
   blood group compatibility 621  
   cultural or religious issues **512–514**  
   organ or tissue donation 503, **532**  
 transport, molecular 336, **338**  
 transportation  
   controlled drugs 840  
   specimens 659–660  
 Transtec 461  
 trapezium squeeze, neurological assessment  
   805, 805  
 trauma  
   Entonox analgesia 482  
   epidural analgesia 471  
   flail chest **29**  
   spinal cord injuries 313  
   vicarious 1167  
 traumatic brain injury (TBI) **306**, 783  
 trazodone 158  
 trematodes 70  
 tremor, flapping 31  
 Trendelenburg position **409**, 409  
   air embolism 1095  
   CVC insertion 1090–1091, 1092  
   intraoperative care 985  
 tricyclic antidepressants (TCAs)  
   depression 158, 159–160, **160**  
   pain management **457**, 461  
   pre-operative 948  
 trigeminal nerve (V) **804**  
 trochlear nerve (IV) **804**  
 T-roll 308  
 Tru-Cut needle 729  
 tuberculosis (TB) 717, 722  
 tubular reabsorption 788, 789  
 tubular secretion 788, 789  
 tunica adventitia 663, 1030, 1031  
 tunica intima 662, 1030  
 tunica media 663, 1030–1031  
 tuning fork test **424**  
 Tuohy needle 473  
 Turbohaler 857, 857  
 Turnbull's loop ileal conduit 258–259  
 T wave 752, 752  
 twiddler's syndrome 1110  
 twisting, excessive work-related 1178  
 tympanic membrane 423, 423  
 tympanic membrane thermometry  
   785–787, 786  
   problem solving **787**  
   **procedure guideline** 786–787  
   thermometers 785–786  
 tympanometry **424**  
 tympany **26**, 38  
 tyramine-containing foods 831
- UK Oncology Nursing Society's Cancer  
 Therapy Venous Access Device Decision  
 Guide 1051  
 ulna length  
   height estimation from 355, 355, 357  
   measurement 357

- ulnar artery
  - cannulation 1111
  - modified Allen test 677, 678
- ultrasound
  - arterial assessment 1112
  - catheter-related thrombosis 1087
  - localization of veins 1048, 1048, 1073, 1073, 1074
- ultrasound-guided procedures
  - chest drain insertion 565
  - CVC insertion 1090, 1093
  - implanted port insertion 1104–1107
  - liver biopsy 728–729
  - midline catheter insertion 1069
  - peripheral venous cannulation 1048, 1048
    - [procedure guideline](#) 1059–1064
  - PICC insertion 1073, 1073, 1074, 1076
    - [procedure guideline](#) 1082–1085
- umbilicus, position 40
- unconscious patients
  - blood transfusion **640**
  - communication with 293–294
  - mouth care 430–434
  - moving and positioning 293–298
    - principles 293–294
    - problem solving **298**
    - [procedure guidelines](#) 295–297
  - oxygen therapy **548**
  - pain assessment 454
  - physiological changes 293, 294
    - see also consciousness; loss of consciousness
- underinfusion 900, 931
  - complications **900**
  - monitoring **931**
- undertakers **532, 533, 533**
- universality of experience effect 1171
- universal precautions 101
- unlicensed medicines 826
  - crushed or split tablets 847
  - prescribing 824
- unmyelinated nerve fibres 469
- unwarranted variations 2–3, **3**
- Updated National Guidance on the Safe Administration of Intrathecal Chemotherapy* 879, **879**
- upper limb
  - amputation 326, 328
  - spasticity **306**
  - superficial veins 662, 662, 1031, 1031
  - venous access 662
    - see also hand(s)
- urea
  - excretion 789
    - plasma (or serum) **343, 661, 974**
- ureteric stents, externalized 224–231
  - after ileal conduit construction 259
  - flushing, [procedure guideline](#) 232
  - post-operative care 268
  - principles of care 226
  - removal, [procedure guideline](#) 233
- ureterostomy, cutaneous 234
- ureters 196
- urethra 196, 727
  - difficulty visualizing orifice **218**
  - length 205
    - mucosal trauma/irritation, catheterized patients **218, 221**
- urethral catheterization see urinary catheterization
- urethral catheters see urinary catheters
- urethral meatus
  - cleansing, catheterized patients 220–221
  - crusting, catheterized patients **221**
- urinals/urine bottles
  - measuring urine output 347
  - patients in isolation 105
- urinalysis 710, 788–793
  - dipstick tests see urine dipstick (reagent) tests
  - equipment 792
  - indications 790
  - interpretation of results **793**
  - methods 791–792
  - patient education 792, 793
  - pre-operative **953**
  - [procedure guideline](#) 792–793
  - rationale 789–790
  - timed 791–792
- urinary catheterization 203–221
  - anaesthetic lubricating gels 207–208, 211
  - aseptic technique **101**
  - bedbathing 402
  - competencies 204
  - complications 220–221, **221**
  - drainage bags see urine drainage bags
  - equipment 204–207
  - indications 204
  - intermittent self- see intermittent self-catheterization
  - measuring urine output 206, 208, 346
  - post-operative 1020–1021
  - problem solving **218**
  - [procedure guidelines](#) 208–213, 216–218
  - suprapubic 213–215
- urinary catheters 204–206
  - associated infections see catheter-associated urinary tract infections
  - bags see urine drainage bags
  - balloon size 204–205
  - inability to tolerate **221**
  - intermittent self-catheterization 216
  - leakage around **221, 224**
  - leg straps 206–207, 208
  - length 205
  - materials **204, 205–206**
  - post-operative obstruction **1000**
  - removal
    - criteria 204
    - [procedure guideline](#) 219–220
  - selection 204
  - size 205
  - three-way (for irrigation) **204, 205, 222**
  - tip design 205, 205
  - types **204, 205**
  - urine sampling 713, 715
  - with urometers 206, 208
  - valves 207
- urinary diversions, surgical 234–237
  - continent see continent urinary diversion
  - incontinent 234
  - indications 234
  - nephrostomy drainage 226
  - risks of different types **235**
- urinary drainage bags see urine drainage bags
- urinary elimination 196
  - altered 200–236
  - anatomy and physiology 196, 196
  - assessment **19–20**
  - assisting normal 197–199
    - equipment 197, 201
    - [procedure guidelines](#) 198–199
  - definition 196
  - at end of life 511
    - moving patients and **292**
- urinary fistulas, catheterized patients **221**
- urinary incontinence 200–203
  - penile sheaths 201–203
  - skin care 197
    - see also incontinence
- urinary output
  - impaired
    - catheterized patients **218, 221**
    - nephrostomy tubes **229**
    - post-operative **1000, 1020–1021**
  - kidney disease staging **351**
  - monitoring
    - acute kidney injury 351
    - bladder irrigation 224, 225
    - catheterized patients 206, 208, 346
    - fluid status assessment 340, **343**
    - non-catheterized patients 347
      - [procedure guidelines](#) 346–347
    - normal **342**
    - post-operative 1020–1021
- urinary retention
  - bladder irrigation **224**
  - catheterized patients **221**
  - epidural analgesia 476, **477**
  - post-operative 1021
- urinary system endoscopy 985
  - see also cystoscopy
- urinary tract 196, 196
- urinary tract infections (UTIs)
  - catheter-associated see catheter-associated urinary tract infections
  - cystoscopy and 727
  - nephrostomy tube patients 226
  - predisposing factors 788, 790
  - urine sampling 710–715
- urinary tract obstruction 225
- urine 196
  - concentrating mechanism 788, 789
  - debris **791**
  - elimination see urinary elimination formation 788, 789
  - leakage around catheter **221, 224**
  - microscopy 791
  - odour 788, **791**
  - osmolarity **343**
  - patients in isolation 105
  - visual observations 791, **791**
- urine bottles see urinals/urine bottles
- urine colour 788, **791**
  - hydration status 1175, 1175
- urine dipstick (reagent) tests 790, 792
  - factors affecting results 791, **791**
  - interpretation of results **793**
  - [procedure guideline](#) 792–793
- urine drainage bags 206, 207
  - changing 206
  - emptying, [procedure guideline](#) 219
  - leg straps 206–207, 208
  - sizes and types 206, 207
  - with urometers 206, 208
- urine samples 710–715, 790
  - 24-hour collection 714–715
  - catheter specimen of urine 713
  - containers 658, 711
  - ileal conduit, [procedure guidelines](#) 265–266, 713–714
  - indications 710–711
  - midstream specimen of urine see midstream specimen of urine

- nephrostomy patients 227–228  
 patient education 792  
 principles of collecting 711  
[procedure guidelines](#) 711–715  
 storage and transportation 715  
 timed collection 791–792  
 urine testing *see* urinalysis  
 urobilinogen 791, **793**  
 urokinase (Syner-KINASE) 1035, 1036, 1040, **1045**  
 urometers 206, 208, 346  
 urostomy 234, 258–259  
   dietary management 268, 269  
   post-operative function 268  
   pouches 260, 260–261, 261, **267**  
   *see also* stoma(s); urinary diversion  
 Urostomy Association 272  
 urticaria 644
- vaccination **67**  
 vaccines, storage 828  
 vacuum-assisted aspirates  
   nasopharyngeal wash 721–722  
   via endotracheal tube 718, 718  
 vacuum blood collection systems  
   blood cultures 664, 684  
   sampling via CVADs 672–673  
   venepuncture 664, 664  
 VADs *see* vascular access devices  
 vaginal drug administration 855–856  
   [procedure guideline](#) 855–856  
 vaginal flora **67**  
 vaginal speculum 698, 699  
 vaginal swabs  
   high 709  
   low 708  
   [procedure guideline](#) 708–709  
 vagus nerve (X) **804**  
 Valsalva manoeuvre  
   chest drain removal 576, 577  
   CVC insertion 1090–1091  
 valuables, surgical patients 976  
 values, assessing patient's **21–22**  
 valves, venous 662, 1030, 1047  
 vancomycin 687, 688  
 vaporizer 990  
 vascular access devices (VADs) 1028–1117  
   absent blood return **921**, 1035, 1035–1036  
   assessment and recording tools 1039, 1040  
   blood culture specimen collection 683  
   catheter tip positioning 1037, 1037  
   cleaning insertion site 1032  
   cleaning of equipment 1032  
   competencies 1038, **1038**  
   complications 1046, **1047**  
   consent to 1038  
   contraindications 1032  
   damage and repair 1033  
   decision-making tool 923–924  
   definition 1030  
   discharge home with *in situ* 1045  
   displacement **917**  
   documentation 1066–1067  
   dressings 1033, 1038–1039  
   changing, [procedure guideline](#) 1042–1043  
   equipment 1038–1039  
   flushing (intermittent) **1034**, 1034–1035  
   patients at home 1045, **1046**  
   [procedure guideline](#) 1043  
   solutions 1040  
   implanted *see* implanted ports  
   indications for use 1031  
   infection prevention 1032–1033  
   infusion flow rates 903  
   inspection of insertion site 899, 1032  
   maintaining a closed system 1033  
   maintaining patency 1033–1037  
   [procedure guideline](#) 1043  
   solutions 1040  
   techniques 1034–1035  
 needleless connectors/injection caps 902, 902, 1034–1035  
 occlusion 1033–1037  
   clot formation 1033–1034, 1034, 1035  
   management 1035–1037  
   partial withdrawal (PWO) **675**, 1035, 1035–1036  
   precipitate formation 1034, 1035  
   total 1035–1037, 1036  
   unblocking, [procedure guideline](#) 1043–1045  
   patient education 1040, 1046  
   principles of care 1032–1037  
   [procedure guidelines](#) 1042–1045  
   securement devices 1033, 1038–1039, 1039  
   totally implanted *see* implanted ports  
   types **1030**  
   vesicant drug administration 919–920  
   *see also* central venous access devices;  
   peripheral intravenous cannulas  
 vascular resistance 759  
 vasoconstriction 783  
 vasospasm *see* arterial spasm; venous spasm  
 vasovagal attack *see* fainting  
 vastus lateralis injections 890, 891  
 vector transmission 105  
 veins  
   anatomy 662, 662–663, 1030  
   central venous circulation 1031, 1031, 1032  
   difficulty locating suitable **1058**  
   flare reaction to infusions 918–919, **921**  
   injuries, intravenous infusions **916**  
   locating devices 1048, 1048  
   manual stabilization 668, 669, 1049, 1049  
   missed **670**, **1058**  
   palpation 663, 667, 669, 1055  
   peripheral circulation 1031, 1031  
   selection  
     implanted ports 1102–1103  
     midline catheters 1068  
     peripheral cannulation 1046–1047  
     PICCs 1073–1075, 1074, 1075  
     short-term percutaneous CVCs 1090  
     skin-tunnelled catheters 1098  
     venepuncture 662, 662, 663, 666  
     vesicant drug administration 920  
   tapping 663, 1048  
   ultrasound localization 1048, 1048, 1073, 1073, 1074  
   valves 662, 1030, 1047  
   visual inspection 663  
 venepuncture 662–671  
   antimicrobial drug assays 688  
   aseptic technique 663  
   blood culture samples 684–685  
   choice of vein 662, 662, 663, 666  
   competencies 664  
   complications 671  
   contraindications 663  
   equipment 664, **665**  
   haemostasis after 668, 671  
   improving venous access 663, 667  
   indications 663  
   order of draw 664, **665**  
   patient preparation 666  
   post-procedure care 668, 671  
   practitioner safety 664  
   problem solving **670**  
   [procedure guideline](#) 666–669  
   risk management 664  
   skin preparation 663, 667, 669  
 venlafaxine 948  
 venous access  
   blood transfusion 633  
   CPR 619  
   epidural analgesia 474  
   limited, problem solving **670**  
   methods for improving 663, 667, 1048  
   parenteral nutrition 387  
   vesicant drug administration 920  
   *see also* central venous access devices;  
   peripheral venous cannulation; vascular  
   access devices; venepuncture  
 Venous Assessment Tool (VAT) 1039, 1040  
 venous spasm  
   blood transfusion **640**  
   intravenous infusions **916**  
   peripheral venous cannulation **1059**  
   venepuncture **670**  
 venous thromboembolism (VTE) 958, 958  
   absent or faint pulse **751**  
   PICC-related 1087  
   prophylaxis *see* thromboprophylaxis  
   risk assessment 958–959, 960–961  
   risk factors 958–959  
   unconscious patients 294  
   *see also* deep vein thrombosis; pulmonary  
   embolism  
 ventilated patients  
   communication aids 130  
   moving and positioning 294–298  
   problem solving **298**  
   [procedure guidelines](#) 295–297  
   oral care 430–434, **434**  
   respiratory secretion sampling 717–718  
   ventilation/perfusion matching 299, 299  
 ventilation  
   bag valve mask (BVM) 612–613, 613–614, 618  
   face-mask, anaesthesia and surgery 980  
   mechanical *see* mechanical ventilation  
   mouth-to-mouth 612  
   non-invasive *see* non-invasive ventilation  
   pocket mask or mouth-to-face-mask  
     612, 613  
   pulmonary 766–767, 767  
   rescue, basic life support 612–613, 613–614  
 ventilation/perfusion (V/Q) ratio 299  
   non-invasive ventilation and 555  
   positioning to maximize 299, 299  
   ventilated patients 299, 299  
 ventilator-associated pneumonia (VAP) 430–434  
 ventilators, post-anaesthetic recovery 996  
 venting needle method of powder preparation  
   874–875  
 ventral respiratory group (VRG) 767  
 ventricular fibrillation (VF) 607, 608  
   defibrillation 613–614, 618–619  
   ECG tracing 758  
 ventricular tachycardia (VT)  
   defibrillation 613–614, 618–619  
   ECG tracing 758  
   pulseless 607, 608

- ventrogluteal intramuscular injection site 890, 890
- Venturi oxygen masks 545, **545**, 545, **546**
- verbal communication 130
- verbal descriptor scales (VDSs), pain 451
- verbal response, Glasgow Coma Scale 808, **811**
- vertebrae 302
- vertigo 423–424
- vesicant drugs **920**
- antidotes 922–924
  - aspiration from tissues 924–925
  - competencies 921–922
  - defined 918
  - extravasation 918–932
    - see also extravasation
  - informed consent 922
  - mechanisms of tissue damage 919
  - methods of administration 920
  - sequencing 920, **920**
  - vascular access devices 919–920
- vesicular breath sounds 30, **343**
- Vessel Health Preservation (VHP) system 1039, 1041, 1051
- vestibular apparatus 423
- vestibule, oral 427, 428
- vestibulocochlear nerve (VIII) **804**
- vials 870, 870
- equilibrium method of powder preparation 876
  - minimizing coring 874, 875
  - venting needle method of powder preparation 874–875
- vicarious trauma 1167
- videofluoroscopy, swallowing assessment 365
- video stack, cystoscopy 728
- Vim-Silverman needle 729
- violence 161–164
- domestic **171**
  - see also aggression; anger
- viral infections 69
- diagnostic tests 69, 657, 690
  - nasopharyngeal sampling 717
  - transfusion-transmitted 642–643
- Virchow's triad 1087
- virulence 66
- viruses 69
- blood-borne, occupational exposure 118
  - life cycle 69, 69
  - specimen handling **659**
- visceral pain
- acute 449
  - descriptors 452
  - referred 450, 450
- visitors
- protective isolation 111
  - see also family
- visual acuity testing 806, 813
- visual analogue scales (VASs), pain assessment 452
- visual fields 415, 806
- visual impairment 133–134
- communication 144, **144–145**
- Visual Infusion Phlebitis (VIP) scale 1052, 1052
- visual pathways 414, 415
- vital capacity (VC) **770**, 770
- vital signs
- defined 742
  - neurological assessment 807, 812–813
  - see also blood pressure; pulse(s); respiratory assessment; temperature (body)
- vitamin B<sub>12</sub> 483
- vitamin C (ascorbic acid) **791**, 796
- vitamin D deficiency 354, **388**
- vitamin K **831**
- vitamins 354, 360, 385
- vitreous humour 414
- vocal cords (folds) 126, 126
- vocal resonance 31
- voice
- disorders 142, 144, **144**
  - oesophageal 604
  - production 126, 126, 127
- voice prostheses 604–605
- problem solving **606**
- voluntary services, community-based 62, **62**
- vomiting 517–520
- nasogastric drainage tube insertion 520
  - oral drug administration and **850**
  - pathophysiology 517, 518
  - patient care, [procedure guideline](#) 519–520
  - see also nausea and vomiting
- vomiting centre 517
- vulnerable adults see adults at risk
- waist circumference
- measurement 355, **355**, 358
  - obese patients **358**
- walking 291–292
- assisting, [procedure guideline](#) 292
  - low muscle tone 305
- walking aids 291
- walk-step stance 1177
- warfarin **660**, **831**
- warming
- blood components 633
  - methods in hypothermia 788
- warming blankets, operating theatre 993, 994
- washbowls 400
- washcloths, pre-packaged 400
- waste
- clinical **114–116**, 659
  - colour-coding system **113**
  - containers 114, **114–117**
- waste management 113–117
- regulations **75**
  - source isolation 105, 106
- water
- bladder irrigation 222
  - eye care 416
  - filling catheter balloons 205
  - hand hygiene 79, 82
  - total body 336, **336**, 352
  - toxicity 338
  - transport and movement 336, **338**
  - tubular reabsorption 788, 789
- water bath blood warmers 633
- water humidification chamber 555
- Waterlow pressure ulcer risk assessment 1148
- Waterpik device 434
- water vapour 541
- weakness, patient positioning 282
- wedding rings 79, 976
- weighing 355
- problem solving **358**
  - [procedure guideline](#) 356–358
  - scales 355, 356, **358**
- weight, body see bodyweight
- weight bearing, restrictions 291
- weight loss
- percentage 353
  - unintentional 353
- wellbeing (healthcare staff) 1162–1181
- concepts **1164**, 1164–1165
  - dimensions 1165
  - eating and drinking 1173–1175
  - factors influencing 1165–1168
  - mindfulness 1172–1173
  - physical 1175–1181
  - promoting 1168–1172
- wellbeing (patients) see psychological wellbeing
- Wellbeing: Why it Matters to Health Policy* (2014) **1164**, 1164–1165
- Well-Being Wheel 1165, 1165
- Wernicke's area 142, 142
- wet shave, [procedure guideline](#) 405–406
- wet wipes 111–112
- wheelchairs
- lower limb amputees 327, 327
  - patient positioning 290–291
  - positioning in tonal problems 312–313, **314**
  - types **311–312**
- wheeze **31**, 32
- whispered voice test **424**
- whispering pectoriloquy 31
- whistleblowing **181**
- whistle-tip catheter 205, 205
- Whitacre needle 871
- white blood cells
- counts (WBC) **660**, **952**, **974**
  - for transfusion **628**
  - urine **793**
- WHO see World Health Organization
- whole-protein/polymeric enteral feeds 367–368
- will and testament, last 503
- wind, stoma patients 269
- winged infusion devices
- blood culture samples 684–685
  - peripheral intravenous cannulation 1050, 1051
  - subcutaneous infusions 884
  - venepuncture 664, **665**
- WIN (healthy weight initiative for nurses) project 1173
- wipes, wet 111–112
- Withdrawal Notification form 55
- withdrawal phase, compassion fatigue 1168
- women see female patients
- Wong-Baker FACES Pain Rating Scale 452
- Workforce Health and Wellbeing Framework 1164, 1168
- work of breathing, minimizing 299–300, **301**
- World Health Organization (WHO)
- 5 moments for hand hygiene 76, 77
  - adverse drug reactions 831, 832
  - analgesic ladder 456, 456–457
  - cervical screening 698
  - definition of health 147
  - definition of palliative care 498
  - Global Patient Safety Challenge 832
  - Surgical Safety Checklist 977, 978, 980–981
- World Wide Wounds: Dressings Datacards 1157
- worms, parasitic 70
- worried patients 146, **146–147**
- wound(s) 1130–1143
- acute 1130
  - assessment 1132, **1132**, 1133–1136
  - bacterial burden 1137–1138
  - breakdown, amputees **328**, 329
  - chronic 1130, 1131
  - cleansing 1141–1142
  - contraction 1131
  - debridement **1132**, 1132–1137

- defined 1130
- dehiscence **1019**
- edge non-advancement **1132**, 1140
- inflammation and infection **1132**, 1137–1138
- moisture balance **1132**, 1140
- moving/positioning patients with 282, **293**
- open **398**
- surgical *see* surgical wounds
- tissue viability **1132**, 1132–1137, *1137*
- wound bed preparation (WBP) 1132–1140
  - TIME principles **1132**, 1132–1140
- wound drains *see* drains, surgical
- wound dressings *see* dressings
- wound exudate 1140
  - chronic excessive **1137**, 1140
  - specimen collection 702
  - suitable dressings **1139**, 1140
- wound healing 1130–1132
  - continuum 1132, *1137*
  - factors delaying 1132–1138, **1137**
  - haemostasis 1130, *1131*
  - inflammatory phase 1130–1131, *1131*
  - maturation phase *1131*, 1131–1132
  - phases 1130–1132
  - by primary intention 1130
  - proliferative phase 1131, *1131*
- by secondary intention 1130
- by tertiary intention 1130
- undernourished patients 354
- wound infections **1132**, 1137–1140
  - amputees 329
  - nephrostomy tube site **228**
  - suitable dressings *1141*
  - surgical site **1019**
  - wound swabs 1138–1140
- wound management 1128–1157
  - choice of dressings **1139–1140**, *1141*
  - equipment 1142
  - negative pressure therapy 1154–1157
  - ongoing care 1143
  - planning 1140, *1141*
  - pressure ulcers 1143–1152
  - principles 1140–1141
  - [procedure guideline](#) 1142–1143
  - surgical wounds 1152–1154
  - TIME principles **1132**, 1132–1140
  - useful websites 1157
- Wounds UK 1157
- wound swabs 1138–1140
  - Levine technique 1138–1140
  - [procedure guideline](#) 709–710
  - Z technique 1138, 1140
- wrist and finger splints **308**
- wrist bands *see* identity bands
- wrong blood into patient errors 621–622
- wrong blood in tube (WBIT) 633
- wrong-site surgery, prevention 966
- xanthelasmata 34
- xerostomia *see* dry mouth
- X-rays 730
  - nasogastric tube position 371, 372, 373
  - waste containers **116**
  - see also* chest X-rays
- Yankauer suction tip 589, *589*
- Yates drains **1004**, *1005*
- yeasts 70
- Yellow Card Scheme 832
- young carers 62
- young people, safeguarding *see* child safeguarding
- zinc **388**
- Zone Insertion Method (ZIM), PICC 1073, *1074*
- zopiclone **836**, **837**
- Z technique, wound swabs 1138, 1140
- Z-track technique, intramuscular injections 891