

Index

Page locators in **bold** indicate tables. Page locators in *italics* indicate figures. This index uses letter-by-letter alphabetization.

a

- abdominal pain
 - acute jaundice 453
 - after cardiac surgery 55–56, 56
 - diarrhea and lethargy 331–334, **332**, 333
 - fever 387–389, **388–389**
 - fever and rash 446
 - idiopathic nephrotic syndrome 457
 - nausea and vomiting 371
 - splenic laceration 431–433, 432, **432**
 - vomiting and diarrhea 449–451
- abdominal trauma 29–31, 30, **30**
- abducens nerve palsy 204
- abnormal movements 357–359, 358
- acetaminophen
 - acetaminophen ingestion 207–210, 209–210
 - head injury 255–256, 258–259
- acetazolamide 229
- activated charcoal 208
- acute abdomen 215–217
- acute hyperglycemia 191–194, **192**
- acute hypertension and seizures 395–398, **396–397**
- acute inflammatory demyelinating polyradiculoneuropathy (AIDP) 404–405
- acute jaundice 453–456, **454–455**
- acute kidney injury (AKI) 309–310
- acute liver failure 453–456, **454–455**
- acute lymphoblastic leukemia (ALL) 266, 372–374
- acute mastoiditis 278–279
- acute motor axonal neuropathy/acute motor and sensory axonal neuropathy (AMAN/AMSAN) 404–405
- acute myeloid leukemia (AML) 266
- acute otitis media (AOM) 277–278, 291
- acute pancreatitis 450–451
- acute peritonitis 334
- acute respiratory distress syndrome (ARDS) 157–159
- acute respiratory failure/distress 251–254, 252, **252**, 353
- adenosine 70–72
- adrenocorticotrophic hormone (ACTH) stimulation test 9
- airway, breathing, and circulation (ABC) 213
- albuterol 74, 354–355
- allergic reactions
 - billing and coding 38–40
 - hives and lip swelling 461–462
 - vomiting 58
- allopurinol 63
- altered mental status 23–27, **24**, 25
- ambiguous genitalia 261–263, **262**
- American Academy of Pediatrics (AAP)
 - acute hypertension and seizures 396–398
 - jaundice 162
 - otitis media 106
 - quality improvement 134
 - respiratory syncytial virus and respiratory failure 52
- American College of Critical Care Medicine (ACCM) 179
- amiodarone 362
- amniotic membrane transplantation (AMT) 167
- amputation 154
- amylase **432**
- anaphylaxis/anaphylactic shock 212–213, 461–462
- anemia 265–267, 266, **266**
- anesthesia 58–59
- angiography 122, *122*, 130, *131*
- angiotensin-converting enzyme (ACE) inhibitors 6
- anion gap metabolic acidosis 197–198
- anterior mediastinal mass 373–374
- antiarrhythmics 117
- antibiotics
 - complication of pneumonia 1–2
 - fever and cough 271
 - fever and rash 447–448
 - fever and redness behind ear 279
 - fever and sore throat 171
 - fever, rash and lethargy 320

- antibiotics (*cont'd*)
- fussiness and decreased oral intake 156, 157, 159
 - fussy, tired infant 408
 - generalized weakness 437
 - influenza A and new fever 480–481
 - kidney transplant complication 392–393, 477
 - left eye swelling 35
 - liver transplantation and fever 93–94
 - lower respiratory tract infection 112
 - neonatal tachypnea 201–202
 - osteomyelitis 90–91
 - scald burn injury 311
 - shunted hydrocephalus 66–67
 - skin wound in postoperative neonate 467, 469
 - upper respiratory infection, headache and fever 237
- antiemetics 12
- antiepileptic drugs (AED) 82–84
- antihistamines 315
- antihypertensives 221
- anti-inflammatory medications 347
- antinuclear antibody (ANA) 244–245
- antipsychotics 297
- antipyretics 17
- antiretroviral therapy (ART) 176
- apnea
- brain death 365
 - progressive lethargy and poor feeding 195
 - sore throat and shortness of breath 336–337, 337
- appendicitis 387–389, **388–389**
- arterial blood gas analysis *see* blood gas analysis
- arteriovenous malformation (AVM) 121–123, *121–122*
- aspirin 130–131
- asthma
- acute respiratory failure 252–253
 - outpatient management of asthma 353–356, **355**
 - status asthmaticus 463–465, *464*, **464**
- atrioventricular block 140
- atrioventricular septal defect (AVSD)
- oral presentation and communication 339–344, **343**
 - postoperative heart block 285–286, *286*
- autism spectrum disorders (ASD) 48
- autoimmune hepatitis 454–455
- automatic implantable cardioverter defibrillator (AICD) 350
- b**
- back pain 385, 403–406, **404**
- bacteremia 380
- bacterial meningitis 236–237
- basal hormone testing 377
- basic metabolic profile *see* metabolic profile
- Beckwith–Weidemann syndrome 102–103
- benign neonatal sleep myoclonus 357–359, *358*
- benzodiazepines 82–84
- beta-agonists 465
- beta-blockers
- acute hypertension and seizures 398
 - fussy, tired infant 409
 - murmur and chest flutter 350
- bilateral tympanostomy tubes 105–106
- bilevel positive airway pressure (BiPAP)
- asthma 463–465
 - fever and cough 271
 - respiratory syncytial virus and respiratory failure 52–53
 - sore throat and shortness of breath 337
 - spinal muscular atrophy 299
- biliary atresia 162
- bilirubin 93
- billing and coding 37–45
- ambulatory and inpatient billing encounters 40–41
 - bundled services 42, **43**, 44
 - charge generating procedure 38
 - codes used to bill for services 38, **39**
 - critical care management 41–44, **41**
 - documentation elements 38
 - documentation for critical care services 42
 - outpatient case documentation 38–40
 - PICU case study 42–44
 - requirements for new providers 37
 - services not meriting critical care codes 42
 - time-based codes 41–42, **42**, 43–44
 - transfers 41
- biobanking 275
- biopsy
- bone marrow transplant in sickle cell disease 424
 - generalized weakness 438
 - idiopathic nephrotic syndrome 459
 - knee pain 153–154
 - tachypnea and cool extremities 225
- blisters/bullae 165, *166*
- blood gas analysis
- acute hyperglycemia **192**
 - altered mental status **24**
 - brain death **364**
 - desaturation in postoperative cardiac surgery infant **78**
 - fussiness and decreased oral intake **156**, 157
 - fussy, tired infant **408**
 - headache and seizure **120**
 - neonatal tachypnea **200**
 - outpatient management of asthma 355–356
 - postoperative tachycardia **362**
 - progressive lethargy and poor feeding **196**
 - scald burn injury **308**
 - stridor **292**
 - tachypnea and cool extremities **224**

- unresponsive patient **326**
 - weaning preterm infant from ventilation **248**
 - blood in stool 85–87, **86**
 - blood transfusion 313–315, **314**
 - bloody diarrhea 125–126, **126**
 - bone marrow biopsy/aspirate 62
 - bone marrow transplant (BMT) 19–21, **20**, 423–425
 - botulism 437–439
 - bowel necrosis 334
 - bowel perforation 334
 - brain death 363–366, **364**
 - Brain Trauma Foundation 328, 328
 - breastfeeding
 - neonatal hypoglycemia 101
 - neonatal tachypnea 202
 - neurologic changes and respiratory failure 183
 - progressive lethargy and poor feeding 195
 - vomiting 59
 - breathlessness
 - sore throat and shortness of breath 335–338, **336**, 337
 - sudden onset of breathing difficulty 211–213
 - bronchiolitis
 - cough 73–75
 - fever and cold symptoms 15–17
 - fever and cough 270
 - respiratory syncytial virus and respiratory failure 52–53
 - bronchodilators 16
 - bronchopulmonary dysplasia (BPD) 248–249
 - Brudzinski sign 185
 - bruising 61–63, 62, **62–63**
 - bundled services 42, **43**, 44
 - burnout and resiliency 471–473, **472**
- C**
- calcium channel blockers (CCB)
 - acute hypertension and seizures 398
 - altered mental status 24–27
 - murmur and chest flutter 350
 - calcium homeostasis 23–26
 - Campylobacter jejuni* 405
 - capillary blood gas analysis *see* blood gas analysis
 - cardiac arrest 311
 - cardiac catheterization 130, 131
 - cardiac output
 - desaturation in postoperative cardiac surgery infant 78–79
 - fussy, tired infant 408–409
 - tachypnea and cool extremities 224
 - cardiac surgery 55–56, 56
 - cardiac tamponade 311, 373
 - cardiomyopathy 407–409
 - cardiopulmonary arrest 325, 327
 - cardiopulmonary resuscitation (CPR) 308–310, 363
 - carditis 346–347
 - ceftriaxone 252
 - Centers for Disease Control and Prevention (CDC)
 - head injury 257–258
 - respiratory failure and transaminitis 428, 428
 - sickle cell disease and fever 175
 - Centers for Medicare and Medicaid Services (CMS) 37–45
 - central line-associated bloodstream infection (CLABSI) 480–481
 - central nervous system (CNS) tumors 204–206
 - central venous pressure (CVP) 376–377
 - cerebral angiography 122, 122
 - cerebral edema 193
 - cerebral palsy 177–181
 - cerebral salt wasting (CSW) 67, 376–377, **377**
 - cerebrospinal fluid (CSF)
 - fever and rash 447
 - generalized weakness 437–438, **437–438**
 - headache and seizure 121
 - hypothermia 380–381, **380**
 - intractable headache 228, **228**
 - leg and back pain **404**, 405
 - neurologic changes and respiratory failure 187
 - progressive lethargy and poor feeding 195–196
 - shunted hydrocephalus 66–67, **66**
 - tic disorders 412
 - upper respiratory infection, headache and fever 236–237, **236**
 - cerebrovascular accident (CVA) 282–283, 282, 284
 - cervicalgia 257
 - CHARGE syndrome 211–213
 - chemotherapy
 - diplopia and esotropia 206
 - knee pain 154
 - pineoblastoma and bone marrow transplant 19
 - chest flutter 349–351
 - chest X-ray
 - acute hypertension and seizures 395–396
 - acute respiratory failure 252, 253
 - altered mental status 23, 25
 - anemia 266
 - asthma 464
 - bruising 61–63, 62
 - complication of pneumonia 1–2, 2
 - cough 74–75
 - fever and cold symptoms 15, 16, 17
 - fever and cough 270
 - fussiness and decreased oral intake 157, 158, 158
 - fussy, tired infant 408
 - generalized weakness 436
 - headache and seizure 120
 - kidney transplant complication 476

- chest X-ray (*cont'd*)
- lower respiratory tract infection 110
 - neonatal tachypnea 200
 - neurologic changes and respiratory failure 184
 - newborn immediately post delivery 141
 - orthopnea 373
 - outpatient management of asthma 356
 - racing heart 116, 117
 - respiratory decompensation in trached infant 98, 98
 - sickle cell disease and fever 174, 174
 - weaning preterm infant from ventilation 248–249
- Chiari I malformation 322–323, 412
- child abuse *see* physical abuse; sexual abuse
- child assent 274–275
- chloramphenicol 447
- chloroquine 429–430
- chronic otitis media 105–107
- clonazepam 147
- Clostridium botulinum* 438–439
- coagulation profile
- acute jaundice **454**
 - bloody diarrhea **126**
 - fever and rash 447
 - fussiness and decreased oral intake **158**, 158
 - irritability in 3-day-old **443**
 - progressive lethargy and poor feeding **196**
 - scald burn injury **308**
 - unresponsive patient **326**
 - upper respiratory infection, headache and fever **236**
- cognitive impairment 48
- Collaborative Institutional Training Initiative (CITI) program 274
- communication *see* oral presentation and communication
- community-acquired pneumonia (CAP) 270
- complex chronic condition 147–150
- complication of pneumonia 1–4, 2, **2–4**
- compression fractures 385
- computed tomography (CT)
- abdominal pain, diarrhea and lethargy 333
 - abdominal trauma 29, 30, 31
 - acute respiratory failure 253
 - anemia 267
 - brain death 363–364
 - diplopia and esotropia 205–206
 - fever and abdominal pain 387
 - fever and redness behind ear 278, 279
 - fever and sore throat 170, 170
 - headache and seizure 120–121, 121
 - head injury 256–258
 - hypothermia 379
 - knee pain 153–154, 154
 - left eye swelling 34, 35
 - neurologic changes and respiratory failure 183–186, 185, 186, 187
 - orthopnea 371–372, 372
 - pineoblastoma and bone marrow transplant 19
 - right-sided weakness 283, 284
 - seizures 84
 - shunted hydrocephalus 65, 66
 - splenic laceration 431, 432, 433
 - sudden onset of breathing difficulty 212
 - tic disorders 412
 - traumatic brain injury 376
 - unresponsive patient 326–327, 326–327
 - upper respiratory infection, headache and fever 237
 - vomiting and diarrhea 450
- concussion 257
- confidentiality 275
- congenital adrenal hyperplasia (CAH) 262–263
- congenital hearing loss 48
- congenital heart disease (CHD) 97–100, 98–99, 200–201
- congenital hyperinsulinemia 442
- congested cough 15–16
- conjunctivitis 165, 167
- continuous positive airway pressure (CPAP)
- asthma 464
 - desaturation in postoperative cardiac surgery infant 77
 - diaphoresis during feedings 6
 - fever and cough 269, 271
 - neonatal tachypnea 201
 - respiratory syncytial virus and respiratory failure 52–53
 - sore throat and shortness of breath 337
 - stridor 291, 293
- cool extremities 223–225, **224**
- corneal reflex 364–365, 437
- corticosteroids
- acute respiratory failure 253
 - ambiguous genitalia 262–263
 - bone marrow transplant in sickle cell disease 424
 - cough 74
 - Henoch–Schönlein purpura nephritis 220–221
 - outpatient management of asthma 354–355
 - stridor 293
- cough 73–75
- acute respiratory failure 252–253
 - congested cough 15–16
 - fever and cough 269–272, 270, **270**
 - stridor 291
- C-peptide 401
- crackles
- cough 73–74
 - migratory joint pain 345
 - tachypnea and cool extremities 223
- C-reactive protein (CRP)

- fever and redness behind ear 278
 - hypothermia 380–381
 - migratory joint pain 346
 - neonatal tachypnea 201
 - osteomyelitis 90
 - persistent fever 130
 - critical blood sample 102, **103**
 - critical care management 41–44, **41**
 - croup 292–293
 - C-spine injury 257
 - current procedural terminology (CPT) codes 38, 41
 - Cutibacterium acnes* 67
 - cytomegalovirus (CMV) 174–175, **174**, 437
- d**
- Debrancher deficiency 443
 - deep tendon reflex (DTR)
 - intractable headache 228
 - neurologic changes and respiratory failure 185
 - right-sided weakness 282
 - dehydration
 - acute hyperglycemia 192–193
 - hypothermia 379
 - kidney transplant complication 391, 475–477
 - neurologic changes and respiratory failure 183, 184
 - osteomyelitis, electrolyte disturbance and headaches 303–305
 - poor weight gain and dehydration 143–145
 - vomiting and diarrhea 12–13, **13**
 - see also* electrolytes/fluid therapy
 - delirium 295–298
 - contributing factors 296
 - environmental versus pharmacologic therapy 297
 - pathophysiology 296
 - screening tools 296–297
 - desaturation in postoperative cardiac surgery infant 77–79, **78**
 - desmopressin 377
 - dexamethasone 204–205, 263
 - diabetes insipidus 67, 376–377, **377**
 - diabetes mellitus (DM) 143–145, 191–194, **192**
 - diabetic ketoacidosis (DKA) 192–193
 - Diagnostic and Statistical Manual of Mental Disorders (DSM)* 296–297
 - dialysis 127
 - diaphoresis during feedings 5–6
 - diarrhea
 - abdominal pain, diarrhea and lethargy 331–334, **332**, 333
 - bloody diarrhea 125–126, **126**
 - idiopathic nephrotic syndrome 457
 - kidney transplant complication 391–392, 475–477
 - osteomyelitis, electrolyte disturbance and headaches 303
 - vomiting and diarrhea 11–14, **13**, 449–451, **450**
 - diazepam 147
 - diazoxide 401
 - diffuse midline gliomas 204–206
 - digoxin 6
 - dilated cardiomyopathy 408
 - diplopia and esotropia 203–206, **204**, 205
 - disseminated intravascular coagulation (DIC) 159, 236–237
 - diuretics
 - diaphoresis during feedings 6
 - fussy, tired infant 409
 - murmur and chest flutter 350
 - neonatal tachypnea 202
 - postoperative spinal fusion with complications 368
 - dizziness 255
 - DMAIC process 133–134
 - domestic minor sex trafficking (DMST) 288–289
 - dopamine 7
 - Down syndrome 337
 - doxycycline 430, 447
 - drooling 165, 167
 - duodenal obstruction 216
- e**
- early transitional adaptive hypoglycemia 102
 - echocardiography
 - altered mental status 24
 - desaturation in postoperative cardiac surgery infant 77
 - diaphoresis during feedings 6
 - fussy, tired infant 408
 - migratory joint pain 346
 - newborn immediately post delivery 139, 141
 - orthopnea 372
 - persistent fever 130–131, *131*
 - poor oral intake and irritability 70–71
 - tachypnea and cool extremities 224
 - upper respiratory infection, headache and fever 237
 - weaning preterm infant from ventilation 248–249
 - electrocardiogram (EKG)
 - altered mental status 23–24, 25
 - anemia 267
 - bruising 63
 - diaphoresis during feedings 5–6
 - fussy, tired infant 409
 - lightheadedness 415
 - migratory joint pain 346
 - murmur and chest flutter 349–351
 - newborn immediately post delivery 139–141, *140*
 - persistent fever 130
 - poor oral intake and irritability 69–72, *71*
 - postoperative heart block 285–286, 286
 - postoperative tachycardia 361–362, 362
 - racing heart 115–118, *116–117*

- electrocardiogram (EKG) (*cont'd*)
 scald burn injury 308, 309–310, 310–311
 tachypnea and cool extremities 224
 electroencephalogram (EEG)
 abnormal movements 358–359, 358
 brain death 365
 generalized weakness 437–438
 headache and seizure 121
 neurologic changes and respiratory failure 186
 seizures 81–83, 83
 tic disorders 412
 electromyogram (EMG) 437–438
 electronic medical records (EMR) 38, 135
 emesis *see* vomiting
 emotional intelligence 472
 empyema 2–4, **4**
 encephalitis 187–188, 188
 end of life 149
 endoscopic retrograde cholangiopancreatography (ERCP)
 31, 94, 162
 endotracheal tubes 187
 end-stage renal disease (ESRD) 391–393, **392**
 enema reduction 333–334
 enterovirus 111
 environmental modifications 297
 epididymitis 241
 epilepsy
 complex chronic condition 147–149
 seizures 81–84, **82**, 83
 seizures in school-age child 231–233, **232**
 epinephrine
 cough 74
 hives and lip swelling 462
 hypotension in the operating room 9
 stridor 291–293
 sudden onset of breathing difficulty 213
 tachypnea and cool extremities 225
 unresponsive patient 325
 epistaxis 255
 Epstein-Barr virus (EBV) 174–175
 erythema 469
 erythematous rash with macules 318, 446, 446
 erythrocyte sedimentation rate (ESR)
 fever and rash 244–245
 knee pain 153
 migratory joint pain 346
Escherichia coli 86–87, 126–127, 393, 484
 esotropia *see* diplopia and esotropia
 ethics 177–181
 case notes and history 177–178
 consulting an ethics committee 181
 essential components of family meeting 179, **180**
 gaining consensus on plan of care 178–179, **179**
 palliative care 180
 research review 273–275
 script of family meeting **178**
 successful processes utilized in family meeting 179–180
 evaluation and management (E/M) documentation 38,
 39, 40–41
 exercise/physical activity
 lightheadedness 416
 murmur and chest flutter 350–351
 poor weight gain and dehydration 145
 external bracing 385
 external ventricular drain (EVD) 121
 extracorporeal cardiopulmonary resuscitation (ECPR) 308–310
 extracorporeal membrane oxygenation (ECMO) 23, 25–27,
 309–311
 exudative effusion *see* empyema
 eye swelling 33–35, 34–35, **34–35**
- f**
- facial nerve palsy 204
 failure mode and effects analysis (FMEA) 133–134
 failure to thrive 144
 febrile neutropenia 20–21
 feeding/nutritional support
 acute jaundice 456
 blood in stool 87
 diaphoresis during feedings 5–6
 fussiness and decreased oral intake 155–159, **156**, **158**, 158
 hyponatremia 419–421
 irritability in 3-day-old 441–443
 lower respiratory tract infection 111–112
 neonatal tachypnea 201–202
 neurologic changes and respiratory failure 189
 poor oral intake and irritability 69–72, **70**, 71
 poor weight gain and dehydration 143–145
 progressive lethargy and poor feeding 195–198, **196**
 rash and drooling 167
 spinal muscular atrophy 299–301, **300**
 splenic laceration 432–433
 vomiting 59
 fentanyl 7
 fever
 acute jaundice 453
 and abdominal pain 387–389, **388–389**
 and cold symptoms 15–17, 16
 and cough 269–272, 270, **270**
 and painful urination 483–485, **484**
 and rash 243–246, **244–245**, 445–448, 446, **446**
 and redness behind ear 277–279, **278**, 279
 and sore throat 169–171, 170, **171**
 liver transplantation and fever 93–95, **94**

- osteomyelitis 89
 - persistent fever 129–131, **130**, 131
 - rash and lethargy 317–320, 318, **318**
 - sickle cell disease and fever 173–176, 174, **174–175**
 - upper respiratory infection, headache and fever 235–238, **236**
 - flaccid myelitis 188
 - flexible bronchoscopy 253
 - fludrocortisone 263
 - fluorescence *in situ* hybridization (FISH) 263
 - fluoroscopy 31
 - focal segmental glomerulosclerosis (FSGS) 458, 475–478, **476**
 - football injury 431–433, 432, **432**
 - foreign body aspiration 252–253
 - fussiness and decreased oral intake 155–159, **156**, **158**, 158
 - fussy, tired infant 407–409, 408, **408**
- g**
- gamma-glutamyltransferase (GGT) 93–94
 - gastroenteritis
 - abdominal pain, diarrhea and lethargy 332
 - acute abdomen 216
 - vomiting and diarrhea 12–13
 - gastroesophageal reflux disease (GERD) 58, 216
 - generalized periodic epileptiform discharges (GPED) 82
 - generalized weakness 435–439, **436–438**
 - genetic testing 262
 - gestational diabetes 101
 - Glasgow Coma Scale (GCS)
 - abdominal trauma 29
 - brain death 363
 - head injury 255–256
 - hypothermia **380**
 - splenic laceration 431
 - traumatic brain injury 375
 - glucose 6-phosphatase deficiency 443
 - glucose tests 101–102, **102**
 - glycogen synthetase deficiency 443
 - good clinical practice (GCP) 274
 - graft-versus-host disease (GVHD) 423–424
 - grunting 1
 - Guillain–Barré syndrome (GBS) 404–406
- h**
- Haemophilus influenzae* 35, 236
 - headache
 - acute hyperglycemia 193
 - acute hypertension and seizures 395
 - and seizure 119–123, **120**, 121–122
 - head injury 257–259
 - intractable headache 227–229, 228, **228**
 - osteomyelitis, electrolyte disturbance and headaches 303–305, **304**
 - sore throat and shortness of breath 337
 - tic disorders 411–413
 - upper respiratory infection, headache and fever 235–238, **236**
 - head injury 255–259, 256
 - Health Insurance Portability and Accountability Act (HIPAA) 44
 - hearing loss 48
 - heart block 141, 285–286, 286
 - Heliox therapy 293
 - hemodialysis
 - altered mental status 26–27
 - progressive lethargy and poor feeding 198
 - scald burn injury 311
 - hemoglobin/hematocrit **78**
 - [beta-]hemolytic streptococcal pharyngitis 346–347
 - hemolytic uremic syndrome (HUS) 86–87, 126–127
 - hemophagocytic lymphohistiocytosis (HLH) 454–455
 - Henoch–Schönlein purpura (HSP) nephritis 219–221, **220**
 - hepatic panel **94**
 - hepatic phosphorylase deficiency 443
 - herpes simplex virus (HSV) 380–381
 - high-flow nasal cannula (HFNC)
 - complication of pneumonia 1–2
 - cough 74–75
 - respiratory syncytial virus and respiratory failure 51–53
 - spinal muscular atrophy 299
 - stridor 291, 293
 - history component codes 38, **39**
 - HIV/AIDS 174–176, **175**
 - hives and lip swelling 461–462
 - hoarseness 165, 167
 - human leukocyte antigen (HLA) 424
 - human trafficking 287–289
 - screening and identification 289
 - signs and common complaints 288–289
 - types and prevalence 288
 - hydrocephalus 65–68, 66, **66**
 - hydrocortisone 263
 - β -hydroxybutyrate (BOHB) 193
 - hyperactive delirium 296
 - hyperammonemia 197–198
 - hyperbilirubinemia 162
 - hyperglycemia 191–194, **192**
 - hyperinsulinemia 400–401, 442
 - hyperinsulinemic euglycemia (HIE) therapy 25–26
 - hyperkalemia 62, 63, 309–310
 - hyperleukocytosis 266–267
 - hypernatremia 304–305, 376

- hyperoxia test 201
 - hyperparathyroidism 232
 - hypersensitivity reactions 208
 - hypertension
 - acute hypertension and seizures 395–398, **396–397**
 - fever and rash 244–245
 - hypertrophic cardiomyopathy (HCM) 349–351, 409
 - hypertrophic pyloric stenosis (HPS) 57–58
 - hypoactive delirium 296
 - hypocalcemia 232–233
 - hypocomplementemia 245
 - hypoglycemia
 - irritability in 3-day-old 441–443
 - jittery 2-week-old infant 399–401, **400**
 - neonatal hypoglycemia 101–103, **102–103**
 - progressive lethargy and poor feeding 197–198
 - hyponatremia 419–421, **420**
 - acute hyperglycemia 193
 - postoperative spinal fusion with complications 368–369
 - shunted hydrocephalus 67
 - traumatic brain injury 377
 - hypoparathyroidism 232–233
 - hypotension
 - altered mental status 23, 26
 - in the operating room 7–9, **8**
 - hypothermia 365, 379–381, **380**
 - hypotonia 177–181, 436–437
 - hypovolemia/hypovolemic shock
 - hyponatremia 368
 - kidney transplant complication 392
 - lightheadedness 416
 - scald burn injury 311
 - traumatic brain injury 376
 - vomiting and diarrhea 12–13
 - hypoxia
 - acute respiratory failure 251–253
 - asthma 463
 - complication of pneumonia 1–2
 - fever and cough 269–271
 - hyponatremia 419–420
 - outpatient management of asthma 353
 - sore throat and shortness of breath 337
 - sudden onset of breathing difficulty 212
 - hypoxic ischemic encephalopathy 81, 327–329
- i**
- iatrogenic withdrawal syndrome (IWS) 296
 - ibuprofen 248, 256, 259
 - idiopathic nephrotic syndrome 457–459, **458**
 - idiopathic scoliosis 367
 - immunocompromised patient 19–21, 392
 - immunoglobulin A nephropathy 458
 - immunoglobulin A vasculitis *see* Henoch–Schönlein purpura nephritis
 - immunosuppressive therapy
 - fever and rash 246
 - Henoch–Schönlein purpura nephritis 221
 - idiopathic nephrotic syndrome 458–459
 - inborn error of metabolism (IEM) 196–198
 - indomethacin 248
 - inflammatory markers **326**
 - influenza A and new fever 479–481, **480**
 - influenza vaccine 405–406
 - informed consent 274–275
 - inotropes 392–393, 409
 - insect stings 461–462
 - Institutional Review Board (IRB) 136–137, **136**, 274
 - insulin-dependent diabetes mellitus (IDDM) *see* type 1 diabetes mellitus
 - insulin therapy 102, 193
 - intellectual disability 48, 177–181
 - interleukin (IL)-6 380
 - intracranial pressure (ICP) 120–122, 205
 - intractable headache 227–229, 228, **228**
 - intravenous immunoglobulin (IVIG)
 - leg and back pain 405
 - neurologic changes and respiratory failure 188
 - persistent fever 130–131
 - rash and drooling 167
 - intraventricular hemorrhage (IVH) 248, 249
 - intussusception 216, 332–334, 333
 - IPASS Handoff program 342–344, **343**
 - irritability
 - in 3-day-old 441–444, **443**
 - poor oral intake and irritability 69–72, **70**, 71
- j**
- jaundice 161–163, **162**, 453–456, **454–455**
 - jittery 2-week-old infant 399–401, **400**
 - jittery 3-day-old 441
 - joint pain 220–221
 - Jones criteria 346–347, **347**
 - junctional ectopic tachycardia (JET) 361–362, 362, **362**
- k**
- Kawasaki disease 130, 166
 - Kayser–Fleischer rings 454–455
 - Kernig sign 185
 - ketorolac 258
 - kidney transplant complication 391–393, **392**, 475–478, **476**
 - knee pain 151–154, *152–154*, **152**
- l**
- lactic acidosis 401
 - Ladd procedure 216–217

- language delay 47–49
- laparoscopic appendectomy 389
- left eye swelling 33–35, 34–35, **34–35**
- leg and back pain 403–406, **404**
- lethargy
 - abdominal pain, diarrhea and lethargy 331–334, **332**, 333
 - fever and rash 445–446
 - fever, rash and lethargy 317–320, 318, **318**
 - hypothermia 379
 - progressive lethargy and poor feeding 195–198, **196**
 - vomiting and diarrhea 11
- leukemia 62–63, 266–267
- leukocytosis 62
- lightheadedness 415–415, **416**
- lipase **432**
- lipid emulsion therapy 26–27
- lipid profile **450**
- lip swelling 461–462
- literature review 135
- liver failure 208, 210, 210
- liver function test 453–454, **454**
- liver transplantation and fever 93–95, **94**
- lorazepam 119
- loss of consciousness (LOC) 255
- lower respiratory tract infection 109–113, 110, **110**, **112**
- lumbar puncture
 - fussiness and decreased oral intake 157
 - intractable headache 229
 - neurologic changes and respiratory failure **186**
- Lyme meningitis 228
- lymph nodes 61, 143–144
- m**
- magnesium sulfate 355
- magnetic resonance cholangiogram (MRCP) 94
- magnetic resonance imaging (MRI)
 - diplopia and esotropia 203–206, 205
 - fever and abdominal pain 387–389
 - fever and redness behind ear 278
 - generalized weakness 437–438
 - head injury 258
 - intractable headache 228, 228
 - knee pain 153, 153
 - left eye swelling 34
 - leg and back pain 403, 405
 - neurologic changes and respiratory failure 186, 187, 187, 188, 189
 - osteomyelitis 90–91, 91
 - right-sided weakness 282–283, 282, 284
 - scoliosis 322–323
 - seizures 84
 - tic disorders 412
 - unresponsive patient 327
- malaria 427–430, 428–429, **428**
- malnutrition 299–301, **300**
- malrotation 215–217
- mechanical ventilation *see* ventilation
- meconium aspiration syndrome (MAS) 200–201
- Medicare/Medicaid *see* Centers for Medicare and Medicaid Services
- membranoproliferative glomerulonephritis (MPGN) 458
- meningismus 155
- meningitis
 - fussiness and decreased oral intake 156, 157, 159
 - hypothermia 380
 - neurologic changes and respiratory failure 184
 - upper respiratory infection, headache and fever 236–237
- meningococemia 156, 158, 159
- mental status
 - altered mental status 23–27, **24**, 25
 - cognitive impairment 48
 - generalized weakness 437
- metabolic acidosis 325
- metastatic disease 19–21, 153
- metered-dose inhalers (MDI) 133–137, **136**, 143
- methicillin-resistant *Staphylococcus aureus* (MRSA)
 - fever and sore throat 171
 - fever, rash and lethargy 319–320
 - influenza A and new fever 481
 - osteomyelitis 90
 - shunted hydrocephalus 67
- methicillin-sensitive *Staphylococcus aureus* (MSSA) 67
- methylprednisolone 424
- middle ear ventilation disorders 48
- migraine
 - headache and seizure 119
 - head injury 258
 - intractable headache 227–229, 228, **228**
- migratory joint pain 345–347, **346–347**
- milk-protein allergy 58
- milrinone 225
- minimal change nephrotic syndrome (MCNS) 458
- mononucleosis 173
- multiorgan dysfunction syndrome (MODS) 309–310
- murmur 69
- murmur and chest flutter 349–351
- myectomy 351
- myocarditis 223–225, **224**, 447–448
- n**
- N*-acetylcysteine (NAC) 207–208
- narrow-complex tachycardia 69–72
- nasal flaring 1
- nasogastric (NG) tubes
 - blood in stool 87
 - shunted hydrocephalus 65

- nasogastric (NG) tubes (*cont'd*)
 spinal muscular atrophy 301
 National Provider Identifier (NPI) 37
 nausea and vomiting
 headache and seizure 119
 orthopnea 371
 seizures 231
 necrotizing enterocolitis (NEC) 248–249
 necrotizing fasciitis 467–470, 468–469, **468**
 negative inspiratory force (NIF) 404–405
Neisseria meningitidis 156, 236–237
 neonatal hypoglycemia 101–103, **102–103**, 441–444, **443**
 neonatal tachypnea 199–202, 200, **200**
 nephritis 244–246
 nephrotic syndrome (NS) 457–459, **458**
 neurologic disorders
 and respiratory failure 183–189, **184**, **186**, 185–187, 188
 headache and seizure 119–123, **120**, 121–122
 seizures 81–84, **82**, 83
 newborn immediately post delivery 139–141, 140–141
 nocturnal polysomnography 337, 337
 non-accidental trauma *see* physical abuse
 non-invasive positive pressure ventilation (NIPPV) 271
 nonsteroidal anti-inflammatory drugs (NSAID)
 back pain 385
 fever and rash 246
 head injury 255–256, 258
 Henoch–Schönlein purpura nephritis 220–221
 norepinephrine 9
 nutritional support *see* feeding/nutritional support
- O**
- obesity 101
 obstructive sleep apnea (OSA) 336–337, 337
 opioid analgesics 451
 oral presentation and communication 339–344
 barriers to ideal communication during handoff 341–342
 describing a comprehensive oral presentation 340–341
 key components for new admission 340
 key components of handoff communication 342–344, **343**
 obtaining important information during handoff 341
 shift-to-shift handoffs 342
 structured/standardized handoff tools 342
 orbital cellulitis 34–35
 orchiectomy 241
 orthopnea 371–374, 372, **372**
 orthostatic blood pressure 415, **416**
 Osgood–Schlatter disease 151–152
 osteomyelitis
 case study 89–91, **90**, 91
 electrolyte disturbance and headaches 303–305, **304**
 osteosarcoma 153–154
- otitis media (OM)
 acute otitis media 277–278, 291
 chronic otitis media 105–107
 language delay 48
 outpatient management of asthma 353–356, **355**
 oxygen therapy/support
 altered mental status 23, 25–27
 anemia 266–267
 asthma 463–465
 complication of pneumonia 1–2
 cough 74–75
 diaphoresis during feedings 6
 fever and cold symptoms 16
 fever and cough 269, 271
 fussy, tired infant 408–409
 lower respiratory tract infection 111–112
 neonatal tachypnea 199, 201
 outpatient management of asthma 354–355
 poor oral intake and irritability 72
 respiratory decompensation in trached infant 97–99
 respiratory failure and transaminitis 428–429
 respiratory syncytial virus and respiratory failure 51–53
 scald burn injury 309–311
 sore throat and shortness of breath 335–337
 stridor 291–293
 tachypnea and cool extremities 224–225
- P**
- pacemakers
 newborn immediately post delivery 139–141, 140–141
 postoperative heart block 285–286, 286
 packed red blood cell (PRBC) transfusion 158–159
 painful urination 483–485, **484**
 palivizumab 75
 palliative care
 brain death 366
 ethical case study 180
 palpitations 349–351
 pancreatic enzymes **450**
 pancreatitis 450–451
 panic attacks 212
 parathyroid hormone (PTH) 232–233
 parvovirus requiring blood transfusion 313–315, **314**
 patent ductus arteriosus (PDA) 247–249
 patent foramen ovale (PFO) 70
 pathologic lead point 334
 Pediatric Emergency Care Applied Research Network
 (PECARN) 257–258
 Pediatric Evaluation of Developmental Status (PEDS)
 tool 47–49
 pediatric nurse practitioner (PNP) 37–38, 40–41, 43–44
 pericardial effusion 371–374

- periodic lateralizing epileptiform discharges (PLED) 82
 periorbital edema 33, 34
 peripheral blood smear 63
 peripherally inserted central catheter (PICC) 67
 peripheral pulmonic stenosis (PPS) 70
 peritonsillar abscess 170
 persistent emesis 58–59
 persistent fever 129–131, **130**, 131
 persistent hemodynamic instability 23
 persistent pulmonary hypertension of the newborn (PPHN)
 200–201
 petechiae 155–156
 petechial rash 61
 pharyngitis 169
 phenobarbital 83
 phonophobia 227–228
 photophobia 227–228, 411
 physical abuse
 brain death 363–366, **364**
 unresponsive patient 327–329, **328**
 Pierre Robin syndrome 337
 pineoblastoma and bone marrow transplant 19–21, **20**
 Plan, Do, Study, Act (PDSA) 133–134
 plaques 166
Plasmodium spp. 428–430
 pleural effusion 3, 371–374
 pneumonia
 acute respiratory failure 252–253
 billing and coding 42–44
 complication of pneumonia 1–4, 2, **2–4**
 fever and cough 270
 influenza A and new fever 480
 upper respiratory infection, headache and fever 236
 point-of-care test (POCT) glucose 191, 193
 point-of-care ultrasound (POCUS) 116
 poisoning and toxic events
 acetaminophen ingestion 207–210, 209–210
 altered mental status 23–27
 generalized weakness 438–439
 poliovirus 188
 polymerase chain reaction (PCR)
 acute jaundice 454, **455**
 fever and rash 447
 fussy, tired infant 408
 sickle cell disease and fever 174–175
 upper respiratory infection, headache and fever 237
 polysomnography (PSG) 337, 337
 poor oral intake and irritability 69–72, **70**, 71
 poor weight gain and dehydration 143–145
 positive end-expiratory pressure (PEEP)
 desaturation in postoperative cardiac surgery infant 77, 79
 fussiness and decreased oral intake 158
 respiratory decompensation in trached infant 98
 respiratory failure and transaminitis 429
 stridor 291, 293
 post-coarctectomy syndrome 56
 postoperative heart block 285–286, 286
 postoperative spinal fusion with complications 367–369, **368**
 postoperative tachycardia 78–79, 361–362, 362, **362**
 postural tachycardia syndrome (POTS) 415–416, **416**
 prednisolone 263, 458–459
 prednisone 458
 prenatal laboratory tests **102**
 preseptal cellulitis 34
 pressure-equalizing (PE) tubes 105–106
 progressive lethargy and poor feeding 195–198, **196**
 provider burnout and resiliency 471–473, **472**
Pseudomonas aeruginosa 112, 279, 481
 pseudotumor cerebri syndrome (PTCS) 228–229
 pulmonary edema
 altered mental status 26
 desaturation in postoperative cardiac surgery infant 78
 migratory joint pain 345–347
 pulmonary hypertension 78–79
 pulse oximetry 199
 pyloric regimen 59
 pyloric stenosis (PS) 57–59, 216
 pyloromyotomy 58–59
- q**
- quality improvement (QI) 133–137, **136**
 appropriate goals for the problem 135
 appropriate question for case scenario 135
 barriers to implementation 135–136
 defining research versus QI **136**
 final steps 137
 Institutional Review Board 136–137, **136**
 key members of QI team 133–134
 literature review 135
 measurement of outcomes 136
 quinidine 430
- r**
- racing heart 115–118, 116–118, **117**
 radiography
 abdominal pain after cardiac surgery 56
 acute abdomen 216
 back pain 385
 head injury 256–258, 256
 jaundice 162
 knee pain 151–153, 152
 osteomyelitis 89–90
 scoliosis 322
 stridor 293

- radiography (*cont'd*)
 see also chest X-ray
 radiotherapy 206
 range of motion (ROM) 321
 rapid diagnostic test (RDT) 428, 429
 rasburicase 63
 rash
 and drooling 165–168, 166–167, **166**
 bone marrow transplant in sickle cell disease 423
 fever and rash 243–246, **244–245**, 445–448, 446, **446**
 fever, rash and lethargy 317–320, 318, **318**
 redness behind ear 277–279, **278**, 279
 refeeding syndrome 300–301
 referral 48
 reflective ability 472
 renal parenchymal disease 396–397
 research review 273–275
 consents and assents 274–275
 participants 273
 protection of human subjects 273–274
 responsibilities for data collection 275
 training programs 274
 resiliency *see* burnout and resiliency
 respiratory decompensation in trached infant 97–100, 98–99
 respiratory distress syndrome (RDS) 200–201
 respiratory failure
 generalized weakness 435
 neurologic changes and respiratory failure 183–189,
 184, **186**, 185–187, 188
 respiratory syncytial virus 51–53
 transaminitis 427–430, 428–429, **428**
 respiratory infections 20–21, **110**, 111
 respiratory syncytial virus (RSV) 51–53, 129
 reticulocyte count **314**
 retinal hemorrhage 328, 328
 retropharyngeal abscess (RPA) 170–171, 170
 return of spontaneous circulation (ROSC) 325
 rheumatic heart disease 346–347, **347**
 rhinorrhea 15–16, 195
 rhinosinusitis 34
 rhinovirus 111
 rhombencephalitis 187–188
 rhonchi 73
Rickettsia rickettsii 446–447
 right-sided weakness 281–284, 282, **282**, 284
 Rocky Mountain spotted fever (RMSF) 445–448, 446, **446**
 root cause analysis (RCA) 133–134
 Rumack–Matthew nomogram 208, 209
- S**
- salbutamol 202
 SBAR handoff 354–355, **355**
 scald burn injury 307–312, **308**, 309–310
 scoliosis 321–323, 322, 367
 sedation
 delirium 295–296
 desaturation in postoperative cardiac surgery infant 77–79
 orthopnea 373
 seizures 81–84, **82**, 83
 acute hypertension and seizures 395–398, **396–397**
 complex chronic condition 147–149
 headache and seizure 119–123, **120**, 121–122
 hyponatremia 419–420
 in school-age child 231–233, **232**
 sepsis/septic shock
 delirium 295
 fussiness and decreased oral intake 155–156
 hypothermia 380–381
 irritability in 3-day-old 442
 kidney transplant complication 392
 parvovirus requiring blood transfusion 315
 pineoblastoma and bone marrow transplant 21
 scald burn injury 309–310
 shunted hydrocephalus 66
 skin wound in postoperative neonate 469
 upper respiratory infection, headache and fever 236–237
 septic arthritis 89–90, 151–152
 serology 447
 serum creatinine 476–477
 sexual abuse 287–289
 sexually transmitted infections (STI) 287–288
 shiga-like toxin-producing *Escherichia coli* hemolytic uremic
 syndrome (STEC-HUS) 86–87, 126–127
 short-acting beta-agonists (SABA) 354–355
 shunted hydrocephalus 65–68, 66, **66**
 sickle cell disease (SCD)
 and fever 173–176, 174, **174–175**
 bone marrow transplant 423–425
 right-sided weakness 281–284, 282, **282**, 284
 sinus bradycardia 23, 25, 26–27
 sinusitis 34
 sinus tachycardia 5–6
 Six Sigma DMAIC process 133–134
 skin wound in postoperative neonate 467–470, 468–469, **468**
 sleep myoclonus 357–359, 358
 SMART objectives 135
 social competency 472
 social support 472
 sore throat
 and shortness of breath 335–338, **336**, 337
 fever and 169–171, 170, **171**
 speech therapy 49
 spinal fracture 383
 spinal muscular atrophy (SMA) 299–301, **300**

- splenic laceration 431–433, 432, **432**
 sputum culture 112, **112**
Staphylococcus aureus
 fever and redness behind ear 279
 fever, rash and lethargy 319
 influenza A and new fever 480–481
 left eye swelling 35
 osteomyelitis 90
 see also methicillin-resistant *Staphylococcus aureus*
 status asthmaticus 463–465, 464, **464**
 status epilepticus 81, 84, 147
 stay sutures 97, 98, 99
Stenotrophomonas maltophilia 112
 steroid-induced hyperglycemia 144
 steroids
 ambiguous genitalia **262**
 neurologic changes and respiratory failure 188
 sudden onset of breathing difficulty 213
 see also corticosteroids
 Stevens–Johnson syndrome and toxic epidermal necrolysis (SJS/TEN) 166–167
Streptococcus spp.
 migratory joint pain 346–347
 osteomyelitis 90
 sore throat and shortness of breath 336
 upper respiratory infection, headache and fever 236–237
 stridor 291–294, **292**, 335–336
 substance use/abuse 287–289, 449–451
 sudden cardiac death 350–351
 sudden onset of breathing difficulty 211–213
 sumatriptan 258
 superior vena cava syndrome 373
 supraventricular tachycardia (SVT) 70–72, 117–118
 swollen eye 33–35, 34–35, **34–35**
 swollen lip 461–462
 synchronized cardioversion 72
 synchronized intermittent mandatory ventilation (SIMV) 252
 syndrome of inappropriate antidiuretic hormone (SIADH) 67, 368–369, 376–377, **377**
 syring 322–323
 systemic inflammatory response syndrome (SIRS) 20, 309
 systemic lupus erythematosus (SLE) 139, 244–246, **245**
- t**
 tachypnea
 and cool extremities 223–225, **224**
 complication of pneumonia 1
 fever and cough 269–271
 migratory joint pain 345
 neonatal tachypnea 199–202, 200, **200**
 oral presentation and communication 339
 respiratory syncytial virus and respiratory failure 51–52
 T-cell acute lymphoblastic leukemia 372–374
 team culture 472
 testicular torsion 239–241, 240, **240**
 tethered cord 322–323
 tetralogy of Fallot (TOF) 211–213, 361
 thrombocytopenia 62
 thyroid-stimulating hormone (TSH) 116
 tic disorders 411–413
 time-based codes 41–42, **42**, 43–44
 tonic–clonic seizures 119
 Tourette syndrome 411–413
 toxic shock syndrome (TSS) 319–320
 toxic synovitis 89–90
 tracheitis 480
 tracheobronchoscopy 99, 99, 100
 tracheostomy 97–100, 177–181, 189
 transaminitis 427–430, 428–429, **428**
 transcranial Doppler (TCD) 281, 283
 transfers 41
 transient hyperinsulinemic hypoglycemia 102
 transient tachypnea of the newborn (TTN) 199–202, 200, **200**
 trauma
 abdominal trauma 29–31, 30, **30**
 splenic laceration 431–433, 432, **432**
 traumatic brain injury (TBI)
 brain death 363–366, **364**
 complication of 375–378, 376, **376–377**
 head injury 257–258
 unresponsive patient 327–329, **328**
 triple flexion reflex 187
 trisomy 21 339–344, **343**
 tumor lysis syndrome (TLS) 62, 266–267, 373–374
 type 1 diabetes mellitus 143–145, 192–193
- u**
 ulceration 468
 ultrasonography
 abdominal pain, diarrhea and lethargy 333, 333
 acute abdomen 216
 fever and abdominal pain 387–389
 Henoch–Schönlein purpura nephritis 221
 jaundice 162
 liver transplantation and fever 94
 neurologic changes and respiratory failure 183
 racing heart 116
 testicular torsion 240–241
 vomiting 58
 vomiting and diarrhea 449–450
 weaning preterm infant from ventilation 249
 unresponsive patient 325–329, 326–328, **326**, **328**, 441
 upper respiratory infection (URI)
 fever and sore throat 169–170

- upper respiratory infection (URI) (*cont'd*)
 - seizures 81
 - with headache and fever 235–238, **236**
 - uric acid 63
 - urinalysis
 - acute hyperglycemia **192**
 - acute hypertension and seizures **396**
 - blood in stool **86**
 - bloody diarrhea **126**
 - fever and abdominal pain **388**
 - fever and painful urination **484**
 - fever and rash **244**
 - Henoch–Schönlein purpura nephritis **220**
 - idiopathic nephrotic syndrome **458**, 459
 - kidney transplant complication **476**, 477
 - neurologic changes and respiratory failure **184**
 - pineoblastoma and bone marrow transplant 21
 - postoperative spinal fusion with complications 368
 - progressive lethargy and poor feeding **196**
 - splenic laceration **432**
 - testicular torsion **240**, 241
 - traumatic brain injury 375
 - vomiting and diarrhea **450**
 - urinary tract infection (UTI)
 - fever and painful urination 483–485
 - influenza A and new fever 480
 - kidney transplant complication 392–393, 477
 - pineoblastoma and bone marrow transplant 20–21
- V**
- VALUE acronym **179**
 - vancomycin 271
 - vasodilators 78–79, 398
 - vasopressors 157
 - venous–arterial extracorporeal membrane oxygenation (VA-ECMO) 97
 - venous blood gas analysis *see* blood gas analysis
 - ventilation
 - acute respiratory failure 251–253
 - asthma 463–465
 - brain death 363–364
 - complex chronic condition 148–149
 - delirium 295
 - fever and cough 271
 - fussiness and decreased oral intake 156–158
 - fussy, tired infant 408–409
 - leg and back pain 404
 - lower respiratory tract infection 111–112
 - neurologic changes and respiratory failure 185, 189
 - orthopnea 373
 - progressive lethargy and poor feeding 198
 - respiratory failure and transaminitis 428–429
 - weaning preterm infant from mechanical ventilation 247–249, *248–249*, **248**
 - ventricular septal defect (VSD) 6
 - ventriculoperitoneal (VP) shunt 65–68
 - vesicoureteral reflux (VUR) 483–485, **484**
 - viral encephalitis 228–229
 - viral meningitis 236
 - vital capacity (VC) 405–406
 - vitamin D deficiency 232, 385
 - vomiting 57–59, **59**
 - abdominal pain after cardiac surgery 55–56
 - acute abdomen 215
 - and diarrhea 449–451, **450**
 - vomiting and diarrhea 11–14, **13**
 - see also* nausea and vomiting
- W**
- wheezing
 - acute respiratory failure 252–253
 - asthma 463
 - cough 73–74
 - fever and cold symptoms 16
 - hives and lip swelling 461
 - outpatient management of asthma 353
 - respiratory syncytial virus and respiratory failure 51–53
 - sudden onset of breathing difficulty 212
 - white blood cell (WBC) count 90
 - Wilson disease 454–456, **455**
 - Wolff–Parkinson–White (WPW) syndrome 71–72, 117–118