

Index

Note: Page numbers in *italics* refer to Figures; those in **bold** to Tables

- abiogenesis 17, 367
- acceptance phase 120, 126, 185, 189, 200, 209, 254
- acclimation/acclimatization 160, 161, 163, 164, 169, 367, 369
- accumulated degree hour/day 23, 221–7, 231, 367
- aculeate Hymenoptera 331, 333, 334, 336, 337, 346, 347
- adipocere 183, 367
 - formation of 177, 178
- administrative law 29–34, 43, 367
- adventitious species 69, 89–91
- aesthetic injury level (AIL) 34, 39, 367
- agroterrorism *see* terrorism
- AIL *see* aesthetic injury level (AIL)
- Aleochara* 85, 86, 86
- algor mortis 179, 180, 185, 189, 201, 216, 256, 367
 - Glaistier equation 180
 - rate of body cooling 180
- allelochemical
 - mode of action 119–20
 - types 118–19
- allergens 333, 367
- allomone 118–19, 125, 332–5, 338, 339, 346, 347, 367
- Alysia manducator* 87, **142**
- American cockroach 21, 40, 40, 116, 157
- anaphylaxis 333, 334, 336, 338, 340, 345, 347, 367
- anaotogeny/anaotogenous 95–8, 96, **97**, 106, 122, 124, 126, 196, 368
- ancient Egypt
 - burial practices 295, 302
 - understanding of maggot therapy 295
- anemotaxis/anemotaxic 116, 198, 368
- apneumone 119–22, 125, 126, 141, 368
- aposematic (aposematism)
 - behaviors 332, 334, 335, 337, 342, 346–8
 - coloration 331–3, 335, 337, 344, 346, 347
- Aprocrita 333, 336, 347
- arachnophobia 343
- Archaeoentomology
 - forensic archaeoentomology 293, 295, 304, 306
 - funerary archaeoentomology 296, 305, 371
 - how differs from forensic entomology 295–6, 304–5
 - mummies 293, 295, 296, 300–303, 306
 - stored product 293, 295–9, 297, 305
 - synanthropy 293, 295–302, 305–6
 - urban entomology 293, 295, 296, 298–301, 305–6
- Archaeology
 - burial practices 295, 302, 306
 - forensic archaeology 294, 371
 - and insects 293–306
- aseasonal adaptations
 - to high temperature 158–60
 - to low temperature 164–6
- autogeny/autogenous 95–8, 96, **97**, 106
- autolysis 159, 176, 176, 177, 179, 180, 182, 182, 184, 185–9, 201, 256, 259, 262, 341, 368, 374
- barriers to detection/oviposition
 - abolish detection/oviposition 198, 199, 209
 - delay detection/oviposition 198–200
- base temperature 152, 165, 167, 202, 219, 222–4, 223, **226**, 227–9, 231, 368 *see also* developmental limit
- bed bug **38**, 39–42, 42, 44, 63, 64, 246, 248, 299, 305, 314
- biogeoclimatic zones 204, 205, 207, 211, 368
- biological weapons 311–12, 313, **317**, **320**, 324–6, 370
- biosensor(s)
 - in vitro applications 323
 - use of insects 322
- Blaesoxipha plinthopyga* 82, 82
- Blattella germanica* 42, 42
- blood
 - properties: cohesion, surface tension, viscosity 239
 - spatter 7, 13, 237–9, 238, 241–8, 368
- blood feeding *see* hematophagous
- bloodstain
 - analysis, pattern 237–40, 246–7
 - angle of impact 237, 240–242, 242, 247
 - area of convergence 242, 243, 247
 - area of origin 242, 243, 247
 - edge characteristics (scallops, spikes, tail) 241, 241, 242, 247
- blow flies 14, 15, 17, 18, 22, 24, 50, 52, 56, 58, 63, 70, 72, 74–80, 76, 83, 84, 86, 87, 90, 91, 96, 97, 98, 101, 102, 103, 106–8,

- blow flies (*cont'd*)
 120, 122–4, 132, 132–7, 140, 144, 156, 165, 178, 186, 189,
 194, 204, 205, 218, 222, 228, 252, 254, 256, 273, 281–3,
 353, 354, 356, 359
- body decomposition
 factors influencing 9, 175, 177–9, 188
 rate of 175, 177–80, 187, 188
- Boettcherisca peregrina* 201, **202**
- Braconidae 70, 86–7, **142**, 186
- Brownian motion 198, 244
- bubonic plague (Black Death)
 in ancient Egypt 295, 299, 300
 origins 295, 299, 300
 vectored by *Xenopsylla cheopis* 299, 300, 300
- burial influences on
 corpse detection 199, 209
 insect succession 197, 200
- cadaver decomposition island (CDI) 177, 186, 188, 195, 368
- cadaverine 20, 122, 182
- caddisfly(ies) 22, 25, 63, **206**
- Calliphora*
C. auger 136
C. uralensis 121, **122**
C. vicina 78, 78, **97**, 121, **122**, 123, 156, **159**, 166, 204, 206,
 222, 229, 245
C. vomitoria 78, 78, **97**, 121, **122**, 137, **159**, 206
- Calliphoridae 14, 17, 23, 70, 74–80, 87, 90, 95, **97**, 119, 120,
 126, 131–4, **141**, 144, 154, 185, 189, 202, 218, 244, 252,
 255, 258, 269, 281, 303, **315**, 353, 359
- capital breeder 98, 122, 132, 368
- Carabidae (bombardier beetles)
 chemical defenses 335
 quinones 335
- carion beetles 22, 63, 70, 87, 88, 88, 91, 158, 283, 302
- cathepsin D-like proteinase 136
- CDI *see* cadaver decomposition island (CDI)
- centipedes
 forcipules 345
 venom composition 345
- chain of custody 4, 369
- chelae 342, 348, 369
- chelicerae 343, 369
- chemical detection
 of explosives, landmines 322
 of illicit drugs 322
 particle trapping 322–4
 use of honey bees, moths 322, 323
- chemoreception 55, 113–15, 124, 141, 145, 369
- chemotaxis 116
- chill-coma 166, 170, 203, 210, 219, 222, 369
- chilling injury
 direct 164, 166, 170
 indirect 164, 166, 170
- Chrysomya rufifacies* 79, 80, 121, 141, 157, 195, 205, 218, 229, 254
- Cimex lectularius*
 remains from excavation site(s) 299
 as urban pests 40
- civil law 30–32, 35, 43, 369
- classification 7, 8, 10, 11, **38**, 48, 48, 49, 77, 114, 175, **178**, 184,
 186, 204, 216, 238–40, 246, 255, **255**
- Cochliomyia*
C. hominivorax 79, **97**, 121, 122, **122**, 255
C. macellaria 79, 79, 159, 229, 254, 303
- cold hardiness 153, 161, 163, 164, 169, 369, 370
- cold shock 139, 152, 161, 164–6, 170, 369
 direct chilling injury 164, 166, 170, 369
- cold temperature
 adaptations, survival 151, 160–166, 169–70
 deleterious effects 151, 153, 166–7, 170
 mechanical injury 167
- confused flour beetle 36, 36
- consumption phase 186, 189, 195, 208
- continuity of evidence 4, 270, 369
- cooperative feeding 104, 108, 123, 126, 131–6, 144, 157
- coprophagous 80, 369
- corpus delicti 3, 32, 369
- Creophilus maxillosus* 85, 85, **141**
- crime 1–5, 2, 4, 5, 7, 8, 10, 11, 14, 17, 19, 21, 23, 25, 29–32, 43,
 52, 69, 72, 86, 87, 89–91, 197, 215–17, 222–8, 231, 237–40,
 242–8, 251, 258, 267, 269, 270, 274, 281, 294, 353, 367,
 369–71, 373, 376
- criminal intent 14, 32, 43, 369
- criminalistics 2, 2, 9, 10, 369
- criminal law 29–32, 35, 43, 44, 369
- critical thermal maximum 142, 145, 152, 158, 159, **159**, 160,
 167–9, 203, 204, 219, 369, 371
- critical thermal minimum 152, 154, 156, 160, 166, 167, 170,
 203, 210, 219, 369, 370
- Crow-Glassman Scale 200, **200**, 370
- cryoprotection
 antifreeze compounds, proteins 162, 165, 167
 colligative 162, 165, 370
 non-colligative 162, 163, 370
- cryoprotective dehydration 163, 169, 370
- CSI effect 2, 10, 370
- cultural landscapes 294, 304
- cyclorrhaphous 116, 136, 370, 374
- Cynomya (Cynomyopsis)* 121, **122**
C. cadaverina 70, 207
- cytokine 259, 260, 370
- DALs *see* defect action level (DALs)
- darkling beetle 37
- deadly insects
Coleoptera 334–6
Hemiptera 336
Hymenoptera 336–7
 implications for forensic entomology 345–6
Lepidoptera 337–8
 toxins 331–4, 336–9, 341–9
 venoms 331–4, 336–42, 345–8
- defect action level (DALs) 32, 34, 35, 370
- Dermestes maculatus* 84
- Dermestidae, carpet darkling beetle 70, 84, 91,
 186, 189

- detection phase
 activation 120
 searching 120
- developmental hurdles
 accelerants 201–2
 depressants 202–3
 extremes 203–4
- developmental limit 152, 167, 370
- diapause 154, 155, 157, 160, 162–5, 169, 171, 204, 207, 210, 301, 370
- digestion
 extra-oral 136, 244, 249
 mastication 135
- dispersal phase 71, 186, 189 *see also* wandering, larval
- Drosophila melanogaster*
 biosensor development 323
 heat shock proteins 156
 overcrowding 143
- economic injury level (EIL) 33, 34, 39, 44, 298, 319
- ectatomin 339–40
- ectotherm 138, 152, 167, 218
- edema 338, 341, 349
- egg laying 19, 26, 100, 106
- EIL *see* economic injury level (EIL)
- entomological terrorism *see* terrorism
- entomotoxicology 203
- environmental token 160, 163, 169, 170, 207, 228, 233
- evaporative cooling
 conduction 157–8
 latent heat of vaporization 158
- evidential object 4, 7, 8
- excretion
 larval, antimicrobial 260
- extra-oral digestion 136, 244, 371
- Fabre, Jean Henri 22, 25
- Fannia canicularis* 257
- feeding aggregations 14, 24, 95, 103–105, 107–108, 131–134, 137–142, 144–145, 152–154, 157, 158, 165, 168, 170, 186, 189, 195, 196, 208, 229, 258, 371 *see also* maggot mass
 assemblages 139
- felony 31, 43, 371
- flesh flies 11, 52, 55, 59, 70, 72, 73, 80–82, 90, 91, 103, 106–8, 140, 159, 165, 186, 189, 218, 281, 353, 354, 356, 359
- food assimilation, efficiency 137, 144
- foraging
 by adult flies 134
 by fly larvae 134
- forensic profiling 10, 371
- forensic serology 237, 238, 248
- fossilized *see* paleoentomology; quaternary entomology
- fossilized insects 293, 294, 304, 307, 373, 374
- freeze avoidance 161–3, 165, 169, 171, 371
- freeze tolerant 161, 162, 165, 169
- freezing injury 166–7, 170, 371
- frenetic activity, movement 138, 142, 371
- Geneva Protocol 315–17, 325, 328
- German cockroach 42
- group feeding
 mouth hook use 136
 release of digestive enzymes 136
- guild 197, 204, 210, 211, 371
- gunshot residues
 modification by insects 324
 toxicological detection via insects 324
- gustation/gustatory 55, 114, 115, 117, 124, 125, 134, 243, 254, 257, 371
- habitat influences on insect succession 204, 206–7
- heat
 capacity of water 139
 conductance 139, 203
 convection 139
 production 104, 108, 137–40, 142, 152–4, 156, 165, 166, 229, 232, 254, 374
 shock 138, 142, 143, 146, 152–6, 158–60, 164, 165, 168, 170, 171, 201, 203, 229, 371
 shock proteins, response 142, 143, 146, 153, 154, 156, 158, 165, 168, 170, 171, 201, 203, 371
 stupor 159, 169, 203, 210, 211, 219, 371
- heat stress *see* proteotoxic stress
- hematophagous 71, 371
- hemimetabolous 15, 42, 62, 65, 371
- heraldry 314, 328, 371
- heterothermy 137–40, 145, 152–3, 157, 165–7, 170, 371
- high temperature
 adaptations, survival 156, 158
 deleterious effects 158–60, 168–9
 greenhouse effect 203
- holometabolous 15, 62, 65, 96, 106, 371, 372, 374
- homeothermy 138, 372
- house flies 91
- Hydrotaea* 89
- hypothesis 6–8, 11, 12, 40, 78, 127, 295, 298, 300, 305, 306, 316, 372
- ice nucleation 161, 165, 167, 169
 nucleating agents 162
- imago 15, 96, 98, 106, 156, 370, 372
- immunoglobulins (antibodies)
 host defenses to myiasis 259–60
 humoral response 259
- imported red fire ant 39–41, 88, 337
- income breeder 95–8, 106, 372
- Indian meal moth 36
- individualization 7–8, 11, 216, 238, 239, 243, 246, 374
- inoculative release
 in biological control programs 133, 319
 for biological terrorism 133
- insect artifact(s)
 defecatory spot or stain 246
 fly spot or speck 245
 liquid feces or frass 245–6, 248
 spots from parasitic insects 245, 246

- insect borne disease(s)
 associated with entomological terrorism 230, 313, 319
 vectors 320
- insects as weapons 311–28
- insect succession 14, 17, 19, 22, 23, 25, 193–211, 218, 256, 372
- inundative release
 in biological control programs 319
 for biological terrorism 319
- kairomone 119, 123, 125–7, 133, 141, 264, 372
- larval aggregation 106, 123, 126, 131, 133, 135, 136, 138–46,
 159, 165, 166, 171, 201, 210, 255, 297
- larval-mass effect 98, 109, 372
- larviparous 102, 103
- Latrodectus mactans*
 neurotoxin 344
 tetany 344
- laws of physics
 centripetal force 240
 fluid mechanics 240
 gravity 240
 terminal velocity 240
 trajectory analysis 240
- Leptinotarsa decemlineata* 315, **315**, 315, 319
 as a biological weapon 315
- livor mortis (lividity, post mortem hypostasis,
 suggillations) 179–180, 185, 188, 189, 216, 240
- Locard's exchange principle 4, 372
- Lonomia oblique*
 as a biological weapon 316
 urticating hairs 316
- low temperature *see* cold temperature
- Loxosceles reclusa*, loxoscelism 344
- Lucilia*
L. caesar 121, 122
L. coeruleiviridis 76, 77, 159, 273, 280
L. cuprina 71, 78, 96–8, 121–3, 159, 229
L. illustris 137, 159, 270
L. sericata 11, 71, 76, 77, 96, 97, 121–3, 132, 135, 136, 157,
 159, 164, 201, 202, 206, 228, 229, 232, 246, 254, 270, 282,
 283, 315, 324
- macromolecule decomposition
 carbohydrate 180, 183–4
 fat 180, 182–3
 protein 180, 182
 proteolysis 182
- maggot mass
 benefits of 144–5
 deleterious effects 132, 143
 formation of 132, 144
 heat production 138, 140, 142, 152, 154, 165
- maggot therapy 20, 22, 78, 254, 295, 372
- mandaratoxin 340, 348, 372
- marbeling 186, 373
- mastoparan 340, 340–341, 348, 373
- medicocriminal (medicolegal) entomology 3, 13, 16, 29, 30, 33,
 35, 42, 43, 194, 295, 296, 301, 306, 373
- Megaselia*
M. abdita 83
M. scalaris 19, 83, 83
- Mégnin, Jean Pierre 19, 25
- Meloidae (blister beetles) 334, 335, 335
 cantharidin 335, 368
- metamorphosis
 ametabolous 62, 65
 hemimetabolous 62
 holometabolous 15, 62, 65, 371
- minimum reproductive threshold 96, 122
- misdemeanor 32, 43, 373
- Moche, burial practices 302
- modus operandi 9–11, 373
- molting 61, 61, 62, 65
 hormones involved 62, 65
- monovoltine 19, 373
- mummification 177, 301, 302, 373
- Musca domestica* 18, 40, 48, 56, 70, 136
- Muscidae 18, 40, 48, 74, 84, 89, 102, 107, 133, 144, 185, 189,
 244, 303, **315**
- Muscidifurax* spp. **142**, 303
- Muscina*
M. prolapsa 206
M. stabulans 206, 257, **315**
- myiasis (fly strike, fly-blown, blow fly strike)
 accidental/pseudomyiasis 253, 254, 258, 261, 263
 chemical signals 252, 253
 facultative (primary, secondary, tertiary) 254
 host responses to 259–60
 larval defenses 260
 obligate 255, 257, 259–62
 pathogenicity of 258–9
 in relation to abuse and neglect 253
 types of, based on location 255
- Nasonia vitripennis* 20, 86, 87, 91, 140, 141, **142**, 187, 303
- national security 1–3, 10, 14, 311–27
- necrophagous 4, 6, 9, 13–15, 15, 19–25, 53, 59, 61, 69–85,
 87–91, 95–108, 113, 114, 117, 119–23, **122**, 126, 131–7,
 135, 139–45, 151–70, 177–80, **178**, 185, 186, 188, 189, 193–
 211, 215–19, 218, 223, 227, 229–31, 237, 243–8, 251–63,
 270, 296, 301, 302, 304, 306, 324, 327, 335
- necrosis 179, 186, 189, 259, 260, 344, 345, 373
- non-Newtonian fluid 240, 373
 in relation to blood 240
- Oestridae 255, 256, **258**
- olfaction 55, 114, 115, 122, 124, 132, 134, 141, 145, 194, 199,
 208, 256, 373
- olfactory receptors 114–17, 122, 124–6, 157, 168
- Oryzaephilus surinamensis* 38, 38, 297, 297, 305
 remains from excavation site(s) 297
- overcrowding 99, 104, 105, 105, 108, 134, 137, 143–5, 223, 229, 255
 developmental effects 105

- oviparity/oviparous 97, 98–103, 99, 107, **258**, 373
- oviposition
 clustered 133, 141, 144
 stimulants 114, 133, 141, 257, 262
 strategies 95, 100, 107
- ovoviviparity/ovoviviparous 100–103, 102, 107, **258**, 373
- paleoentomology 294, 298, 305, 373
- Parasarcophaga ruficornis* **202**
- parasitoid(s) 56, 69, 73, 80, 85–7, 90, 92, 119, 140, 140, 141–2, **142**, 195, 207, 259, 303, 373
- pederin 335, 339, 341, 348
- Periplaneta americana*
 household pest 40
 thermoreception 157
- Phaenicia* *see* *Lucilia*
- pheromone
 mode of action 117–18
 primer 116–17
 releaser 116–17
 types 116–17, 117
- Phoridae 19, 25, 82–3, 91, 199
- Phormia regina* 75–8, 76, **97**, **159**, 195, 207, 229, 270, 274, 281
- phospholipases 317, 325, **336**, 341, 342, 345, 348
- physical evidence 1–4, 2, 4, 7–9, 11, 19, 25, 32, 238, 243, 246, 269, 294–6, 304, 316, 374
- Piophilidae 84, 84, 91, 185, 189
- piperidine(s) 339, 348, 374
- Plodia interpunctella* 36, 36, 297
- PMI *see* post mortem interval (PMI)
- poikilotherms 137, 138, 152, 167, 180, 189, 201, 210, 215, 219, 220, 228
- poneratoxin 340, 374
- post mortem 9, 14, 21, 25, 175–90, 193, 195, **202**, 216, 246, 324, 374
- post mortem interval (PMI) 7, 19, 69, 102, 131, 187, 190, 194, 202, 203, 210, 215–31, 251, 253, 261, 269, 296, 305, 355
- precocious egg development 102, 374
- progeny deposition 95, **97**, 99, 99–102, 106, 107, 201, 202, 210, 252, **258**, 261
- protection from
 low temperatures 134, 138–40, 144, 145, 168
 parasites 103, 134, 144
 predators 103, 134, 144
- proteotoxic stress 98, 142–3, 151, 153, 154, 158, 160, 168, 169, 374 *see also* thermal stress
- Protophormia terraenovae* 96, **97**, 101, 121, **122**, 134, 155, **159**, 195, 205, 219, 224, **226**, 227, 245, 270
- Pteromalidae 20, 86–7, 140, **142**, 186, 187
- ptilinum 166, 374
- Pulex irritans* 299, 299, 315, **315**, 320
 as a biological weapon **315**
- pupariation 37, 84, 87, 103, 104, 108, 142, 152, 160, 180, 195, 201, 204, 208, **258**, 281, 324
- putrefaction 121, 122, 126, 176, 176–80, **178**, 182, 182, 184, 184–9, 201, 206, 256, 374
- putrescine 20, 122, 182
- quaternary entomology 294, 374
- quiescence 163, 169, 204, 207, 210, 374
- rapid cold hardening (RCH) **155**, 165, 170, 374
- reconstruction 8, 11, 52, 69, 238, 240, 242, 243, 246, 247, 295, 296, 302, 305
- reproductive strategies 90, 95–108, 140
- resource partitioning 95, 100, 105–8, 196, 255, 297, 298, 305, 375
- Reticulitermes flavipes* 41, 41
- retroinvasion 253, 253, 375
- Rhizophagus parallelocollis* 304
- rigor mortis
 calcium involvement 180, 188
 muscle contractions 180, 181, 188
- rove beetles 70, 85, 85–6, 91, 317, 334, 335, 336, 339, 341, 348
- saliva, larval
 digestive enzymes 260
 immuno-reactive proteins 260, 260, 263
- salivary venoms
 composition 241
 lethality, toxicity 241
- saprophagous 114, 123, 137, 177, 178, **178**, 252–4, 257, 261, 375
- Sarcophaga*
S. argyrostoma 80
S. bullata 14, 17, 77, 80, 81, 82, 96, **97**, 98, 134, **141**, 142, 143, 155, 156, 158, **159**, 160, 165, 229
S. crassipalpis 80, 81, **97**, 98, 99, 99, 102, 156, 158, **159**, 160, 163–6
S. haemorrhoidalis 81, **97**, **141**, **159**
- Sarcophagidae 23, 70, 73, 74, 77, 80–82, 87, 90, 95, **97**, 119, 120, 126, 131, 133, **141**, 144, 154, 185, 189, **202**, 244, 252, **258**, 281, 303, 353, 359
- sawtoothed grain beetle 38, 38, 297, 298, 305
- scene impression 5, 8, 375
- scientific method 1, 3–8, 9, 10, 11, 30, 238, 239, 246, 295, 296, 298, 316, 375
- scientific names
 binomial classification 18, 70
 Linnaean hierarchy 48, 70
- scorpions
Androctonus australis 343
Centruroides sculpturatus 343
- scuttle flies 82–4, 91
- seasonality 153, 160, 162, 164, 166, 169, 170, 176, 187, 194, 196, 202, 204, 207, 209, 252
 influences on insect succession 207
- secretory toxins
 composition 341
 lethality 341
 pederin 341
 rove beetles 335, 341
- semichemicals 113–16, 124–5, 375
- sensillum/sensilla 114, 115, 115, 117, 122, 124, 125, 157, 168, 375
- Sherlock Holmes xiii, xvi

- Siliphidae 141, 145
Sitophilus granarius 297, 297, 298, 305
 remains from excavation site(s) 297
 skipper flies 84, 91
 solenopsins *see* piperidine(s)
Solenopsis invicta 39–41, 41, 88, 88, 317, 337, 339
Spalangia spp. 142, 303
 spatial aggregation 140, 145, 255, 375
 spatial partition 106, 108, 143, 153, 154, 157, 168, 297, 298, 305, 375
 spider wasps 337
 stages of decay/decomposition
 bloated 185, 185–6
 decay 186, 186
 fresh 184–5, 185
 postdecay 186, 186–7
 skeletal/remains 187, 187
 stages of insect activity
 acceptance 185, 200, 209
 activation 200, 209
 consumption phase 195
 detection phase 71, 194
 dispersal phase 71, 186, 189
 exposure phase 70, 194, 198, 208
 search phase 194, 208
 Staphylinidae-rove beetles
 as a biological weapon 317, 317
Paederus 317, 317, 335, 336
 pederin 335
 stinging toxins
 composition 341
 lethality 342
 Saturniidae 341, 348
 urticating hairs 343
 stored product entomology 29–44, 293, 295–8, 305, 375
 subterranean termite 38, 41, 41
 Sung Tz'u 16–18, 24
 supercooling 162, 375
 supercooling point (SCP) 161, 375
 surveillance 31, 321, 323, 326, 327
 insect use to aid national security 314
 synomone 119, 123, 125, 126, 375
 systematic revision 76
 taxonomic name changes 76
 tagmosis 52, 64, 375
 functional body regions: head, thorax, abdomen 47, 51–5
 taphonomy 175, 187, 295, 296, 305, 375
Tenebrio molitor 37, 37, 117
 terrestrial ecozone(s)
 Holarctic 205
 Nearctic 71, 72, 205
 Palearctic 71, 72, 205
 terrorism
 agroterrorism 318, 318–20, 326, 367
 biological 313, 368
 entomological 311, 313, 319, 370
 insects used as biological weapons 311
 test impression 8, 376
 thermal hysteresis
 antifreeze proteins 162, 165, 167, 368
 hysteretic temperature 165
 thermal stress 131, 138, 141, 142, 145, 154–6, 165, 168
 thermal tolerance
 acquisition of 154, 155, 158
 range 142, 152, 167, 219, 376
 thermoreception 168
 receptors, sensillum 157, 168
 thigmotaxis 133, 144, 376
 trace evidence 4, 4, 7, 11, 376
Tribolium confusum 36, 36–7, 297
 urban entomology 14, 29, 30, 33, 38, 38–44, 293, 295, 296, 298–301, 305, 376
 urticating hairs 316, 343, 376
 venomous saliva
 composition 368
 extra or pre-oral digestion 336, 341
 toxicity toward humans 341
 venoms
 ants 339–40
 caterpillars 316, 341, 348
 true bugs 306, 325, 341, 348
 wasps 340–341
 Vespidae
 lethality toward humans 341
 venoms 337, 340
Vespa mandarinia 337, 340, 341
Vespa tropica 337
Vespula germanica 89, 89, 119
 vinegar fly 37, 37, 143, 323
 vitellogenesis 96, 106, 122, 376
 viviparity 101, 102, 107, 376
 vivipary 98–102, 106–8, 376
 voucher specimen 6–8, 279, 280, 286, 376
 wandering, larval 87, 88, 141, 159, 227, 376
 wasp kinin(s) 340, 348
Wohlfahrtia nuba 104
Xenopsylla cheopis 299, 300, 300
 yellowjackets 89, 91, 119, 332, 332
 yellow mealworm 37, 37
Yersinia pestis 300
 bubonic plague 299, 315, 320
 zone of tolerance 142, 145, 152, 154, 156, 167, 168, 203, 210, 218, 219, 230, 376 *see also* critical thermal maximum; critical thermal minimum; thermal tolerance, range