

Index

Page numbers in *italics* refer to Figures; those in **bold** to Tables.

ABCDE assessment, 28, 31–9, **32**
on admission, 53, **56–9**
see also airway; breathing;
circulation; disability;
environment and ‘everything else’
absent-mindedness, 492
absorption, 279
Academic Health Science Networks, 6
acidaemia, 67
actigraphy, 423
activated partial thromboplastin time,
320
acute kidney injury (AKI), 311–13
causes, 311–13
classification, 313
definition, 37
staging system, 313, **313**
acute lung injury (ALI), 98
acute quadriplegic myopathy syndrome,
342
acute respiratory distress syndrome *see*
ARDS
adjunct airways *see* airway adjuncts
admission to critical care unit, 50–61
assessments, 53–4
definition, 50
emergency, 53
establishing rapport
with family and carers, 54–5
with patient, 54
indications, 50
planned, 52–3
preparation of ICU and bed space,
55–6
recording status on, 53–4, **56–9**
SPCSs, 59–61
adrenal corticotrophin hormone
(ACTH), 473

adrenaline
actions, 251, **252**
during CPR, 540
advanced haemodynamic monitoring,
192–3
aims, 192
anatomy and physiology, 192–3
definition, 192
indications, 192
Advanced Life Support (ALS), 535
advanced life support algorithm, 537,
538
after-death care, 510–12
procedure guideline, 520–2
afterload, 35, 193
definition, **250**
agonal breathing, 536
air spaces, expansion, 473
airway
anatomy and physiology, 71–2, **71**
assessment, 31–3, **32**
maintaining safe, 38–9
management and care with airway
adjuncts, 71–6
in critical care, 72–6
airway adjuncts, 33, 71–8
aims, 71
definition, 71
indications, 71
monitoring, 76–8
airway obstruction, 33, 71–2
complete, 72
partial, 71–2
treatment, 32, 33
airway suction, 33
AKI *see* acute kidney injury
albumin, 285, 286
alimentary canal *see* gastrointestinal
(GI) tract
alkalaemia, 67
Allen test, 66

α -receptors, activation, 251, **252**
altitude, physiological effects, 471–3,
472, **472**
alveolar air equation, 472
alveoli, 79
ambulation, 443–4
amiodarone, during CPR, 540
anaesthetics, 342–4
analgesia, 345
definition, 334
angina, 532
anticoagulation, 319–20
antipsychotics, 346
arachnoid mater, 361, **361**
ARDS, 98
cognitive impairment with, 491–2
HFOV in, 85
as hypoxaemia cause, 98
long term functional status, 437
respiratory failure in, 80
arterial blood gas (ABG) sampling, 34,
66–8, **107–11, 147–8**
anatomy and physiology, 66
in critical care, 67
definition, 66
indications, 66
normal values, 34
procedure guideline, **109–10**
SPCSs, **147**
via arterial cannula, 66, 67, **68**
arterial cannula
insertion, 184
procedure guideline, 207–8
problem solving, 184–5
arterial oxygen saturation *see* SaO₂
arterial pressure waveform, 187
arterial puncture
radial artery, 66
procedure guideline, 107–8
sampling via, 66, 67, **68**
assisted spontaneous breathing (ASB), 88

- atelectasis
causes, 97
development, 97
ATP, 533
atrial fibrillation, 179, 181
atrioventricular (AV) node, 175, 175
automated external defibrillators (AEDs), 535, 539–40
 SPCSs, 549
automatic tube compensation (ATC), 89
autoregulation, 362
AVPU system, 38
azotaemia, 312
- bacterial filter, 94
barbiturates, 344–5
barotrauma, prevention, 97
base excess (BE), 67
basic life support (BLS), 535
behavioural pain scale (BPS), 335–6, 336
benzodiazepines, 344
 withdrawal, 337
bereavement care, 512
 β -receptors, activation, 251, 252
bi-level airway pressure release ventilation (APRV), 84
bi-level positive airway pressure ventilation *see* BiPAP
bi-level ventilation *see* BiPAP
bicarbonate, 67
 lactate as substitute for, 319
BiPAP, 80–1, 84
 contraindications, 81
 indications, 81
 problem solving, 81–2
 procedure guideline, 126–8
BiPAP APRV, 84
Bispectral Index (BIS), 338–9
blepharitis, 401
blinking, 400
blood–brain barrier, 364
blood glucose level, 67
 control, 67, 292
 monitoring, 38, 67
 procedure guideline, 296–7
 SPCSs, 302
blood pressure (BP)
 anatomy and physiology, 250
 determinants, 250, 250
 how improved, 250, 251
 measurement, 36, 40–3
 normal, 36
blood pressure monitoring, 180–7, 365
 choice of method, 183
 see also invasive arterial blood pressure monitoring; non-invasive arterial blood pressure monitoring
body fluid, 280–1
 compartments, 281, 281, 282
 composition, 282
 rate of loss, 282
- Body Mass Index (BMI) assessment, 54, 58, 289
bone demineralization, 437
BORG breathlessness scale, 444
Bowman's capsule, 310
Boyle's law, 473
brachial artery, 181, 182
brain, 358–64, 359
brainstem, 358, 359, 360
brainstem death, 509, 510
 care following, 510
brainstem function measurement, 509–10
breath sounds
 abnormal adventitious, 64, 65
 bronchial, 64
 bronchiovesicular, 64
 vesicular, 64
breathing
 anatomy and physiology, 79, 87–8
 assessment, 32, 34
 treating abnormalities, 32, 34–5
bronchial breath sounds, 64
bronchiovesicular breath sounds, 64
bronchoscopy
 anatomy and physiology, 105
 in critical care, 105
 definition, 105
 flexible fibreoptic
 complications, 105
 contraindications, 105
 indications, 105
 guidelines, 105
 rigid, 105
buffers, 67
bundle of His, 175, 175
- CAM-ICU tool, 340
cannulation
 inner cannula care procedure, 119–20
 of trachea
 SPCSs, 152–3
 tube insertion procedure, 116–8
capillary leak syndrome, 100, 282, 287
capillary refill time (CRT), 37
capnography, 76, 76
 complications, 77
 normal waveform, 76
carbon dioxide *see* CO₂
carbon monoxide poisoning, 69
carboxyhaemoglobin, 69
cardiac arrest, 532
 anatomy and physiology, 532, 533, 534
 calling for help, 536
 care interventions after, 541, 542
 causes, 534
 reversible, 541, 542
Chain of Survival, 534, 534
incidence, 534
prevention, 29
recognition, 536–7
 SPCSs, 548
standard of care, 534–5
see also cardiopulmonary resuscitation
- cardiac arrest call, 31, 33
cardiac cycle, 176, 193
 conduction system, 174–5, 175
cardiac function index (CFI), 201
cardiac index (CI), 198, 198–9
cardiac ischaemia, 179
cardiac output (CO), 193–4, 198
 definition, 35, 250
 measurement, 193–4
 devices, 194
 techniques, 193–4
see also oesophageal Doppler monitoring; pulmonary thermodilution method; transpulmonary dilution method
SPCSs for studies with pulmonary artery catheter, 234
cardiopulmonary resuscitation (CPR), 532–42
 aims, 532
 airway and ventilation, 538–9
 SPCSs,
 and coronary perfusion pressure, 533
 defibrillation, 539–40
 SPCSs, 549
 definition, 532
 diagnosing death, 541
 drugs, 540
 equipment, 535
 evidence for guidelines, 534
 in-hospital, 535
 problem solving, 540
 indications, 532
 initial management of 'collapsed' patient, 536–42
 procedure guideline, 543–8
 starting, 537
 SPCSs, 548
 vascular access, 540
see also cardiac arrest
- CardioQ system, 194
 insertion
 procedure guideline, 222
 SPCS, 243–4
 monitoring
 procedure guideline, 223
 SPCSs, 245–6
 problem solving, 206
cardiorespiratory arrest, 532
cardiovascular function
 critical illness and, 436–7
 physiological effects of transfer, 470–1
care activities, and levels of care, 50–1
care bundles, 7, 83
CCO teams *see* critical care outreach (CCO) teams
CCPOT scale, 336
cellular dysfunction, 282
central nervous system (CNS), 358
see also brain

- central venous catheter (CVC; central line), 187, 251
 inotrope/vasopressor administration via, 251
 insertion, 189
 problem solving, 190–2
 procedure guideline, 209–10
 SPCs, 226
- central venous pressure (CVP)
 monitoring, 187–90
 aims, 187
 anatomy, 187–8
 definition, 187
 efficacy, 189
 indications, 187
 infection risk, 190
 normal values, 250
 physiology, 188
 problem solving, 186–7
 procedure guideline, 209–10
 waveform, 189, 189
- cerebellum, 358, 359
- cerebral blood flow, increased, 371
- cerebral circulation, 362, 364
- cerebral oedema, 323
- cerebral perfusion pressure (CPP), 364, 365
- cerebrospinal fluid (CSF), 362
- cerebrum, 358, 359
- Chain of Survival, 534, 534
- chest auscultation, 34, 64–6
 anatomy and physiology, 64, 65
 complications, 66
 in critical care, 64
 definition, 64
 indications, 64
 procedure guideline, 106
 SPCs, 147
- chest compression, 537–8
- chest (intrapleural) drains, 100–3
 anatomy and physiology, 100
 definition, 100
 indications, 100
 insertion, 101
 problem solving, 104
 procedure guideline, 143–5
 SPCs, 165–6
 management, 101–3
 removal, 103
 problem solving, 104
 procedure guideline, 145–7
 SPCs, 166–7
 types, 101
- chest X-ray
 positioning patient for, procedure guideline, 454–5
 SPCs, 464–5
- cholesterol, 532
- chronic obstructive pulmonary disease (COPD), respiratory failure in, 80
- chyle, 100
- circulation
 assessment, 32, 35–7
 treating problems with, 32, 37–8
- circulatory failure, 250
- citrate, regional, 320
- clinical apprenticeships, reduction in time for, 14–15
- clinical audit, 7
- Clinical Governance framework, 7
- clotting cascade, 319
- CO₂, transportation, 76
- coarse crackles, 64, 65
- CoBaTrICE project, 16–17
- cognitive behavioural therapy (CBT), 493
- cognitive deficits, 491–2
- colloids, 285
- COMFORT scale, 336
- communication
 improving clarity of, 39
 in patient transfer, 475
 procedure guideline, 479
 SPCs, 485
- compassion, 512
- compassion fatigue, 512
- competence
 acquisition, 12–13
 assessment, 16–17
 definition, 12
- competency-based practice, 12–24
 curriculum, 13–15
 defining specialty, 13
 integrated governance and, 15–16
 linking technical with humanistic care, 17–18
- competency frameworks, integrated governance and, 15–16
- competency statements *see* specific procedure competency statements
- conducting zone, 92, 94
- conduction defects, 179
- confidentiality, 54
- conjunctiva, 400–1
- consciousness, 360
- consciousness level
 assessment, 366–7
 treating disorders of, 38–9
- continuous passive motion (CPM), 438–9
- continuous positive airway pressure ventilation *see* CPAP
- continuous renal replacement therapy (CRRT), 310–23
 aims, 310, 314
 anatomy and physiology of kidney, 310–11, 311
 cardiovascular control, 321
 circuit, 310
 commencement, procedure guideline, 326–7
 complications, 321–3
 definition, 310
 disconnection, procedure guideline, 328–9
 electrolyte monitoring, 322
 fluid management, 321
 indications in AKI, 313
 infection control, 321
- intravenous access, 321–2
- machine alarms, 323
- maintaining circuit, 319–21
 anticoagulation use, 319–20
 with no anticoagulation, 320
 post-dilution, 321
 pre-dilution, 320–1
- managing patient on, procedure guideline, 327
- mechanisms, 314, 314
- metabolic status monitoring, 322
- monitoring of circuit, 323, 323
- neurological care, 323
- nutritional support, 322
- priming of machine, 315
 procedure guideline, 325
- principles, 314
- problem solving, 323–5
- rate of filtration, 315
- replacement fluid, 319
- respiratory management, 322
- SPCs, 329–30
- treatment choices, 315, 318–19
 types, 314–15
- continuous veno-venous haemodiafiltration (CVVHDF), 315, 316, 318
- continuous veno-venous haemodialysis (CVVHD), 315, 316, 318
- continuous veno-venous haemofiltration (CVVH), 314, 316, 317
- contractility, 36, 184, 193
 definition, 250
- convection, 314, 314
- cornea, 401
- coronary artery disease, 532
- coronary circulation, 532, 533, 534
- coronary perfusion pressure (CPP), 534
- coroner referral, 521
- cough reflex, 92, 360
- counselling, 493
- Court of Protection, 506
- CPAP, 80, 85
 contraindications, 80
 indications, 80
 problem solving, 81–2
 procedure guideline, 125–6
- CPR *see* cardiopulmonary resuscitation
- crackles, 64, 65
- cranial nerves, 358, 360
- critical care
 defining specialty, 13
 definition, 2
- critical care assistants (CCAs), 14
- critical care networks, 474
- critical care outreach (CCO) teams, 2, 29–30, 52
- critical care unit
 admission to *see* admission to critical care unit
 aims, 50
- critical illness, definition, 28
- critical illness polyneuropathy (CIPNM), 436
- critically ill patients, classification, 2

- CRRT *see* continuous renal replacement therapy
- CRUSE, 512
- crystalloids, 285
- cultural issues
at end of life, 508
last offices, 510–11
- curriculum, expanding, 14
- Cushing response, 365, 367
- cyclo-oxygenase (COX) system, 345
- Dalton's Law of Partial Pressures, 67
- dead space, 79
- death
communicating procedures around, 510–11
definition, 509
diagnosing, 541
dignified, 517
sudden/unexpected, 509
- decannulation, 76, 89
procedure guideline, 121–2
SPCs, 153–4
- decisions to forego life-sustaining treatment *see* DFLSTs
- defibrillation, 539–40
SPCs, 549
- delirium, 339–40
aims in treating, 339
assessment and monitoring, 340
procedure guideline, 349–50
SPCs, 353–4
definition, 339
drugs and, 340
risk factors, 340
- delta receptors, 345
- dentures, 400
cleaning procedure guideline, 407–8
- depression, sedation and, 337
- dermis, 382–3
- deteriorating patients
assessing and managing, 31–9
SPCs, 46
see also ABCDE assessment
calling for help, 39, 52
care, 29
signs and symptoms, 28
- dexmedetomidine, 345
- dextrose, 285–6, 285
- 'dextrose-saline', 285
- DFLSTs, 501, 504, 507
- diaries, 493
- diarrhoea, and skin breakdown, 386
- diastolic pressure, 181
- dicrotic notch, 184
- diffusion, 79, 314, 314
- digestion, 279
- digestive system
functions, 279–80
organs, 278, 279
- DINAMAP, 181
- disability
assessing, 32, 38
treating, 32, 38–9
- DNACPR orders, 31, 501, 504, 535
assessment of need for, 503
process for obtaining, 503–4
- DNMBDs, 341, 345–6
- 'Do Not Attempt Cardiopulmonary Resuscitation' orders *see* DNACPR orders
- dobutamine, actions, 252
- 'DOLOREA' study, 335
- dopamine, actions, 252
- dopaminergic receptors, activation, 252
- dopexamine, actions, 252
- double-lumen CVC, 319, 321–2
- drug adjustments, in CRRT, 319
- 'dry eye', 402
- dry mouth *see* xerostomia
- dura mater, 360–1, 361
- dying
avoiding prolongation of, 504–5
diagnosing, 505
stages, 505
- early warning scoring (EWS) systems, 29–31, 30, 52
- 'ebb' phase, 281–2
- ECG monitoring *see* electrocardiogram (ECG) monitoring
- ECMO, 85
- electrical muscle stimulation (EMS), 440
- electrocardiogram (ECG) monitoring, 174–80
3-lead ECG, 178, 178, 179
5-lead ECG, 178, 179, 179
12-lead ECG, 177, 177, 178, 179
aims, 174
anatomy and physiology, 174–7, 174
applying, 178, 206
assessment, 178–9
continuous cardiac monitoring, 177–8
application procedure, 206
specific procedure competency statements, 224
definition, 174
electrodes, 177, 177
limb lead orientation, 178
problem solving, 179–80
- empathy, 512
- empyema, 100
- end diastolic pressure volume relationship curve, 188, 188
- end of life, 500
- end of life care (EOLC), 500–9
aims, 500
care in last days and hours, 505, 509
communication with family, 506–7, 507–8
communication strategies, procedure guideline, 513–4
competencies, 512
consultation, 506–7
cultural issues, 508
definition, 500
guidance, 502–3
- nurses and, 507
practical components, 508–9
pre-EOLC considerations, 501
procedure guideline, 517–20
prognosis, 501–2
SPCs, 522–3
tools, 502
transfer decisions and, 505
see also DNACPR orders
- End of Life Care Quality Assessment, 502
- end tidal carbon dioxide monitoring *see* ET_{CO}₂ monitoring
- endotracheal tube (ETT), 33, 74–5, 74
in critical care, 78
displacement, 86
intubation, 74, 114–5
removal *see* extubation
SPCs for insertion, 150–1
suctioning through, 93
see also tracheal cuff
- enteral feeding, 291–2, 293–5
aspiration of stomach contents following, 295
benefits, 291
fine-bore versus wide-bore, 293–4
general principles, 291
procedure guideline, 300–1
SPCs, 304–5
tube types, 293
see also nasogastric (NG) tube
- environment and 'everything else', assessment, 32, 39
- EPAP, 80
- epic2 project, 190
- epidermis, 382
- epithelium, 278
- erythropoietin, 311
- ET_{CO}₂ monitoring, 76, 76, 77
anatomy and physiology, 76
in critical care, 76
definition, 76
indications, 76
procedure guideline, 122–3
SPCs, 155
- evidence
hierarchy of levels, 5
nature, 5–7
- evidence-based practice (EBP), 3–5
aims, 5
definition, 2
supporting, 7
- expiratory positive airway pressure *see* EPAP
- extracellular fluid compartment, 281
- extracorporeal membrane oxygenation (ECMO), 85
- extradural catheter, 369
- extravascular lung water (EVLW), 201
- extubation, 74–5, 89
at end of life, 508–9
procedure guideline, 516
post-extubation management, 89
prerequisites, 89

- problem solving, 90
 procedure, 89
 procedure guideline, 132–3
 SPCSs, 159–60
- eye care, 400–3
 aims, 400
 anatomy and physiology, 400–1, 402
 assessment, 403
 procedure guideline, 408–9
 cleansing, procedure guideline, 409–10
 definition, 400
 instillation of eye drops, 410
 problem solving, 403–4
 problems, 401–2
 SPCSs, 414–15
- eye movement desensitization and reprocessing (EMDR), 493
- falls assessment, on admission, 54, 59
- families
 bereavement care, 512
 breaking bad news to, 507–8
 effect of critical illness on, 490–1
 websites, 490
 end of life consultation with, 506–7, 507–8
 time with patient after death, 511
- femoral artery, 181, 183
 femoral vein, 183, 188
 fentanyl, 345
 fever, 37
 fine crackles, 64, 65
 FiO₂, 472, 472
 first degree heart block, 179
 FLACC scale, 336
 flexibility, of staff, 14
 ‘flow’ phase, 281, 282
 flow time corrected (FTc), 205
 fluids, giving intravenously, 37–8
 flush bag, heparin use in, 183
 fractional inspired oxygen *see* FiO₂
 Frank–Starling curve, 188, 188
 Frank–Starling Law of the Heart/
 mechanism, 250, 287
 friction, 386
 Full Outline of UnResponsiveness (FOUR) score, 366–7
 functional residual capacity (FRC), 440
 fundamental competencies, challenges of meeting, 18, 18–19
 fundamental competency statements (FCSs), 18, 20–1
 use, 21, 24
- gag reflex, 360
 gas exchange, measurement, 67
 gastrointestinal (GI) tract, 278–9
 layers, 278–9, 280
 gelatin, 285
 gingivitis, 398
 Glasgow Coma Score (GCS), 366–7, 366
- global ejection fraction (GEF), 201
 global end-diastolic volume (GEDV), 201
- glomerulus, 310
 glutamine, 292
 glycaemic control, 67, 292
 glyceryltrinitrate (GTN), dosages, 253
 grasp reflex, 367
 gravitational forces, 471, 471
 guidelines, definition, 4
- HADS, 492, 493
 haemodynamic monitoring, 193–205
 see also advanced haemodynamic monitoring
 haemodynamics, 192
 haemofilter, 318, 319
 types, 318
 haemothorax, 100
 haloperidol, 346
 Hartmann’s solution, 285, 286
 head tilt/chin lift manoeuvre, 537, 537
 Healthtalkonline, 490
- heart
 anatomy and physiology, 532, 533, 534
 critical illness and, 436–7
 internal anatomy, 174
 heart blocks, 179
 heart cycle *see* cardiac cycle
 heart rate (HR), 193
 calculation, 178
 definition, 250
 measurement, 36
 normal, 36
- heat and moisture exchanger (HME), 94, 95
 with bacterial filter (HMEF), 94
 heels, pressure damage risks, 388
 Heimlich-type flutter valve, 101, 102
 heparin, 320
 use in flush bag, 183
 heparin-induced thrombocytopenia, 320
- herniation syndromes, 367, 368
 high-frequency oscillation ventilation (HFOV), 85
- high side lying posture
 procedure guideline, 448–9
 SPCSs, 460
- high sitting posture, 440, 441
 procedure guideline, 447–8
 SPCSs, 459
- hoist
 overhead, 446
 standing, 446
- hoist transfer
 procedure guideline, 456–8
 SPCSs, 465–6
- Hospital Anxiety and Depression Scale (HADS), 492, 493
- humidification, 35, 94–6
 aims, 94
 anatomy and physiology, 94
 definition, 94
- problem solving, 96
 procedure guideline, 138
 SPCSs, 162
- humidifiers, 94–6
 active, 94–5
 choosing, 95–6
 passive, 94
 problems with, 95
- humidity, 94
 variation with temperature, 94
- hydration
 anatomy and physiology, 278–81
 definition, 278
 effect of critical illness on, 281–3
 enhanced recovery programmes, 290
 ethical considerations, 296
 fluid deficit indications, 284–5
 fluid input and output sources, 283, 283
 fluid overload indications, 284–5
 importance, 283
 maintaining fluid balance, 283–8
 assessment of fluid status, 278, 283, 284–5, 285
 distribution of administered fluid, 285
 fluid replacement issues, 283
 fluid replacement requirements, 287, 287
 patent vascular access maintenance, 287–8
 physiological endpoints choice, 287
 studies, 287, 288
 optimizing, 388
 problems with providing, 292–3
 support
 aims, 278
 indications, 278
 see also intravenous fluids
- hygiene, maintaining, 387
- hypercapnia, 80
 with NIV, 82
- hyperchloraemia, 286
 hyperglycaemia, 292
 hyperinflation, manual *see* manual hyperinflation
 hyperinflation
- hyperosmolarity, 281
 hyperoxygenation, 97
 hyperpyrexia, 37
 hyperthermia, 37, 366
 hyperventilation, 473
 hypoalbuminaemia, 286
 hypocapnia, with NIV, 81
 hypoglycaemia, 38, 292
 treatment, 39
- hypokalaemia, 322
 hypophosphataemia, 293, 322
 hypotension
 effects, 250
 treatment, 250
- hypothermia, 37, 322
 treatment, 542
- hypovolaemia, 37, 532
 treatment, 37–8, 542

- hypoxaemia, 79, 532
hypoxia, 33, 34
 altitude and potential for, 471–3
 with NIV, 81
 treatment during CPR, 542
hypoxic pulmonary vasoconstriction (HPV), 473
- ICP *see* intracranial pressure
‘ICU Recovery Manual Rehabilitation Programme’, 492
ICUSteps, 490–1
Immediate Life Support (ILS), 535
immune function, 280
immune response, mounting, 280
immunity, skin and, 383
IMV-directed weaning, 88
independent mental capacity advocates (IMCAs), 506
infection risk, from contact with body, 511
ingestion, 279
inotropes, 250–5
 actions, 251, 252
 administration via syringe pump, 251, 253
 procedure guideline, 262–4
 SPCSs, 272–3
 aims, 250, 253
 anatomy and physiology, 250
 changeover of infusions, 254–5, 256
 procedure guideline, 265–70
 SPCSs, 274
 choice, 251
 definition, 250
 dosages, 253, 254
 procedure guideline, 271–2
 SPCSs, 271–2
 indications, 250
 monitoring, 254
 preparation
 procedure guideline, 259–61
 SPCSs, 270–1
 side effects, 253–4
 titration to meet patient requirements, 253–4
 procedure guideline, 264–5
 SPCSs, 273–4
 troubleshooting, 255, 257, 258
 withdrawing, 254
inspiration, anatomy and physiology, 83
inspiratory positive airway pressure *see* IPAP
insulin titration, 292, 292
integrated governance, 7–8, 15–16
 competency frameworks and, 15–16
intermittent positive pressure breathing *see* IPPB
intermittent renal replacement therapy (IRRT), 314, 321
 characteristics, 315
internal jugular vein, 187, 188
interstitial compartment, 281, 281, 282
 composition, 282
 intracellular fluid compartment, 281, 281, 282
 composition, 282
 intracranial pressure (ICP), 362–3, 365
 aspects of care impacting on, 371–2
 monitor with external ventricular drain
 recalibrating procedure guideline, 376–7
 recalibrating SPCSs, 378–9
 recording procedure guideline, 374–5
 recording SPCSs, 377–8
 monitoring, 368–71
 devices, 368, 369, 371
 problem solving, 370
 positioning patient with raised procedure guideline, 451–2
 SPCSs, 462–3
 signs and symptoms of raised, 367
 waveforms, 370–1, 371, 371
 intraparenchymal catheter, 368, 369
 intrathoracic blood volume (ITBV), 201
 intravascular compartment, 281, 281, 282
 composition, 282
 intravenous access, 37
 intravenous fluids
 choice, 285
 composition, 285
 distribution, 285
 theoretical effects of administration, 286
 intraventricular catheter, 368, 369
 intrinsic AKI uraemia, 312–13
 invasive arterial blood pressure monitoring, 181–7
 aims, 181
 anatomy and physiology, 181–3
 definition, 181
 indications, 181
 problem solving, 186–7
 procedure guideline, 207–8
 SPCSs, 225
 invasive ventilation, 78, 82–5, 86–7
 anatomy and physiology, 83
 contraindications, 82–3
 in critical care, 83
 definition, 82
 hybrid modes, 84–5
 indications, 82
 novel modes, 85
 pressure modes, 83–4
 problem solving, 86–7
 procedure guideline, 128–30
 SPCSs, 158
 spontaneous, 85
 volume modes, 84
 IPAL-ICU, 502
 IPAP, 80
 IPPB, 90–1
 complications, 90
 contraindications, 90
 controls (Bird), 91
 in critical care, 90–1
 definition, 90
 indications, 90
 problem solving (Bird), 91
 procedure guideline (Bird), 131–2
 SPCSs (Bird), 159–60
 IRRT *see* intermittent renal replacement therapy
 ischaemia-reperfusion injury, 534, 542
 jugular venous oxygen saturation (SjVO₂), 372
 kappa receptors, 345
 keratitis, 401–2, 403
 keratopathy, 403
 kidney
 anatomy and physiology, 310–11, 311
 functions, 311
 Korotkoff sounds, 181
 lactate, 67
 normal values, 67, 250
 as substitute for bicarbonate, 319
 lamina propria, 278
 landmark technique, 189
 laryngeal mask airway (LMA), 33, 74, 74
 last offices (care of body after death), 510–11
 left bundle branch block, 179
 levels of care, 50–2, 50–1
 care activities and, 50–1
 LiDCO system, 194, 204
 benefits, 195
 complications, 195
 limitations, 195
 normal limits of haemodynamic status, 201–2
 LiDCOplus system, 194
 device insertion
 procedure guideline, 216–7
 SPCSs, 235–6
 monitoring
 procedure guideline, 217–8
 SPCSs, 237–8
 problem solving, 205
 lips, 397
 Liverpool Care Pathway for Intensive Care Units (LCP-ICU), 502, 508, 512
 log roll, 442
 procedure guideline, 452–4
 SPCS, 463–4
 loop of Henle, 310
 lorazepam, 344
 lower respiratory tract, 92
 lungs, anatomy and physiology, 64, 65, 100
 lymphatic nodules *see* mucosa-associated lymphatic tissue
 lymphatic system, 280

- malnutrition, 283, 289
 Malnutrition Universal Screening Tool (MUST), 289
 MALT *see* mucosa-associated lymphatic tissue
 Manual Cervical Spine Immobilization Technique, 452
 manual handling
 moving and handling equipment, 446
 risk measurement, 444–5, 445
 manual hyperinflation, 96–7
 aims, 96–7
 anatomy and physiology, 97
 contraindications, 97
 in critical care, 97
 definition, 96
 indications, 97
 problem solving, 97
 procedure guideline, 139–40
 SPCSs, 163
 Mapleson C bagging system, 96, 96, 97, 139
 mask, non-rebreathable, 35
 mattresses, 388, 389
 mean acceleration, 205
 mean arterial pressure (MAP), 36, 181, 182–3, 193
 normal values, 250
 mechanical hoist *see* hoist
 mechanical slack, 253
 medical emergency teams (METs), 30, 52
 medulla oblongata, 358, 359, 360
 meninges, 360–2, 361
 mesentry dressing, 101, 101
 metabolic acidosis, 67, 322
 metabolic alkalosis, 67
 metabolic measures, 67
 midazolam, 342–3, 344
 midbrain, 359, 360
 Mini Nutritional Assessment (MNA), 289
 mixed venous oxygen saturation (SvO₂), 198, 198
 mobility and exercise *see* physical mobility and exercise
 Mobitz type 1 heart block, 179
 Mobitz type 2 heart block, 179
 modified Allen's test, 184
 moisture lesions, 386, 387
 Monro–Kellie hypothesis, 362
 motor neurones, 341
 mouth care, 390, 397–400
 anatomy and physiology, 397
 definition, 390
 oral cavity assessment, 399–400, 399
 procedure guideline, 405
 oral pathophysiology, 398
 problems in critical illness, 398
 procedure guideline, 405–7
 SPCSs, 413–14
 see also dentures
 assessment, 342
 procedure guideline, 350–1
 SPCSs, 354–5
 definition, 340
 neurotransmitters, 341
 Newcastle Sleep Assessment Tool, 424–5, 425
 NEX measurement, 298, 299
 NIV *see* non-invasive ventilation
 NMBDs, 341, 342, 343
 nociceptors, 334
 non-invasive arterial blood pressure monitoring, 180–1
 aims, 180
 definition, 180
 indications, 180
 oscillations, 181
 non-invasive ventilation (NIV), 78, 80–1, 81–2
 in critical care, 80
 definition, 80
 SPCSs, 157
 see also BiPAP; CPAP
 non-maleficence, 504
 non-REM sleep, 422
 non-shockable rhythms, 532
 non-steroidal anti-inflammatory drugs (NSAIDs), 345
 noradrenaline, actions, 252
 nutrition
 adjustments pre and post CRRT, 319
 anatomy and physiology, 278–81
 assessment
 for nutrition route choice, 289–90
 of status, 278, 288–9
 definition, 278
 effect of critical illness on, 281–3
 enhanced recovery programmes, 290
 ethical considerations, 296
 feeding critically ill patients, 291–2
 glycaemic control, 67, 292
 importance, 283
 maintaining, 288–90
 optimizing, 388
 problems with providing, 292–3
 screening, 288
 components, 289
 support
 aims, 278
 indications, 278
 see also enteral feeding; parenteral nutrition
 nutritional assessment, 54, 58
 Nutritional Risk Screening (NRS-2002), 289
 Objective Structured Clinical Evaluation (OSCE), 17
 observations *see* vital signs

- oesophageal Doppler monitoring
(ODM), 194, 204–5
benefits, 195
complications, 195
insertion
 procedure guideline, 222
 SPCSs, 243–4
limitations, 195
monitoring
 procedure guideline, 223
 SPCSs, 245–6
normal limits of haemodynamic
 status, 201–2
problem solving, 206
waveform interpretation, 205
- omental dressing, 101, 101
- opiate reversal, 39
- opioids, 345
 withdrawal, 337
- oral cavity assessment, 399–400,
 399
 procedure guideline, 405
 see also mouth care
- oral intubation, trauma from, 398–9,
 400
- oral pathophysiology, 398
- organ donation, 510, 521–2
- orogastric tube, 293
- oropharyngeal airway (OPA), 33, 72,
 73
 indications, 72
 insertion procedure, 113
 problem solving, 73
 removal procedure, 113
 SPCSs, 149–50
- oscillometry, 181
 accuracy, 183
- overfeeding, 292–3
- overhead hoist, 446
- oxygen
 high-concentration, 35
 transportation, 77, 532, 534
- oxygen delivery (DO₂), 199, 203, 204,
 532, 534
- oxygen delivery index (DO₂I), 199,
 203, 204
- oxygen dissociation curve, 69,
 70
- oxygen haemoglobin dissociation curve,
 472, 472
- oxygen saturation, 34, 69, 536
 target, 536
- oxygen therapy, 536–7
- oxygenation, optimizing, 388
- oxyhaemoglobin, 69
- PA catheter (line) *see* pulmonary artery
(PA) catheter (line)
- PA introducer, 196–7
- PaCO₂, 67, 76
 normal range, 67
- pain
 acute, 334
 anatomy and physiology,
 334
 assessment, 334–6
 on admission, 54, 59
 procedure guideline, 346–7
 specific procedure competency
 statements, 351–2
 chronic, 334
 definition, 334
 management, 336
 aims, 334
 numeric rating scales (NRSs), 335–6
 pathway, 334, 335
 prevention, aims, 334
 referred, 334
 scales, 335–6, 336, 517
 see also analgesia; neuromuscular
 blockade; sedation
- palliative care, 500
 teams, 506
 see also end of life care
- palpation, 64
- PaO₂, 67, 472–3
 normal range, 67
- paracetamol, 345
- parenteral nutrition, 295–6
 see also total parenteral nutrition
 (TPN)
- parietal pleura, 87, 100
- partial pressure of arterial oxygen *see*
 PaO₂
- partial pressure of carbon dioxide *see*
 PaCO₂
- partial pressure of end tidal CO₂
(PETCO₂) *see* ETCO₂
- monitoring
- partial pressure of inspired oxygen,
 472, 472
- patient-centred practice, sources of
 evidence, 6
- patient-focused practice, 7
- patient needs, fundamental, 18
- patient positioning *see* positioning
- patslide, 446
- PCV-VG, 84–5
- peak velocity (PV), 205
- percussion, 64
- percutaneous endoscopic gastrostomy
(PEG) tube, 293
- perfusion, 79
- periodontitis, 398
- peripheral nervous system (PNS), 358
- peripheral oxygen saturation *see*
 SpO₂
- personal safety, after patient collapses,
 536
- pH, 66–7
 measurement, 66–7
- phenylephrine, actions, 252
- phosphodiesterase inhibitors (PDEs),
 action, 252
- physical mobility and exercise, 436–45
 aims, 436
 assessment of readiness to mobilize,
 437–8
 evidence, 437
 indications, 436
- interventions, 438–45
 benefits and precautions, 439
 during acute phase of illness, 438
 parameters for decision making,
 438
 safety considerations, 443–4
 see also rehabilitation
- physical morbidity
 anatomy and physiology, 436–7
 definition, 436
- physiological stability, 443
- pia mater, 361, 362
- PiCCO system, 194, 201–3
 benefits, 195
 complications, 195
 device insertion
 procedure guideline, 219–20
 SPCSs, 239–40
 limitations, 195
 monitoring
 procedure guideline, 220–1
 SPCSs, 22–3, 241–3
 normal limits of haemodynamic
 status, 201–2
 problem solving, 203–4
- piggybacking technique, 255, 256, 273,
 267–70
- ‘pink eye’, 402
- plaque, 398
- pleural effusion, 100
- pleural fluid, 100
- pneumonia, respiratory failure in,
 79–80
- pneumothorax, 87, 100, 102–3
 signs and symptoms, 100
- polysomnography, 423
- polyuria, 287
- pons, 359, 360
- positioning, 35, 388, 390, 391–2,
 440–2
 for chest X-ray
 procedure guideline, 454–5
 SPCSs, 464–5
 and diagnostic tests, 442
 types, 441
 see also specific positions
- post-cardiac arrest syndrome, 541
- post-dilution, 321
- post-mortem, 511, 521
- post-pyloric tube, 293
- post-renal (obstructive) uraemia, 313
- post-traumatic stress disorder (PTSD),
 337, 338, 341, 492, 493
- Post Traumatic Syndrome 14 Question
 Inventory (PTSS-14), 492
- postoperative patients, critical care
 facilities for, 53
- potassium, 67
- potential hydrogen *see* pH
- practice-competence gap, 17
- pre-dilution, 320–1
- pre-renal uraemia (azotaemia), 312
- preload, 35
 definition, 250
- pressure, 386

- pressure control ventilation (PCV), 83–4
- pressure control ventilation-volume guarantee (PCV-VG), 84–5
- pressure escalation plan, 127
- pressure redistributing equipment, 388, 389
- pressure support (PS), 85
- pressure support ventilation (PSV), reduction in, 88
- pressure ulcers, 384–90
- assessment, 386
 - SPCSs, 412–13
 - classification, 385, 385
 - definition, 384
 - dressings, 390, 395–6
 - extrinsic factors, 386
 - healing, 390
 - identifying, 387
 - incidence, 384–5
 - indications, 384
 - management, SPCSs, 412–13
 - prevention, 387–90
 - SPCSs, 411 - reporting, 390
 - skin inspection, 386–7
 - websites, 390
 - wound assessment, 393–4
- procedures, definition, 4
- prognosis, 501–2
- prognostication, 502, 505
- 'Programme of Enhanced Physiotherapy & Structured Exercise' (PEPSE), 492
- prone ventilation, 98–9
- aims, 98
 - anatomy and physiology, 98
 - contraindications, 99
 - definition, 98
 - indications, 98
 - problem solving, 99
 - procedure guideline, 140–2
 - risks, 98–9
 - SPCSs, 164
- propofol, 342–4
- withdrawal, 337
- propofol infusion syndrome (PRIS), 343–4
- propulsion, 279
- prostacycline, 320
- protocols, definition, 4
- psychological problems, 492
- PTSD, 337, 338, 341, 492, 493
- public expectation, 14
- pulmonary artery (PA)
- measurement parameters, 197–9, 198
 - waveforms, 197, 197
- pulmonary artery (PA) catheter (line), 194, 196–9, 196
- CO studies with, SPCSs, 234
 - complications, 199
 - indications, 195
 - insertion
 - procedure guideline, 211–12
 - SPCSs, 227–9
- lumens, 196
 - monitoring procedure guideline, 213–4
 - problem solving, 199–200
 - SPCSs, 230–2
- pulmonary artery pressure (PAP), 198, 198
- pulmonary artery wedge pressure (PAWP), 197–8, 198
- procedure guideline, 215
 - SPCSs for recording, 233
- pulmonary oedema, respiratory failure in, 79–80
- pulmonary thermodilution method, 193, 194–9
- see also* pulmonary artery (PA) catheter (line)
- pulmonary vascular permeability index (PVPI), 201, 203
- pulmonary vascular resistance (PVR), 198, 199
- pulse oximetry, 69–70
- anatomy and physiology, 69
 - in critical care, 69
 - definition, 69
 - indications, 69
 - problem solving, 70
 - procedure guideline, 110–11
 - SPCSs, 149
- pulse pressure, 36, 182
- pulse pressure variation (PPV%), 203, 204
- pulse rate, measurement, 44, 365
- pupil reaction, assessment, 38
- pupillary responses, assessment, 367, 367
- Purkinje system, 175, 175
- qualitative studies, 6
- Quality of Death and Dying (QODD), 502
- quick change technique, 255, 256, 265–70
- radial artery, 181, 182
- randomized controlled trials (RCTs), 5–6
- rapid eye movement (REM) sleep, 422
- rapid response systems, 29–31
- Rapid Shallow Breathing Index (RSBI), 88
- RASS, 338, 339, 367
- receptionist, role in waiting room, 54
- recliner chairs, 446
- refeeding syndrome, 293
- rehabilitation, 490–6
- aims, 490, 492
 - components, 491–2
 - counselling, 493
 - and critical care, 490
 - definition, 490
 - diaries, 493
 - effect on families of critical illness, 490–1
 - websites, 490
- evidence, 437
 - indications, 490
 - interventions, 492–3
 - patient-centred strategies, 492
 - for patients ready to sit on edge of bed, 442–4, 443
 - ambulation, 443–4 - for patients unable to sit on edge of bed, 438–42
 - active exercise, 438–40
 - electrical muscle stimulation (EMS), 440
 - passive movements, 438–40
 - positioning, 440–2, 441 - post-critical care, 444
 - procedure guideline, 494–5
 - SPCSs, 495–6
 - see also* manual handling; physical mobility and exercise
- REM sleep, 422
- remifentanyl, 345
- renal replacement therapy
- CRRT versus IRR, 314, 315
 - principles, 314
 - see also* continuous renal replacement therapy; intermittent renal replacement therapy
- renin, 311
- reperfusion, 534
- rescue sedation, 338, 346
- respiratory arrest, 532
- respiratory failure
- type I, 79–80
 - type II, 80
- respiratory function, 33–4
- critical illness and, 436
 - see also* breathing
- respiratory rate, 34
- respiratory system
- anatomy and physiology, 92, 92, 94
 - clinical assessment, 64–76, 365
 - interventions for, 78–105
 - physiological effects of transfer, 471
- respiratory zone, 92, 94
- restoration of a spontaneous circulation (ROSC), 534, 537
- resuscitation team, 535
- number to summon, 537
- reticular activating system (RAS), 360
- Richmond Agitation and Sedation Scale (RASS), 338, 339, 367
- RIFLE, 313
- right atrial (RA) pressure, 198, 198
- right bundle branch block, 179
- right ventricular (RV) pressure, 198
- risk management, 8
- rub, 64, 65
- saline, 'normal' (sodium chloride), 285, 286
- saliva, 397, 398
- SaO₂, 69
- SAS, 338
- SBAR communication tool, 39, 39, 52

- second degree heart block, 179
secretion, 279
sedation, 336–9
 aims, 336
 assessment, 338
 definition, 336
 management
 procedure guideline, 348–9
 SPCSs, 352–3
 monitoring of sedated patients, 338–9
 rescue, 338, 346
 risks, 337
 treatment, 342–5
 withdrawal, 337, 438
sedation hold, 337
sedation scoring scales, 338
Seldinger technique, 101
sensitivity, 512
sepsis, CRRT in treatment, 313
serosa, 279
serum creatinine, levels, 313, 313
serum potassium, control, 322
shear force, 386
shockable rhythms, 532
shunt, 79
side lying posture, 440, 441, 442
 procedure guideline, 450
 SPCSs, 461–2
Simplified Motor Score (SMS), 366–7
SIMV-PC, 85
SIMV-VC, 84
sinoatrial (SA) node, 174, 175
sinus brachycardia, 178
sinus rhythm, 178
sinus tachycardia, 178
'skill fade', 15
skin
 challenges to health, 384
 cross-section, 383
 functions, 383–4
 inspection, 386–7
 layers, 382–3
 maceration avoidance, 387
sleep, 422–8
 definition, 422
 factors that disrupt and promote, 425, 426–8
 importance, 422
 indications, 422
 stages, 422
sleep assessment, 423–5
 on admission, 54, 59
 non-physiological methods/tools, 423–5, 425
 physiological methods, 423
 procedure guideline, 429–30
 SPCSs, 430
sleep cycle, 422
sleep deprivation, effects, 422–3
sleep promotion, 425, 426–8
 procedure guideline, 429–30
 SPCSs, 431
sliding sheets, 446
slow continuous ultrafiltration (SCUF), 314, 316, 317
slow extended daily dialysis (SLEDD), 315
sneeze reflex, 360
sodium chloride, 285, 286
specific procedure competency
 statements (SPCSs), 18
 admission to ICU, 59–61
 arterial blood sampling, 148
 blood glucose monitoring, 302
 cardiac arrest recognition, 548
 cardiac output studies with
 pulmonary artery catheter, 234
 central venous catheter (central line)
 insertion, 226
 chest auscultation, 106
 chest drain insertion, 165–6
 chest drain removal, 166–7
 continuous ECG monitoring, 215
 continuous renal replacement therapy (CRRT), 329–30
CPR
 airway assessment and ventilation, 550
 starting, 548
defibrillation, 549
delirium assessment, 353–4
end of life care, 522–3
endotracheal tube
 extubation, 159–60
 insertion, 119–20
enteral feed administration, 304–5
ETCO₂ monitoring, 155
eye care, 414–15
hoist transfer, 465–6
humidification, 162
intropes
 administration via syringe pumps, 272–3
 changeover of infusions, 274
 dosages calculation, 271–2
 preparation, 270–1
 titration to meet patient requirements, 273–4
intermittent positive pressure breathing (IPPB) (Bird), 159
intracranial pressure monitor
 recalibrating, 378–9
intracranial pressure recording, 377–8
invasive arterial blood pressure monitoring, 225
invasive ventilator therapy care, 158
log rolling, 463–4
manual hyperinflation, 163
mouth care, 413–14
nasogastric tube insertion, 303–4
nasopharyngeal airway (NPA), 149–50
neuromuscular blockade assessment, 354–5
non-invasive ventilator (NIV) therapy, 157
oesophageal Doppler monitor
 insertion, 243–4
 monitoring, 245–6
oropharyngeal airway (OPA), 149–50
pain assessment, 351–2
positioning
 for chest X-ray, 464–5
 high side lying, 460
 high sitting, 459
 patient with raised ICP, 462
 side lying, 461–2
pressure ulcer assessment and management, 412–13
pressure ulcer prevention, 411
prone positioning, 164
pulmonary artery catheter (line)
 insertion, 227–9
 monitoring, 230–2
pulmonary artery wedge pressure recording, 233
pulse oximetry, 149
recognizing and managing deteriorating patient, 46
rehabilitation of critically ill patients, 495–6
sedation management, 352–3
sleep assessment, 430
sleep promotion, 431
suctioning, 161
tracheal cuff pressure measurement, 156
tracheostomy formation and tube insertion auscultation, 152–3
tracheostomy removal/decannulation, 153–4
transfer
 assessment and stabilization prior to, 485
 communication, 485
 decision to, 479
 handover, 484, 487
 preparation for, 486
 safe, 486–7
transpulmonary cardiac output monitoring
 using lithium dilution, 235–6, 237–8
 using thermodilution, 22–3, 239–40, 241–3
vasopressors
 administration via syringe pumps, 272–3
 changeover of infusions, 274
 dosages calculation, 271–2
 preparation, 270–1
 titration to meet patient requirements, 273–4
SPIKES, 507–8
spinal reflexes, 367, 510
SpO₂, 69
spontaneous breathing trial (SBT), 88, 337
St Mary's Hospital Sleep Questionnaire, 424
standing hoist, 446

- starch solutions, 285, 287
 Stewart–Hamilton equation, 196, 201
 stretcher chairs, 446
 stridor, 33, 64, 65
 stroke distance (SD), 205
 stroke volume (SV), 181, 193, 198
 definition, 250
 stroke volume variation (SVV%), 203, 204
 subarachnoid bolt/screw, 369
 subclavian vein, 187, 188
 subcutaneous layer, 383
 subdural catheter, 369
 submucosa, 278
 suctioning, 91–3
 aim, 91
 anatomy and physiology, 92, 92
 closed endotracheal, procedure guideline, 136–7
 indications, 91–2
 open endotracheal, procedure guideline, 134–7
 problem solving, 93
 risks, 93
 SPCs, 161
 subglottic, 93
 through tracheal tubes, 93
 sugammadex, 346
 suxamethonium, 345–6
 swallow reflex, 360, 397
 swallowing, assessment, 289–90
 Swedish nose, 120, 120
 synchronized intermittent mandatory ventilation (SIMV-VC), 84
 synchronized intermittent mandatory ventilation – pressure controlled (SIMV-PC), 85
 syringe pumps, 251, 253
 problem solving, 257
 procedure guideline, 262–4
 systemic vascular resistance (SVR), 198, 199, 204
 definition, 250
 systemic vascular resistance index (SVRI), 204
 systolic pressure, 181
 normal values, 250
 systolic pressure variation (SPV), 204
- T-piecing, 515
 tamponade, treatment, 542
 tears, 401
 telemetry, 177
 temperature
 measurement, 36–7, 45
 monitoring, 366
 normal, 36
 tension pneumothorax, treatment, 542
 terminal weaning, 508–9
 thermometer devices, 36–7
 thermoregulation, 383
- thiopental, 344–5
 third degree heart block, 179
 third space losses, 282
 thrombin inhibitors, 320
 thrombosis, treatment during CPR, 542
 TILE assessment, 444, 445
 tilt table, 446
 tissue viability, 382–4
 anatomy and physiology, 382–3
 definition, 382
 support indications, 382
 Toolkit of Instruments to Measure End of Life Care (TIME), 502
 toothbrushing, 398, 401, 405–6
 total parenteral nutrition (TPN), 295–6
 complications, 296
 tracheal cuff
 pressure measurement, 77–8
 anatomy and physiology, 77–8
 complications, 78
 indications, 77
 procedure guideline, 124
 SPCs, 156
 tracheostomy tube (TT), 75–6, 75
 complications, 75
 contraindications, 75
 in critical care, 78
 definition, 75
 displacement, 86
 dressing change procedure, 118–9
 indications, 75
 inner cannula care procedure, 119–10
 insertion procedure, 120–2
 insertion SPCs, 152–3
 removal *see* decannulation
 stoma care procedure, 118–9
 suctioning through, 93
see also tracheal cuff
 track and trigger systems, 52
 ‘Train-of-Four’ (TOF) monitoring, 341, 342, 342, 343
 transfer, 470–8
 aims, 470
 assessment and stabilization prior to, 475
 procedure guideline, 480–1
 SPCs, 485
 communication, 475
 procedure guideline, 479
 SPCs, 485
 components of process, 474–8
 critical care networks role, 474
 decision to, 475
 end of life care and, 505
 procedure guideline, 479
 SPCs, 484
 definitions, 470
 equipment guidelines, 478
 evidence, 473–4
 handover, 478
 procedure guideline, 484
 SPCs, 487
- indications, 470
 organization, 474
 physiological effects, 470–3
 of altitude, 471–3, 472, 472
 cardiovascular system, 470–1
 of movement/gravitational forces, 471, 471
 respiratory system, 471
 stress response, 473
 temperature control, 473
 preparation for, 476
 procedure guideline, 482–3
 SPCs, 486
 primary, 470
 quality, 473–4
 safe, 476–8
 procedure guideline, 483
 SPCs, 486–7
 secondary, 470
 selection of transport mode, 475–6, 475, 476
 specialist transfer teams, 474
 timing, 474
 transfer trolley, 477, 477, 478
 transpulmonary dilution method, 193–4, 201–4
 transpulmonary thermodilution, 193–4, 201–3
 device insertion
 procedure guideline, 219–20
 SPCs, 239–40
 monitoring
 procedure guideline, 220–1
 SPCs, 22–3, 241–3
 problem solving, 203–4, 205
see also PiCCO system
 using dye or chemical, 194, 204
 device insertion
 procedure guideline, 216–7
 SPCs, 235–6
 monitoring
 procedure guideline, 217–8
 SPCs, 237–8
see also LiDCO system;
 LiDCOplus system
 truth-telling, 508
 two-bottle drainage system, 102, 103
- ultrafiltration, 310, 314, 314, 319
 underwater seal system, 102, 102
 upper respiratory tract, 92
 urine output
 levels, 313, 313
 maintaining optimal, 37
 normal values, 37, 250
- vacuum-assisted closure (VAC), 390
 vasomotor paresis, 287
 vasopressin
 actions, 252
 dosages, 253
 vasopressin receptors, activation, 252

- vasopressors, 250–5
 - actions, 251, 252
 - administration via syringe pump, 251, 253
 - procedure guideline, 262–4
 - SPCSs, 272–3
 - aims, 250, 253
 - anatomy and physiology, 250
 - changeover of infusions, 254–5, 256
 - procedure guideline, 265–70
 - SPCSs, 274
 - choice, 251
 - definition, 250
 - dosages, 253, 254
 - procedure guideline, 271–2
 - SPCSs, 271–2
 - indications, 250
 - monitoring, 254
 - preparation
 - procedure guideline, 259–61
 - SPCSs, 270–1
 - side effects, 253–4
 - titration to meet patient requirements, 253–4
 - procedure guideline, 264–5
 - SPCSs, 273–4
 - troubleshooting, 255, 257, 258
 - withdrawing, 254
- venous outflow obstruction, 371
- venous thromboembolism (VTE), 440
- ventilation, anatomy and physiology, 79–80
- ventilation perfusion (V/Q) ratio, 79
- ventilator-associated pneumonias (VAPs), 79, 390
 - incidence reduction, 83, 93
- ‘ventilator eye’, 401
- ventilatory support, 78–80
 - indications, 78–9
 - types, 79
 - withdrawing at end of life, 509
 - see also* invasive ventilation; non-invasive ventilation; weaning from mechanical ventilation
- ventricular pathways, 362, 363
- Venturi effect, 95, 95
- vesicular breath sounds, 64
- visceral pleura, 87, 100
- vision, 400
 - see also* eye care
- vital signs (observations), assessment, 365
- VitalPac Early Warning Score (ViEWS), 30, 31
- vitamin D synthesis, 384
- volume control ventilation (VCV), 84
- VTE risk assessment, 54, 58
- waiting, 54
- ward patients
 - critically ill or ‘at risk’, 28–46
 - see also*, deteriorating patients
- Waters’ circuit *see* Mapleson C bagging system
- weaning from mechanical ventilation, 87–9, 89–90
 - aim, 87
 - anatomy and physiology, 87–8
 - definition, 87
 - procedure guideline, 130
 - reduction of mechanical support, 88–9
 - testing patient readiness, 88–9
 - see also* decannulation; extubation
- Wenckebach phenomenon, 179
- Wesseling algorithm, 203
- wheezes, 64, 65
- WHO analgesic ladder, 336, 347
- withdrawal of treatment, 501
 - assessment of need for discussion of, 504
 - avoiding prolongation of dying, 504–5
 - cultural issues, 508
 - diagnosing dying, 505
 - extubation, 508–9
 - procedure guideline, 516
 - how and when, 508
 - incidence, 504
 - legal and ethical issues, 504
 - procedure guideline, 514–15
 - see also* end of life care
 - withholding treatment, 501
 - cultural issues, 508
 - incidence, 504
 - legal and ethical issues, 504
- wound assessment, 393–4
- wound management dressings, 390, 395–6
- xerostomia (dry mouth), 398
 - with non-invasive ventilation, 82