

Index

- absorbed dose, 205–7
- acceleration, 161–6, 169–70
- accelerometer, 166–70
- acetone vaporiser, 86
- ACH, 27–8
- acoustic pressure, 145
- action values, noise, 147–8, 159–60
- activated charcoal, 94–7, 102–4
- activity emission potential, 26
- acute
 - exposure, 216–17
 - health effects, 9, 63, 125, 221
- adsorbent tubes, 42, 95–7, 102–4
- Advanced REACH Tool, *see* ART
- aerodynamic diameter – definition, 64–5
- aerosol, 63–91, 111–22
- aflatoxins, 114
- air flow, 27, 189, 257–9
 - measurement, 178–80, 237–41, 246–52
 - natural air flow, 178, 183
- air humidity, 175, 185–7
 - sensitivity of measurements to, 80, 117, 152
- air pressure, 234, 242
 - measurement, 235–7, 252–4
 - static, 234, 239–40, 243–4
 - velocity, 234, 239–41
- air speed, *see also* air velocity, 234
- air velocity, 234–59
 - instrument calibration, 242
 - instrumentation, 237–41
 - low velocity measurement, 178–80
- air-changes per hour, *see* ACH
- ALARA, 206
- ALI, 207
- allergen, 115, 120–21, 137
- alpha particles, 200, 202–3, 208
- Anasorb adsorbent, 96
- anemometer
 - calibration of, *see* calibration – anemometer
 - heated head, 238–9
 - vane, 237–8, 246, 254–7
- annual limits of intake of radionuclides, *see* ALI
- APF, 262–4, 269–70
- arc eye, *see* welders flash
- arithmetic mean, 50, 250, 255–6
- ART (Advanced REACH Tool), 55
- asbestos fibres, 65–6, 74, 84–9
 - control limits, 85, 88
 - measurement of airborne concentration, 84–8
- assessment
 - exposure, 18, 22–3, 129, 276–8
 - risks to health, 8–12, 22–3, 31, 260, 275–81
 - thermal risks, 185, 188–9
- assigned protection factor (APF), *see* APF
- atomic number, 199, 201–2
- bacteria, 113–14, 118, 121
- barometers, 242
- barometric pressure, *see* air pressure
- Bayesian statistics, 278
- becquerels (Bq), 204
- bellows pump, 106–7
- beta particles, 203
- bio-security, 112

292 Index

- bioaerosols, 262–4
- biological hazards or biological agents, 14–17, 111–22
- biological monitoring, 18–24, 36, 137
- biological monitoring guidance values, *see* BMGV
- biopersistence, 65
- blanks – field or laboratory, 40, 58, 82, 103
- BMGV (biological monitoring guidance values), 22
- breakthrough, during vapour sampling, 97
- breathing zone, 19–21, 68
- bubblers, 95–6, 104–6
- calibration
 - anemometer, 242
 - dust monitor, 75, 270
 - light meter, 193
 - rotameter, 40, 76–83
 - sound level meter, 152–5, 157
 - thermal equipment, 176
 - vibration meter, 168–70
- cancer, 285–7
 - skin, 127, 216
- candella (Cd), 191
- carbon dioxide detection, *see* gas detection
- carbon monoxide detection, *see* gas detection
- centrifugal dust collector, 244
- centrifugal sampler, 120
- charcoal, *see* activated charcoal
- Chartered Institute of Building Services Engineers (CIBSE) code, *see* CIBSE code
- Chemical (Hazard, Information and Packaging for Supply) regulations – CHIP, 14, 127
- chemical hazards or chemical agents, 4, 13–17, 61–110
- Chromosorb adsorbent, 96
- CIBSE code, 192, 196, 198
- CIP-10 sampler, 72
- clarity, 56
- classified person – radiation, 209
- clearance sampling, for asbestos, 85
- clo, 186
- coal dust, 72–3, 89
- cold, 173–5, 186–90
- colony forming units (CFU), 118
- colorimetric detector tubes, 92–5, 99–100, 106–8
- comfort – thermal, 174, 188
- competent person, 12, 35, 245
- conduction, 173–4
- confined space, 28
- containment, 115–16, 229, 241
- contextual information, 51, 54, 132, 150
- control, principles of good practice, 9, 227–8
- control hierarchy, 228–31
- control limit, *see* Control of Asbestos regulations
- Control of Asbestos regulations (CA), 22, 85, 88
- control of exposure, 9, 227–32
- Control of Lead at Work regulations (CLW), 22, 57
- Control of Noise at Work regulations (CNW), 23, 147, 153
- Control of Substances Hazardous to Health regulations (COSHH), *see* COSHH
- Control of Vibration at Work regulations (CVW), 23, 162, 165
- convection, 173–4, 189
- COSHH, 5, 14–15, 22–3
 - bioaerosols, 111
 - control advice, 233, 261, 275
- COSHH Essentials, 11, 278
- cowl sampler, 73–4, 84–8, 89
- cyclone respirable sampler, 41, 69–72, 83–4
- DAC, 207
- data-logger, 75, 93, 101
- DC shift, 169
- decibel (dB) – definition, 143–4
- deep-freeze stores, thermal environment, 175
- derived air concentration of radionuclides, *see* DAC
- derived limits, 207
- dermal, 18–21, 125–40
- dermal exposure, 22, 128
- dermal uptake, 128, 135–6, 174
- dermatitis, 125, 127–8
- diffusive sampler, 94, 97–8, 108–9

- direct reading instruments
 - dust measurement, 11, 66–7, 75–7
 - gas/vapour measurement, 93–4, 99, 101–2
 - radiation measurements, 214
 - thermal measurements, 181, 182
 - ventilation measurements, 237, 239
- disabilities, 9
- discomfort – PPE, 231, 262, 267
- dispersion, 27–8
- displacement, 163–4
- dose
 - noise, 157
 - radiation, 199–201, 205–14
- dosemeter
 - film badge, 211–14
 - personal noise, 148–52, 155–7
 - thermoluminescent, 209, 211, 213
- dosimeter, *see* dosimeter
- Dräger detector tubes, *see* colorimetric detector tubes
- draughts, 187, 241
- dry bulb thermometers, 178, 180, 182–6
- ducts, airflow measurement, 246–7
- dust, 63–91
 - airborne dust measuring techniques, 66–89
 - asbestos fibres, *see* asbestos fibres
 - cloud behaviour, 67, 89–90
 - direct reading instruments, *see* direct reading instruments for dust measurement
 - filters for different types, 66–8, 89
- dust lamp, *see* Tyndall beam
- EH40, 14, 22, 127
- electro magnetic fields (EMF), 216–17, 221–2
- electron, 199
- elimination – of exposure, 228, 231, 279–80
- emissions, 32, 134, 220
 - process generated, 14–15, 26
- endotoxin, 114, 120–21
- exposure
 - accidental, 7, 81, 280
 - models, 18–21, 25–7, 277–8
- exposure action values (EAV) – vibration, 162
- exposure limit value (ELV) – vibration, 162, 165, 171
- exposure-response, 4–5, 286
- far-field, 27–9, 231
- field-blank, *see* blanks
- film badge – radiation, 209, 212–13
- fit-testing, *see* RPE fit-testing
- FIVES, 131–2
- flicker, 191–2, 195, 197
- flowmeter, 73–84, 105
- Fourier-transform infrared (FTIR) gas analyzer, 101
- frequency
 - EMF, 216–17, 220, 222
 - noise, 144–7, 157–60
 - vibration, 161–70
- fugitive emissions, *see* passive emissions
- fumes, 64, 229–30, 277
- gamma rays, 200, 201
- gas detection, 101–2
- gases, 92–110
- Geiger-Müller counter, 210
- general ventilation, 27–9, 230–31
- genotoxic, 5
- geometric mean, 50
- glare, 192, 197
- gloves
 - anti-vibration, 171
 - chemical protective, 136–9, 264
- grab sampling, *see* colourimetric detector tubes
- gram-negative bacteria, 114, 121
- gram-positive bacteria, 114
- gray (Gy) – definition, 205
- half-life, 22, 204
- half-value layer, 209
- hand-to-mouth – transmission, *see* ingestion
- hazard
 - definition, 4, 7
 - identification, 8, 13–17, 276
- hearing loss, *see* noise-induced hearing loss
- hearing protection, 153, 158–60, 188
- heat, 173–90
 - strain, 175, 181–8
 - stress, 173–6, 181–8

294 Index

- heavy metals, 89
- HEPA filters, 116
- hertz (Hz), 145, 216
- humidity, *see* air humidity
- illuminance, 191–7
- impactors, 118–20
- impingers, *see* bubblers
- infrared radiation (IR), 200, 216–17, 220
- ingestion, 18–22, 125–40
- inhalable
 - convention, 64–5
 - dust measurement, 68–9, 72, 80–83, 89
- injection exposure, 9, 18–21
- intrinsically safe – electrical, 94, 238
- IOM sampler, 69, 72, 80–84
- Ionising Radiations Regulations, 199, 208
- iPhone, 150
- isotopes – definition, 199, 201–2
- Kata thermometer, *see* thermometers, Kata
- L_{EP,d}*, 147–9, 155–7, 159
- laboratory animal allergen (LAA), 115, 121
- lasers, 220, 222–4
- lead dust, 22, 69, 89, 137
- Legionella*, 113–14
- LEV, *see* local ventilation
- light meter, 193–5
- lighting, 191–8
- local exhaust ventilation, *see* local ventilation
- local ventilation, 228–33, 257–9
- log-normal distribution, 48, 51
- lumen, 191
- lux, 191, 193, 196
- man-made mineral fibre (MMMF)
- man-made vitreous fibres (MMVF)
- manometer, 235–37, 249–50, 252–4
- mass number, 199, 201–2
- MDHS, 21
- mean
 - arithmetic, *see* arithmetic mean
 - geometric, *see* geometric mean
- mean radiant temperature – definition, 174, 185
- median, 50, 64
- metabolic rate, 177, 185
- metal fume fever, 65
- mg m⁻³, *see* also ppm, 6, 18, 82
- micromanometers, 237
- micrometre, 64, 65
- microorganisms, 111–22
- microwaves, 200, 216–17, 220–22
- mm H₂O, 234–5
- moulds, 114
- MRE 113 sampler, 72–3
- MSDS, *see* SDS
- mycoplasma, 113
- mycotoxin, 114
- nanoparticle, 65, 132
- natural frequency, 164
- near-field, 27, 29
- needle-stick injuries, 21, 113
- neutrons, 199–203
- noise, 143–60
- noise-induced hearing loss, 143, 147, 265
- non-stochastic health effects, 200, 206
- occupational exposure limit, *see* OEL
- occupational hygiene, 3–12, 18, 25
- octave band analysis, 149, 157–60
- OEL
 - comparison with, 8, 21, 25, 31, 282
 - definition, 5
 - noise, 147–8
 - radiation, 206–7, 218
 - vibration, 165
- oil mist, 89
- organic vapour analyser, 101
- para-aramid, 66
- partial enclosure, 228–31, 280
- pascal (Pa), 143–4, 234–5
- passive emissions, 27
- passive sampler, *see* diffusive sampler
- pathogens, 112, 137
- percutaneous uptake, *see* dermal uptake
- personal noise dosimeters, *see* dosimeter
- personal protective equipment (PPE), *see* PPE
- pharmaceuticals, 89, 132, 137
- photoionisation monitor, 101
- physical agents, 4–9, 13–17, 141–223
- piston-phone calibrator, 154, 157
- pitot-static tube, 239–41, 246–52

- planning a survey, 34–47
- pore size, of filters, 68
- Poropak adsorbent, 96
- PPE, 11, 136, 227, 260–71
- ppm, *see also* mg m⁻³, 6, 56, 104
- pregnancy, 9
- primary standard, 40, 167, 193
- probability, 50–51, 282, 285
- pyrogens, 114

- quality assurance, 39–40, 56, 117
- quartz fibre electroscope, 211

- radiant
 - heat, 174–5, 183, 189
 - power, 218
- radiation
 - background, 201, 207
 - ionising, 199–215
 - non-ionising, 216–24
 - thermal, 249
- Radiation Protection Advisor (RPA), 199
- radio waves, 200, 203, 216–17, 220–22
- radon, 201, 204, 207, 214–15
- REACH, 55
- receptor, 25, 29, 134, 137
- record keeping, 53–9
- rectal temperature, 182, 185–6
- reporting, 53–9
- Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (RIDDOR), 161
- resonant frequency, 164, 217
- respirable, 64–5
- respirable dust – convention, 68–73, 83–9
- respirator – fit-testing, *see* RPE fit-testing
- respiratory protective equipment, *see* RPE
- risk, 3–12, 275–6
 - acceptability of, 260–61, 285
- risk assessment, *see* assessment of risks
- risk communication, 282–7
- risk perception, 13, 261, 282–3
- root-mean-squared (RMS), 161–4, 221
- rotameter, 76–81, 95, 105
- RPE, 138–9, 260–71
 - fit-testing, 265, 269–70
 - heat stress, 174, 184
- safety data sheets, *see* SDS
- samples
 - long-term, 32, 50, 100
 - personal, 36, 38, 69, 85, 117
 - short-term, 32, 50, 100, 106–8
 - static, 38–9, 85
- sampling bag for gas collection, 100–101
- sampling methods, 21, 37
- sampling strategies, 37–9, 132
- sampling train, 76, 105
- SCOEL, 5
- SDS, 14–15, 127, 276–7
- SEG, 37
- segregation, 28, 228–9
- Separation, 28
- sievert (Sv) – definition, 205
- silica dust, 89
- silica gel as absorbent material, 94, 96
- similarly exposed group, *see* SEG
- SIMPEDS cyclone, *see* cyclone respirable sampler
- skin, *see* dermal
- skin notation, 18, 127
- SLM, 11, 40, 147–55
- smoke tube kit, 241–2, 256–7
- snow blindness, 216
- soap bubble calibrator, 76–80
- sound dosimeters, *see* noise dosimeters
- sound level meter, *see* SLM
- sound pressure level, 143–4
- source-receptor, 25, 134, 137
- sources
 - hazards, 19–21, 25–7, 229–31, 241
 - heat, 174–5, 183
 - light, 191
 - noise, 144–8, 155, 159
 - radiation, 200, 208–10, 217
 - vibration, 168–70
- speed of light, 216
- static pressure, definition, 234
- statistics, 50–52
- stochastic health effects, 200, 206
- Stoffenmanager, 277–8
- stratum corneum, 135, 220
- substance emission potential, 26
- substitution, 228, 231, 279–80
- suction inlet, performance of, 257–9
- sun protection factor (SPF), 219
- surveys, 34–47

296 Index

- sweating, 136, 173, 184
swing hygrometer, 43, 176, 182–3
synthetic mineral fibres, 66, 88
- tachometer, 245
temperature, air, 173–90
Tenax adsorbent, 96
thermal environment, measurement of,
176–85
thermoluminescent dosimeter, *see*
dosimeter, thermoluminescent
thermometers
convention, 64–5
globe, 174–6, 180–85
kata, 178–9
wet-bulb, 175–6, 178, 182–5
Threshold Limit Value (TLV), 175
time-weighted average, *see* TWA
total enclosure, 228–31, 243, 280
trust, 283–4
turbulent – air-flow, 241, 247, 257
TWA, 6, 262
Tyndall beam, 89–90, 242
- ultraviolet radiation (UV), 16, 218–19, 223
unit risk, 286
unsealed sources, 206, 210, 214
uptake, 127, 135–8
- vane anemometer, *see* anemometer, vane
vapour pressure, 26, 185
vapours, 92–110
velocity pressure
definition, 234
measurement, 239–41
- vibration, 23, 161–72
hand-arm, 161–2, 164–7, 171
whole-body, 161, 164, 171
video recording camera, 36
viruses, 4, 112–13
VITAE, 131–2
VOC (volatile organic chemicals), 101
volatile organic chemicals, *see* VOC
- walk-through survey, 15
Walton–Beckett eyepiece graticule, 85–6
warehouses, thermal environment of, 175
wavelength, 145–6, 199–203, 216, 218
WBGT (wet bulb globe temperature),
175–8, 181–6
weighting – noise, 146–7
WEL – definition, 5, 22
welder's flash, 216
welding fume, 73, 89, 229–30
wet bulb globe temperature, *see* WBGT
wet-work, 126–9
whirling hygrometer, *see* swing hygrometer
wind chill factor, 189–90
wind tunnels, 242
work-rest scheduling, 185
Workplace (Health, Safety and Welfare)
Regulations, 175, 192
workplace exposure limit, *see* WEL
worst case sampling, 37–9, 54
- X-rays, 200–206, 209, 212
XAD adsorbent, 96
- yaw, 238
yeasts, 114–15