

Index

Notes: Pages numbers in *italics* refer to Figures; those in **bold** to Tables

abdominal pain
colon perforation, 121
recurrent, 59–60
aberrant crypt foci (ACF), 172–3
AC line, 51, **51**
accessories
 disinfection, 5
 endoscopic retrograde cholangiopancreatography, **189**, 189–90
 reprocessing, 28
acetic acid, 144
achalasia, pneumatic dilatation, 83–4
acriflavine hydrochloride (AH), 207–8
acute pancreatitis
 ERCP, 194–5, **195**
 post-double-balloon enteroscopy, 218
 trauma-related, 199
additive primary colors, 18
adenoma–carcinoma concept, 171
adenomatous polyposis coli (APC) gene, 126
adherent clot, 58, 58
adverse effects, sedation, 32
air insufflation, 11
 excessive, 42
air/water valve, 13, 42, 43
airway equipment, 32
alcohol flush, 5, 28
alfentanil, 36
allergic proctocolitis, 123–4, **124**
allergies, 36
Alpha loop, 117–18
American College of Gastroenterology Barrett's esophagus definition, 61
American Society for Gastrointestinal Endoscopy (ASGE) colonoscopy bacteremia risk, 121
American Society of Anesthesiologists (ASA)
 levels of sedation, 30–31
 physical status classification, 33, 37
ampulla, 109
anal canal, 109, **110**
anal papillae, 109, **110**
analgesics, 36
ancillary support staff, 4

angiodyplasia, colon, 129, 128
anomalous pancreaticobiliary junction (APJ; common channel), 191–2, **192**, 196
anti-fibrotic agents, 166
antrum, 50
 biopsy, 55
anxiolysis (minimal sedation), 30, 35–6
aorta-esophageal fistula, 87
aphthous ulcer, 123, **123**
apnea, 32, 34
appendiceal orifice, 113, **113**
argon plasma coagulation (APC), 93, 182
aryepiglottic fold, 46
arytenoid cartilage, 46
ascending colon, 109, 112–13, **113**, 118
aspirin, 58
attenuated familial adenomatous polyposis (AFAP), 126–7
auto-fluorescence colonoscopy, 179–80
automated reprocessors, 28
autosomal recessive MYH-associated polyposis (MAP), 126
azathioprine, 178
back-washed ileitis, 122
bacteremia, 56
“bagel” shaped lesion, 69, 69
balloon dilatation, 82, 157
balloon dilators, 82–3, 165–6
Barrett's esophagus (BE), 61–2
 chromoendoscopy, 140, 145, **146**
 definitions, 61–2
 epithelial types, 62
 intestinal metaplasia, 62
 tongue-like lesions, 62, 62
bedside endoscopy, 4–5
bedside precleaning, 26
benzodiazepines, 35–6
bile ducts, 191
bile leaks, 194, **194**
biliary anastomosis strictures, 216–18
biliary atresia (BA), 191, **192**
biliary endoscopic sphincterotomy, **196**

biliary rhabdomyosarcoma, 193, 193
 biodegradable stents, 159, 159–60
 advantages/disadvantages, 162
 pediatric experience, 160–162, 161
 stenosis development, 161–2
 biopsy
 duodenum, 54–5
 eosinophilic esophagitis, 64
 esophageal, 54
 gastric, 54–5
 infectious esophagitis, 65
 technique, 54–6
 tissue mounting technique, 55–6
 biopsy specimens, confocal laser endomicroscopy, 208
 bipolar thermal devices, 92
 bite guards, 41–2, 44–5
 black & white CCD system *see* RGB sequential endoscopy system
 bleeding
 endoscopic retrograde cholangiopancreatography, 191
 esophagogastroduodenoscopy-induced, 56
 lower tract, 59
 obscure, 220
 polypectomy-induced, 138, 138
 post-colonoscopy, 121
 post-double-balloon enteroscopy, 218
 post-endoscopic mucosal resection, 182–3
 treatment plan development, 57–8
 upper tract, 57–9, 59, 88
 bleeding disorders, colonoscopy, 121
 blind screen, 42
 bloom, 14
 blue rubber nevus syndrome, 217, 217
 Bougie-type dilators, 166
 bougienage, 157
 bowel preparation
 colonoscopy, 105–7
 polypectomy, 135
 bradycardia, 34
 British Society of Gastroenterology
 Barrett's esophagus definition, 62
 epinephrine injection therapy guidelines, 90
 buried bumper syndrome, 98, 99
 Burkitt's lymphoma, 70, 71
 Buscopan (hyoscine N-butylbromide), 144, 207
 N-butyl-2-cyanoacrylate injection, 151–5

 Candida esophagitis, 65, 65
 carrying cases, 28
 cascade stomach, 49
 caustic ingestion, 65–6, 66, 166
 esophageal stenting, 160
 fibrosing gastropathy, 66, 66
 Cdx *see* charge-coupled device (CCD)
 Cdx homeobox gene, 62
 cecal patch, 122, 122
 cecum, 109, 113, 119

celiac disease, 70–72
 active phase, 71–2
 chromoendoscopy, 141, 145–7, 146
 “cobblestone” appearance, 145
 confocal laser endomicroscopy, 208–9, 209
 endoscopic signs, 71, 71
 immersion chromoendoscopy, 145–7, 147
 jejunal capsule biopsy, 70–71
 “sticky” villi, 209, 209
 celiac sprue *see* celiac disease
 cervical esophagus, 48
 foreign bodies, 85, 85
 pressure necrosis, 85, 85
 charge-coupled device (CCD), 14, 14–15
 color-chip *see* color-chip endoscopy
 image reading, 14, 15–16
 image reproduction, 14
 image sensor, 8, 11, 11, 15
 interline transfer, 16
 light sensitivity, 17, 17
 light source strobing, 15
 line transfer, 15
 output signal, 15
 photosites, 14, 14
 types, 15–16
 unit, 11
 charge packets, 15
 cherry red spots (“red wale” marks), 89, 89
 children
 GI bleeding, 59
 see also specific topics
 choledochal cysts (CC), 191–3, 192
 choledococele, 192–3, 193
 choledocolithiasis, 193–4
 chromoendoscopy, 140–148, 209
 application technique, 142–4
 celiac disease, 145–7, 146
 equipment, 142, 142
 esophageal disorders, 140–141
 familial adenomatous polyposis, 141
 Helicobacter pylori infection, 141
 hyperplastic *vs.* adenomatous polyps, 141, 147, 147, 148
 indications, 140–142
 inflammatory bowel disease, 141–2, 148, 148
 lesion recognition, 145–8
 mucosa preparation, 144
 polyposis syndromes, 141, 147, 147, 148
 sedation, 144
 stain types, 142–4, 143
 staining technique, 144, 145
 ulcerative colitis, 145
 see also individual stains
 citric acid magnesium, 106
 cleaning attachments, 26, 27
 clips, hemostatic, 91, 91–2
 coagulation
 argon plasma, 93, 182
 electrosurgery, 132
 thermal, 92–4

- coins, 85, 85–7, 86
 treatment algorithm, 86
- colitis
 allergic, 124, 124
 collagenous, 210–211
 colon cancer, 141–2
 Crohn's disease, 122–3
 ulcerative *see* ulcerative colitis
 collagenous colitis, 210–211
 collagenous gastritis, 67, 67
- colon
 adenocarcinoma, 127, 127
 anomalies, 109
 ascending, 109, 112–13, 113, 118
 confocal laser endomicroscopy, 209, 210
 crypt pattern, 209, 210
 descending, 109, 111, 111, 112
 dysplasia, 141–2
 embryology, 108–9
 endoscopic anatomy, 109–13
 hidden lumen, 115–17, 116
 intubation, 138
 lymphoid aggregates, 124, 124
 perforated, 120
 sigmoid *see* sigmoid colon
 transverse, 112, 112, 118
 ultraviolet light use, 180
 vascular malformations, 127, 128
- colonic chromoscopy, 183–4
- colonic interposition, 157
- colonoscopy/colonoscopes, 104–31
 auto-fluorescence, 179–80
 bleeding disorders, 121
 bowel cleaning, 105–7
 common pathology, 121–5
 complications, 120, 119–121
 contraindications, 104, 106
 corkscrew technique, 116
 degrees of deflection, 13
 early precancerous lesion detection, 170–171
 equipment, 107, 107–8
 handling, 114
 handling mistakes, 114
 hidden lumen, endoscopic clues, 115–17, 116
 historical aspects, 170
 indications, 104, 105
 infection risk, 121
 informed consent, 108
 insertion technique, 114–15
 one person-single handed approach, 114
 pain control, 108
 patient positioning, 108, 114–15
 pre procedure preparation, 108
 pre procedure rectal exam, 115
 preparation, 105–7
 rare pathology, 125–9
 three-finger rotation technique, 114
 torque steering technique, 113–14
 twisted lumen, 116
- two persons-single handed approach, 114
 withdrawal phase, 119, 138
- color-chip endoscopy, 16, 18, 21
 advantages/disadvantages, 24
 motion reproduction, 21–2
 narrow-band imaging, 22, 23
 RGB sequential endoscope *vs.*, 21–2, 24
- color-chip video imaging, 18, 20–21, 21
- color imaging display, 19–20, 20
- color imaging systems, 18
- color perception, 17
- color sources juxtaposition, 20
- color video theory, 18, 19
- colorectal cancer (CRC), 127
 colitis-related, 141–2
 exophytic lesion polypectomy, 171
 flat lesions, 171, 172
 morphology, 171
 pathogenesis, 171–3
 screening, 170–171
 columns of Morgani, 109–10, 110
 common channel (anomalous pancreaticobiliary junction), 191–2, 192, 196
- computer-controlled thermal probes (heater probes), 92–3
- confocal endomicroscopy, 178–9, 179
- confocal laser endomicroscopy (CLE), 206–12, 207
 benefits, 206–12
 biopsy specimens, 208
 contrast agents, 207–8
 image acquisition, 208
 image depth adjustment, 207
 lower GI tract, 209–11
 upper GI tract, 208–9
 as “virtual biopsy,” 207
- confocal microscope, 207
- congenital heart disease, 33
- Congo red, 143, 144
 Helicobacter pylori infection, 141, 145
- conscious sedation (moderate sedation and analgesia), 30–31
- corkscrew maneuver, 75
- corrosive esophagitis, 160
- CRE™ Wire guided Balloon Dilator, 82
- cricoarytenoid cartilage, 46, 46
- Crohn's disease
 colitis, 122–3
 colonoscopy, 122–3
 confocal laser endomicroscopy, 210
 crypt abscesses, 68
 intra-operative enteroscopy, 220
 mucosal bridges, 123, 124
 noncaseating granulomas, 68
 skip lesions, 68, 122–3
 ulcers, 123, 123
 upper GI tract involvement, 68
- crypt abscesses, 68
- crystal violet (CV), 174, 175–6, 176

- current density, 134
 custom-made stents, 162
 cytomegalovirus (CMV)
 esophagitis, 65
 gastritis, 67, 67
 Menetrier's disease, 67
- deep sedation, 31, 95, 108
 dentate (pectinate) line, 109, 110
 desaturation, 32
 descending colon, 109, 111, 111, 112
 dexmedetomidine, 37
 diagnostic upper gastrointestinal endoscopy, 41–81
 biopsy technique, 54–6
 indications, 56, 56–7
 pathology, 56–7
 diaphragmatic notch (third physiological narrowing), 48
 digitized endoscopic images, 5
 dilators, 82–3, 165–6
 disc battery, 87, 87
 disinfectants, 27–8
 disinfection, 4, 5, 26–8
 high-level, 26–8
 documentation, 4, 5
 double-balloon enteroscopy (DBE), 213
 carbon dioxide insufflation, 218
 complications, 216, 218, 220
 indications, 216, 216
 learning curve, 218–20
 pediatric experience, 216–18
 polyps, 215, 215, 217
 system configuration, 214, 214
 tattooing, 215, 215
 technique, 214–16, 215
 training issues, 218–20
 wireless capsule endoscopy *vs.*, 214
 "doughnut" shaped lesion, 69, 69
 DPE) technique, 99
 drain cleaner ingestion, 161, 161–2
 duodenal bulb, 50, 50, 51
 biopsy, 55
 bleeding ulcers, 50, 58, 59
 blind zone, 50
 gastric metaplasia, 142
 duodenal duplications, 197, 197, 198, 198
 duodenal papilla, 52, 52, 53
 duodenal ulcers
 bleeding, 58–9, 59
 kissing, 66
 duodenal villi, 55, 208
 duodenoscopes, 189, 189–90
 duodenum
 biopsy, 54–5
 distal, 75
 exploration, 47–50
 fourth portion, 53
 intubation, 50–51
 lumen "crescent," 52
 lumen marsupialization, 197, 198
 scope retro-flexion, 52, 52
 transitional zone, 51, 51
 dysplasia, 178
- ectopic pancreas, 69, 69
 electrosurgery, 132–4
 coagulation, 132
 generators, 138
 power density, 134
 RF currents, 132, 133
 tissue heating, 132–4, 133
 voltage, 132
 EMLA cream, 35, 108
 EN450B15, 215–16
 EN450T5, 215–16
 end-tidal CO₂ monitoring, 34
 EndoCinch® sewing machine, 225, 225–7,
 226
 Enteryx® *vs.*, 231–2
 reflex related quality-of-life scoring, 227, 227
 endoluminal gastroplasty, 231
 endoluminal gastroplication, 225–7
 endoscope(s)
 angle of view, 16, 16–17
 close focus point, 17
 control panel, 42, 43
 disinfection, 5
 equipment assembly, 42
 glue damage, 151, 154
 handling, 42–4, 43
 image resolution limit, 16
 image reversal, 45
 magnification, 16–17
 manual cleaning, 26
 mechanical cleaning, 5
 objective lens, 11
 pre-procedure check-up, 42
 reprocessing *see* endoscope reprocessing
 resolution, 16–17
 resolving power, 16, 16
 rotation, 42–3, 43
 storage, 28
 suction intensity checks, 42
 torque technique, 43–4
 see also video endoscopes
 endoscope reprocessing, 26–8
 accessories, 28
 automated reprocessors, 28
 cleaning, 26, 27
 personal protective equipment, 26
 rinsing and disposal, 28
 special channels, 27, 28
 steam sterilization, 28
 training, 26
 endoscopic fundoplication, 230
 endoscopic hemostasis, 88–90
 categories, 88
 constrictive mechanical devices, 90–92
 non-thermal hemostasis, 88–90

- sclerotherapy *see* sclerotherapy
 thermal coagulation, 92–4
- endoscopic mucosal resection (EMR), 171
 complications, 182–3
 early stage cancer diagnosis, 183
 extended, 182
 lesion location/diagnosis, 180
 mortality rates, 183
 peripheral margin tattoos, 181
 post resection management, 182
 remnant tissue, 182
 snare resection, 180, 181–2
 stages, 180
 submucosal lift, 181
 technique, 180–182
 Western practice, 180
- endoscopic pancreatic cysto-gastrostomy, 203–5, 205
 stents, 203, 204, 205
 technique, 203–4, 204, 205
- endoscopic retrograde cholangiopancreatography (ERCP), 188–202
 accessories, 189, 189–90
 biliary indications, 191, 191–4
 with biliary sphincterotomy, 195
 complications, 190–191
 contrast media, 190
 esophageal intubation, 190
 fluoroscopy equipment, 190
 hidden lumen, 190
 indications, 188–9
 long way technique, 190
 orientation, 190
 pancreatic indications, 194–9, 195
 short way technique, 190
 with stent placement, 194
 technique, 190–191
- endoscopic sphincterotomy (ES), 197, 197
- endoscopic suturing devices, 225, 225–7, 226
- endoscopic ultrasonography (EUS), 190, 199
- endoscopic variceal ligation (EVL), 90–91, 91
- endoscopy nurse, 4
- endoscopy setting, 4–6
- endoscopy unit, 4
- endosonography (EUS), 203
- enemas, 107
- enteroscopy, 213–23
 complications, 220
 tattooing lesions, 213
- Enteryx®, 231–2, 232
 EndoCinch® *vs.*, 231–2
- eosinophilic esophagitis, 63–5
 biopsy, 64
 crêpe paper mucosa, 63
 diagnosis, 63
 endoscopy, 63–4
 etiology, 63
 histology, 63, 64–5
 macroscopic abnormalities, 63, 64
- pathogenesis, 63
 prevalence, 63
 symptoms, 63, 64
 trachealization, 63, 64
- eotaxin-3, 63
- epiglottis, 45, 45
- epinephrine injection, 90, 93
- eschar, 66
- esophageal biopsy, 54
- esophageal burns, 66
- esophageal cancer, 140–141
- esophageal dilation, 165–6
 complications, 165
 devices, 165–6
 guide wire technique, 166
 indications, 165
 purpose, 165
 “rule of 3s,” 166
- esophageal dysphasia, 140–141
- esophageal intubation
 complications, 34
 direct midline, 46, 46–7, 47
 direct observation techniques, 44–7
- endoscopic retrograde cholangiopancreatography, 190
- infants, 47
- initial phase, 44, 44
- neonates, 47
- patient positioning, 41
- pharynx, approach to, 44, 44
- preparation, 41–2
- swallowing process, 47
- techniques, 44–7, 45, 46, 47
- esophageal orifice, 46, 47
- esophageal stenosis, 61
- esophageal stenting/stents, 156–64, 157–60
 benign esophageal strictures, 156–64
 caustic ingestion, 160
 corrosive esophagitis, 160
 esophageal perforation, 160
 future developments, 162
 indications, 156
 pediatric experience, 160–162
 stent migration, 159, 160
 timing, 162
 treatment duration, 162
 types, 157
see also individual stents
- esophageal strictures, 60–61, 61
 benign, 156–64
 classification, 61
 conventional treatments, 157
 endoscopic balloon dilatation, 157
 intractable, 165–9
 mitomycin C, 165–9
 pneumatic dilatation, 82–3, 83
 refractory, 157–60
 relapsing, 157–60
 sclerotherapy-induced, 90

- esophageal ulcers, 60
 caustic ingestion, 66
 sclerotherapy-induced, 90
- esophagitis
 corrosive, 160
 cytomegalovirus, 65
eosinophilic *see* eosinophilic esophagitis
 gastroesophageal reflux disease, 60, 60–61
 GERD unrelated, 63–73
 herpetic, 65, 65
 infectious, 65
 esophagogastroduodenoscopy (EGD), 3, 56, 56–7
- esophagus
 cervical *see* cervical esophagus
 chromoendoscopy, 140–141
 confocal laser endomicroscopy, 208
 distal, 48
 distention, 48
 exploration, 47–50
 narrow, 61
 perforation, 160, 165
 second physiological narrowing, 48, 48
 thoracic portion, 48
 trachealization, 63, 64
 EsophyX® device, 227–9, 228
 Ethanolamine, 89
 etomidate, 36
 excessive air pressure perforation, 119–121
 extrahepatic bile duct strictures, 194
 eye, light sensitivity, 17, 17
- familial adenomatous polyposis (FAP), 126–7, 127
 chromoendoscopy, 141, 147, 147
- fentanyl, 36
- fiberoptic bundle, 8, 13
- fiberoptic endoscopes, 7
- fiberoptic illumination fibers, 10–11
- fibrosing gastropathy, 66, 66
- FICE (Fuji Intelligent Color Enhancement), 24
- flumazenil, 36
- fluorescein sodium (FS), 207–8
- Foley catheter technique, 85
- foreign bodies, upper GI tract, 84–8
- foreign body retriever, 86, 86
- foveolae (gastric pits), 208
- Fuji Intelligent Color Enhancement (FICE), 24
- Full Thickness Plicator®, 227, 227, 228
- fundal varices
 band ligation complications, 152
 endoultrasound, 152, 152
- gamma loop, 118
- Gardner's syndrome, 69
- gastric bezoar, 69–70
- gastric biopsy, 54–5
- gastric body, 49, 49, 53
 diffuse nodularity, 67
- gastric cardia, 53, 53, 54
- gastric erosions, 55
- gastric fundus, 53
- gastric lavage, 57
- gastric pits (foveolae), 208
- gastric pull-through, 157
- gastric tumors, 69–70
- gastric ulcers, 55
- gastric varices, 154
- gastritis, 66–7
 collagenous, 67, 67
 cytomegalovirus, 67, 67
 hemorrhagic, 58
 herpetic, 67
- gastrocutaneous fistula, 99
- gastroduodenal tube placement, 101
- gastroesophageal biopolymer injection, 231–2
- gastroesophageal reflux disease (GERD)
 chromoendoscopy, 140
 confocal laser endomicroscopy, 208
 endoscopic treatment approaches, 224–34
 esophagitis, 60, 60–61
 methylene blue, 140
 treatment aims, 224
- gastrojejunal tube placement, 100–101
- gastroscopes, 13
- general anesthesia, 31
 colonoscopy, 108
 sclerotherapy, 89
- GERD *see* gastroesophageal reflux disease (GERD)
- germicides, 28
- glue extrusion, 154
- glue injection
 complications, 154
 gastric varices, 152–4
 infants, 152
 longer term efficacy, 152
 needle withdrawal, 153, 153
 technique, 152–4, 153
- glutaraldehyde, 5
- gluten-sensitive enteropathy *see* celiac disease
- glycerin suppository, 106
- goblet cells, 209
- goose-skin sign, 126
- graft-versus-host-disease (GVHD), 211, 211
- heater probes (computer-controlled thermal probes), 92–3
- Helicobacter pylori* infection
 biopsy, 55
 chromoendoscopy, 141, 145
 gastritis, 66–7, 67
- hemangiomas, colon, 128, 128
- hematemesis, 57
- hematochezia, 121
- hemorrhage *see* bleeding
- hemorrhagic gastritis, 58
- hemostasis, endoscopic *see* endoscopic hemostasis
- hemostatic clips, 91, 91–2
- hepatic flexure, 112, 113, 118

herpes simplex virus (HSV)
 esophagitis, 65, 65
 gastritis, 67
 hiatal hernia, 62
 high-grade dysplasia (HGD), 171–2
 high magnification chromoscopic colonoscopy (HMCC), 173
 clinical recommendations, 183–4
 colitis associated cancer, 177–8
 colorectal lesions, *in vivo* staging, 176–7, 177
 diagnostic accuracy, 175
 dyes, 174–5, **176**
in vivo optical biopsy, 175–6
 intraepithelial neoplasia detection, 177–8, 178
 intraepithelial neoplasia *vs.* ulcerative colitis, 178
 lesion overstaging, 177
 limitations, 178
 mucosal signs, 173, 173
 pit patterns, 174, **174**, 175, 183–4
 remnant tissue, 182
 submucosal layer 2 disease, 176
 High Resolution Television (HDTV) monitors, 16
 histoendoscopy, 178–9
 hyoscine *N*-butylbromide (Buscopan), 144, 207
 hyperplastic gastric polyp, 69, 69
 hypertrophic gastropathy (Menetrier's disease), 67–8
 hypertrophic pyloric stenosis (HPS), 68, 69
 hypnotics, 36
 hypoxemia, 32, 34

i-Scan, 24
 ileitis, back-washed, 122
 ileo-colonic intussusception, 125, 125
 ileocecal valve, 113, **113**, 119, 119
 ileum, terminal *see* terminal ileum
 immersion chromoendoscopy, 145–7, 147
 impedance (tissue resistance), 132
 incisura angularis, 49, 49
 India ink, **143**, 144
 indigo carmine (IC), 143, **143**
 celiac disease, 141
 colonic polyps, 141, 147
 endoscopic mucosal resection, 180
 high magnification chromoscopic colonoscopy, 174, **175**, **176**
 ulcerative colitis, 181
 infants
 colonoscopy preparation, 106
 esophageal intubation, 47
 small sigmoid colon, 110
 upper GI bleeding, 58, **59**
 infectious endocarditis (IE), 56
 infectious esophagitis, 65
 inflammatory bowel disease (IBD)
 chromoendoscopy, 141–2, 148, **148**
 colonoscopy, 121–2
 confocal laser endomicroscopy, 210, 210
 evolution, 178

informed consent
 colonoscopy, 108
 sedation, 33
 insertion tube, 7–14, 9
 adjustable stiffness, 10
 air system, 8, 11, 12, 13
 angulation control wires, 8, 9, 12–13
 angulation system, 11–13, 12
 base stiffness, 10, 10
 bending section, 11–13, 12
 biopsy channel, 11
 diameter, 9
 distal tip, 10–11, 11
 elasticity, 9
 external layer, 9, 10
 flexibility, 9–10, 10
 helical bands, 9, 9
 ideal, 9, 10
 instrument channel, 8
 internal components, 9
 suction system, 12, 13
 tensioning wire, 8, 8, 9, 10
 water system, 11, 11, 12, 13
 interline transfer charge-coupled devices, 16
 intestinal lymphangiectasia, 72–3, 73, 220, 220
 primary (Waldmann's disease), 72, 72–3, 73
 secondary, 72
 intestinal lymphoid hyperplasia, 124, 124–5
 intra-operative enteroscopy technique, 214, 219–20, 220
 intra-operative laparoscopy-assisted push enteroscopy, 214
 intraepithelial neoplasia
 colonoscopic imaging, 170–187
 endoluminal treatment, 170–187
 high magnification chromoscopic colonoscopy, 177–8, 178
vs. ulcerative colitis, 178

jejunum
 proximal, 75, 75
 tube placement, 100–101, 101
 juvenile polyposis, 126, 126
 juvenile polyps, 124–5, 125, 126
 juxtaposition of color sources, 20

Kerckring's folds, 141
 ketamine, 36–7
 "kissing" duodenal ulcers, 66

laparoscopic-assisted enteroscopy, 219–20, 220
 laparoscopic assisted PEG (lap PEG), 98
 laparoscopic fundoplication, 224, 230
 large volume lavage, 106
 laryngeal mask airways (LMAs), 32
 laryngospasm, sedation-induced, 32
 larynx, 46, 46
 laser scanning confocal microscopy (LCM), 178–9, 179
 lavage solution, 106–7
 leak testing, 24–5, 27

- lens washing, 11
 life support, 32
 ligament of Treitz, 53, 53
 light guide lens, 11, 13
 light source, 42
 line transfer charge-coupled device, 15
 linear furrow sign, 63, 64
 local anesthetics, 35
 longitudinal fold
 distal duodenum, 52
 rectum, 109–10, 110
 lower esophageal sphincter (LES), 83, 231
 Lugol's solution, 140, 142, **143**, 145
 Lye ingestion, 65
 lymphangiectasia, intestinal, 72–3, 73, 220, 220
 lymphoid follicles, rectal, 109
 lymphoproliferative disorder, 70, 71

 magnesium citrate, 106
 magnesium oxide, 106
 magnetic resonance cholangiopancreatography (MRCP), 188, 195, **195**
 Meckel's diverticulum, 217, 217, 220
 median raphae, 45
 medical devices, semi-critical, 26
 Menetrier's disease (hypertrophic gastropathy), 67–8
 mesenteric stretch, 34
 methylene blue, 142, **143**
 Barrett's esophagus, 140, 145
 carcinogenesis risk, 142
 celiac disease, 141, 145, 146
 familial adenomatous polyposis, 141, 147, 147
 GERD, 140
 high magnification chromoscopic colonoscopy, 174, **176**
 inflammatory bowel disease, 148
 ulcerative colitis, 142
 methylprednisolone, 157
 midazolam, 35
 milk of magnesia, 106
 "mini probe" ultrasound, 177
 "mini" (small) snare, 134
 minimal sedation (anxiolysis), 30, 35–6
 minimum effective concentration (MEC), 28
 mitomycin C, 166, 166–8, 167
 adverse effects, 167–8
 caustic strictures, 166, 166–7
 esophageal strictures, 157, 165–9
 mechanism of action, 166
 therapeutic dose, 167
 timing, 168
 mobile unit, 4–5
 moderate sedation and analgesia (conscious sedation), 30–31
 multiple angioma, 217, 217
 multipolar thermal devices, 92

 N loop, 117–18
 naloxone, 36

 narrow-band imaging (NBI), 22–4, 23
 narrow esophagus, 61
 nasoduodenal tube placement, 100–101
 nasojejunal tube placement, 100–101, **101**
 neonatal intensive care unit, 5
 neonates
 esophageal intubation, 47
 upper GI bleeding, 58, **59**
nil per os (NPO) status, 33
 nitinol, 157
 non-Hodgkin's lymphoma, 70, 70, 128–9, 128
 non-lifting sign of Uno, 181
 non-steroidal anti-inflammatory drugs (NSAIDs), 58
 nursing staff, 4
 skills, 5

 octreotide, 88
 "on-table" enteroscopy, 220
 open Nissen's fundoplication, 224, 230
 operating room endoscopy, 5
 opioids, 36
 over-the-wire method, 101

 pain reflex withdrawal, 31
 pancolitis, 127
 pancreas, ectopic, 69, 69
 pancreas divisum, 196, 196–7, 197
 pancreatic endoscopic sphincterotomy, **196**
 pancreatic pseudocysts, 198–9, 203
 endo-ultrasound, 203, 204
 EUS guided drainage, **199**
 identification, 203, 204
 post-traumatic, 199
 pancreatic trauma, 198–9
 pancreatitis
 acute *see* acute pancreatitis
 chronic, 198
 endoscopic ultrasonography, 199
 pancreas divisum, 196–7
 post-endoscopic retrograde
 cholangiopancreatography, 190
 recurrent, 195–6
 papilla of Vater, 52, 52
 paradoxical reactions, 35
 Paris classification, **172**
 pectinate (dentate) line, 109, 110
 Pediatric Endoscopy Database System Clinical Outcomes Research Initiative (PEDS-CORI), 32
 pediatric endoscopy nurse, 5
 Pediatric Sedation Research Consortium, 32
 PEG 3350, 106
 Pentax EC3870CILK endoscope, 207, 207
 peptic ulcers, 66, 66
 percutaneous endoscopic gastrostomy (PEG), 94–9, **100**
 aborting procedure, 97–8, **100**
 atypical anatomy, **100**
 complications, 97, 98–9
 contraindications, 94

- decision to proceed, 94–5
- feeding, 95, 97
- indications, 94
- laparoscopic assisted, 98
- new uses, 99
- patient preparation, 95
- personnel, 95
- post procedure management, 98
- preprocedure evaluation, 94–5
- safe tract technique, 96, 96
- sedation, 95
- surgical gastrostomy *vs.*, 94
- technique, 95, 95–8, 96, 97
- tube replacement, 98
- tube revisions, 99
- percutaneous transhepatic cholangiography (PTC), 190
- perforation
 - argon plasma coagulation-induced, 93
 - caustic ingestion, 66
 - colonoscopy-induced, 120
 - double-balloon enteroscopy-induced, 218
 - endoscopic mucosal resection-induced, 183
 - esophagogastroduodenoscopy-induced, 56
 - pneumatic dilatation-induced, 83, 84
- perform recess, 47, 47
- Peutz-Jeghers syndrome (PJS)
 - colonoscopy, 126
 - double-balloon enteroscopy, 215, 217
 - gastric polyps, 69–70, 70
 - multiple hamartomas, 69–70, 70
 - treatment, 126
- pharyngoepiglottic fold, 47
- pharynx, 44, 44
- phenol red, 141, 143, 144, 145
- photoelectric effect, 14
- Pico-Salax, 106
- picture elements (pixels), 14–15
- piece-meal technique, 137
- pig-tailed stents, 203, 204
- pigmented spots, 58, 58
- pixels (picture elements), 14–15
- PJF 160, 189
- plastic stents, 203
- pneumatic dilatation (PD)
 - achalasia, 83–4
 - balloon diameter, 82–3
 - complications, 84
 - endoscope-guided technique, 84
 - esophageal strictures, 82–3, 83
 - patient preparation, 84
 - sedation, 84
 - technique, 82–3
 - traditional/fluoroscopic-guide technique, 83, 84
- Polidocanol, 89
- poly-/lactic acid monofilaments biodegradable
 - esophageal stent, 159
 - polydioxanone, 159
 - polymeric glue, 151–5
 - polyp(s)
- assessment, 136
- juvenile, 124–5, 125, 126
- removal, 137, 138
- sessile, 136
- small, 136–7
- polyp retrieval nets, 138
- polypectomy, 132–9
 - backwards snaring, 136
 - bowel preparation, 135
 - colonic intubation, 138
 - colonoscopy withdrawal phase, 138
 - complications, 121, 138
 - exophytic lesions, 171
 - generator testing, 135
 - large polyps, 137
 - modified technique, 137
 - pedunculated polyps, 137
- Peutz-Jeghers syndrome, 70
- piece-meal technique, 137
- routine, 135
- safety conditions, 135–8
- safety routine, 135
- snare loops *see* snare loops
- techniques, 135–8
- polypectomy syndrome, 121
- polyposis syndrome(s), 69
 - chromoendoscopy, 141, 147, 147, 148
 - colonoscopy, 124–8
 - portal hypertension, 89
 - post-cholecystectomy bile leak, 194, 194
 - post-traumatic biliary disease, 194
 - postsurgical biliary disease, 194
 - primary sclerosing cholangitis (PSC), 193–4, 194
 - primitive large intestine, 109
 - propofol, 36, 108
 - propofol infusion syndrome, 36
 - proton pump inhibitors, 58
 - pseudopolyps, 124–5
 - pull and twist technique, 50–54
 - punch-out lesions, 58
 - push dilators, 165
 - push enteroscopy/jejunoscopy, 74–6, 213–14
 - complications, 76, 220
 - technique, 74, 74–6, 75, 76
 - pylorus, 49–50, 50, 190
 - R/L knob, 44
 - radiofrequency energy delivery, 231
 - Rapunzel syndrome, 70
 - ratchet-wheel technique, 43, 43
 - reactive stains, 142
 - rectal mucosa, 109, 110
 - rectum
 - bleeding, 121–4
 - embryology, 109
 - endoscopic anatomy, 110, 109–10, 110
 - recurrent abdominal pain (RAP), 59–60
 - red, green and blue (RGB), 18, 18
 - “red wale” marks (cherry red spots), 89, 89

reflection, total internal, 13
 remifentanil, 36
 reprocessing of endoscopes *see* endoscope reprocessing
 respiratory insufficiency, 34
 retrograde ileoscopy, 73, 73
 retroperitoneal perforation, 191
 reverse Trendelenburg position, 5
 RGB sequential endoscopy system, 15, 24
 advantages/disadvantages, 24
 anti-color-slip circuit, 22
 color-chip video endoscope *vs.*, 21–2, 24
 components, 18, 19
 filter wheel, 18
 green image, 19
 illumination, 18–19
 image misalignment, 22
 imaging, 18–19, 20
 production of motion, 22
 red image, 19
 second generation video processors, 22
RGB Sequential Imaging System, 18
 rhabdomyosarcoma, biliary, 193, 193
 Rigiflex 30mm diameter dilator, 84

Savary-Miller dilatators, 157
 Schatzki's ring, 61, 61
 sclerotherapy, 88–90
 complications, 89–90
 general anesthesia, 89
 goals, 88
 indications, 88–9
 injection technique, 89, 89–90
 polymeric glues, 90
 procedure, 89
 recurrent variceal bleeding, 89
 repeat sessions, 89
 screening colonoscopy, 104
 screw and advance concept, 219
 second physiological narrowing, 48
 secretions, excessive, 32
 sedation, 30–38
 adverse effects, 32
 baseline vital signs, 34
 behavior control, 31
 cardiorespiratory monitoring, 32–3
 care after, 34–5
 chromoendoscopy, 144
 colonoscopy, 108
 communication, 34
 complications, 31–2
 deep, 31, 95, 108
 definitions/levels, 30–31
 discharge criteria, 35
 drug interactions, 33
 fasting intervals, 33
 goals, 31
 heart exam, 33
 informed consent, 33
 instructions, 33

management during, 34
 medical history, 33
 medication administration timing, 34
 minimal, 30, 35–6
 oropharynx exam, 33
 percutaneous endoscopic gastrostomy, 95
 physical exam, 33
 physical response interpretation, 31
 precautions, 32
 preparation for, 32–3
 presedation assessment, 33
 procedure analysis, 31
 recovery area, 35
 risk assessment, 33
 risks, 31–2
 staff numbers, 34
 supplemental oxygen, 34
 techniques, 35–7
 transient desaturation, 32
 sedation nurse, 34
 sedatives, 35–6
 self-expandable metal stents (SEMS), 157–8
 complication rate, 157
 covered, 157
 endoscopic pancreatic cysto-gastrostomy, 203
 fully covered, retrievable, 158, 158–9, 160, 162
 limitations, 157–8
 pediatric experience, 160
 plastic prostheses *vs.*, 157, 158
 stent migration, 159, 160
 self-expandable plastic stents (SEPS), 158, 158
 complications, 158
 pediatric experience, 160
 self-expandable metal stents *vs.*, 158
 semi-critical medical devices, 26
 sexual abuse, 109, 110
 sharp objects, ingested, 87–8, 88
 Sickle cell disease (SCD), 193
 sigmoid colon, 110–11, 117–18
 allergic colitis, 124, 124
 bowel preparation-induced lesions, 124, 124
 deviations, 109
 hand pressure stabilization, 118
 infants/toddlers, 109–10
 loop creation, 117
 loop prevention, 117
 “shaped-up,” 111–112
 transitional zone, 111, 111
 sigmoid-descending junction, 116–17
 single-balloon enteroscopy, 213, 218, 218–19
 slim colonoscopes, 107, 107
 small (“mini”) snare, 134
 snare loops, 134–5
 closing point marking, 134, 134–5
 closure, 135, 136, 136
 placement, 136, 136
 safety routine, 135
 squeezing pressure, 135, 135
 sodium hydroxide ingestion, 65

- sodium phosphate colonic lavage, 107–8
 sodium picosulfate, 106
 Sonde type enteroscope, 213
 sphincter of Oddi, 191
 sphincter of Oddi dysfunction (SOD), 197–8
 spina bifida, 109, 110
 spiral enteroscopy, 213, 219, 219
 splenic flexure, 111–12, 112, 118–19
 spray catheters, reusable, 142
 squamo-columnar junction, 109, 110
 staff, 4–6
 percutaneous endoscopic gastrostomy, 95
 sedation, 34
 Standard Definition Television (SDTV) monitors, 16
 stents
 biodegradable *see* biodegradable stents
 esophageal *see* esophageal stenting/stents
 tracheobronchial, 160, 162
 stomach, 47–50
 biopsy, 54–5
 greater curvature, 49, 49
 malignant tumors, 70
 mucosal patters, 66
 retrograde inspection, 53
 see also entries beginning gastric
 Stretta® catheter, 231
 Stretta® control module, 231
 STRETTA® system, 231, 231
 strictures
 biliary anastomosis, 216–18
 esophageal *see* esophageal strictures
 extrahepatic bile duct, 194
 stridor, 32
 suction line, 13
 suction valve, 13, 42, 43
 sufentanil, 36
 superior mesenteric artery, 52
 supplemental oxygen, 34
 teenagers, GI bleeding, 59
 tenia coli, 110–111
 terminal ileum
 double-balloon enteroscopy, 215, 215
 exploration, 119, 120
 intestinal lymphoid hyperplasia, 124, 124–5
 non-Hodgkin's lymphoma, 128–9, 128
 thermal coagulation, 92–4
 third physiological narrowing (diaphragmatic notch), 48
 thrombin injections, 154
 TIF2.procedure, 228–9
 tip perforation, 120
 tissue resistance (impedance), 132
 toddlers
 small sigmoid colon, 110
 upper GI bleeding, 58, 59
 toluidine blue, 142, 143
 tongue
 esophageal intubation, 45, 45
 root of, 45, 45
 torque screw technique, 105
 total internal reflection, 13
 tracheo-esophageal fistula, 87, 87
 tracheobronchial remnants, 61
 tracheobronchial stents, 160, 162
 tranquilizers, 108
 transient bacteremia, 56
 Transoral Incisionless Fundoplication (TIF)®
 procedure, 227–8, 228, 229
 transverse colon, 112, 112, 118–19
 trauma, 109, 110
 traumatic colonic perforations, 121
 “triangular-cord” sign, 191
 trichromatic vision, 17, 18, 18
 U/D knob, 42–3, 43
 U-turn maneuver, 53, 53, 54
 UK National Poly Study, 171
 ulcer(s)
 aphthous, 123, 123
 endoscopic variceal ligation-induced, 91
 esophageal *see* esophageal ulcers
 recurrent bleeding, 58
 ulcerative colitis, 182
 chromoendoscopy, 142, 145
 colonic adenocarcinoma, 127
 colonoscopy, 121–2, 122
 confocal laser endomicroscopy, 209, 210
 dysplasia, 178
 intraepithelial neoplasia *vs.*, 178
 pseudopolyps, 122, 123
 severe form, 122, 122
 ultrasound scan (US), hypertrophic pyloric stenosis, 68
 ultraviolet (UV) light, 180
 unconscious *see* deep sedation
 upper gastrointestinal disorders, 206–7
 upper gastrointestinal endoscopy
 age-related indications, 57
 diagnostic indications, 59–62
 elective, 59–62
 therapeutic, 82–103
 urgent, 57–9
 V-shaped foreign bodies, 87–8, 88
 valves of Houston, 109, 110
 valvulae conniventes, 55, 71, 71
 varices
 endoscopic hemostasis, 151–5
 fundal *see* fundal varices
 gastric, 154
 Veterans Affairs Study, 171
 video endoscopes, 7–29
 color reproduction, 17–21
 components, 8
 digital imaging post-processing, 24
 double-balloon enteroscopy, 214
 electronic magnification system, 17
 illumination system, 8, 13–14
 image freezing, 24

video endoscopes (*cont'd*)
iris, 13–14
objective lens, 15, 19
optical zoom, 17
reproduction of motion, 21–2
troubleshooting, 24–6, **25**
water-jet nozzle, 11
video image capture, 14–15
video monitor, 19, **19**
villous atrophy, 55
vital signs, 34
vital stains, 142
vocal cords, 46, **46**
vomiting, 32

Waldmann's disease (primary intestinal lymphangiectasia), 72, 72–3, 73
water-immersion technique, 55
water-jet nozzle, 11
water system, 11, **11**, 12, 13
wireless capsule endoscopy (WCE), 214
complications, 214
double-balloon enteroscopy *vs.*, 214
primary intestinal lymphangiectasia, 73

Z-line, 48, **48**
cephalad displacement, 62
withdrawal, 53–4, 54